

PROFILE GRADE LINE AND CROWN

Location	Station	Offset	Theoretical Grade Elevations	Theoretical Grade Elevations Adjusted For Dead Load Deflection
Bk. W. Abut.	16+71.94	0.00	428.86	428.86
⊕ Brg. W. Abut.	16+74.85	0.00	429.00	429.00
JA	16+84.85	0.00	429.48	429.53
JB	16+94.85	0.00	429.95	430.03
IC	17+04.85	0.00	430.38	430.49
ID	17+14.85	0.00	430.78	430.90
IE	17+24.85	0.00	431.15	431.26
IF	17+34.85	0.00	431.48	431.58
IG	17+44.85	0.00	431.78	431.85
IH	17+54.85	0.00	432.05	432.09
II	17+64.85	0.00	432.28	432.29
IJ	17+74.85	0.00	432.48	432.47
IK	17+84.85	0.00	432.65	432.62
IL	17+94.85	0.00	432.78	432.76
⊕ Brg. Pier	18+07.85	0.00	432.90	432.90
2A	18+17.85	0.00	432.96	433.00
2B	18+27.85	0.00	432.98	433.07
2C	18+37.85	0.00	432.97	433.12
2D	18+47.85	0.00	432.92	433.14
2E	18+57.85	0.00	432.84	433.14
2F	18+67.85	0.00	432.73	433.10
2G	18+77.85	0.00	432.58	433.01
2H	18+87.85	0.00	432.40	432.88
2I	18+97.85	0.00	432.19	432.68
2J	19+07.85	0.00	431.94	432.44
2K	19+17.85	0.00	431.66	432.14
2L	19+27.85	0.00	431.35	431.77
2M	19+37.85	0.00	431.00	431.36
2N	19+47.85	0.00	430.62	430.88
2O	19+57.85	0.00	430.21	430.36
⊕ Brg. E. Abut.	19+70.85	0.00	429.62	429.62
Bk. E. Abut.	19+73.76	0.00	429.48	429.48

GIRDER 5

Location	Station	Offset	Theoretical Grade Elevations	Theoretical Grade Elevations Adjusted For Dead Load Deflection
Bk. W. Abut.	16+69.92	5.92	428.68	428.68
⊕ Brg. W. Abut.	16+72.83	5.92	428.82	428.82
1A	16+82.83	5.92	429.30	429.34
1B	16+92.83	5.92	429.77	429.85
1C	17+02.83	5.92	430.21	430.31
1D	17+12.83	5.92	430.62	430.73
1E	17+22.83	5.92	430.99	431.10
1F	17+32.83	5.92	431.33	431.42
1G	17+42.83	5.92	431.64	431.70
1H	17+52.83	5.92	431.91	431.95
1I	17+62.83	5.92	432.15	432.16
1J	17+72.83	5.92	432.36	432.34
1K	17+82.83	5.92	432.53	432.51
1L	17+92.83	5.92	432.67	432.64
⊕ Brg. Pier	18+05.83	5.92	432.80	432.80
2A	18+15.83	5.92	432.86	432.90
2B	18+25.83	5.92	432.89	432.98
2C	18+35.83	5.92	432.88	433.03
2D	18+45.83	5.92	432.84	433.07
2E	18+55.83	5.92	432.77	433.07
2F	18+65.83	5.92	432.67	433.03
2G	18+75.83	5.92	432.53	432.95
2H	18+85.83	5.92	432.35	432.83
2I	18+95.83	5.92	432.15	432.61
2J	19+05.83	5.92	431.91	432.41
2K	19+15.83	5.92	431.64	432.11
2L	19+25.83	5.92	431.33	431.75
2M	19+35.83	5.92	430.99	431.35
2N	19+45.83	5.92	430.61	430.87
2O	19+55.83	5.92	430.21	430.36
⊕ Brg. E. Abut.	19+68.83	5.92	429.63	429.63
Bk. E. Abut.	19+71.74	5.92	429.49	429.49

GIRDER 6

Location	Station	Offset	Theoretical Grade Elevations	Theoretical Grade Elevations Adjusted For Dead Load Deflection
Bk. W. Abut.	16+67.38	13.33	428.45	428.45
⊕ Brg. W. Abut.	16+70.29	13.33	428.59	428.59
1A	16+80.29	13.33	429.07	429.11
1B	16+90.29	13.33	429.54	429.62
1C	17+00.29	13.33	429.99	430.09
1D	17+10.29	13.33	430.41	430.52
1E	17+20.29	13.33	430.79	430.90
1F	17+30.29	13.33	431.14	431.25
1G	17+40.29	13.33	431.45	431.52
1H	17+50.29	13.33	431.73	431.77
1I	17+60.29	13.33	431.98	431.99
1J	17+70.29	13.33	432.20	432.18
1K	17+80.29	13.33	432.38	432.35
1L	17+90.29	13.33	432.52	432.50
⊕ Brg. Pier	18+03.29	13.33	432.67	432.67
2A	18+13.29	13.33	432.74	432.78
2B	18+23.29	13.33	432.77	432.86
2C	18+33.29	13.33	432.78	432.93
2D	18+43.29	13.33	432.75	432.97
2E	18+53.29	13.33	432.68	432.98
2F	18+63.29	13.33	432.58	432.95
2G	18+73.29	13.33	432.45	432.88
2H	18+83.29	13.33	432.29	432.76
2I	18+93.29	13.33	432.09	432.59
2J	19+03.29	13.33	431.86	432.36
2K	19+13.29	13.33	431.60	432.07
2L	19+23.29	13.33	431.30	431.72
2M	19+33.29	13.33	430.97	431.32
2N	19+43.29	13.33	430.60	430.86
2O	19+53.29	13.33	430.20	430.36
⊕ Brg. E. Abut.	19+66.29	13.33	429.63	429.63
Bk. E. Abut.	19+69.20	13.33	429.50	429.50