03-06-2015 LETTING ITEM 059

STATE OF ILLINOIS


DEPARTMENT OF TRANSPORTATION DIVISION OF HIGHWAYS

PROPOSED HIGHWAY PLANS

VARIOUS ROUTES SECTION D4 CRACK & JOINT SEAL 2015-1

PREVENTATIVE MAINTANACE **VARIOUS COUNTIES**

C-94-094-14



NET LENGTH = NA

D-94-037-14

VARIOUS 9 1

ILLINOIS CONTRACT NO. 68895

DO DAVIESS STEMPENSON WIDNESSAND GOME MC 165/617 LAKE CARROLL OCAE STEMPENSON WIDNESSAND NUMBERSON LEE OC KALB XAME OU PACE COOK MENOR FORD FORD FORD MANDSHALL FORD MANDSHALL MANDSHALL SCHITT CHAMPASON FORD MACOUR FORD MACOUR FORD MACOUR SANCAMON MACOUR FORD CASS MENURO CASS MANDSHAL COMBON FAVETYE COMBON AND TOM MACOUR FAVETYE COMBON MACOUR MACOUR FAVETYE COMBON MACOUR MACOUR FAVETYE COMBON MACOUR MACOUR FAVETYE COMBON MACOUR MAC
--

STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION

PRINTED BY THE AUTHORITY OF THE STATE OF ILLINOIS

FOR INDEX OF SHEETS, SEE SHEET NO. 2

STANDARDS

701101-04

0

0

 \circ

701301-04

701306-03

701311-03 701400-08

701401-09

701406-09


701411-09

701421-07 701901-04

701602-07

PROJECT DESCRIPTION

CRACK & JOINT SEALING ON VARIOUS ROUTES THROUGHOUT THE EASTERN HALF OF DISTRICT 4



ENGINEERING SCALES, REDUCED SIZED PLANS WILL NOT CONFORM TO STANDARD SCALES. IN MAKING MEASUREMENTS ON REDUCED PLANS. THE ABOVE SCALES MAY BE USED.

JOINT UTILITY LOCATION INFORMATION FOR EXCAVATION 1-800-892-0123

PROJECT ENGINEER MIKE LEWIS (309) 671-3454 PROJECT MANAGER RAYMOND SAMARA(309) 671-3459 CATALOG NO. 035132-00D

CONTRACT NO. 68B95

INDEX OF SHEETS

1. COVER SHEET
2. COMMITMENTS/ JOB SPECIFIC NOTES
3. SUMMARY OF QUANTITIES
4. SCHEDULE OF QUANTITIES
5 - 8. LOCATIONS MAPS
9. CADD STANDARDS

COMMITMENTS

NO COMMITMENTS HAVE BEEN MADE FOR THIS PROJECT.

JOB SPECIFIC NOTES

ROUT & SEAL CENTERLINE, TRANSVERSE, INNER EDGELINE OF TURNING LANES AND CONSISTENT CENTER OF LANE CRACKS ONLY.

CARE SHALL BE EXERCISED TO KEEP SEALANT OFF EXISTING PAVEMENT MARKINGS. ANY DAMAGE TO THE PAVEMENT MARKINGS SHALL BE REPAIRED BY THE CONTRACTOR AT HIS/HER OWN EXPENSE. WORK SHALL BE DONE IN ACCORDANCE TO SECTION 780 OF THE STANDARD SPECIFICATIONS AND TO THE SATISFACTION OF THE ENGINEER.

ALL DIRT AND DEBRIS CREATED BY THE ROUTING OPERATION SHALL BE CLEANED FROM THE PAVEMENT AND PAVED SHOULDERS AT THE END OF THE DAY'S OPERATIONS ACCORDING TO ARTICLE 107.15 OF THE STANDARD SPECIFICATIONS.

LOCATIONS ARE NUMBERED BY PRIORITY. LOCATIONS SHALL BE COMPLETED IN THIS ORDER ONLY.

FILE NAME =	USER MAKE a abuhannay	DESIGNED -	REVISED -		FAR SECTION COUNTY TOTAL SHE	ĒΤ
0468895-sht-cover.dgn		DRAWN -	REVISED -	STATE OF ILLINOIS	COMMITMENTS & JOB SPECIFIC NOTES VAR DA CHACK & DOINT SEAL VARIAGE OF COMMITMENTS & JOB SPECIFIC NOTES	-
	PLOT SCALE = 108.4568 1/ 14.	CHECKED -	REVISED -	DEPARTMENT OF TRANSPORTATION	2015-1 CONTRACT NO CONT	_
Defoult	PLOT DATE > 18/13/2014	DAYE -	REVISED -		SCALE: SHEET OF SHEETS STA. TO STA. INLINOIS/FED. AD PROJECT NO. 6885	4

100% STATE CODE TOTAL ITEM UNIT VAR. COUNTIES NO. QUANTITY 0005 45100100 CRACK ROUTING (PAVEMENT) FOOT 567, 266 567, 266 45100200 CRACK FILLING CAUOS 189,089 189,089 67100100 MOBILIZATION L SUM 1 70100310 TRAFFIC CONTROL AND PROTECTION, STANDARD 701421 L SUM 1 1 70100420 TRAFFIC CONTROL AND PROTECTION, STANDARD 701411 EACH 6 6 70100460 TRAFFIC CONTROL AND PROTECTION, STANDARD 701306 L SUM 1 70100700 TRAFFIC CONTROL AND PROTECTION, STANDARD 701406 L SUM 1 70102632 TRAFFIC CONTROL AND PROTECTION, STANDARD 701602 L SUM 1 1

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION

CONST. CODE

ife.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
VAR.	D4 CRACK & JOINT SEAL	VARIOUS	9	3
		CONTRACT	NO. E	8B95

CRACK ROUTING						
	FEET					
	PEORIA COUNTY					
LOC. 1	IL 6 FROM US 150 TO 0.7 MILES NORTH OF	36,579				
LOC. 2	LOC. 2 HOERR'S POND IL 29 FROM GARDNER LANE TO MOSSVILLE BRIDGE					
	TAZEWELL COUNTY					
LOC. 3	LOC. 3 IL 116 FROM BLACK JACK BLVD. IN EAST PEORIA TO WOODFORD COUNTY LINE					
	WOODFORD COUNTY					
LOC. 3	IL 116 FROM WOODFORD COUNTY LINE TO WEST CITY LIMITS OF METAMORA	196,203				
LOC. 4	IL 251 FROM JUST NORTH OF IL 116 EAST TO WOODFORD/MARSHALL COUNTY LINE	48,612				
TOTAL		567,266				

CRACK FILLING					
	LOCATION				
	PEORIA COUNTY				
LOC. 1	IL 6 FROM US 150 TO 0.7 MILES NORTH OF	12,193			
LOC. 2	LOC. 2 HOERR'S POND IL 29 FROM GARDNER LANE TO MOSSVILLE BRIDGE				
	TAZEWELL COUNTY				
LOC. 3	LOC. 3 IL 116 FROM BLACK JACK BLVD. IN EAST PEORIA TO WOODFORD COUNTY LINE				
	WOODFORD COUNTY				
LOC. 3	IL 116 FROM WOODFORD COUNTY LINE TO WEST CITY LIMITS OF METAMORA	65,401			
LOC. 4	IL 251 FROM JUST NORTH OF IL 116 EAST TO WOODFORD/MARSHALL COUNTY LINE	16,204			
TOTAL		189,089			

TRAFFIC	CONTROL AND	PROTECTION
	STANDARD 701	306
LO	L. SUM	
JOBSITE	1	
TOTAL		1 1

TRAFFIC CONTROL AND F	PROTECTION
STANDARD 7014	06
LOCATION	L. SUM
JOBSITE	1
TOTAL	1


TRAFFIC	CONTROL	AND	PROTECTION
	STANDARD	701	411
LO	CATION		EACH
JOBSITE			6
TOTAL			6

TRAFFIC CONTROL AND F	PROTECTION
STANDARD 7014	21
LOCATION	L. SUM
JOBSITE	1 1
TOTAL	1

TRAFFIC CONTROL AND F	PROTECTION
STANDARD 7016	02
LOCATION	L SUM
JOBSITE	1
TOTAL	1


MOBILIZATION				
LOCATION L. SUM				
JOBSITE	1			
TOTAL	1			

FILE NAME =	USER NAME = abuhannax	DESIGNED -	REVISED -			F.A. SECTION COUNTY TOTAL SHEET
D468B95-sht-coveridge		DRAWN -	REVISED -	STATE OF ILLINOIS	SCHEDULE OF QUANTITIES	DA CRACE & DIST SEAT
	PLOT SCALE = 100.0000 1/ zn.	CHECKED -	REVISED -	DEPARTMENT OF TRANSPORTATION		7AII 2015-1 1AIICUS 3 4
Default	PLOT DATE = 10/15/2014	DATE -	REVISED -		SCALE: SHEET 1 OF 1 SHEETS STA. TO STA.	CONTRACT NO. 68B95
						BEERFOLD FILE AND TROVELS



BRIDGE OMISSION: STA. 57+35 TO STA. 58+39


FILE NAME =	USER NAME = abuhannak	DESIGNED -	REVISED -			FA TOTAL SUCET
D468B95-sht-cover.dgn		DRAWN -	REVISED -	STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION	LOCATION #1 - PEORIA COUNTY	RTE. SECTION COUNTY SHEETS NO.
	PLOT SCALE = 100.4566 '/ in.	CHECKED -	REVISED -		COOKING #1 - FEORIA GOUNT	VAR. U4 CHACK & JUINT SEAL VARIOUS 9 5
Default	PLOT DATE = 10/15/2014	DATE -	REVISED -		SCALE: SHEET 1 OF 1 SHEETS STA. TO STA.	CONTRACT NO. 68B95
						[ILLINOIS[FEB. AID PROJECT



BRIDGE OMISSION: STA. 80+31 TO STA. 81+08

FILE NAME =	USER NAME = abuhannaw	DESIGNED ~	REVISED -			F.A. CENTRAL DOLLAR TOTAL SHEET
D468B95-sht-cover.dgn		DRAWN -	REVISED -	STATE OF ILLINOIS	LOCATION #2 - PEORIA COUNTY	RTE. SECTION COUNTY SHEETS NO.
	PLOT SCALE = 100.4566 '/ in-	CHECKED -	REVISED -	DEPARTMENT OF TRANSPORTATION	EDUNION WE - LEGINA GOORTI	VAR. D4 CRACK & JOINT SEAL VARIOUS 9 6
Default	PLOT DATE = 10/15/2814	DATE -	REVISED -		SCALE: SHEET 1 OF 1 SHEETS STA. TO STA.	ILLINOIS FED. AID PROJECT NO. 68B95
						ILLINOIS FED. AID PROJECT

BRIDGE OMISSION: STA. 296+16 STA. 317+32




RTE. SECTION
VAR. D4 CRACK & JOINT SEAL
2015-1


COUNTY SHEETS NO.
VARIOUS 9 7

CONTRACT NO. 68895

FILE NAME = DESIGNED -USER NAME = abuhannaw REVISED -D468B95-sht-cover.doc DRAWN REVISED -STATE OF ILLINOIS LOCATION #3 - TAZEWELL/WOODFORD COUNTY PLOT SCALE = 100.4566 '/ in. CHECKED -REVISED -**DEPARTMENT OF TRANSPORTATION** PLOT DATE = 10/15/2014 DATE REVISED SCALE SHEET 1 OF 1 SHEETS STA.





FILE NAME =	USER NAME = abuhannaw	DESIGNEO -	REVISED			TEAT	170741 511777
D468B95-sht-cover.dgn		DRAWN -	REVISED -	STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION	LOCATION #4 - WOODFORD COUNTY	RTE SECTION	COUNTY SHEETS NO.
	PLOT SCALE = 188.9800 '/ in.	CHECKED -	REVISED ~		FOCKLION #4 - AAOODLOUD COOMIL	VAR. D4 CRACK & JOINT SEAL	VARIOUS 9 8
Default	PLOT DATE = 18/15/2014	DATE -	REVISED		SCALE: SHEET 1 OF 1 SHEETS STA. TO STA.		CONTRACT NO. 68B95
SCHELL SHEELS STA. 10 STA. ILLINOIS FED. ALD PROJECT							AID PROJECT




NOTES

- 1) Route or saw to $\frac{3}{4}(20)$ wide by $\frac{3}{4}(20)$ deep; (1:1 ratio).
- ② Overfill with sealant; squeegee to provide 2 (50) wide flush "band-aid" effect; feather edges flush.
- Seal flush without "band-aid" effect.
- Route to 1(25) depth; clean and reface walls.
- (5) Route or saw ¾(20) wide by variable depth. Depth based upon crack or joint depth and ¾(20) minimum sealer over backer rod.







SPECIAL TREATMENT - BACKER ROD FOR JOINTS AND/OR CRACKS GREATER

THAN ¾(20) DEEP
(DOES NOT APPLY TO TRANSVERSE RANDOM CRACKS
IN CONTINUOUSLY REINFORCED PAVEMENTS)

GENERAL NOTES

- 1. Crack and Joint Sealing shall conform to Section 451 and 452.
- 2. The "Band Aid" width shall be reduced or eliminated in areas adjacent to existing pavement markings.

All dimensions are in inches (millimeters) unless otherwise noted.

O1-01-97 RENUM. C-36.01, NEW REVISE BOX T.P.			I.E.A.
05-01-97 REVISED E.T.	STATE OF ILLINOIS	CRACK AND JOINT SEALING	RTE SECTION COUNTY SHEETS NO.
10-16-06 REVISED TO 2007 SPEC. M.A.	DEPARTMENT OF TRANSPORTATION	CHACK WARD TOTAL SCHULLED	VARD4 CRACK & JOINT SEAL 2015-1 VARIOUS 9 9
	- DEFAULT OF THAIRD ON A TON	NOT TO SCALE	CADD STD. 452001-D4 FFD. ROAD DIST NO. IN DROIS SED. AND ROAD FFT.
			CADU STD. 452001-D4 FED. ROAD DIST. NO. ILLINOIS FED. AID PROJECT