CONTRACT NO. 64B89

F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
654	109M	CARROLL	76	40
STA.		TO STA.		
FED. ROAD DIST. NO.	ILLINOIS	FED. AID PROJECT		

LETTERING FOR NAME PLATE

STATION
BUILT 200 BY
STATE OF ILLINOIS
RTE. SEC.
FA PROJECT
LOADING HS 20
STR. NO.

SEE STD. 515001

ALL DIMENSIONS ARE IN MILLIMETERS (INCHES) UNLESS OTHERWISE NOTED.

LETTERING FOR NAME PLATE 89.4

REVISED 10-15-04

TREE REPLACEMENT SCHEDULE

	SCIENTIFIC NAME	COMMON NAME	SIZE	UNIT	QUANTITY
	CELTIS OCCIDENTALIS	HACKBERRY	1 3/4" CALIPER BALLED AND BURLAPPED	EACH	10
	QUERCUS MACROCARPA	BUR OAK	1 3/4" CALIPER BALLED AND BURLAPPED	EACH	10
	AMELANCHIER CANADENSIS	SHADBLOWN SERVICEBERRY	4' HEIGHT, SHRUB FORM, BALLED AND BURLAPPED	EACH	15

MITIGATED TREES SHALL BE PLANTED ON THE JOBSITE. LAYOUT SHALL BE PERFORMED BY THE DISTRICT LANDSCAPE ARCHITECT. MULCH SHALL BE HARDWOOD WOOD CHIPS, 5 FOOT WIDTH, 4 INCHES THICK WITH WEED BARRIER FABRIC.

ALL DIMENSIONS ARE IN MILLIMETERS (INCHES) UNLESS OTHERWISE NOTED.

FOR QUESTIONS PLEASE CALL RICHARD MAGGI AT (815)-284-5404

TREE REPLACEMENT SCHEDULE 90.4

REVISED 8-10-05

DRAIN FOR AGGREGATE BASE COURSE



NOTES:

The rock outlets shall be constructed using CA7 and will be paid for at the contract unit price per m^2 (SQ. YD.) for DRAIN FOR AGGREGATE BASE COURSE. The thickness shall be the same as the adjacent sub-base material as noted on the plans and shall include the cost of the filter fabric. The Rock outlets will be measured in m^2 (SQ. YD.), the width being 900 (36) by the length shown above. The cost of the CA6 or CA10 under the shoulder shall be included in the contract unit price per m^2 (SQ. YD.) for SUB-BASE GRANULAR MATERIAL, TYPE A of the thickness specified. The filter fabric to be used shall conform to the filter fabric used for Riprap.

SECTION A-A

NOTE: Slope same as shoulder with 2% min.

PLOT DATE = Thu Dec 13 14:54:02 2007
FILE NAME = c:\projects\k2089\k89\k89spl.dgn
PLOT SCALE = 50.0000 ' / IN.
REFERENCE = REF

X0325519

DRAIN FOR AGGREGATE BASE COURSE 96.4

REVISED 10-10-06