

ROUTE NO.	SECTION	COUNTY		TOTAL SHEETS	SHEET	s
FAP 786 (IL 170)		LASALLE		351	200 A	
FEO. ROAD DIST. NO. 7		ILLINCIS	FED. AID PROJECT-			

SHEET NO. 1 1 SHEETS

Contract Number: 66607

GENERAL NOTES

Fasteners shall be high strength bolts. Bolts $^7{}_8{}''\phi$, open holes $^{15}{}_{16}{}''\phi$, unless otherwise noted.

Plan dimensions and details relative to existing plans are subject to routine variations. The Contractor shall field verify existing dimensions and details affecting new construction and make necessary approved adjustments prior to construction or ordering of materials. Such variations shall not be cause for additional compensation for a change in scope of the work, however, the Contractor will be paid for the quantity actually furnished based upon the unit price bid for the work.

The existing structural steel coating contains lead. The Contractor shall take appropriate precautions to deal with the presence of lead on this project.

Note A:

The Contractor shall grind cracked weld (±15") parallel to the direction of the existing weld and not perpendicular to the weld. Ground surfaces shall be inspected for cracks using dye penetrant or magnetic particle testing prior to initiating bolting. Area should be thoroughly cleaned to remove any existing pack rust. Apply sealant compatible with structural steel before bolting cover plate to bottom flange. All labor, materials and traffic control required to complete the work as indicated on this sheet will be paid for at the contract unit price L. Sum for Structural Steel Repair.

€ Bottom chord East truss

TOTAL BILL OF MATERIAL

ITEM	UNIT	QUANTITY
Structural Steel Repair	L. Sum	1

<u>Existi</u>ng floorbeam 3' (33WF132) <u>BRIDGE REPAIRS</u> <u>FAP 786 (IL. 170)</u> <u>LASALLE COUNTY</u> <u>SN 050-0070</u>