



Threaded



No, required =

7-1-10



BSD-1

USER NAME = DESIGNED - TBP REVISED LIN ENGINEERING, LTD. FILE NAME BAR SPLICER ASSEMBLY AND MECHA CHECKED MTH REVISED STATE OF ILLINOIS Consulting Engineers STRUCTURE NO. 016 PLOT SCALE = DRAWN - AJF REVISED **DEPARTMENT OF TRANSPORTATION** Springfield, Illinois CHECKED - MTH REVISED SHEET NO. 7 OF 7 SHE PLOT DATE

Splicer bars shall be deformed with threaded ends and have a minimum 60 ksi yield strength. All reinforcement shall be lapped and tied to the splicer bars. Bar splicer assemblies shall be epoxy coated according to the requirements for reinforcement bars. See Section 508 of the Standard Specifications. See special provision for Mechanical Splicers. See approved list of bar splicer assemblies and mechanical splicers for alternatives.

Mechanical coupler (E) Reinforcement bar - Reinforcement bar

## STANDARD MECHANICAL SPLICER

Location	Bar size	No. assemblies required	
Rigid Frame Top	#7	44	
Rigid Frame Bottom	#11	44	
Rigid Frame Top	#5	250	
Rigid Frame Bottom	#5	250	
Barriers	#4	16	
Outside Barrier	#5	5	

NOTES

ANICAL SPLICER DETAILS	F.A.P. RTE.	SECTION	COUNTY	TOTAL	SHEET NO.
6-0400	350	2011-063-I	СООК	18	13
U			CONTRAC	T NO. 6	50P82
IEETS	ILLINOIS FED. AID PROJECT				