

SEE SHEET 69 FOR DRAINAGE DETAILS.

PROPOSED LEGEND			PROPOSED NOTES
PCC SIDEWALK, 4 INCH (SQ FT)	PROPOSED BENCH	HH PROPOSED HANDHOLE	THE CONTRACTOR SHALL MAINTAIN POSITIVE DRAINAGE IN THE FLOWLINE OF ALL GUTTERS. IF NECESSARY TO MATCH THE EXISTING ROADWAY ELEVATION AT THE PROPOSED EDGE OF ROAD, THE SLOPE OF THE GUTTER PAN MAY VARY FROM 3% TO 12%.
PCC SIDEWALK, 4 INCH (SPECIAL) (SQ FT)	PROPOSED TRASH RECEPTACLE	PROPOSED FIRE HYDRANT	
PCC PAVEMENT , 8 INCH (SQ YD)	PROPOSED BICYCLE RACK	PROPOSED INLET & INLET FILTER	FORMER COAL CHUTES SHOWN ON THE PLANS BUT NOT NOTED TO BE FILLED ARE BELIEVED TO BE PREVIOUSLY SEALED AND FILLED AND ARE SHOWN FOR INFORMATIONAL PURPOSES ONLY.
PCC DRIVEWAY PAVEMENT, 7 INCH (SQ FT)	PROPOSED PEDESTRIAN LIGHT	PROPOSED EDGE OF PAVEMENT	
(2000000) (2000000) (2000000) (2000000) (20000000)	PROPOSED STREET LIGHT	PROPOSED CONCRETE SIDEWALK	
PAVEMENT PATCHING (SQ YD)	PROPOSED FLAG POLE	PROPOSED COMBINATION CURB & GUTTER	
PROPOSED SEEDING, CLASS 2	PROPOSED SIDEWALK RAMP (1:12 MAX. SLOPE)	PROPOSED STORM SEWER PIPE	

Prairie Engineers of Illinois, P.C. 200 S. Chicago St.
Lincoln, IL 62656
(217) 651-8017

www.prairieengineers.com
professional design firm no. 184-005965
(217) 651-8017

© Copyright Profire Engineers of Illinois, P.C. 2011

CHECKED BY LDK

REVISION DRAWING DATE 11/29/11 STATE OF ILLINOIS DESIGNED BY DEF DEPARTMENT OF TRANSPORTATION CHECKED BY LDK 10/11

CITY OF LITCHFIELD - DOWNTOWN STREETSCAPE PHASE 2
PROPOSED PLAN 200 BLOCK W. EDWARDS - 100 BLOCK W. EDWARDS STREET 29+00.00 TO STATION 31+50.00

PEI PROJECT NO. 07L1101 SECTION COUNTY TOTAL SHEETS NO.

Montgomery 92 31

CONTRACT NO. 93563 PAGE 31 OF 92 PAGES 10-00035-00-LS 8236 FILENAME Proposed_Sheets.dwg
DRAWING SCALE 1" = 10' CONTRACT NO. ___

(217) 651-8017