## IMPROVEMENT PLANS FOR

# HOFFMAN GARDENS

VILLAGE OF GODFREY, ILLINOIS

MADISON COUNTY

SECTION 08-00021-00-PK

PROJECT NO. SBIL-IL07(022) JOB NO. C-98-348-08

# PROJECT LOCATION

LOCATION MAP

NOT TO SCALE

### INDEX TO SHEETS

### COVER SHEET

### CIVIL

- C1. SUMMARY OF QUANTITIES / SITE DETAILS / GENERAL NOTES
- C2. SMS LEGEND PLAN
- C3. EXISTING SITE PLAN
- C4. PROPOSED SITE PLAN


### LANDSCAPING

- L1. KIOSK DETAILS
- L2. PLANTING PLANS
- L3. PLANTING DETAILS "A"
  L4. PLANTING DETAILS "B"

### I.D.O.T. HIGHWAY STANDARDS

280001-*ol*<sub>6</sub> 424001-06 442201-03 606001-04 701006-03 701901-02 720001-01 780001-03

### **SCALES**



Sheppard, Morgan & Schwaab, Inc. CONSULTING ENGINEERS AND LAND SURVEYORS

ENGINEERS

215 Market Street, P.O. Box E, Alton, II. 62002 6 1846-2-9755 E-mail: mail@smsengineers.com 10 Central Industrial Drive, Granle City, II. 62040 6 188677-8700 E-mail: mail@smsengineers.com 10 SEIGN FIRM # 184-000992

PDS
PLANNING DESIGN STUDIO
727 North First Street, Suite 360
Saint Louis, Missouri, 63102
Phone (314) 241-3600



DATE: Jan 4 2012


ENP. DATE: 11-30-2013

DESIGN FIRM REGISTRATION
NO. 184-000992

SHEETS C1 THRU C4


SHEE





08-00021-00-PK

CONTRACT NO. 97473 FEDERAL AID PROJEC



PRINTED BY AUTHORITY OF THE STATE OF ILLINOIS

FULL SIZE PLANS HAVE BEEN PREPARED USING STANDARD ENGINEERING SCALES. REDUCED SIZED PLANS MAY NOT CONFORM TO STANDARD SCALES. IN MAKING MEASUREMENTS ON REDUCED PLANS THE ABOVE SCALES MAY BE USED.

A. CABLE TELEVISION CHARTER COMMUNICATIONS 4767 SIGNATURE INDUSTRIAL DRIVE, EDWARDSVILLE, ILLINOIS 62025

B. GAS & ELECTRIC AS & ELECTRIC AMEREN U.E. COMPANY,
700 OAKWOOD AVENUE, ALTON, ILLINOIS 62002 (618) 463-4043 (GAS), (618) 463-4051 (ELECTRIC)

MILLAGE OF GODFREY PUBLIC WORKS P.O. BOX 5067 GODFREY, ILLINOIS 62035 (618) 466–3334

D. TELECOMMUNICATIONS AT&T 203 GOETHE, COLLINSVILLE, ILLINOIS 62234 (618) 346-6400

ILLINOIS AMERICAN WATER COMPANY 4436 INDUSTRIAL DRIVE, ALTON, ILLINOIS 62002 (618) 466-9429

2. FOR UTILITY LOCATING PURPOSES, THIS PROJECT IS LOCATED IN THE SECTION 4, TOWNSHIP 5 NORTH, RANGE 10 WEST OF THE THIRD PRINCIPAL MERIDIAN.

3. EXCEPT WHERE DESIGNATED OTHERWISE, THE LOCATIONS AND/OR DEPTHS OF UNDERGROUND UTILITIES HAVE COME FROM RECORD INFORMATION PROVIDED TO SMS BY OWNER AND UTILITY COMPANIES AND MUST BE CONSIDERED APPROXIMATE AND NOT ENTIRELY COMPLETE.

4. THE CONTRACTOR SHALL USE ALL DUE PRECAUTION NOT TO DAMAGE OR DISTURB ANY UNDERGROUND UTILITIES. THE ENTIRE COST OF MAKING REPAIRS TO, OR REPLACEMENT OF, ANY DAMAGED LINE WILL BE THE FULL RESPONSIBILITY OF THE CONTRACTOR IN ACCORDANCE WITH ARTICLE 105.07 OF THE LATEST EDITION OF THE I.D.O.T. "STANDARD SPECIFICATIONS FOR ROAD AND BRIDGE CONSTRUCTION"

5. ALL REMOVAL WORK SHALL BE DONE ACCORDING TO THE LATEST EDITION OF THE LD.O.T. "STANDARD SPECIFICATIONS FOR ROAD AND BRIDGE CONSTRUCTION".

6. REMOVAL EXCAVATIONS WITHIN 2 FEET OF THE LIMITS OF THE PAVEMENT, SIDEWALK, CURB, ETC. SHALL BE BACKFILLED WITH CRUSHED STONE AGGREGATE (IDOT GRADATION CA-6) COMPACTED TO 95% OF THE STANDARD PROCTOR OF THE MATERIAL.

7. ALL SURPLUS MATERIALS RESULTING FOR SITE GRADING, CONSTRUCTION OPERATIONS, REMOVAL ITEMS, ETC. SHALL BE REMOVED FROM THE SITE BY THE CONTRACTOR AND DISPOSED OF BY AND AT THE EXPENSE OF THE CONTRACTOR ACCORDING TO ARTICLE 202.03 OF THE IDOT STANDARD SPECIFICATIONS.

ALL PAVING, BASE COURSE, SUBGRADE, AND CONCRETE CURB CONSTRUCTION SHALL BE PERFORMED IN ACCORDANCE WITH THE LATEST EDITION OF THE I.D.O.T. "STANDARD SPECIFICATIONS FOR ROAD AND BRIDGE CONSTRUCTION",

9. ALL SIDEWALK CONSTRUCTION SHALL BE PERFORMED IN ACCORDANCE WITH SECTION 424 OF THE I.D.O.T. STANDARD SPECIFICATIONS. ALL ACCESSIBLE RAMPS SHALL BE CONSTRUCTED IN ACCORDANCE WITH IDOT HIGHWAY STANDARD 424201 AND THE ILLINOIS CAPITAL DEVELOPMENT BOARD "ILLINOIS ACCESSIBILITY CODE".

10. PAINT PAVEMENT MARKINGS SHALL BE CONSTRUCTED IN ACCORDANCE WITH SECTION 780 OF THE I.D.O.T. STANDARD SPECIFICATIONS , HIGHWAY STANDARD 780001 AND THE MANUAL ON UNIFORM TRAFFIC CONTROL DEVICES (MUTCD).

11. ALL LETTERS AND SYMBOLS SHALL BE "LARGE" AS DESIGNATED ON HIGHWAY STANDARD 780001.

12. EXISTING STRIPING, PAVEMENT MARKINGS, ETC. IN AREAS WHERE THE PAVEMENT SURFACE IS TO REMAIN SHALL BE REMOVED OR HIDDEN IN A MANNER THAT DOES NOT IMPAIR THE EXISTING SURFACE PRIOR TO APPLICATION OF NEW MARKINGS.

ALL EROSION CONTROL WORK SHALL BE PERFORMED ACCORDING TO SECTION 280 THE IDOT STANDARD SPECIFICATIONS, IDOT HIGHWAY STANDARD 280001.

14. THE CONTRACTOR SHALL PROVIDE MEASURES TO PREVENT SEDIMENT FROM BEING TRACKED ONTO PUBLIC OR PRIVATE ROADWAYS. ANY SEDIMENT REACHING A PUBLIC OR PRIVATE ROAD SHALL BE REMOVED BEFORE THE END OF EACH WORKDAY AND TRANSPORTED TO A CONTROLLED SEDIMENT DISPOSAL AREA.


15. AT LOCATIONS WHERE THE GROUND HAS BEEN DISTURBED AND NOT OTHER SURFACE RESTORATION IS INDICATED, THE CONTRACTOR SHALL RESTORE THE AREA BY CLASS 1B SEEDING AND MULCH, METHOD 2. ALL PERMANENT SEEDING SHALL BE PERFORMED IN ACCORDANCE WITH SECTION 250 OF THE IDOT STANDARD SPECIFICATIONS, EXCEPT THAT THE USE OF EMULSIFIED ASPHALT FOR STABILIZATION WILL NOT BE ALLOWED. THE CONTRACTOR SHALL MAINTAIN THE SEEDED AREAS UNTIL ADEQUATE GRASS COVER IS ACHIEVED. ALL WASH-OUTS SHALL BE FILLED AND RESEEDED.

### SUMMARY OF QUANTITIES

CONSTRUCTION TYPE CODE 0031

| PAY ITEM # | DESCRIPTION  | UNIT  | QUANTITY |
|------------|--|-------|----------|
| 21101505   | TOPSOIL EXCAVATION AND PLACEMENT   | CU YD | 175      |
| 21101605   | TOPSOIL FURNISH AND PLACE, 2"  | SQ YD | 3630     |
| 21400100   | GRADING AND SHAPING DITCHES  | FOOT  | 750      |
| 25000115   | SEEDING, CLASS 1B  | ACRE  | 0.75     |
| 25000400   | NITROGEN FERTILIZER NUTRIENT   | POUND | 68       |
| 25000500   | PHOSPHORUS FERTILIZER NUTRIENT   | POUND | 68       |
| 25000600   | POTASSIUM FERTILIZER NUTRIENT  | POUND | 68       |
| 25000700   | AGRICULTURAL GROUND LIMESTONE  | TON   | 2        |
| 25100115   | MULCH, METHOD 2  | ACRE  | 0.75     |
| 28100105   | STONE RIPRAP, CLASS A3   | SQ YD | 12       |
| 42400800   | DETECTABLE WARNINGS  | SQ FT | 16       |
| 60600095   | CLASS SI CONCRETE (OUTLET)   | CU YD | 1        |
| 60600605   | CONCRETE CURB, TYPE B  | FOOT  | 265      |
| 607100100  | MOBILIZATION   | L SUM | 1        |
| 72000100   | SIGN PANEL - TYPE 1  | SQ FT | 2        |
| 72900100   | METAL POST - TYPE A  | FOOT  | 11       |
| 78001100   | PAINT PAVEMENT MARKING - LETTERS AND SYMBOLS   | SQ FT | 5        |
| 78001110   | PAINT PAVEMENT MARKING - LINE 4"   | FOOT  | 700      |
| 78001130   | PAINT PAVEMENT MARKING - LINE 6"   | FOOT  | 100      |
| 78001140   | PAINT PAVEMENT MARKING - LINE 8"   | FOOT  | 100      |
| X0326406   | INFORMATION KIOSK COMPLETE   | EACH  | . 1      |
| X4240420   | PORTLAND CEMENT CONCRETE SIDEWALK 4 INCH, SPECIAL  | SQ FT | 3420     |
| X5030550   | PROTECTIVE COAT (SPECIAL)  | SQ YD | 117      |
| X7010216   | TRAFFIC CONTROL AND PROTECTION, SPECIAL  | L SUM | 1        |
| XX003816   | FURNISHING AND INSTALLING CONCRETE WHEEL STOPS   | EACH  | 10       |
| A2005616   | TREE, OSTRYA VIRGINIANA (AMERICAN HOPHORNBEAM), 2" CALIPER, BALLED AND BURLAPPED         | EACH  | 2        |
| B2001114   | TREE, CERCIS CANADENSIS (EASTERN REDBUD),1-3/4" CALIPER, TREE FORM, BALLED AND BURLAPPED | EACH  | 6        |
| C2C058G2   | SHRUB, RHUS AROMATICA GRO-LOW (GRO-LOW FRAGRANT SUMAC), CONTAINER GROWN, 2-GALLON        | EACH  | 84       |
| K0012980   | PERENNIAL PLANTS, ORNAMENTAL TYPE, QUART POT   | UNIT  | 5.9      |
| K0012990   | PERENNIAL PLANTS, ORNAMENTAL TYPE, GALLON POT  | UNIT  | 0.74     |

\* SPECIALTY ITEMS





EXISTING PAVEMENT PATCH PAVEMENT AS NECESSARY (USE HOT-MIX ASPHALT / SHALL BE INCLUDED IN THE UNIT PRICE - CONCRETE CURB. TYPE B 6" OR AS NEED TO ACCOMODATE CONSTRUCTION FOR CONCRETE CURB, TYPE B)

CONCRETE CURB TYPE B

ACCESSIBLE SYMBOL PAVEMENT MARKING (MUTCD FIGURE 3B-22)

NTS





ACCESSIBLE PAVEMENT MARKING

12" x 18"

(MUTCD R7-8)


SIGN POST


(MUTCD R7-1101) \$250 FINE

N.T.S.


6" CURB (HEIGHT VARIES 0" TO 6") CONCRETE CURB, TY. B P.C.C. SIDEWALK, 4", SPECIAL - CONCRETE CURB. TY. B. DETECTABLE WARNING (RED)

(3) ACCESSIBLE CURB RAMP





(4) CONCRETE WHEEL STOP



5 CLASS SI CONCRETE (OUTLET)

ACCESSIBLE PARKING SIGN

FIN. GRADE

N. T. S.

HANDICAPPED SIGNS AND POSTS TO CONFORM WITH U.S. DEPARTMENT OF TRANSPORTATION MANUAL ON

STANDARD HANDICAPPED PARKING SIGN TO BE MOUNTED WITH BOTTOM OF SIGN 5'-0" ABOVE GRADE

UNIFORM TRAFFIC CONTROL DEVISES.

Schwaab, Inc

COUNTY SHEETS

9

MADISON

08-00021-00-PK

CONTRACT NO. 97473

SHEE NO.

Sheppard, Morgan & consulting engineers and LAND sui

FIMAN GARDEI **ILLINOIS** SITE OF GODFRE OUANTITIES , AGH OFI IMPROVEMENT SUMMARY

DETAIL

IOFFMAN SITE DETAILS.DWG

SCALE: N.T.S

SHEET C1 OF 9

EXISTING DECIDUOUS TREE / SIZE - ( XX" EXISTING EVERGREEN TREE / SIZE - XX" EXISTING STUMP / SIZE - Plxx" EXISTING BUSH -EXISTING SHRUB - 😂 EXISTING SHRUB - (-)
EXISTING TREE TO BE REMOVED - XXX"

EXISTING RAILROAD CROSSING GATE - 3023

EXISTING ADVERTISING SIGN - TO

EXISTING TRAFFIC SIGNAL - C-> EXISTING TRAFFIC SIGNAL CONTROLLER - SE

EXISTING HANDHOLE - S EXISTING DOUBLE HANDHOLE - DE EXISTING MAST ARM BASE - O--

EXISTING TRAFFIC SIGN - -EXISTING PARKING METER - P EXISTING RAILROAD MILE POST - - MP EXISTING RAILROAD SIGNAL CONTROLLER - [23] PROPOSED GUY POLE -- 0-PROPOSED LIGHT POLE -X PROPOSED POWER POLE - -O-PROPOSED TELEPHONE POLE -- 0-PROPOSED GUY WIRE - ← PROPOSED TRANSMISSION TOWER - PROPOSED ELECTRIC SPLICE BOX - = E PROPOSED TELEPHONE SPLICE BOX -A PROPOSED CABLE SPLICE BOX - TTV PROPOSED WATER HYDRANT - TO PROPOSED GAS METER - (5) PROPOSED WATER METER - (1) PROPOSED WATER VALVE -▶ PROPOSED GAS VALVE - ⊗ PROPOSED FIRE HYDRANT - ♥FH PROPOSED SANITARY MANHOLE TOP - @ PROPOSED STORM MANHOLE TOP -O PROPOSED TELEPHONE MANHOLE TOP - O PROPOSED SANITARY CLEAN OUT - 8 PROPOSED MAILBOX - P PROPOSED GUARD POST - OGP PROPOSED ADVERTISING SIGN --PROPOSED TRAFFIC SIGN - -PROPOSED RAILROAD MILE POST - THE PROPOSED RAILROAD SIGNAL CONTROLLER - 🖂 PROPOSED RAILROAD CROSSING GATE - X-X-PROPOSED TRAFFIC SIGNAL -O-> PROPOSED TRAFFIC SIGNAL CONTROLLER - M PROPOSED HANDHOLE - N PROPOSED DOUBLE HANDHOLE - D PROPOSED MAST ARM BASE - O→ PROPOSED DECIDUOUS TREE / SIZE - ( . )XX" PROPOSED EVERGREEN TREE / SIZE - XX PROPOSED BUSH -PROPOSED PLANT -\* PROPOSED EDGE OF PAVEMENT ELEVATION - + 512.00 EP PROPOSED PAVEMENT ELEVATION - + 505.50 P PROPOSED CURB ELEVATION - + 550.25 C PROPOSED SIDEWALK ELEVATION - + 515.15 SW PROPOSED FLOWLINE ELEVATION - + 501.58 FL

**EXISTING CONSTRUCTION** 

EXISTING POND, LAKE, BODY OF WATER, ETC.

EXISTING BRUSH / HEDGE / TREE LINE EXISTING RAILROAD

EXISTING OVERHEAD CABLE TV EXISTING RIGHT-OF-WAY

EXISTING SANITARY SEWER

EXISTING SECTION LINE

EXISTING SETBACK

DEST RACE THESE SARS SAYS DATA BOAR

EXISTING STORM SEWER

EXISTING OVERHEAD TELEPHONE

EXISTING UNDERGROUND CABLE TV

EXISTING BASELINE

THE CONTRACTOR

EXISTING CENTERLINE

EXISTING MAJOR CONTOUR

EXISTING MINOR CONTOUR

TO STATE OF THE PART OF THE PA EXISTING CULVERT

EXISTING DITCH

EXISTING OVERHEAD ELECTRIC

EXISTING UNDERGROUND TELEPHONE

EXISTING WATER

EXISTING UNDERGROUND ELECTRIC

EXISTING EASEMENT

EXISTING FENCE

EXISTING FIBER OPTIC

EXISTING FORCEMAIN

EXISTING GAS

EXISTING GUARDRAIL

PROPOSED CONSTRUCTION

<del>--(500)--</del>

PROPOSED MAJOR CONTOUR

PROPOSED BASELINE PROPOSED GUARDRAIL

---OTV------OTV-----PROPOSED OVERHEAD CABLE TV PROPOSED POND, LAKE, BODY OF WATER, ETC.

\_\_\_\_ TV \_\_\_\_\_ TV \_\_\_\_ PROPOSED UNDERGROUND CABLE TV PROPOSED RAILROAD

PROPOSED CENTERLINE PROPOSED RIGHT-OF-WAY

PROPOSED CONSTRUCTION LIMITS PROPOSED SANITARY SEWER

PROPOSED SETBACK

(501)----PROPOSED MINOR CONTOUR

\_\_\_\_\_ PROPOSED TEMPORARY CONSTRUCTION EASEMENT

- OT ----- OT -----PROPOSED DITCH PROPOSED OVERHEAD TELEPHONE

— OE —— OE —— PROPOSED OVERHEAD ELECTRIC PROPOSED UNDERGROUND TELEPHONE

PROPOSED UNDERGROUND FLECTRIC PROPOSED WATER

0 0 0 0 PROPOSED PERIMETER EROSION BARRIER

PROPOSED EASEMENT

\_\_\_\_ x \_\_\_\_ x \_\_\_\_ x \_\_\_\_ PROPOSED FENCE

PROPOSED FIBER OPTIC

---- FM ------- FM ------PROPOSED FORCEMAIN

\_ G \_\_\_\_ G \_\_\_


Sheppard, Morgan & Schwaab, Inc. CONSULTING ENGINEERS AND LAND SURVEYORS 1518 Market Steet, Do. D. ex. E. Albu, I. EXXX. 518402-51755 E. mait. maligemengineers.com 10 Central Industrial Deve. Sulte. 3. Central EXXX. 18 EXXX. 518402-51755 E. mait. maligemengineers.com DESIGN FIRM # 184—0009992

IMPROVEMENT PLANS FOR HOFFMAN GARDENS VILLAGE OF GODFREY, ILLINOIS SMS LEGEND

DMC NO DWG. NO.
HOFFMAN SMS LEGEND.DWG
REF. BK. PG.
JOB NO. 437560
DSN. BY: SJW/DDT
DWN. BY: BCS
CHK. BY: SJW SCALE: N.T.S

SHEET C2 OF 9


SHEET C3 OF 9




IMPROVEMENT PLANS FOR HOFFMAN GARDENS VILLAGE OF GODFREY, ILLINOIS PROPOSED SITE PLAN

DWG. NO.
HOFFMAN PROPOSED SITE.DWG
REF. BK. PG.
JOB NO. 437560
DSN. BY; SJW/DDT
DWN. BY: BCS
CHK. BY: SJW
DATE: JANUARY, 2012







KIOSK - SIDES A AND C
(SIDE A SHOWN - SIDE C OPPOSITE)




PAINTED METAL ROOF CAP AND SHINGLE CORNER CAPS


UNREINFORCED CONCRETE FOOTING








4











| IMPROVEMENT PLANS FOR HOFFMAN GARDENS | FLOS  PLANNING DESIGN STUDI                          |
|---------------------------------------|--|
| VILLAGE OF GODFREY, ILLINOIS          | 727 North First Street, Suite 30                     |
| KIOSK DETAILS                         | Saint Louis, Missouri, 63102<br>Phone (314) 241-3600 |
|                                       | ,              |


O 86

COUNTY SHEETS NO.

MADISON 9 6

08-00021-00-PK CONTRACT NO. 97473

> DWG. NO.
> HOFFMAN KIOSK DETAILS.DWG
> REF. BK. PG.
> JOB NO. 437560
> DSN. BY: SJW/DDT
> DWN. BY: BCS
> CHK. BY: SJW
> DATE: JANUARY, 2012 SCALE: 1"=2" SHEET L1 OF 9



2 L3

DETAIL PLAN - LANDSCAPED BERM "B"

PERENNIALS - 4.5" (1 quart square)
Asclepias tuberosa (Butterfly Milkweed)
Aster novae-angliae (New England Aster)[GN]

Callirhoe involucrata (Purple Poppy Mallow)
Coreopsis lanceolata (Lance-leaf Coreopsis)

PERENNIALS - 6" (#1 round/trade gallon)
Amsonia tabernaemontana (Blue Star)

Cercis canadensis (Eastern Redbud)

Ostrya virginiana (Eastern Hop Hombeam

Echinacea paradoxa (Yellow Coneflower) Sporobolus heterolepis (Prairie Dropseed Grass) Liatris scariosa (Eastern Blazing Star)

Liaturs scarlosa (Lastern Bazing Starl)
Oenothera macrocarpa-syn missouriensis (Missouri Evening Primrose)
Pyonanthemum tenuifolium (Slender Mountain Mint)
Rudbeckia missouriensis (Missouri Black-eyed Susan)
Solidago rigida (Stiff Golderrod)
Verbena canadensis (Rose Verbena)

Schizachyrium s. Blue Heaven (Little Bluestem grass) [PP17310]

Trees & Shrubs - Trees B & B - Shrubs Container Grown Rhus aromatica (Low-Gro)

NOTE: QUANTITIES FOR PERENNIALS SHOWN ABOVE ARE PER PLANT. 100 PLANTS = 1 UNIT QUANITY

Baptisia australis (Blue False Indigo)

-6 - STIFF GOLDENROD @ 30" O.C.

-14 - PRAIRIE DROPSEED @ 24" O.C. 13 - LOW-GRO SUMAC @ 36" O.C. 26 - ROSE VERBENA @ 12" O.C. -15 - BLACK-EYED SUSAN @ 24" O.C. -37 - BUTTERFLY WEED @ 12" O.C. L3

15 - BLACK-EYED SUSANS @ 24" O.C. -14 - PRAIRIE DROPSEED @ 24" O.C. -26 - ROSE VERBENA @ 12" O.C. DETAIL PLAN - LANDSCAPED BERM "A"

-37 - BUTTERFLY WEED @ 12" O.C.

PDS
PLANNING DESIGN STUDIO
727 North First Street, Suite 360
Saint Louis, Missouri, 63102
Phone (314) 241-3600

COUNTY SHEETS NO.

MADISON

08-00021-00-PK

CONTRACT NO. 97473

F6 - STIFF GOLDENROD @ 30" O.C.

IMPROVEMENT PLANS FOR HOFFMAN GARDENS VILLAGE OF GODFREY, ILLINOIS PLANTING DETAILS "A"

-10 - PRAIRIE DROPSEED @ 24" O.C.

L15 - LOW-GRO SUMAC @ 36" O.C.

SCALE: N.T.S. SHEET L3 OF 9

Qty.

4.5" (1qt)

4.5" (1qt)

4.5" (1qt)

4.5" (1qt) 4.5" (1qt)

4.5" (1qt) 4.5" (1qt) 4.5" (1qt) 4.5" (1qt) 4.5" (1qt)

6" (#1)

6" (#1)

#2 Cont.

1-3/4" Cal.

Upon Mixed Perennials ⊕ 24" O.C.

30 Coreopsis

30 Rose Verbena

30 Blue Star DETAIL PLAN - LANDSCAPED BERM "C"

LAWN EDGING

LAWN EDGING

L7 - BLUE HEAVEN LITTLE BLUESTEM @ 24" O.C.

DETAIL PLAN - LANDSCAPED BERM "D" NTS

(L4)

10 - PRAIRIE DROPSEED @ 24" O.C.-15 - LOW-GRO SUMAC @ 36" O.C.-7 - BLUE HEAVEN LITTLE BLUESTEM @ 24" O.C. LAWN EDGING 90 - MIXED PERENNIALS @ 24" O.C. 30 COREOPSIS 30 ROSE VERBENA 30 BLUE STAR

L4


DETAIL PLAN - LANDSCAPED BERM "F"

6 - PRAIRIE DROPSEED @ 24" O.C. -\LOW-GRO SUMAC @ 36" O.C. 40 - PURPLE POPPY MALLOW @ 12" O.C.-LAWN EDGING 16 - LOW-GRO SUMAC @ 36" O.C.

<u>(2)</u> (L4)

DETAIL PLAN - LANDSCAPED BERM "E"

6 - BLAZING STAR @ 36" O.C



70 - MIXED PERENNIALS © 24" O.C.
A - 10 - BUTTERFLY WEED
B - 10 - YELLOW CONFFLOWER
C - 10 - MISSOURI EVENING PRIMROSE
D - 10 - ROSE VERBENA
E - 10 - NEW ENGLAND ASTER
F - 10 - BLUE FALSE INDIGO
G - 10 - SLENDER MOUNTAIN MINT

r5 - LOW-GRO SUMAC @ 36" O.C.

PDS
PLANNING DESIGN STUDIO
727 North First Sweet, Suite 360
Saint Louis, Missouri, 63102
Phone (314) 241-3600

IMPROVEMENT PLANS FOR HOFFMAN GARDENS VILLAGE OF GODFREY, ILLINOIS PLANTING DETAILS 'B'

DWG. NO.
HOFFMAN PLANTING DETAILS.DWG
REF. BK. PG.
JOB NO. 437560
DSN. BY: SJW/DDT
DWN. BY: BGS
CHIK BY: S IW

SHEET L4 OF 9

COUNTY SHEETS NO.