


ELEVATION OPTION 1 (EXTRUDING DITCH CHECK) RECOMMENDED FOR AREAS W/ RIPRAP DITCH LINING

STONE DUMPED RIPRAP DITCH CHECK (TYPICAL & OPTIONS 1 & 2 AS DIRECTED BY THE ENGINEER)



OPTION 2 (FLUSH DITCH CHECK) RECOMMENDED FOR AREAS W/O RIPRAP DITCH LINING

BALES PLACED ON EDGE	
1' MIN. SEE NOTE 1	
1.3	3 & VAR.
1300	5 6
	2'-3" MIN SEE NOTE 1 (BOTH SIDES SAME HEIGHT)
	TOOTH SIDES SAME HETOTTY
3" EMBEDMENT	
& VAR.	

HAY OR STRAW BALE TEMPORARY DITCH CHECK

(TYPICAL & SEE GENERAL NOTES FOR SUBSTITUTION TO FLUSH RIPRAP DITCH CHECK)

NOTE 1: BALES SHALL EXTEND FAR ENOUGH UP THE SLOPES TO ALLOW 1' OVERTOPPING TO AVOID ERODING AROUND THE EDGES OF THE BALES.

NOTE 2: RIPRAP SHALL EXTEND FAR ENOUGH UP THE SLOPES TO ALLOW 1' OVERTOPPING TO AVOID ERODING AROUND THE EDGES OF THE RIPRAP.

NOTE 3: ENDS SHALL BE TIED INTO SLOPES.

ELEVATION

SHEET 4 OF 4

ILLINOIS DEPARTMENT OF TRANSPORTATION STORM WATER POLLUTION PREVENTION PLAN FAP 777 RTE. 185 10(B-1, BR-2) MONTGOMERY COUNTY SCALE: VERT. DRAWN BY R.T.S. CHECKED BY