




## NOTE:

- 1. WHEN A PORTION OF AN EXISTING PAVED ALLEY IS REMOVED TO ADJUST THE ALLEY PAVEMENT TO THE NEW GRADE, 3/4" BITU-MINUOS PREFORMED JOINT FILLER SHALL BE PLACED ON THE PROPERTY LINE OTHERWISE THE JOINT IS OMITTED. THE COST OF FURNISHING AND PLACING THE 3/4" BITUMINOUS PREFORMED JOINT FILLER SHALL BE INCLUDED IN THE COST OF THE PORTLAND CEMENT CONCRETE ALLEY RETURN.
- 2. BASIS OF PAYMENT THE COMBINATION CONCRETE CURB AND GUTTER TYPE B.V-12, TYPE 3, OR OTHER TYPE SPECIFIED, SHALL BE MEASURED STRAIGHT ACROSS THE ALLEY RETURN, THE TYPE B CONCRETE CURB SHALL BE MEASURED FROM THE TRANSITION JOINT TO THE PROPERTY LINE.
- 3. SAWED JOINTS SHALL BE SEALED WITH A POURED MATERIAL MEETING THE REQUIREMENTS OF SECTION 1050 OF THE SSRBC.









RAMPED WALK

## LONGITUDINAL SECTION A-A





DETAIL OF SAWED LONGITUDINAL JOINT TO BE CONSTRUCTED ON CENTERLINE WHEN 'W' EXCEEDS 18'.

CTE ENGINEERS CONSOER TOWNSEND ENVIRODWNE ENGINEERS, INC.
303 EAST WACKER DRIVE, SUITE 600
CHICAGO ILLINOIS 60601-5212, PHONE; (312) 938-0300 ILLINOIS DEPARTMENT OF TRANSPORTATION F.A.I. 90/94 (DAN RYAN EXPRESSWAY) 51st ST TO 48th PL (WELLS STREET) CITY STANDARD DETAILS ALLEY PAVEMENT DETAILS

SCALE: NONE DRAWN BY: CDOT

4 OF 6

DATE: December 17, 2004

CHECKED BY: