
FAI80	(50-2)HBR	LA SALI		ETS 60	NO. 124
STA.		TO STA.			
FED. ROAD DIST. NO.		ILLINOIS FED. AID PROJE		ECT	

### CONTRACT NO. 86603




# **DETAIL A**

\*IF A 4" COVER CAN NOT BE PROVIDED A PAVED DITCH SHALL BE CONSTRUCTED AS SHOWN IN DETAIL C.


1. WIDTH OF CONCRETE SLAB SHALL BE THE SAME AS THE TRENCH WIDTH IN ACCORDANCE WITH SECTION 550 OF THE STD. SPECIFICATIONS, OR 3' MIN.

2. CONCRETE FOR SLAB, HEADWALL AND PAVED DITCH SHALL BE PAID FOR AT THE CONTRACT UNIT PRICE PER CUBIC YARD FOR MISCELLANEOUS CONCRETE."

3. COST OF FURNISHING AND INSTALLING WIRE MESH SHALL BE INCLUDED IN THE CONTRACT UNIT PRICE PER CUBIC YARD FOR MISCELLANEOUS CONCRETE. WIRE MESH TO WEIGH NOT LESS THAN 58\* PER 100 SO. FT.




# **DETAIL C**




### ALTERNATE MATERIALS FOR WALLS PRECAST REINFORCED CONCRETE RISERS CONCRETE MASONRY UNIT 5" MONOLITHIC CONCRETE BUILDING BRICK, GRADE SW FROM CLAY OR SHALE 8" CONCRETE BUILDING BRICK, GRADE A

- 1. THE CONTRACT UNIT PRICE FOR FIELD TILE JUNCTION VAULT SHALL INCLUDE THE COST OF FURNISHING AND PLACING THE FRAME AND GRATE OR PRECAST CONCRETE LID AND WHEN REQUIRED, THE SAND CUSHION.
- 2. ALL FIELD TILE JUNCTION VAULTS SHALL BE 2'-O" IN DIAMETER UNLESS OTHERWISE NOTED ON THE PLANS.




### 



SECTION A-A

± 145#



# ILLINOIS DEPARTMENT OF TRANSPORTATION

## FIELD TILE DETAILS

F.A.I. 80 AT ILLINOIS ROUTE 351

SCALE: DATE:

DRAWN BY: JDK CHECKED BY: MTD

# FIELD TILE REPLACEMENT

FLOW

SEE DETAIL A

STORM SEWER, PROTECTED

EXISTING FIELD TILE TO BE CRUSHED OR REMOVED

LENGTH DETERMINED BY ENGINEER

CONCRETE SLAB/PAVED DITCH


# NOTES

CONCRETE HEADWALL (SEE DETAIL)


PIPE DRAIN

-1′-6′′

- 1. ANY STORM SEWER SPECIAL OR BACKSLOPE DRAIN OUTLET INTO A DITCH SHALL HAVE A HEADWALL BUILT IN ACCORDANCE WITH THIS
- 2. COST OF FURNISHING AND INSTALLING WIRE MESH SHALL BE INCLUDED IN THE CONTRACT UNIT PRICE PER CUBIC YARD FOR MISCELLANEOUS CONCRETE. WIRE MESH TO WEIGH NOT LESS THAN 58# PER 100 SQ. FT.








FIELD TILE JUNCTION VAULT

SECTION A-A

CLASS SI CONCRETE HEADWALLS



FIELD TILE JUNCTION VAULT