.A.P. TE.	SECTION	COUNTY	TOTAL	SHEET NO.	
320		MACON	51	18	

• (126X)RS-1&135[(R)RS&(BR-1)BR] CONTRACT NO. 90926

SCHEDULE OF QUANTITIES

PARTIAL DEPTH PATCHING

PARTIAL DEPTH PATCHING (Cont'd)

EXI	ST	PART	PVMT	BIT MIX
OVF	RLY	DPTH	REM	FOR
THI	CK	REM	(SPC)	PATCH
	X44	01705	44004400	Z0004800

					EXIST OVRLY THICK	DPTH	PVMT REM (SPC)	BIT MIX FOR PATCH							EXIST OVRLY THICK	PART DPTH REM	PVMT REM (SPC)	BIT MIX FOR PATCH
							4400440	0 Z0004800							X4	401705	4400440	O Z000480
STA	DIR	LANE	LENGTH	WIDT	Н					STA	DIR	LANE	LENGTH					
			(ft)	<u>(ft)</u>	(In)	(sqyd)	(sqyd)	(Ton)					(ft)				(sqyd)	(Ton)
1022+97	EB	DRIV	4	6	0	0.0	2. 7	0.4		1059+61	EB	PASS	4	12	0	0.0	5.3	0.9
1026+50	EB	DRIV	4	6	0	0.0	2. 7	0.4		1059+81	EB	LŤ	4	12	٥	0.0	5. 3	0.9
1027+17	E8	RT	8	4	0	0.0	3. 6	0.6		1060+11	EB	LT	4	12	0	0.0	5. 3	0.9
1027+54	EB	RT	4	6	0	0.0	2. 7	0.4		1061+11	EB	DRIV	6	6	0	0.0	4.0	0.7
1029+46	EB	DRIV	6	12	0	0.0	8.0	1. 3		1068+11	EB	LT	4 .	4	0	0.0	1.8	0.3
1029+99	EB	PASS	4	. 6	0	0.0	2. 7	0.4		50+78.63	EB	LT	4	6	0	0.0	2. 7	0.4
1030+49	EB	PASS	4	12	0	0.0	5.3	0.9		51+38.63	EB	LT	4	6	0	0.0	2. 7 5. 3	0.4 0.9
1030+49	EB	DRIV	4	12	0	0.0	5.3	0.9		51+68.63	EB	LT	4	12	0	0.0		
1030+91	EB	PASS	6	6	0	0.0	4.0	0.7		51+68.63	EB EB	PASS DRIV	4	12 12	0	0.0	5.3 5.3	0.9 0.9
1032+35	EB	PASS	4	12 6	0	0.0	5.3 2.7	0.9 0.4		51+68.63 52+08.63	EB	LT	4 4	12	0	0.0	5.3	0.9
1032+25	EB	LT PASS	4	12	0	0.0	5.3	0. 9		55+58.63	EB	PASS	4	12	0	0.0	5.3	0.9
1032+25	EB EB	DRIV	4	12	0	0.0	5.3	0.9		55+58, 63	EB	DRIV	4	12	Ô	0.0	5.3	0.9
1032+25 1032+98	EB	PASS	A	12	0	0.0	5.3	0. 9		56+88.63	EB	RT	4	8	0	0.0	3.6	0.6
1032+98	EB	DRIV	4	12	0	0.0	5.3	0.9		57+08.63	EB	DRIV	6	6	ő	0.0	4.0	0.7
1035+45	ĒΒ	DRIV	4	12	0	0.0	5.3	0.9		57+23.63	EB	PASS	4	12	Õ	0.0	5.3	0.9
1036+97	EB	LT	4	12	Ö	0.0	5.3	0.9		57+07	. EB	PASS	4	12	ŏ	0.0	5.3	0.9
1036+97	EB	DRIV	4	12	ŏ	0.0	5.3	0. 9		68+84	EB	PASS	4	12	3	5.3	0.0	1.8
1036+97	EB	RT	4	12	ő	0.0	5.3	0.9		69+14	EB	PASS	4	12	3	5.3	0.0	1.8
1037+43	EB	DRIV	4	6	ŏ	0.0	2. 7	0.4		9+29	EB	DRIV	4	6	3	2. 7	0.0	0.9
1038+95	EB	DRIV	4	12	ō	0.0	5.3	0.9		9+69	EB	DRIV	4	12	3	5.3	0.0	1.8
1041+25	EB	LT	4	12	ō	0.0	5.3	0.9		11+09	EВ	PASS	4	1	3	5.3	0,0	1.8
1041+25	EB	PASS	4	12	ō	0.0	5.3	0.9		12+70	EB	PASS	4	2	0	0.0	5.3	0.9
1041+25	EB	DRIV	4	12	0	0.0	5.3	0.9		12+70	EB	DRIV	4	12	0	0.0	5.3	0.9
1042+65	EB	DRIV	4	6	0	0.0	2.7	0.4		15+30	EB	DRIV	4	12	0	0.0	5.3	0.9
1043+37	EB	DRIV	4	6	0	0.0	2. 7	0.4		15+70	EΒ	DRIV	. 4	6	0	0.0	2. 7	0.4
1044+35	EΒ	DRIV	4	12	0	0.0	5.3	0.9		16+00	EB	DRIV	6	20	0	0.0	13.3	2. 2
1044+77	EB	DRIV	4	6	0	0.0	2. 7	0.4		17+30	EB	DRIV	4	12	0	0.0	5.3	0.9
1045+05	EΒ	PASS	4	12	0	0.0	5.3	0.9		18+66.50	EB	PASS	4	12	0	0.0	5.3	0.9
1045+05	EΒ	DRIV	4	12	0	0.0	5.3	0.9		18+66, 50	EB	DRIV	4	12	0	0.0	5.3	0.9
1045+28	EB	PASS	4	6	0	0.0	2. 7	0.4		21+36.50	EB	DRIV	4	12	0	0.0	5.3	0.9
1047+75	EB	PASS	4	12	0	0.0	5.3	0.9		27+66.50	EB	DRIV	4	12	0	0.0	5.3	0.9
1047+75	EB	DRIV	4	12	0	0.0	5.3	0.9		30+26.50	EB	DRIV	4	12	0	0.0	5.3	0.9
1049+55	EB	DRIV	4	12	0	0.0	5.3	0.9		31+26.50	EB	DRIV	4	12	0	0.0	5.3	0.9 0.7
1049+85	EB	PASS	4	6	0	0.0	2.7	0. 4 0. 2		34+40 36+40	E8 EB	DRIV DRIV	4	10 12	0	0.0 0.0	4.4 5.3	0. 9
1050+15	EB	LT	1	12	0	0.0	1,3	0. 2		0+70	EB	DRIV	4	12	0	0.0	5.3	0.9
1050+55	EB	PASS	4	6 12	0	0.0	2.7 5.3	0.4		1+20	EB	DRIV	4	12	0	0.0	5.3	0.9
1051+81	EB	PASS	4	12	0	0.0	5.3	0.9		2+20	EB	PASS	- 4	12	0	0.0	5.3	0.9
1051+81	EB	DRIV DRIV	4	12	0	0.0	5.3	0.9		2+20	EB	DRIV	4	12	Ô	0.0	5.3	0.9
1053+31	EB	LT	4	4	0	0.0	1.8	0.3		5+20	EB	LT	4	12	0	0.0	5.3	0.9
1057+31 1058+41	EB EB	PASS	4	12	0	0.0	5.3	0.3		5+20	EB	PASS	4	12	Ö	0.0	5.3	0.9
1025+51	EB	PASS	4	12	0	0.0	5.3	0.9		5+20	EB	DRIV	4	12	ŏ	0.0	5.3	0.9
1025+51	EB	LT	4	12	0	0.0	5. 3	0.9		6+20	EB	LT	4	12	0	0.0	5.3	0.9
1058+71	EB	PASS	4	12	0	0.0	5.3	0.9		6+20	EB	PASS	4	12	0	0.0	5.3	0.9
1058+81	EB	LT	4	12	ŏ	0.0	5.3	0.9		6+20	E8	DRIV	4	12	Ö	0.0	5.3	0.9
1058+96	EB	LT.	4	6	Ö	0.0	2. 7	0.4		7+20	EB	DRIV	4	12	ŏ	0, 0	5.3	0. 9
		-:	•	-	-								•	EB T	OTAL =	24.0	423.1	79.1

PARTIAL DEPTH PATCHING (Cont'd)

EXIST	PART	PVMT	BIT MIX
OVRLY	DPTH	REM	FOR
THICK	REM	(SPC)	PATCH
X4	401705	44004400	Z0004800

							4401705	44004400	Z000480
3	STA	DIR	LANE	LENGTH			((T)
	24147	wn	DDIV	(ft)			(sqyd)		(Ton)
	24+47	WB	DRIV	4	6	0	0.0	2. 7	0.4
	1025+47	WB	DRIV	4	6	0	0.0	2. 7	0.4
	1027+67	WB	DRIV	20	4	0	0.0	8. 9	1.5
	1028+45	WB	DRIV	4	12	0	0.0	5.3	0.9
	1029+55	WB	LT	4	10	0	0,0	4. 4	0. 7
	1030+65	WB	LT	4	4	0	0.0	1.8	0.3
	1033+91	WB	ĻΤ	4 .	12	0	0.0	5.3	0.9
	1033+91	WB	PASS	4	12	0	0.0	5.3	0.9
	1034+21	WB	ĻΤ	4	12	0	0.0	5.3	0.9
	1034+61	WB	DRIV	4	12	0 .	0.0	5.3	0.9
	1036+21	WB	DRIV	4	6	0	0.0	2. 7	0.4
	1038+01	WB	PASS	4	12	0	0.0	5.3	0.9
	1038+21	WB	· CL	12	4	0	0.0	5. 3	0.9
	1038+61	WB	CL	12	4	0	0.0	5.3	0.9
	1039+01	WB	CL	12	4	0	0.0	5.3	0.9
	1040+01	WB .	PASS	4	12	0	0.0	5.3	0.9
	1040+61	WB	DRIV	4	- 6	0	0.0	2.7	0.4
	1044+47	WB	DRIV	4	12	0	0.0	5.3	0.9
	1044+51	WB	PASS	4	12	0	0.0	5.3	0.9
	1049+21	WB	PASS	. 4	12	0	0.0	5.3	0.9
	1049+21	WB	DRIV	4	12	Ó	0.0	5.3	0.9
	1049+81	WB	DRIV	4	6	Ō	0.0	2. 7	0. 4
	1050+71	WB	PASS	4	12	Ō	0.0	5. 3	0.9
	1050+71	WB	DRIV	4	12	ō	0.0	5. 3	0.9
	1051+80	WB	PASS	4	6	Ŏ	0.0	2. 7	0. 4
	1051+82	WB	CL	12	4	Õ	0.0	5.3	0.9
	1052+42	WB	CL	12	4	Õ	0.0	5. 3	0.9
	1053+02	WB	DRIV	4	6	Õ	0.0	2. 7	0.4
	1054+02	WB -	CL	12	4	Ö	0.0	5. 3	0. 9
	1054+32	WB	LT	4	4	Õ	0.0	1.8	0.3
	1054+82	WB	CL	12	4	ŏ	0.0	5. 3	0.9
	1059+92	WB	CL	12	4	Ö	0.0	5.3	0. 9
	1058+12	WB	PASS	4	12	ŏ	0.0	5.3	0. 9
	1060+82	WB	PASS	4	12	Ö	0.0	5.3	0. 9
	1060+82	WB	DRIV	4	12	0	0.0	5. 3	0. 9
	1060+82	WB	PASS	4	12	0	0.0	5.3	0.9
	1061+62	WB	DRIV .	4	6	0	0.0	2. 7	
								5. 3	0.4
	1062+72	WB	DRIV	4	12	0	0.0		0.9
	1063+02	WB	LT	. 4	12	0	0.0	5.3	0.9
	1063+02	WB	PASS	4	12	0	0.0	5.3	0.9
	1064+82	WB	PASS	- 4	12	0	0.0	5.3	0.9
	1065+82	WB	DRIV	4	6	0	0.0	2. 7	0.4
	58+24	WB	DRIV	4	12	0	0,0	5.3	0.9
	67+13.70	WB	DRIV	4	12	3	5.3	0.0	1.8
	67+13.70	WB	RT	4	12	3	5. 3	0.0	1.8
	13+76.50	WB	LT	4	12	0	0.0	5.3	0.9
	22+90	WB	DRIV	4	12	0	0.0	5.3	0.9
	26+80	WB	DRIV	4	12	0	0.0	5.3	0.9
	32+87,30	WB	DRIV	4	12	0	0,0	5.3	0.9
	33+07.30	WB	PASS	4	12	0	0.0	5.3	0.9
	33+07.30	WB	DRIV	4	12	0	0.0	5.3	0.9
:	33+17.30	WB	PASS	4	12	0	0.0	5.3	0.9
	33+17.30	WB	DRIV	4	12	0	0.0	5.3	0.9
	35+97.30	WB	PASS	4	12	0	0.0	5.3	0.9
;	35+97.30	WB	DRIV	4	12	0	0.0	5.3	0.9
				-	WB TO	TAL:	= 10.7	254.2	46.3

EΒ	TOTAL	=	24.0	423.1	79. :
WB	TOTAL	=	10.7	254.2	46.
	TOTAL	=	34.7	677.3	125.
	USE	=	35.0	678.0	126.0