


DRAINS WILL BE REQUIRED AT ALL INLETS IN "SAG" AREAS AND AS INDICATED IN THE PLANS.

THIS WORK SHALL BE COMPLETED ACCORDING TO SECTION 601 OF THE STANDARD SPECIFICATIONS.


THIS WORK WILL BE PAID FOR AT THE CONTRACT UNIT PRICE PER FOOT FOR PIPE UNDERDRAINS OF THE DIAMETER SPECIFIED WHICH PRICE SHALL INCLUDE THE CAT OR CA16 AND THE CONNECTION TO THE INLET.

DRAIN FOR AGGREGATE BASES IN URBAN AREAS 601-04



WHEN MILLING OPERATIONS PRODUCE A ROUNDED EDGE, THEN A SAW CUT SHALL BE USED TO MANUFACTURE A PERPENDICULAR EDGE AS SHOWN IN THE DETAIL. THE ENGINEER SHALL BE THE SOLE JUDGE CONCERNING THE USE OF THIS DETAIL

HMA DETAIL AT BUTT JOINTS 406-8



DETAIL OF EROSION CONTROL BLANKET LINING AROUND END SECTION 251-2

DESIGNED - DJS REVISED DRAWN - UKB REVISED CHECKED - RWL REVISED FILE NAME - 081068-DETAILS.dgn

CITY OF DEKALB, ILLINOIS PEACE ROAD

IDOT DISTRICT 3 DETAILS

SECTION 06-00172-00-WR DeKALB 64 50 5369 CONTRACT NO. 87465

IMPROVEMENTS