



KENNETH F. SLANINKA, Jr.
 062-055488
 STATE OF ILLINOIS
 12/10/10
 License expires 11-30-11

---	UNKNOWN
-CTV	CABLE TV
-T	TELEPHONE
-G	GAS
-E	ELECTRIC
-W	WATER
-FO	FIBER OPTIC
-A	AERIAL UTILITY
+	TBE TEST HOLE

Utilities shown on these plans as depicted in the legend have been investigated by Cardno TBE in accordance with SUE Industry Standards. All other information shown has been provided to Cardno TBE by others. Cardno TBE's Quality Level "B" SUE field investigation was finished on 6/14/10. Test Holes #1-9 were dug from 11/30/10 through 12/02/10. Changes to utilities after 6/14/10 may have been made and therefore may result in variances from this plan. Consideration should be given to updating this plan if deemed advisable prior to final design and construction.

ALL UTILITIES SHOWN QUALITY LEVEL "B" UNLESS NOTED OTHERWISE.

Utility Quality Level "A" : Test Hole
 Utility Quality Level "B" : Designating
 Utility Quality Level "C" : Research with Survey
 Utility Quality Level "D" : Records Research

TBE GROUP, INC.
 CIVIL ENGINEERING • TRANSPORTATION • ENVIRONMENTAL
 PLANNING • UTILITY ENGINEERING/LOCATING

20 0 METERS 20 40
 50 0 FEET 50 100

TBE Job No. IL09510409, 10426
 SUE Plan Page: 1 of 2

DESIGNED	EG	REVISED	12/10/10	STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION	IL RT. 25 at Pierce Street to Grant Street, North Aurora	F.A.T. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.	
DRAWN	KLC	TEST HOLE LOCATIONS #1-9 ADDED				2503	TWP-1-T	KANE	43	30	
CHECKED	KFS	REVISED				Contract No. 60K07					
DATE	7/09/10	REVISED				FED. ROAD DIST. NO.	ILLINOIS				