

LOCATION	AREA (CADD)	40800050 - Incidental HMA Surface					44000196 - HMA Surf. Rem., Spl.	40600985 - PCC Surf. Rem., Bl. Jt.	40800010 - Bit. Mts. (Prime Coat)	40800030 - Agg. (Prime Coat)
		Private Entrance	Field Entrance	Commercial Entrance	Mailbox Turnouts	Side Roads				
		TON	TON	TON	TON	TON				
RT STA. 328+45.5	246.81		2.3					27.4	2.7	0.05
RT STA. 336+62	282.95		2.6					31.4	3.1	0.06
LT STA. 343+28	333.72			3.1				37.1	3.7	0.07
LT STA. 344+60	262.92			2.5				29.2	2.9	0.06
LT STA. 346+97	259.14			2.4				28.8	2.9	0.06
RT STA. 356+85	258.79		2.4					28.8	2.9	0.06
RT STA. 357+30.8	398.51			3.7				44.3	4.4	0.09
RT STA. 359+21.3	369.60			3.4				41.1	4.1	0.08
RT STA. 360+76.7	395.01			3.7				43.9	4.4	0.09
LT STA. 362+66.3	404.51			3.8				44.9	4.5	0.09
LT STA. 366+36	290.87		2.7					32.3	3.2	0.06
RT STA. 369+20	238.92		2.2					26.5	2.7	0.05
LT STA. 372+13.3	633.50			5.9				70.4	7.0	0.14
RT STA. 376+85.5	727.16					6.8		80.8	8.1	0.16
LT STA. 376+90	476.50			4.4				52.9	5.3	0.11
RT STA. 385+83	280.55		2.6					31.2	3.1	0.06
LT STA. 386+38.8	305.87		2.9					34.0	3.4	0.07
RT STA. 386+50	426.91			4.0				47.4	4.7	0.09
LT STA. 388+40	839.47			7.8				93.3	9.3	0.19
RT STA. 395+65	287.76	2.7						32.0	3.2	0.06
LT STA. 402+20	882.92					8.2		98.1	9.8	0.20
LT STA. 402+88	397.53				3.7			44.2	4.4	0.09
RT STA. 403+35	307.17		2.9					34.1	3.4	0.07
LT STA. 409+59.2	275.78		2.6					30.6	3.1	0.06
RT STA. 411+00	280.24			2.6				31.1	3.1	0.06
RT STA. 419+16	371.01			3.5				41.2	4.1	0.08
LT STA. 420+97	309.37		2.9					34.4	3.4	0.07
LT STA. 421+82	306.16		2.9					34.0	3.4	0.07
LT STA. 423+73.7	328.64	3.1						36.5	3.7	0.07
LT STA. 425+86.6	206.09	1.9						22.9	2.3	0.05
LT STA. 427+60	407.66			3.8				45.3	4.5	0.09
LT STA. 428+40	400.46			3.7				44.5	4.4	0.09
RT STA. 428+86.8	1367.59					12.8		152.0	15.2	0.30
LT STA. 441+78	383.08		3.6					42.6	4.3	0.09
RT STA. 447+12	306.51	2.9						34.1	3.4	0.07
RT STA. 447+80.2	192.00		1.8					21.3	2.1	0.04
RT STA. 455+16.5	271.52		2.5					30.2	3.0	0.06
LT STA. 455+16			4.1					49.2	4.9	0.10
LT STA. 455+60	443.01									
LT STA. 471+18	432.23				4.0			48.0	4.8	0.10
RT STA. 471+24	457.03			4.3				50.8	5.1	0.10
RT STA. 481+29	230.53	2.2						25.6	2.6	0.05
RT STA. 482+28.3	945.25					8.8		105.0	10.5	0.21
LT STA. 482+30	332.75		3.1					37.0	3.7	0.07
RT STA. 106+93.6	310.18		2.9					34.5	3.4	0.07
RT STA. 109+04.6	340.31	3.2						37.8	3.8	0.08
LT STA. 109+19.5	347.92		3.2					38.7	3.9	0.08
SOUTH RAMP										
LT STA. 2007+66	527.20			4.9				58.6	5.9	0.1
RT STA. 2007+72	393.26			3.7				43.7	4.4	0.1
PAGE TOTAL		115.5	204.8	219.9	75.7	198.2	8860.4	821.6	968.2	19.4
SUB-TOTAL		179.4	296.3	323.1	106.5	304.9	13017.0	1371.3	1438.8	28.8
USE				1210.0			13017.0	1372.0	1439.0	29.0

Incidental HMA
sq yds x depth x 1 1/2" / 2000

depth = 2 1/4" - 3/4" = 1 1/2"

HMA Surf. Rem., Spl & PCC
sq ft. / 9

Bit. Prime
sq. yds. x 0.1

Agg. Prime
sq. yds x 4 / 2000