

F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
325	*	MONTGOMERY	28	2
FED. ROAD DIST. NO. ILLINOIS FED. AID PROJECT				
* 18(RS-4); 19(RS-7); 20(RS-5)				
CONTRACT NO. 72795				

### GENERAL NOTES

- WHERE SECTION OR SUB-SECTION MARKERS ARE ENCOUNTERED, THE ENGINEER SHALL BE NOTIFIED BEFORE SUCH MONUMENTS ARE REMOVED. THE CONTRACTOR SHALL PROTECT AND CAREFULLY PRESERVE ALL PROPERTY MARKERS AND MONUMENTS UNTIL THE OWNER, AN AUTHORIZED AGENT OR LAND SURVEYOR HAS WITNESSED OR OTHERWISE REFERENCED THEIR LOCATION.
- THE CONTRACTOR SHALL BE RESPONSIBLE FOR PROTECTING UTILITY PROPERTY FROM CONSTRUCTION OPERATIONS AS OUTLINED IN ARTICLE 107.26 OF THE STANDARD SPECIFICATIONS. THE J.U.L.I.E. NUMBER IS 800-892-0123.  
  
THE LOCATIONS OF EXISTING WATER MAINS, GAS MAINS, SEWERS, ELECTRIC POWER LINES, TELEPHONE LINES, AND OTHER UTILITIES AS SHOWN ON THE PLANS ARE BASED ON THE BEST INFORMATION AVAILABLE, BUT ARE NOT GUARANTEED. ALL UTILITY LOCATIONS SHOWN ARE SUPPLIED BY THE UTILITY COMPANIES. IT IS THE CONTRACTOR'S RESPONSIBILITY TO ASCERTAIN THEIR EXACT LOCATION FROM THE UTILITY COMPANIES AND BY FIELD INSPECTION.

- ADJUSTMENT OF WATER METERS, TELEPHONE, GAS, ELECTRICAL, AND CABLE T.V. FACILITIES SHALL BE DONE BY THE RESPECTIVE OWNERS. RELOCATION OF ALL UTILITIES SHALL ALSO BE DONE BY THE RESPECTIVE OWNERS.
- ALL STATION REFERENCES ARE TO THE ROADWAY CENTERLINE. THE COORDINATE SYSTEM USED FOR THE HORIZONTAL CONTROL IS LOCAL DATUM FOR THIS PROJECT.
- ANY REFERENCE TO A STANDARD IN THESE PLANS SHALL BE INTERPRETED TO MEAN THE EDITION, AS INDICATED BY THE SUB-NUMBER LISTED IN THE INDEX OF SHEETS, OR THE COPY OF THE STANDARD INCLUDED IN THESE PLANS.
- EXISTING ROAD SIGNS THAT INTERFERE WITH CONSTRUCTION SHALL BE REMOVED OR RELOCATED AS DIRECTED BY THE ENGINEER. THE CONTRACTOR WILL REPLACE THE SIGNS AS DIRECTED BY THE ENGINEER. THIS WORK WILL NOT BE PAID FOR SEPARATELY BUT SHALL BE CONSIDERED INCIDENTAL TO THE CONTRACT.
- THE THICKNESS OF BITUMINOUS MIXTURES SHOWN ON THE PLANS IS THE NOMINAL THICKNESS. DEVIATIONS FROM THE NOMINAL THICKNESS WILL BE PERMITTED WHEN SUCH DEVIATIONS OCCUR DUE TO IRREGULARITIES IN THE EXISTING SURFACE OR BASE ON WHICH THE BITUMINOUS MIXTURE IS PLACED AND IS TO BE INCLUDED IN THE BITUMINOUS SURFACES.
- THE FOLLOWING RATES OF APPLICATION HAVE BEEN USED IN CALCULATING PLAN QUANTITIES:

BITUMINOUS CONCRETE SURF CSE	0.056	T/SY•IN
LEVEL BINDER (MACHINE METHOD)	0.056	T/SY•IN
AGGREGATE SHOULDER	2.05	T/CU YD
BITUMINOUS MATERIAL (PRIME COAT)- ON PAVEMENT	0.00038	TN/SQ YD
AGGREGATE (PRIME COAT)	0.002	POUNDS/SQ YD


- MIXTURE REQUIREMENTS  
THE FOLLOWING MIXTURE REQUIREMENTS ARE APPLICABLE FOR THIS PROJECT:  
LOCATION(S):


MIXTURE USE(S):	LEVELING BINDER	HMA SURFACE COURSE	INCIDENTAL HMA SURFACING	HMA SHOULDERS
AC/PG:	PG64-22	PG64-22	PG64-22	PG58-22
DESIGN AIR VOIDS:	4.0% @ N DESIGN 70	4.0% @ N DESIGN 70	4.0% @ N DESIGN 50	2.0% @ N DESIGN 30
MIXTURE COMPOSITION: (GRADATION MIXTURE)	IL 9.5	IL 9.5 OR 12.5	IL 9.5 OR 12.5	BAM
FRICTION AGGREGATE:	N/A	MIX D	MIX C	N/A

- ALL ENTRANCES SHALL REMAIN ACCESSIBLE BOTH DURING AND AFTER CONSTRUCTION.
- NO LANE CLOSURE WILL BE ALLOWED WITHOUT FLAGGER PROTECTION.
- ALL NO-PASSING ZONE PAVEMENT MARKING LOCATIONS SHALL BE FIELD VERIFIED BY RESIDENT ENGINEER PRIOR TO THEIR PLACEMENT. CONTACT DISTRICT SIX BUREAU OF OPERATIONS.
- ALL REFERENCES IN THE PLANS TO "BITUMINOUS" SHALL BE INTERPRETED TO MEAN "HOT-MIX ASPHALT".
- THE CONTRACTOR WILL BE RESPONSIBLE FOR THE TRAFFIC CONTROL DEVICES AT ALL TIMES DURING CONSTRUCTION ACTIVITIES AND SHALL COORDINATE THE ITEMS OF WORK IN ORDER TO KEEP HAZARD TRAFFIC INCONVENIENCES TO A MINIMUM.

### COMMITMENTS


- THE FIELD/RESIDENT ENGINEER SHALL CONTACT STUDIES AND PLANS CONCERNING ANY MAJOR PLAN CHANGES TO MAKE SURE NO PREVIOUS COMMITMENTS (NOT LISTED) WERE MADE AFFECTING THE DESIGN AND ALLOW AN IMPROVED DESIGN FOR FUTURE PROJECTS.
- AGREEMENT WITH THE CITY OF NOKOMIS (PARKING LANE PARTICIPATION)

EXAMINED OCT 24 20 07  
  
 PROGRAM DEVELOPMENT ENGINEER

EXAMINED OCT 28 20 07  
  
 OPERATIONS ENGINEER

### HIGHWAY STANDARDS

000001-05	701306-01
442201-03	701311-02
482006-03	701326-02
482011-03	701501-04
606001-03	701502-02
701001-01	701901
701006-02	780001-01
701011-01	781001-02
701201-02	
701301-02	

EXAMINED Nov 29 20 07  
  
 PROGRAM IMPLEMENTATION ENGINEER

REVISIONS	
NAME	DATE

ILLINOIS DEPARTMENT OF TRANSPORTATION

### GENERAL NOTES AND HIGHWAY STANDARDS

DATE 1/2004

DRAWN BY MLO  
CHECKED BY SJK