	r	Proposal Su	bmitted By
LETTING DATE	April 23, 2004	· 	
ITEM NUMBER	9A	Name	
		Address	
		City/State	
		Zip Code	Telephone Number
		FEIN Number	FAX Number
		•	

NOTICE TO PROSPECTIVE BIDDERS

This proposal can be used for bidding purposes by only those companies that request and receive written AUTHORIZATION TO BID from IDOT's Central Bureau of Construction.

(SEE INSTRUCTIONS ON THE INSIDE OF COVER)

PROPOSAL COVER SHEET



AIRPORT	Dixon Municip	al Airport	,
MUNICIPA	L DESIGNATION	N Dixon	
COUNTY E	DESIGNATION I	_ee	
-ILLINOIS-P	ROJECT NO.	C73-3313	
FEDERAL	PROJECT NO.	3-17-0036-B5	

PLEASE MARK THE APPROPRIATE BOX BELOW: A Bid Bond is included.		
	PLEASE MARK THE APPROPRIATE BOX BELOW:	
A Cashier's Check or a Certified Check is included.	A Bid Bond is included. A Cashier's Check or a Certified Check is included.	d.

BIDDERS NEED NOT RETURN THE ENTIRE PROPOSAL (See instructions inside front cover)

INSTRUCTIONS

ABOUT IDOT PROPOSALS: All proposals issued by IDOT are potential bidding proposals. Each proposal contains all Certifications and Affidavits, a Proposal Signature Sheet and a Proposal Bid Bond required for Prime Contractors to submit a bid after written **Authorization to Bid** has been issued by IDOT's Central Bureau of Construction.

HOW MANY PROPOSALS SHOULD PROSPECTIVE BIDDERS REQUEST?: Prospective bidders should, prior to submitting their initial request for plans and proposals, determine their needs and request the total number of plans and proposals needed for each item requested. There will be a nonrefundable charge of \$15 for each set of plans and specifications issued.

WHO CAN BID?: Bids will be accepted from only those companies that request and receive written Authorization to Bid from IDOT's Central Bureau of Construction.

WHAT CONSTITUTES WRITTEN AUTHORIZATION TO BID?: When a prospective prime bidder submits a "Request for Proposal Forms and Plans" he/she must indicate at that time which items are being requested For Bidding purposes. Only those items requested For Bidding will be analyzed. After the request has been analyzed, the bidder will be issued a Proposal Denial and/or Authorization Form, approved by the Central Bureau of Construction, that indicates which items have been approved For Bidding. If Authorization to Bid cannot be approved, the Proposal Denial and/or Authorization Form will indicate the reason for denial. If a contractor has requested to bid but has not received a Proposal Denial and/or Authorization Form, they should contact the Central Bureau of Construction in advance of the letting date.

WHAT MUST BE INCLUDED WHEN BIDS ARE SUBMITTED?: Bidders need not return the entire proposal when bids are submitted. That portion of the proposal that must be returned includes the following:

- 1. All documents from the Proposal Cover Sheet through the Proposal Bid Bond
- 2. Other special documentation and/or information that may be required by the contract special provisions

All proposal documents, including Proposal Guaranty Checks or Proposal Bid Bonds, should be stapled together to prevent loss when bids are processed by IDOT personnel.

ABOUT SUBMITTING BIDS: It is recommended that bidders deliver bids in person to insure they arrive at the proper location prior to the time specified for the receipt of bids. Any bid received at the place of letting after the time specified will not be accepted.

WHO SHOULD BE CALLED IF ASSISTANCE IS NEEDED?

Questions Regarding	Call
Prequalification and/or Authorization to Bid	217/782-3413
Preparation and submittal of bids	217/782-7806
Mailing of plans and proposals	217/782-7806



PF	20	P	ገና	AT
1 13				$\Delta \mathbf{L}$

1.	Proposal of	
		-
	for the improvement officially known as:	

- (a) Dixon Municipal Airport Airport
- (b) The proposed improvement shown in detail on the plans issued by the Department schedule and detail sheets included herein, includes, in general, the following described work:

Overlay Runway 8-26; Rehabilitate Hangar Pavements

TO THE DEPARTMENT OF TRANSPORTATION

2. The plans for the proposed work are those issued by the Department of Transportation to cover the work described above.

The specifications are those prepared by the Department of Transportation, Division of Aeronautics and designated as "Standard Specifications for Construction of Airports" and the "Special Provisions" thereto, adopted and in effect on the date of invitation for bids.

3. COMPLETION TIME/LIQUIDATED DAMAGES. It being understood and agreed that the completion within the time limit is an essential part of the contract, the bidder agrees to complete the work on or before August 21, 2004, unless additional time shall be granted by the Engineer in accordance with the provisions of the specifications. In case of failure to complete the work on or before the time named herein, or within such extra time as may have been allowed by extensions, the bidder agrees that the Department of Transportation shall withhold from such sum as may be due him/her under the terms of this contract, the costs, as set forth below, which costs shall be considered and treated not as a penalty but as damages due to the State from the bidder by reason of the failure of the bidder to complete the work within the time specified in the contract. The following Schedule of Deductions supersedes the table given in Section 60-09 of the Division's Standard Specifications for Construction of Airports.

Daily Charge

Schedule of Deductions for Each Day of Overrun in Contract Time

Original Contract An	<u>nount</u>	Daily	Charge
From More	To and	Calendar	Work
Than	Including	Day	<u>Day</u>
\$ 0	\$ 25,000	\$ 300	\$ 400
25,000	100,000	375	500
100,000	500,000	550	750
500,000	1,000,000	725	1,000
1,000,000	2,000,000	900	1,250
2,000,000	3,000,000	1,100	1,500
3,000,000	5,000,000	1,300	1,800
5,000,000	7,500,000	1,450	2,000
7,500,000	10,000,000	1,650	2,300

When a completion date is specified, the daily charge shall be made for every day shown on the calendar beyond the specified completion date.

- 4. ASSURANCE OF EXAMINATION AND INSPECTION/WAIVER. The undersigned further declares that he/she has carefully examined the proposal, plans, specifications, form of contract and contract bonds, and special provisions, and that he/she has inspected in detail the site of the proposed work, and that he/she has familiarized themselves with all of the local conditions affecting the contract and the detailed requirements of construction, and understands that in making this proposal he/she waives all right to plead any misunderstanding regarding the same.
- 5. EXECUTION OF CONTRACT AND CONTRACT BONDS. The undersigned further agrees to execute a contract for this work and present the same to the department within fifteen (15) days after the contract has been mailed to him/her. The undersigned further agrees that he/she and his/her surety will execute and present within fifteen (15) days after the contract has been mailed to him/her contract bonds satisfactory to and in the form prescribed by the Department of Transportation, in the penal sum of the full amount of the contract, guaranteeing the faithful performance of the work in accordance with the terms of the contract and guaranteeing payment in full all bills and accounts for materials and labor used in the construction of the work.
- 6. PROPOSAL GUARANTY. Accompanying this proposal is either a bid bond on the department form, executed by a corporate surety company satisfactory to the department, or a proposal guaranty check consisting of a bank cashier's check or a properly certified check for not less than 5 per cent of the amount bid or for the amount specified in the following schedule:

	Amount o	of Bid	Proposal <u>Guaranty</u>	An	ount o	of Bid	Proposal <u>Guaranty</u>
Up to		····\$5,000	\$150	\$2,000,000	to	\$3,000,000	\$100,000
\$5,000		\$10,000	\$300	\$3,000,000	to	\$5,000,000	\$150,000
\$10,000	to	\$50,000	\$1,000	\$5,000,000	to	\$7,500,000	\$250,000
\$50,000	to	\$100,000	\$3,000	\$7,500,000	to	\$10,000,000	\$400,000
\$100,000	to ,	\$150,000	\$5,000	\$10,000,000	to	\$15,000,000	\$500,000
\$150,000	to	\$250,000	\$7,500	\$15,000,000	to	\$20,000,000	\$600,000
\$250,000	to	\$500,000	\$12,500	\$20,000,000	to	\$25,000,000	\$700,000
\$500,000	to	\$1,000,000	\$25,000	\$25,000,000	to	\$30,000,000	\$800,000
\$1,000,000	.to	\$1,500,000	\$50,000	\$30,000,000	to	\$35,000,000	\$900,000
\$1,500,000	to	\$2,000,000	\$75,000	over		\$35,000,000	\$1,000,000

Bank cashier's checks or properly certified checks accompanying proposals shall be made payable to the Treasurer, State of Illinois, when the state is awarding authority; the county treasurer, when a county is the awarding authority; or the city, village, or town treasurer, when a city, village, or town is the awarding authority.

If a combination bid is submitted, the proposal guaranties which accompany the individual proposals making up the combination will be considered as also covering the combination bid.

The amount of the proposal guaranty check is _________\$(). If this proposal is accepted and the undersigned shall fail to execute contract bonds as required herein, it is hereby agreed that the amount of the proposal guaranty shall become the property of the State of Illinois, and shall be considered as payment of damages-due-to-delay-and-other-causes-suffered-by-the-State-because-of-the-failure-to-execute-said-contract-and-contract-bonds; otherwise, the bid bond shall become void or the proposal guaranty check shall be returned to the undersigned.

Attach Cashier's Check or Certified Check Here In the event that one proposal guaranty check is intended to cover two or more proposals, the amount must be equal to the sum of the proposal guaranties which would be required for each individual proposal. If the guaranty check is placed in another proposal, state below where it may be found. The proposal guaranty check will be found in the proposal for: Item Airport

Mark the proposal cover sheet as to the type of proposal guaranty submitted.

7. COMBINATION BIDS. The undersigned further agrees that if awarded the contract for the sections contained in the following combination, he/she will perform the work in accordance with the requirements of each individual proposal comprising the combination bid specified in the schedule below, and that the combination bid shall be prorated against each section in proportion to the bid submitted for the same. If an error is found to exist in the gross sum bid for one or more of the individual sections included in a combination, the combination bid shall be corrected as provided below.

A combination bid is a total bid received on 2 or more proposals. No combination bids other than those specifically set up by the Department will be considered. Separate proposal forms will be issued for each project in the combination so bids may be submitted on the combination as well as on separate units of the combination. The Department reserves the right to make awards on combination bids or separate bids to the best advantage of the Department.

If a combination bid is submitted on 2 or more proposals, separate proposals on each individual contract shall also be submitted, and unless separate proposals are so submitted, the combination bid will not be considered. If the bidder desires to submit a combination bid, the bidder shall state, in the place provided in the proposal form, the amount of the combination bid for the entire combination.

If a combination bid is submitted on any stipulated combination, and errors are found to exist in computing the gross sum bid on any one or more of the individual proposals, corrections shall be made, by the Department and the amount of the combination bid shall be corrected so that it will be in the same proportion to the sum of the corrected gross sum bid as the combination bid submitted was to the sum of the gross sum bid submitted.

The following provisions shall govern combination bidding:

- (a) A combination bid which is submitted for 2 or more proposals and awarded on that basis shall have the bid prorated against each proposal in proportion to the bid submitted for each proposal.
- (b) Separate contracts shall be executed for each individual proposal included in the combination.
- (c) The completion date for all contracts awarded on a combination bid shall be the latest completion date designated in any one or more of the contracts included in the combination, unless otherwise provided in the contracts.

The working days for all contracts awarded on a combination bid shall be the largest number of working days designated in any one or more of the contracts included in the combination, unless otherwise provided in the contracts.

(d) An extension of time for any one or more contracts awarded on a combination bid shall automatically extend all contracts awarded on the combination.

- (e) In the event the Contractor fails to complete any one or all of the contracts on the combination bid by the contract completion date plus any authorized extension, or the contract working days plus any authorized extension, the liquidated damages shall be determined from the schedule of deductions shown above in paragraph 3 for each day of overrun in contract time, based on the combination bid total, and shall be computed on the combination and prorated against the 2 or more individual contracts based on the dollar value of each contract.
- (f) The plans and Special Provisions for each separate contract shall be construed separately for all requirements, except as described in paragraphs (a) through (e) listed above.

When a combination bid is submitted, the schedule below must be completed in each proposal comprising the combination.

If alternate bids are submitted for one or more of the sections comprising the combination, a combination bid must be submitted for each alternate.

Schedule of Combination Bids

Combination		Combination Bid
No.	Sections Included in Combination	Dollars Cents
		· · · · · · · · · · · · · · · · · · ·
		,

8. SCHEDULE OF PRICES. The undersigned submits herewith his/her schedule of prices covering the work to be performed under this contract; he/she understands that he/she must show in the schedule the unit prices (with no more than two decimal places, i.e. \$25.35, not \$25.348) for which he/she proposes to perform each item of work, that the extensions must be made by him/her, and that if not so done his/her proposal may be rejected as irregular.

The undersigned further agrees that the unit prices submitted herewith are for the purpose of obtaining a gross sum, and for use in computing the value of additions and deductions; that if there is a discrepancy between the gross sum bid and that resulting from the summation of the quantities multiplied by their respective unit prices, the latter shall govern.

ECMS002 DTGECM03 ECMR003 PAGE RUN DATE - 03/17/04 RUN TIME - 214942 ILLINOIS DEPARTMENT OF TRANSPORTATION SCHEDULE OF PRICES CONTRACT NUMBER - DI019

#

STATE JOB

PRICE FOTAL CENTS FED PROJEC PRI 3-17-0036-B5 1.000 38,000 10.000 1.000 2,905.000 992.000 66,000 78,000 ,631.000 147.000 ,999.000 ,593,000 3,736.000 000. 1.000 **OUANTITY** EACH MEASURE EACH S. ≺ TON TON EACH S. Y. EACH 9 NOL . s L.S. ς.≺. ц. Ц S. ≺. NAME UNIT AIRPORT BITUMINOUS BASE COURSE, LEVELING SECTION DIXON MUNICIPA BITUMINOUS BASE TEST SECTION 2-WAY CONCRETE ENCASED DUCT PAY ITEM DESCRIPTION ADJUST STAKE MOUNTED LIGHT ADJUST BASE MOUNTED LIGHT BITUMINOUS SURFACE COURSE CRUSHED AGG. BAȘE COURSE ENGINEER'S FIELD OFFICE BITUMINOUS SURFACE TEST UNCLASSIFIED EXCAVATION BITUMINOUS BASE | COURSE RIPRAP-GRADATION NO. TEMPORARY THRESHOLD SEPARATION FABRIC SILT FENCE 3000 4 NAME AR110502 AR 125942 AR150510 **AR150560** AR152410 AR209608 AR 125941 AR 156510 AR 156513 AR 156544 AR201610 AR201630 AR401610 AR201620 AR401630 I TEM NUMBER COUNT 0GL F

N

JLE TTFM		CONTRACT	NOW F	- DI019	DAIE - 03/17/04 TIME - 214942
	PAY ITEM C	DESCRIPTION	MEASURE	QUANTITY	UNIT PRICE TOTAL PRICE DOLLARS CENTS DOLLARS CTS
	BITUMINOUS PAVEN	LING	S.Y.	2,950.000 x	11 -
	BITUN	ING		1,046.000 x	
	REMOV	ENT	S. Y.	1,588.000 x	
1	REMOVE & REPLACE	AVEMENT	S.Y.:	 142.000 x	
I	BITUMINOUS PRIME COAT	t 1 	GAL.	625.000 x	
_ 1	BITUMINOUS TACK	 [GAL,	4,331.000 x	
100	PAVEMENT MARKING	BORDER	S.F.	1,542.000 x	
_ !	PAVEMENT MARKING		S. F.	22,978.000 x	
_ !	TEMPORARY MARKIN	1 1 !	S. T. S.	, 6,562.000 x	
~ !	18" RCP, CLASS	 		 167.500 X	
AR701436	36" RCP, CLASS]]]]]	;	307.500 x	
_	42" R	 	. H	242,500 X	
	12" R	! 		113.000 X	
_	15" RCP, CLASS	!	; ; ; ; ; ; ; ;		
	REMOVE PIPE			94.500 X	

480.000

FROM OFF-SITE

ı

SUBBASE

RAP

AR800963

4
ECMS002 DTGECM03 ECMR003 PAGE RUN DATE - 03/17/04 RUN TIME - 214942
ILLINOIS DEPARTMENT OF TRANSPORTATION SCHEDULE OF PRICES CONTRACT NUMBER - DI019
DIXON MUNICIPAL OGLE

UNIT PRICE TOTAL PRICE DOLLARS CENTS DOLLARS CENTS									TOTAL \$
QUANTITY	112.000 X	2,950.000 x	, 000.096,5	4.400	15,725.000	745.000	1,870.000	4.400	
UNIT OF MEASURE	L.F.	S. Y.		ACRE	S. Y.	C. Y.	C :	ACRE	
PAY ITEM DESCRIPTION		MIX - 2"	ATERIAL		i I I	M ON SITE)	M OFF SITE)		
PAY ITEM [AR800970 TRENCH DRAIN	BITUMINOUS.S.	. <u>W</u> .	EDING	SODDING	TOPSOILING (F	SOILING (F	CHING	
ITEM	AR800970	AR800972	AR800973	901	AR904510	AR905510	905		

NOTE:

- 1. EACH PAY ITEM SHOULD HAVE A UNIT PRICE AND A TOTAL PRICE.
- 2. THE UNIT PRICE SHÅLL GOVERN IF NO TOTAL PRICE IS SHOWN OR IF THERE IS A DISCREPANCY BETWEEN THE PRODUCT OF THE UNIT PRICE MULTIPLIED BY THE QUANTITY.
- 3. IF A UNIT PRICE IS OMITTED, THE TOTAL PRICE WILL BE DIVIDED BY THE QUANTITY IN ORDER TO ESTABLISH A UNIT PRICE.
- 4. A BID MAY BE DECLÁRED UNACCEPTABLE IF NEITHER A UNIT PRICE NOR A TOTAL PRICE IS SHOWN.

THE PRECEDING SCHEDULE OF PRICES MUST BE

COMPLETED AND RETURNED.

STATE REQUIRED ETHICAL STANDARDS GOVERNING CONTRACT PROCUREMENT: ASSURANCES, CERTIFICATIONS AND DISCLOSURES

I. GENERAL

- A. Article 50 of the Illinois Procurement Code establishes the duty of all State chief procurement officers, State purchasing officers, and their designees to maximize the value of the expenditure of public moneys in procuring goods, services, and contracts for the State of Illinois and to act in a manner that maintains the integrity and public trust of State government. In discharging this duty, they are charged by law to use all available information, reasonable efforts, and reasonable actions to protect, safeguard, and maintain the procurement process of the State of Illinois.
- B. In order to comply with the provisions of Article 50 and to carry out the duty established therein, all bidders are to adhere to ethical standards established for the procurement process, and to make such assurances, disclosures and certifications required by law. By execution of the Proposal Signature Sheet, the bidder indicates that each of the mandated assurances has been read and understood, that each certification is made and understood, and that each disclosure requirement has been understood and completed.
- C. In addition to all other remedies provided by law, failure to comply with any assurance, failure to make any disclosure or the making of a false certification shall be grounds for termination of the contract and the suspension or debarment of the bidder.

II. ASSURANCES

A. The assurances hereinafter made by the bidder are each a material representation of fact upon which reliance is placed should the Department enter into the contract with the bidder. The Department may terminate the contract if it is later determined that the bidder rendered a false or erroneous assurance, and the surety providing the performance bond shall be responsible for the completion of the contract.

B. Felons

1. The Illinois Procurement Code provides:

Section 50-10. Felons. Unless otherwise provided, no person or business convicted of a felony shall do business with the State of Illinois or any state agency from the date of conviction until 5 years after the date of completion of the sentence for that felony, unless no person held responsible by a prosecutorial office for the facts upon which the conviction was based continues to have any involvement with the business.

2. The bidder assures the Department that the award and execution of the contract would not cause a violation of Section 50-10.

C. Conflicts of Interest

1. The Illinois Procurement Code provides in pertinent part:

Section 50-13. Conflicts of Interest.

- (a) Prohibition. It is unlawful for any person holding an elective office in this State, holding a seat in the General Assembly, or appointed to or employed in any of the offices or agencies of state government and who receives compensation for such employment in excess of 60% of the salary of the Governor of the State of Illinois, or who is an officer or employee of the Capital Development Board or the Illinois Toll Highway Authority, or who is the spouse or minor child of any such person to have or acquire any contract, or any direct pecuniary interest in any contract therein, whether for stationery, printing, paper, or any services, materials, or supplies, that will be wholly or partially satisfied by the payment of funds appropriated by the General Assembly of the State of Illinois or in any contract of the Capital Development Board or the Illinois Toll Highway authority.
- (b) Interests. It is unlawful for any firm, partnership, association or corporation, in which any person listed in subsection (a) is entitled to receive (i) more than 7 1/2% of the total distributable income or (ii) an amount in excess of the salary of the Governor, to have or acquire any such contract or direct pecuniary interest therein.
- (c) Combined interests. It is unlawful for any firm, partnership, association, or corporation, in which any person listed in subsection (a) together with his or her spouse or minor children is entitled to receive (i) more than 15%, in the aggregate, of the total distributable income or (ii) an amount in excess of 2 times the salary of the Governor, to have or acquire any such contract or direct pecuniary interest therein.
- (d) Securities. Nothing in this Section invalidates the provisions of any bond or other security previously offered or to be offered for sale or sold by or for the State of Illinois.
- (e) Prior interests. This Section does not affect the validity of any contract made between the State and an officer or employee of the State or member of the General Assembly, his or her spouse, minor child or any combination of those persons if that contract was in existence before his or her election or employment as an officer, member, or employee. The contract is voidable, however, if it cannot be completed within 365 days after the officer, member, or employee takes office or is employed.

The current salary of the Governor is \$145,877.00. Sixty percent of the salary is \$87,526.20.

2. The bidder assures the Department that the award and execution of the contract would not cause a violation of Section 50-13, or that an effective exemption has been issued by the Board of Ethics to any individual subject to the Section 50-13 prohibitions pursuant to the provisions of Section 50-20 of the Code and Executive Order Number 3 (1998). Information concerning the exemption process is available from the Department upon request.

D. Negotiations

1. The Illinois Procurement Code provides in pertinent part:

Section 50-15. Negotiations.

- -(a)-It-is-unlawful-for-any-person-employed-in-or-on-a-continual-contractual-relationship-with-any-of-the-offices-or-agencies of State government to participate in contract negotiations on behalf of that office or agency with any firm, partnership, association, or corporation with whom that person has a contract for future employment or is negotiating concerning possible future employment.
- 2. The bidder assures the Department that the award and execution of the contract would not cause a violation of Section 50-15, and that the bidder has no knowledge of any facts relevant to the kinds of acts prohibited therein.

E. Inducements

1. The Illinois Procurement Code provides:

Section 50-25. Inducement. Any person who offers or pays any money or other valuable thing to any person to induce him or her not to bid for a State contract or as recompense for not having bid on a State contract is guilty of a Class 4 felony. Any person who accepts any money or other valuable thing for not bidding for a State contract or who withholds a bid in consideration of the promise for the payment of money or other valuable thing is guilty of a Class 4 felony.

2. The bidder assures the Department that the award and execution of the contract would not cause a violation of Section 50-25, and that the bidder has no knowledge of any facts relevant to the kinds of acts prohibited therein.

F. Revolving Door Prohibition

1. The Illinois Procurement Code provides:

Section 50-30. Revolving door prohibition. Chief procurement officers, associate procurement officers, State purchasing officers, their designees whose principal duties are directly related to State procurement, and executive officers confirmed by the Senate are expressly prohibited for a period of 2 years after terminating an affected position from engaging in any procurement activity relating to the State agency most recently employing them in an affected position for a period of at least 6 months. The prohibition includes, but is not limited to: lobbying the procurement process; specifying; bidding; proposing bid, proposal, or contract documents; on their own behalf or on behalf of any firm, partnership, association, or corporation. This Section applies only to persons who terminate an affected position on or after January 15, 1999.

2. The bidder assures the Department that the award and execution of the contract would not cause a violation of Section 50-30, and that the bidder has no knowledge of any facts relevant to the kinds of acts prohibited therein.

G. Reporting Anticompetitive Practices

1. The Illinois Procurement Code provides:

Section 50-40. Reporting anticompetitive practices. When, for any reason, any vendor, bidder, contractor, chief procurement officer, State purchasing officer, designee, elected official, or State employee suspects collusion or other anticompetitive practice among any bidders, offers, contractors, proposers, or employees of the State, a notice of the relevant facts shall be transmitted to the Attorney General and the chief procurement officer.

2. The bidder assures the Department that it has not failed to report any relevant facts concerning the practices addressed in Section 50-40 which may involve the contract for which the bid is submitted.

H. Confidentiality

1. The Illinois Procurement Code provides:

Section-50-45.—Confidentiality.—Any-chief-procurement-officer, State-purchasing-officer, designee, or executive officer who willfully uses or allows the use of specifications, competitive bid documents, proprietary competitive information, proposals, contracts, or selection information to compromise the fairness or integrity of the procurement, bidding, or contract process shall be subject to immediate dismissal, regardless of the Personnel code, any contract, or any collective bargaining agreement, and may in addition be subject to criminal prosecution.

2. The bidder assures the Department that it has no knowledge of any fact relevant to the practices addressed in Section 50-45 which may involve the contract for which the bid is submitted.

I. Insider Information

1. The Illinois Procurement Act provides:

Section 50-50. Insider information. It is unlawful for any current or former elected or appointed State official or State employee to knowingly use confidential information available only by virtue of that office or employment for actual or anticipated gain for themselves or another person.

2. The bidder assures the Department that it has no knowledge of any facts relevant to the practices addressed in Section 50-50 which may involve the contract for which the bid is submitted.

III. CERTIFICATIONS

A. The certifications hereinafter made by the bidder are each a material representation of fact upon which reliance is placed should the Department enter into the contract with the bidder. The Department may terminate the contract if it is later determined that the bidder rendered a false or erroneous certification, and the surety providing the performance bond shall be responsible for completion of the contract.

B. Bribery

1. The Illinois Procurement Code provides:

Section 50-5. Bribery.

- (a) Prohibition. No person or business shall be awarded a contract or subcontract under this Code who:
 - (1) has been convicted under the laws of Illinois or any other state of bribery or attempting to bribe an officer or employee of the State of Illinois or any other state in that officer's or employee's official capacity; or
 - (2) has made an admission of guilt of that conduct that is a matter of record but has not been prosecuted for that conduct.
- (b) Businesses. No business shall be barred from contracting with any unit of State or local government as a result of a conviction under this Section of any employee or agent of the business if the employee or agent is no longer employed by the business and:
 - (1) the business has been finally adjudicated not guilty; or
 - (2) the business demonstrates to the governmental entity with which it seeks to contract, and that entity finds that the commission of the offense was not authorized, requested, commanded, or performed by a director, officer, or high managerial agent on behalf of the business as provided in paragraph (2) of subsection (a) of Section 5-4 of the Criminal Code of 1961.
- (c) Conduct on behalf of business. For purposes of this Section, when an official, agent, or employee of a business committed the bribery or attempted bribery on behalf of the business and in accordance with the direction or authorization of a responsible official of the business, the business shall be chargeable with the conduct.
- (d) Certification. Every bid submitted to and contract executed by the State shall contain a certification by the contractor that the contractor is not barred from being awarded a contract or subcontract under this Section. A contractor who makes a false statement, material to the certification, commits a Class 3 felony.
- 2. The bidder certifies that it is not barred from being awarded a contract under Section 50.5.

C. Educational Loan

- 1. Section 3 of the Educational Loan Default Act provides:
- § 3. No State agency shall contract with an individual for goods or services if that individual is in default, as defined in Section 2 of this Act, on an educational loan. Any contract used by any State agency shall include a statement certifying that the individual is not in default on an educational loan as provided in this Section.
- 2. The bidder, if an individual as opposed to a corporation, partnership or other form of business organization, certifies that the bidder is not in default on an educational loan as provided in Section 3 of the Act.

D. Bid-Rigging/Bid Rotating

- 1. Section 33E-11 of the Criminal Code of 1961 provides:
- § 33E-11. (a) Every bid submitted to and public contract executed pursuant to such bid by the State or a unit of local government shall contain a certification by the prime contractor that the prime contractor is not barred from contracting with any unit of State or local government as a result of a violation of either Section 33E-3 or 33E-4 of this Article. The State and units of local government shall provide the appropriate forms for such certification.
- (b) A contractor who makes a false statement, material to the certification, commits a Class 3 felony.

A violation of Section 33E-3 would be represented by a conviction of the crime of bid-rigging which, in addition to Class 3 felony sentencing, provides that any person convicted of this offense or any similar offense of any state or the United States which contains the same elements as this offense shall be barred for 5 years from the date of conviction from contracting with any unit of State or local government. No corporation shall be barred from contracting with any unit of State or local government as a result of a conviction under this Section of any employee or agent of such corporation if the employee so convicted is no longer employed by the corporation and: (1) it has been finally adjudicated not guilty or (2) if it demonstrates to the governmental entity with which it seeks to contract and that entity finds that the commission of the offense was neither authorized, requested, commanded, nor performed by a director, officer or a high managerial agent in behalf of the corporation.

A violation of Section 33E-4 would be represented by a conviction of the crime of bid-rotating which, in addition to Class 2 felony sentencing, provides that any person convicted of this offense or any similar offense of any state or the United States which contains the same elements as this offense shall be permanently barred from contracting with any unit of State or local government. No corporation shall be barred from contracting with any unit of State or local government as a result of a conviction under this Section of any employee or agent of such corporation if the employee so convicted is no longer employed by the corporation and: (1) it has been finally adjudicated not guilty or (2) if it demonstrates to the governmental entity with which it seeks to contract and that entity finds that the commission of the offense was neither authorized, requested, commanded, nor performed by a director, officer or a high managerial agent in behalf of the corporation.

2. The bidder certifies that it is not barred from contracting with the Department by reason of a violation of either Section 33E-3 or Section 33E-4.

E. International Anti-Boycott

- 1. Section 5 of the International Anti-Boycott Certification Act provides:
- § 5. State contracts. Every contract entered into by the State of Illinois for the manufacture, furnishing, or purchasing of supplies, material, or equipment or for the furnishing of work, labor, or services, in an amount exceeding the threshold for small purchases according to the purchasing laws of this State or \$10,000.00, whichever is less, shall contain certification, as a material condition of the contract, by which the contractor agrees that neither the contractor nor any substantially-owned affiliated company is participating or shall participate in an international boycott in violation of the provisions of the U.S. Export Administration Act of 1979 or the regulations of the U.S. Department of Commerce promulgated under that Act.
- 2. The bidder makes the certification set forth in Section 5 of the Act.

F. Drug Free Workplace

- 1. The Illinois "Drug Free Workplace Act" applies to this contract and it is necessary to comply with the provisions of the "Act" if the contractor is a corporation, partnership, or other entity (including a sole proprietorship) which has 25 or more employees.
- 2. The bidder certifies that if awarded a contract in excess of \$5,000 it will provide a drug free workplace by:
- (a) Publishing a statement notifying employees that the unlawful manufacture, distribution, dispensation, possession or use of a controlled substance, including cannabis, is prohibited in the contractor's workplace; specifying the actions that will be taken against employees for violations of such prohibition; and notifying the employee that, as a condition of employment on such contract, the employee shall abide by the terms of the statement, and notify the employer of any criminal drug statute conviction for a violation occurring in the workplace no later than five (5) days after such conviction.
- (b) Establishing a drug free awareness program to inform employees about the dangers of drug abuse in the workplace; the contractor's policy of maintaining a drug free workplace; any available drug counseling, rehabilitation, and employee assistance programs; and the penalties that may be imposed upon employees for drug violations.
- (c) Providing a copy of the statement required by subparagraph (1) to each employee engaged in the performance of the contract and to post the statement in a prominent place in the workplace.
- (d) Notifying the Department within ten (10) days after receiving notice from an employee or otherwise receiving actual notice of the conviction of an employee for a violation of any criminal drug statute occurring in the workplace.
- (e) Imposing or requiring, within 30 days after receiving notice from an employee of a conviction or actual notice of such a conviction, an appropriate personnel action, up to and including termination, or the satisfactory participation in a drug abuse assistance or rehabilitation program approved by a federal, state or local health, law enforcement or other appropriate agency.
- (f) Assisting employees in selecting a course of action in the event drug counseling, treatment, and rehabilitation is required and indicating that a trained referral team is in place.
- (g) Making a good faith effort to continue to maintain a drug free workplace through implementation of the actions and efforts stated in this certification.

G. Debt Delinquency

1. The Illinois Procurement Code provides:

Section 50-11 and 50-12. Debt Delinquency.

The contractor or bidder certifies that it, or any affiliate, is not barred from being awarded a contract under 30 ILCS 500. Section 50-11 prohibits a person from entering into a contract with a State agency if it knows or should know that it, or any affiliate, is delinquent in the payment of any debt to the State as defined by the Debt-Collection-Board.—Section-50-12-prohibits-a-person-from-entering-into-a-contract—with-a-State-agency if it, or any affiliate, has failed to collect and remit Illinois Use Tax on all sales of tangible personal property into the State of Illinois in accordance with the provisions of the Illinois Use Tax Act. The contractor further acknowledges that the contracting State agency may declare the contract void if this certification is false or if the contractor, or any affiliate, is determined to be delinquent in the payment of any debt to the State during the term of the contract.

H. Sarbanes-Oxley Act of 2002

1. The Illinois Procurement Code provides:

Section 50-60(c).

The contractor certifies in accordance with 30 ILCS 500/50-10.5 that no officer, director, partner or other managerial agent of the contracting business has been convicted of a felony under the Sarbanes-Oxley Act of 2002 or a Class 3 or Class 2 felony under the Illinois Securities Law of 1953 for a period of five years prior to the date of the bid or contract. The contractor acknowledges that the contracting agency shall declare the contract void if this certification is false.

I. Section 42 of the Environmental Protection Act

The contractor certifies in accordance with 30 ILCS 500/50-12 that the bidder or contractor is not barred from being awarded a contract under this Section which prohibits the bidding on or entering into contracts with the State of Illinois or a State agency by a person or business found by a court or the Pollution Control Board to have committed a willful or knowing violation of Section 42 of the Environmental Protection Act for a period of five years from the date of the order. The contractor acknowledges that the contracting agency may declare the contract void if this certification is false.

IV. DISCLOSURES

A. The disclosures hereinafter made by the bidder are each a material representation of fact upon which reliance is placed should the Department enter into the contract with the bidder. The Department may terminate the contract if it is later determined that the bidder rendered a false or erroneous disclosure, and the surety providing the performance bond shall be responsible for completion of the contract.

B. Financial Interests and Conflicts of Interest

1. Section 50-35 of the Illinois Procurement Code provides that all bids of more than \$10,000 shall be accompanied by disclosure of the financial interests of the bidder. This disclosed information for the successful bidder, will be maintained as public information subject to release by request pursuant to the Freedom of Information Act.

The financial interests to be disclosed shall include ownership or distributive income share that is in excess of 5%, or an amount greater than 60% of the annual salary of the Governor, of the bidding entity or its parent entity, whichever is less, unless the contractor or bidder is a publicly traded entity subject to Federal 10K reporting, in which case it may submit its 10K disclosure in place of the prescribed disclosure. The disclosure shall include the names, addresses, and dollar or proportionate share of ownership of each person making the disclosure, their instrument of ownership or beneficial relationship, and notice of any potential conflict of interest resulting from the current ownership or beneficial interest of each person making the disclosure having any of the relationships identified in Section 50-35 and on the disclosure form.

In addition, all disclosures shall indicate any other current or pending contracts, proposals, leases, or other ongoing procurement relationships the bidding entity has with any other unit of state government and shall clearly identify the unit and the contract, proposal, lease, or other relationship.

2. <u>Disclosure Forms</u>. Disclosure Form A is attached for use concerning the individuals meeting the above ownership or distributive share requirements. Subject individuals should be covered each by one form. In addition, a second form (Disclosure Form B) provides for the disclosure of current or pending procurement relationships with other (non-IDOT) state agencies. The forms must be included with each bid or incorporated by reference.

C. Disclosure Form Instructions

Form A: For bidders that have previously submitted the information requested in Form A

The Department has retained the Form A disclosures submitted by all bidders responding to these requirements for the April 24, 1998 or any subsequent letting conducted by the Department. The bidder has the option of submitting the information again or the bidder may sign the following certification statement indicating that the information previously submitted by the bidder is, as of the date of signature, current and accurate. The Certification must be signed and dated by a person who is authorized to execute contracts for the bidding company. Before signing this certification, the bidder should carefully review its prior submissions to ensure the Certification is correct. If the Bidder signs the Certification, the Bidder should proceed to Form B instructions.

CERTIFICATION STATEMENT

I have determined that the Form A disclosure information previous incorporated by reference in this bid. Any necessary additional bid.	ously submitted is current and accurate, and all forms are hereby forms or amendments to previously submitted forms are attached to this
(Bid	lding Company)
Name of Authorized Representative (type or print)	Title of Authorized Representative (type or print)
Signature of Authori	ized Representative Date

Form A: For bidders who have NOT previously submitted the information requested in Form A

If the bidder is a publicly traded entity subject to Federal 10K reporting, the 10K Report may be submitted to meet the requirements of Form A. If a bidder is not subject to Federal 10K reporting, the bidder must determine if any individuals are required by law to complete a financial disclosure form. To do this, the bidder should answer each of the following questions. A "YES" answer indicates Form A must be completed. If the answer to each of the following questions is "NO", then the NOT APPLICABLE STATEMENT on the second page of Form A must be signed and dated by a person that is authorized to execute contracts for the bidding company. Note These questions are for assistance only and are not required to be completed.

1.	Does anyone in your organization have a direct or beneficial ownership share of greater than 5% of the bidding entity or parent entity? YES NO
2.	Does anyone in your organization have a direct or beneficial ownership share of less than 5%, but which has a value greater than \$87,526.20? YES NO
3.	Does anyone in your organization receive more than \$87,526.20 of the bidding entity's or parent entity's distributive income? (Note: Distributive income is, for these purposes, any type of distribution of profits. An annual salary is not distributive income.) YES NO
4.	Does anyone in your organization receive greater than 5% of the bidding entity's or parent entity's total distributive income, but which is less than \$87,526.20? YES NO
	(Note: Only one set of forms needs to be completed per person per bid even if a specific individual would require a yes answer to more than one question.)
bidding of	answer to any of these questions requires the completion of Form A. The bidder must determine each individual in the bidding entity or the entity's parent company that would cause the questions to be answered "Yes". Each form must be signed and dated by a person that is do to execute contracts for your organization. Photocopied or stamped signatures are not acceptable. The person signing can be, but does to be, the person for which the form is being completed. The bidder is responsible for the accuracy of any information provided.
	swer to each of the above questions is "NO", then the <u>NOT APPLICABLE STATEMENT</u> on page 2 of Form A must be signed and dated by a nat is authorized to execute contracts for your company.
bidding of STATEM	Identifying Other Contracts & Procurement Related Information Disclosure Form B must be completed for each bid submitted by the entity. It must be signed by an individual who is authorized to execute contracts for the bidding entity. Note: Signing the NOT APPLICABLE IENT on Form A does not allow the bidder to ignore Form B. Form B must be completed, signed and dated or the bidder may be considered onsive and the bid will not be accepted.
procuren	der shall identify, by checking Yes or No on Form B, whether it has any pending contracts (including leases), bids, proposals, or other ongoing ment relationship with any other (non-IDOT) State of Illinois agency. If "No" is checked, the bidder only needs to complete the signature box ottom of Form B. If "Yes" is checked, the bidder must do one of the following:
agency pattached and are r	If the bidder did not submit an Affidavit of Availability to obtain authorization to bid, the bidder must list all non-IDOT State of Illinois ending contracts, leases, bids, proposals, and other ongoing procurement relationships. These items may be listed on Form B or on an sheet(s). Do not include IDOT contracts. Contracts with cities, counties, villages, etc. are not considered State of Illinois agency contracts of to be included. Contracts with other State of Illinois agencies such as the Department of Natural Resources or the Capital Development ust be included. Bidders who submit Affidavits of Availability are suggested to use Option II.
"See Aff	I: If the bidder is required and has submitted an Affidavit of Availability in order to obtain authorization to bid, the bidder may write or type ideavit of Availability" which indicates that the Affidavit of Availability is incorporated by reference and includes all non-IDOT State of gency pending contracts, leases, bids, proposals, and other ongoing procurement relationships. For any contracts that are not covered by the of Availability, the bidder must identify them on Form B or on an attached sheet(s). These might be such things as leases.
<u>Bidders</u>	Submitting More Than One Bid
Bidders : Please in reference	submitting multiple bids may submit one set of forms consisting of all required Form A disclosures and one Form B for use with all bids. dicate in the space provided below the bid item that contains the original disclosure forms and the bid items which incorporate the forms by the contains the original disclosure forms and the bid items which incorporate the forms by the contains the original disclosure forms and the bid items which incorporate the forms by the contains the original disclosure forms and the bid items which incorporate the forms by the contains the original disclosure forms and the bid items which incorporate the forms by the contains the original disclosure forms and the bid items which incorporate the forms by the contains the original disclosure forms and the bid items which incorporate the forms by the contains the original disclosure forms and the bid items which incorporate the forms by the contains the original disclosure forms and the bid items which incorporate the forms by the contains the original disclosure forms and the bid items which incorporate the forms by the contains the original disclosure forms are contains the original disclosure forms and the bid items which incorporate the forms by the contains the original disclosure forms are contained by the contains the original disclosure forms are contained by the c
	he bid submitted for letting item contains the Form A disclosures or Certification Statement and the Form B isclosures. The following letting items incorporate the said forms by reference:
_	

RETURN WITH BID/OFFER

ILLINOIS DEPARTMENT OF TRANSPORTATION

Form A Financial Information & Potential Conflicts of Interest Disclosure

Contractor Name							
Legal Address ·							
City, State, Zip					 		
Telephone Number	A Table		AGENTAL SECTION	erita de la composition della	Fax Number (if a	vailable)	
Disclosure of the information contained into a contract with the State Disclosure Form. This information sund for all open-ended contracts. A See Disclosure Form Instructions.	of Illinois must disclose hall become part of the pu	the financial in ablicly availab	information and le contract file.	l potential co This Form A	onflict of interest must be complet	information as speted for bids in exce	ecified in the ss of \$10,000
	DISCLOSURE	OF FINA	ANCIAL II	FORMA	<u>TION</u>		
1. Disclosure of Financial In of ownership or distributive in the Governor's salary as of 10 for each individual meeting FOR INDIVIDUAL (type of	ncome share in exces 0/1/2000). (Make cop these requirements)	s of 5%, or pies of this)	an interest v	yhich has a	value of more	e than \$87,526.	20 (60% o
NAME:							
ADDRESS			·	·			·
Type of ownership/d	istributable income	share:					
stock so	ole proprietorship		partnership		other: (exp	olain on separat	e sheet):
% or \$ value of owner	ship/distributable inc	come share:					
2. Disclosure of Potential Conflict of interest relationship	onflicts of Interest.	Check "Ye	s" or "No" to uestion is "Y	o indicate v	which, if any, attach addition	of the following	 g potential describe.
(a) State employmen						ent of services	
(b) State employmen the previous 2 years.	t of spouse, father, m	nother, son,	or daughter,	including	contractual en	nployment for s	ervices in
					Yes	No	
(c) Elective status; the any unit of local governmently of Illinois currently of	ernment authorized b	y the Const	ne-State-of-II titution of th	linois,-the- e State of I	government-of llinois or the s	the United-Sta statutes of the S	tes,——— tate
	1 m and providus 5 y	~w. U•			Yes	_ No _	
(d) Relationship to an	yone holding electiv	ve office cu	rrently or in	the previou	ıs 2 years; spo	ouse, father, mo	ther,
son, or daughter					Yes	No	

RETURN WITH BID/OFFER

(e) Appointive office; the holding of any appointive government of States of America, or any unit of local government authorized by statutes of the State of Illinois, which office entitles the holder to	the Constitution of the State	e of Illinois or the
the discharge of that office currently or in the previous 3 years.	Yes	No
(f) Relationship to anyone holding appointive office currently or i mother, son, or daughter.	n the previous 2 years; spor	use, father,
monor, son, or enuginos.	Yes	No
(g) Employment, currently or in the previous 3 years, as or by any	registered lobbyist of the S Yes	State government. No
(h) Relationship to anyone who is or was a registered lobbyist in t son, or daughter.	he previous 2 years; spouse Yes	
	<u> </u>	
(i) Compensated employment, currently or in the previous 3 years committee registered with the Secretary of State or any county cle committee registered with either the Secretary of State or the Federal	ork of the State of Illinois, o	or reelection r any political action
	Yes	No
(j) Relationship to anyone; spouse, father, mother, son, or daughte 2 years by any registered election or re-election committee register of the State of Illinois, or any political action committee registered Federal Board of Elections.	red with the Secretary of St	employee in the last tate or any county clerk of State or the
	Yes	No
I DDY YOU DY YE OM A FI	THE AND THE	
This Disclosure Form A is submitted on behalf of the INDIVIDUAL 1		
Completed by:		
Name of Authorized Representative (t	ype or print)	6.
Completed by:		
Title of Authorized Representative (ty	ype or print)	
Completed by: Signature of Individual or Authorized R	Representative	Date
NOT APPLICABLE ST I have determined that no individuals associated with this organization	ATEMENT on meet the criteria that w	ould require the
completion of this Form A.		•
This Disclosure Form A is submitted on behalf of the CONTRACTO	R listed on the previous pa	nge.
Name of Authorized Representative (t	ype or print)	
Title of Authorized Representative (ty	ype or print)	
Signature of Authorized Represe	ntative	Date

RETURN WITH BID/OFFER

ILLINOIS DEPARTMENT OF TRANSPORTATION

Form B Other Contracts & Procurement Related Information Disclosure

Contractor Name	
Legal Address	
City, State, Zip	
Telephone Number	Fax Number (if available)
Disclosure of the information contained in thi ILCS 500). This information shall become pa bids in excess of \$10,000, and for all open-ended	s Form is required by the Section 50-35 of the Illinois Procurement Act (30 rt of the publicly available contract file. This Form B must be completed for ed contracts.
DISCLOSURE OF OTHER CON	TRACTS AND PROCUREMENT RELATED INFORMATION
pending contracts (including leases), bids, prop Illinois agency: Yes No	ent Related Information. The BIDDER shall identify whether it has any osals, or other ongoing procurement relationship with any other State of emplete the signature box on the bottom of this page.
2. If "Yes" is checked. Identify each such rela information such as bid or project number (attaINSTRUCTIONS:	tionship by showing State of Illinois agency name and other descriptive ch additional pages as necessary). SEE DISCLOSURE FORM.
THE FOLLO	WING STATEMENT MUST BE SIGNED
Name of A	uthorized Representative (type or print)
Title of Au	thorized Representative (type or print)
Signa	ture of Authorized Representative Date

SPECIAL NOTICE TO CONTRACTORS

The following requirements of the Illinois Department of Human Rights' Rules and Regulations are applicable to bidders on all construction contracts advertised by the Illinois Department of Transportation:

CONSTRUCTION EMPLOYEE UTILIZATION PROJECTION

- (a) All bidders on construction contracts shall complete and submit, along with and as part of their bids, a Bidder's Employee Utilization Form (Form BC-1256) setting forth a projection and breakdown of the total workforce intended to be hired and/or allocated to such contract work by the bidder including a projection of minority and female employee utilization in all job classifications on the contract project.
- (b) The Department of Transportation shall review the Employee Utilization Form, and workforce projections contained therein, of the contract awardee to determine if such projections reflect an underutilization of minority persons and/or women in any job classification in accordance with the Equal Employment Opportunity Clause and Section 7.2 of the Illinois Department of Human Rights' Rules and Regulations for Public Contracts adopted as amended on September 17, 1980. If it is determined that the contract awardee's projections reflect an underutilization of minority persons and/or women in any job classification, it shall be advised in writing of the manner in which it is underutilizing and such awardee shall be considered to be in breach of the contract unless, prior to commencement of work on the contract project, it submits revised satisfactory projections or an acceptable written affirmative action plan to correct such underutilization including a specific timetable geared to the completion stages of the contract.
- (c) The Department of Transportation shall provide to the Department of Human Rights a copy of the contract awardee's Employee Utilization Form, a copy of any required written affirmative action plan, and any written correspondence related thereto. The Department of Human Rights may review and revise any action taken by the Department of Transportation with respect to these requirements.



PART I. IDENTIFICATION

Human Rights		
Bid Number:	Duration of Project:	
Name of Bidder:		
PART II. WORKFORCE PROJECT	ON minority group and female populations, unemployment rates and availabili	itv

A. The undersigned bidder has analyzed minority group and female populations, unemployment rates and availability of workers for the location in which this contract work is to be performed, and for the locations from which the bidder recruits employees, and hereby submits the following workforce projection including a projection for minority and female employee utilization in all job categories in the workforce to be allocated to this contract:

TABLE B

THE MOLKTOICE TO DE A	шосию	w una	COME		TABL	EΑ									TABLE			
TOTAL Workforce Projection for Contract											C			IPLOYE	ES			
MINORITY EMPLOYEES TRAINEES															RACT			
707	1 770	n . r	<u> </u>	MIN	ORITY I	EMPLO		HER	APPR			E JOB	_	TOT		ON I		DRITY
JOB CATEGORIES	EMPLO	TAL	BL/	\CK	HISPA	ANIC		NOR.	TIC			INEES	E		YEES			OYEES
CATEGORIES	M	F	M	F	M	F	M	F	M	F	M	F		M	F	1	M	F
OFFICIALS (MANAGERS)								•						=1.0				
SUPERVISORS			<u></u>							. –			<u> </u>					
FOREMEN																		
CLERICAL	-		,															
EQUIPMENT OPERATORS				-									_					
MECHANICS .					_								<u> </u>					
TRUCK DRIVERS	<u>.</u>											<u> </u>	-					-
IRONWORKERS						<u></u>		•							_			
CARPENTERS			<u></u>										_					
CEMENT MASONS										_								
ELECTRICIANS	_		_												_			
PIPEFITTERS, PLUMBERS													_					
PAINTERS			<u> </u>										<u> </u>					
LABORERS, SEMI-SKILLED																		
LABORERS, UNSKILLED													_					
TOTAL																		

	TABLE	E C									
	TOTAL Training Projection for Contract										
EMPLOYEES IN		TAL OYEES	BLA	ACK	HISP	ANIC		HER NOR.			
TRAINING	M	F	M	F	M	F	M	F			
APPRENTICES											
ON THE JOB TRAINEES											

*Other minorities are defined as Asians (A) or Native Americans (N).

Please specify race of each employee shown in Other Minorities column.

Note: See instructions on page 2

FOR DEPARTMENT USE ONLY	7
·	

BC 1256 - Pg 1 (Rev. 3/98) IL 494-0454

PART II. WORKFORCE PROJECTION - continued

	ncluded in "Total Employees" under Table A is the total number of new hires that would be employed in the event ne undersigned bidder is awarded this contract.									
Т	The undersigned bidder projects that: (number) new hires would be excruited from the area in which the contract project is located; and/or (number)									
r	ecruited from the area in which the contract project is located; and/or (number)									
0	fice or base of operation is located.									
C. I	included in "Total Employees" under Table A is a projection of numbers of persons to be employed directly by the indersigned bidder as well as a projection of numbers of persons to be employed by subcontractors.									
1	The undersigned bidder estimates that (number) persons will be									
d e	The undersigned bidder estimates that (number) persons will be irectly employed by the prime contractor and that (number) persons will be mployed by subcontractors.									
PART III	. AFFIRMATIVE ACTION PLAN									
u ir c (u	The undersigned bidder understands and agrees that in the event the foregoing minority and female employee tilization projection included under PART II is determined to be an underutilization of minority persons or women any job category, and in the event that the undersigned bidder is awarded this contract, he/she will, prior to commencement of work, develop and submit a written Affirmative Action Plan including a specific timetable geared to the completion stages of the contract) whereby deficiencies in minority and/or female employee tilization are corrected. Such Affirmative Action Plan will be subject to approval by the contracting agency and the Department of Human Rights.									
S	The undersigned bidder understands and agrees that the minority and female employee utilization projection ubmitted herein, and the goals and timetable included under an Affirmative Action Plan if required, are deemed to e part of the contract specifications.									
Company	y Telephone Number									
Address										
	NOTICE REGARDING SIGNATURE									
The B	idder's signature on the Proposal Signature Sheet will constitute the signing of this form. The following signatur needs to be completed only if revisions are required.									
Signat	ure: Title: Date:									
Instruction	ons: All tables must include subcontractor personnel in addition to prime contractor personnel.									
Table A	Include both the number of employees that would be hired to perform the contract work and the total number currently employed (Table B) that will be allocated to contract work, and include all apprentices and on-the-job trainees. The "Total Employees" column should include all employees including all minorities, apprentices and on-the-job trainees to be employed on the contract work.									
Table B	Include all employees currently employed that will be allocated to the contract work including any apprentices and on-the-job trainees currently employed.									
Table C	Indicate the racial breakdown of the total apprentices and on-the-job trainees shown in Table A. BC-1256-Pg. 2 (Rev. 3/98)									

<u>CERTIFICATIONS REQUIRED BY STATE AND/OR FEDERAL LAW</u>. The bidder is required by State and/or Federal law to make the below certifications and assurances as a part of the proposal and contract upon award. It is understood by the bidder that the certifications and assurances made herein are a part of the contract.

By signing the Proposal Signature Sheet, the bidder certifies that he/she has read and completed each of the following certifications and assurances, that required responses are true and correct and that the certified signature of the Proposal Signature Sheet constitutes an endorsement and execution of each certification and assurance as though each was individually signed:

A. By the execution of this proposal, the signing bidder certifies that the bidding entity has not, either directly or indirectly, entered into any agreement, participated in any collusion, or otherwise taken any action, in restraint of free competitive bidding in connection with the submitted bid. This statement made by the undersigned bidder is true and correct under penalty of perjury under the laws of the United States.

B. CERTIFICATION, EQUAL EMPLOYMENT OPPORTUNITY:

1.	Have you participated in any previous contracts or subcontracts subject to the equal opportunity clause. YES NO
2.	If answer to #1 is yes, have you filed with the Joint Reporting Committee, the Director of OFCC, any Federal agency, or the former President's Committee on Equal Employment Opportunity, all reports due
	under the applicable filing requirements of those organizations? VES NO

- C. BUY AMERICAN STEEL AND MANUFACTURED PRODUCTS FOR CONSTRUCTION CONTRACTS (JAN 1991)
 - (a) The Aviation Safety and Capacity Expansion Act of 1990 provides that preference be given to steel and manufactured products produced in the United States when funds are expended pursuant to a grant issued under the Airport Improvement Program. The following terms apply:
 - 1. Steel and manufactured products. As used in this clause, steel and manufactured products include (1) steel produced in the United States or (2) a manufactured product produced in the United States, if the cost of its components mined, produced or manufactured in the United States exceeds 60 percent of the cost of all its components and final assembly has taken place in the United States. Components of foreign origin of the same class or kind as the products referred to in subparagraphs (b)(1) or (2) shall be treated as domestic.
 - 2. <u>Components</u>. As used in this clause, components means those articles, materials, and supplies incorporated directly into steel and manufactured products.
 - 3. Cost of Components. This means the costs for production of the components, exclusive of final assembly labor costs.
 - (b) The successful bidder will be required to assure that only domestic steel and manufactured products will be used by the Contractor, subcontractors, materialmen, and suppliers in the performance of this contract, except those-
 - (1) that the U.S. Department of Transportation has determined, under the Aviation Safety and Capacity Expansion Act of 1990, are not produced in the United States in sufficient and reasonably available quantities of a satisfactory quality;
 - (2) that the U.S. Department of Transportation has determined, under the Aviation Safety and Capacity Expansion Act of 1990, that domestic preference would be inconsistent with the public interest; or
 - (3) that inclusion of domestic material will increase the cost of the overall project contract by more than 25 percent.

(End of Clause)

D. BUY AMERICAN CERTIFICATE (JAN 1991)

By submitting a bid/proposal under this solicitation, except for those items listed by the offeror below or on a separate and clearly identified attachment to this bid/proposal, the offeror certifies that steel and each manufactured product, is produced in the United States (as defined in the clause Buy American - Steel and Manufactured Products or Buy American - Steel and Manufactured Products For Construction Contracts) and that components of unknown origin are considered to have been produced or manufactured outside the United States.

Offerors may obtain from (IDOT, Division of Aeronautics) lists of articles, materials, and supplies excepted from this provision.

PRODUCT			COUNTRY OF ORIGIN
	 <u> </u>	 	

E. NPDES CERTIFICATION

In accordance with the provisions of the Illinois Environmental Protection Act, the Illinois Pollution Control Board Rules and Regulations (35 Ill. Adm. Code, Subtitle C, Chapter I), and the Clean Water Act, and the regulations thereunder, this certification is required for all construction contracts that will result in the disturbance of five or more acres total land area.

The undersigned bidder certifies under penalty of law that he/she understands the terms and conditions of the general National Pollutant Discharge Elimination System (NPDES) permit (ILR100000) that authorizes the storm water discharges associated with industrial activity from the construction site identified as part of this certification.

The Airport Owner or its Agent will:

- 1) prepare, sign and submit the Notice of Intent (NOI)
- 2) conduct site inspections and complete and file the inspection reports
- 3) submit Incidence of Non-Compliance (ION) forms
- 4) submit Notice of Termination (NOT) form

Prior to the issuance of the Notice-to-Proceed, for <u>each</u> erosion control measure identified in the Storm Water Pollution Prevention Plan, the contractor or subcontractor responsible for the control measure(s) must sign the above certification (forms to be provided by the Department).

F. NON-APPROPRIATION CLAUSE

By submitting a bid/proposal under this solicitation the offeror certifies that he/she understands that obligations of the State will cease immediately without penalty or further payment being required in any fiscal year the Illinois General Assembly fails to appropriate or otherwise make available sufficient funds for this contract.

G. Contractor is not delinquent in the payment of any debt to the State (or if delinquent has entered into a deferred payment plan to pay the debt), and Contractor acknowledges the contracting state agency may declare the contract void if this certification is false (30 ILCS 500/50-11, effective July 1, 2002).

NOTICE TO BIDDERS

- 1. TIME AND PLACE OF OPENING BIDS. Sealed proposals for the improvement described herein will be received by the Department of Transportation at the Harry R. Hanley Building, 2300 South Dirksen Parkway in Springfield, Illinois until 10:00 o'clock a.m., April 23, 2004. All bids will be gathered, sorted, publicly opened and read in the auditorium at the Department of Transportation's Harry R. Hanley Building shortly after the 10:00 a.m. cut off time.
- 2. **DESCRIPTION OF WORK**. The proposed improvement, shown in detail on the plans issued by the Department includes, in general, the following described work:

Overlay Runway 8-26; Rehabilitate Hangar Pavements

- 3. INSTRUCTIONS TO BIDDERS. (a) This Notice, the invitation for bids, proposal and award shall, together with all other documents in accordance with Article 10-15 of the Illinois Standard Specifications for Construction of Airports, become part of the contract. Bidders are cautioned to read and examine carefully all documents, to make all required inspections, and to inquire or seek explanation of the same prior to submission of a bid.
 - (b) State law, and, if the work is to be paid wholly or in part with Federal-aid funds, Federal law requires the bidder to make various certifications as a part of the proposal and contract. By execution and submission of the proposal, the bidder makes the certification contained therein. A false or fraudulent certification shall, in addition to all other remedies provided by law, be a breach of contract and may result in termination of the contract.
- 4. AWARD CRITERIA AND REJECTION OF BIDS. This contract will be awarded to the lowest responsive and responsible bidder considering conformity with the terms and conditions established by the Department in the proposal and contract documents. The issuance of plans and proposal forms for bidding based upon a prequalification rating shall not be the sole determinant of responsibility. The Department reserves the right to determine responsibility at the time of award, to reject any or all proposals, to readvertise the proposed improvement, and to waive technicalities.
- 5. PRE-BID CONFERENCE. There will be a pre-bid conference held at N/A at the Dixon Municipal Airport Airport administration building. For engineering information, contact Ron Hudson of Hanson Professional Services, Inc. at (630) 990-3800.
- 6. DISADVANTAGED BUSINESS POLICY. The DBE goal for this contract is 4.0%.
- 7. SPECIFICATIONS AND DRAWINGS. The work shall be done in accordance with the Illinois Standard Specifications for Construction of Airports, the Special Provisions dated March 12, 2004 and the Construction Plans dated March 12, 2004 as approved by the Department of Transportation, Division of Aeronautics.

- 8. INSPECTION OF RECORDS. The Contractor shall maintain an acceptable cost accounting system. The Sponsor, the FAA, and the Comptroller General of the United States shall have access to any books, documents, paper, and records of the Contractor which are directly pertinent to the specific contract for the purposes of making an audit, examination, excerpts, and transcriptions. The Contractor shall maintain all required records for three years after the Sponsor makes final payment and all other pending matters are closed.
- 9. RIGHTS TO INVENTIONS. All rights to inventions and materials generated under this contract are subject to Illinois law and to regulations issued by the FAA and the Sponsor of the Federal grant under which this contract is executed. Information regarding these rights is available from the FAA and the Sponsor.

10. TERMINATION OF CONTRACT.

- 1. The Sponsor may, be written notice, terminate this contract in whole or in part at any time, either for the Sponsor's convenience or because of failure to fulfill the contract obligations. Upon receipt of such notice services shall be immediately discontinued (unless the notice directs otherwise) and all materials as may have been accumulated in performing this contract, whether completed or in progress, delivered to the Sponsor.
- 2. If the termination is for the convenience of the Sponsor, an equitable adjustment in the contract price shall be made, but no amount shall be allowed for anticipated profit on unperformed services.
- 3. If the termination is due to failure to fulfill the Contractor's obligations, the Sponsor may take over the work and prosecute the same to completion by contract or otherwise. In such case, the Contractor shall be liable to the Sponsor for any additional cost occasioned to the Sponsor thereby.
- 4. If, after notice of termination for failure to fulfill contract obligations, it is determined that the Contractor had not so failed, the termination shall be deemed to have been effected for the convenience of the Sponsor. In such event, adjustment in the contract price shall be made as provided in paragraph 2 of this clause.
- 5. The rights and remedies of the sponsor provided in this clause are in addition to any other rights and remedies provided by law or under this contract.

- 11. BIDDING REQUIREMENTS AND BASIS OF AWARD. When alternates are included in the proposal, the following shall apply:
 - a. Additive Alternates
 - (1) Bidders must submit a bid for the Base Bid and for all Additive Alternates.
 - (2) Award of this contract will be made to the lowest responsible qualified bidder computed as follows:

The lowest aggregate amount of (i) the Base Bid plus (ii) any Additive Alternate(s) which the Department elects to award.

The Department may elect not to award any Additive Alternates. In that case, award will be to the lowest responsible qualified bidder of the Base Bid.

- b. Optional Alternates
 - (1) Bidders must submit a bid for the Base Bid and for either Alternate A or Alternate B or for both Alternate A and Alternate B.
 - (2) Award of this contract will be made to the lowest responsible qualified bidder computed as follows:

The lower of the aggregate of either (i) the Base Bid plus Alternate A or (ii) the Base Bid plus Alternate B.

12. COMPLETION DATE. When a completion date is specified, the Contractor shall complete all work subject to the date on or before the specified date. The completion date is based on the calculated number of work days for the project and an anticipated start date. Any time beyond the specified completion date must be fully justified or be subject to liquidated damages.

The completion date of <u>August 21, 2004</u> for this contract was based on anticipated notice-to-proceed date of <u>June 4, 2004</u>.

- 13. INDEPENDENT WEIGHT CHECKS. The Department reserves the right to conduct random unannounced independent weight checks on any delivery for bituminous, aggregate or other pay item for which the method of measurement for payment is based on weight. The weight checks will be accomplished by selecting, at random, a loaded truck and obtaining a loaded and empty weight on an independent scale. In addition, the department may perform random weight checks by obtaining loaded and empty truck weights on portable scales operated by department personnel.
- 14. GOOD FAITH COMPLIANCE. The Illinois Department of Transportation has made a good faith effort to include all statements, requirements, and other language required by federal and state law and by various offices within federal and state governments whether that language is required by law or not. If anything of this nature has been left out or if additional language etc. is later required, the bidder/contractor shall cooperate fully with the Department to modify the contract or bid documents to correct the deficiency. If the change results in increased operational costs, the Department shall reimburse the contractor for such costs as it may find to be reasonable.

PROPOSAL SIGNATURE SHEET

The undersigned bidder hereby makes and submits this bid on the subject Proposal, thereby assuring the Department that all requirements of the Invitation for Bids and rules of the Department have been met, that there is no misunderstanding of the requirements of paragraph 4 of this Proposal, and that the contract will be executed in accordance with the rules of the Department if an award is made on this bid.

	Firm Name		
(IF AN INDIVIDUAL)	Signature of Owner		
	Business Address		·
	Firm Name		
	Ву		
(IF A CO-PARTNERSHIP)	Business Address		
	Name and Address of All I	Members of the Firm:	
			
	Corporate Name		
(IF A CORPORATION)	Ву		Corporate Seal
	Attest		President
	Business Address	·	Corporate Secretary
	Name of Corporate Officer	rs:	
	President	Corporate Secretary	Treasurer
· · · · · · · · · · · · · · · · · · ·	NOTARY CERTIFICA	TION	
STATE OF ILLINOIS,	LL SIGNATURES MUST BE		
COUNTY OF	THE STOTAL FORES MICEL DE	TO TEXALDED	•
I,, a N	lotary Public in and for said coun	ity, do hereby certify that	
	AND		
(Inser	t names of individual(s) signing	on behalf of bidder)	
who are each personally known to me to be the bidder, appeared before me this day in person	e same persons whose names are	subscribed to the foregoing instrued, sealed, and delivered said instru	ment on behalf of the ument as their free and
voluntary act for the uses and purposes therein set forth.			
Given under my hand and notarial seal this	day o	of	, A.D
My commission expires			(Seal)
1.1. Johnson Onphios		Notary Pr	ublic

Return with Bid



Division of Aeronautics
Proposal Bid Bond

(Effective January 1, 2002)

			ltem No. Letting Date:	9A April 23, 2004
	Airport: Dixon Municip	al Airport Airport		
	III. Proj. No. <u>C73-331</u>	3		
	Fed. Proj. No. <u>3-17-003</u>	D-B5		
KNOW ALL MEN BY THESE PRESENT	ΓS. that we,		· · · · · · · · · · · · · · · · · · ·	, as
PRINCIPAL, and	V-112			as SURETY are held and
imly bound unto the, hereinafter called specified in Section 6, PROPOSAL GUA unto the said SPONSOR, for the payments	RANTEE of the Proposal Do	cument, whicheve	of the total bid pricer is the lesser sur	ce or of the amount m, well and truly to be paid
THE CONDITION OF THIS OBLIGATIO hrough its AGENT, the State of Illinois, I he Transportation Bulletin Item Number	Department of Transportation	n, Division of Aeror	submitted a Bid F nautics, for the im	Proposal to the SPONSOR provement designated by
NOW, THEREFORE, if the SPONSOR to within the time and as specified in the Bit approved by the AGENT, and if after the Bidding and Contract Documents including sufficient surety for the faithful performant prosecution thereof; or if, in the event of contract and to give the specified bond, between the amount in the Bid Proposal perform the work covered by said Proposal of THE EVENT the SPONSOR acting the within the Bid Proposal of THE EVENT the SPONSOR acting the work covered by said Proposal of THE EVENT the SPONSOR acting the work covered by said Proposal of THE EVENT the SPONSOR acting the second secon	dding and Contract Documer award, the PRINCIPAL shall ng evidence of insurance counce of such contract and for pathe failure of the PRINCIPAL the PRINCIPAL pays to the Sand such larger amount for value its AGENT determines	nts, submit the DB I enter into a controverage's and provious prompt payment of the total payment of the control payment of the control payment of the control payment of the sponsor the control pation to be void; the PRINCIPAL it	E Utilization Plan act in accordance ding such bond at flabor and materia ired DBE submisserence not to excoor may contract otherwise to remathas failed to come	that is acceptable and a with the terms of the s specified with good and all furnished in the sion or to enter into such eed the penalty hereof with another party to in in full force and effect.
net forth in the preceding paragraph, the lemand therefor. If the SURETY does not amount owed. The SURETY is liable an any litigation in which SPONSOR or A	n the SURETY shall pay the ot make full payment within s to the SPONSOR and to the	penal sum to the such period of time AGENT for all its	SPONSOR within e. the AGENT may	tifteen (15) days of written / bring an action to collect
N WITNESS WHEREOF, the said PRIN	ICIPAL and the said SURETY	/ have caused this	instrument to be	signed by
neir respective officers this	day of		A.D., 20	
PRINCIPAL	•	SURETY		
Company Name)	<u>. </u>	(Company Nam	e)	-
Ву:		By:		
(Signature & Title)			(Signature of	f Attorney-in-Fact)
	Notary Certification for P	rincipal and Sure	ety	
	•	·		
State of Illinois)) ss:				•
County of)				*
·		_, a Notary Public	in and for said Co	ounty, do hereby certify that
			•	
(Insert names of individuals si	and and and and and and and an behalf of PRINCIPA	(& SUBETY)		
who are each personally known to me to			ribed to the forea	oing instrument on behalf o
who are each personally known to me ac PRINCIPAL and SURETY, appeared be said instrument as their free and volunta	fore me this day in person an	nd acknowledged r	espectively, that t	they signed and delivered
Given under my hand and notary sea	thisday o	of		A.D., 20
My commission expires			(Notary Publ	ic)
n lieu of completing the above section on the PRINCIPAL is ensuring the identified to the SPONSOR through its AGENT un	d electronic bid bond has bee	en executed and th	file an Electronic I	Bid Bond. By signing below,
Electronic Bid Bond ID#	Company/Bidder Nar	 me	Sig	nature and Title Form D.E. (Rev. 12-2001)



PROPOSALS

for construction work advertised for bids by the Illinois Department of Transportation

Item No.	Item No.	Item No.		

Submitted By:

Name:				
Address:				
	· ·	· · · · · · · · · · · · · · · · · · ·	 	t-1"
Phone No.			 	

Bidders should affix this form to the front of a 10" x 13" envelope and use that envelope for the submittal of bids. If proposals are mailed, they should be enclosed in a second or outer envelope addressed to:

Engineer of Design and Environment - Room 323 Illinois Department of Transportation 2300 South Dirksen Parkway Springfield, Illinois 62764

CONTRACTOR OFFICE COPY OF CONTRACT SPECIFICATIONS

NOTICE

None of the following material needs to be returned with the bid package unless the special provisions require documentation and/or other information to be submitted.



CONTRACT REQUIREMENTS

- (1) Airport Improvement Program projects. The work in this contract is included in the federal Airport Improvement Program and is being undertaken and accomplished by the Illinois Department of Transportation, Division of Aeronautics and the Municipality, hereinafter called the Co-Sponsors, in accordance with the terms and conditions of a Grant Agreement between the Co-Sponsors and the United States, under the Airport and Airway Improvement Act of 1982 (Public Law 97-248; Title V, Section 501 et seq., September 3, 1982; 96 Stat. 671; codified at 49 U.S.C Section 2201 et seq.) and Part 152 of the Federal Aviation Regulations (14 CFR Part 152), pursuant to which the United States has agreed to pay a certain percentage of the costs of the Project that are determined to be allowable Project costs under the Act. The United States is not a party to this contract and no reference in this contract to FAA or representative thereof, or to any rights granted to the FAA or any representative thereof, or the United States, by the contract, makes the United States a party to this contract.
- (2) <u>Consent of Assignment</u>. The Contractor shall obtain the prior written consent of the Co-Sponsors to any proposed assignment of any interest in or part of this contract.
 - (3) Convict Labor. No convict labor may be employed under this contract.
- (4) Veterans Preference. In the employment of labor, except in executive, administrative, and supervisory positions, preference shall be given to veterans of the Vietnam era and disabled veterans as defined in Section 515(c) of the Airport and Airway Improvement Act of 1982. However, this preference shall apply only where the individuals are available and qualified to perform the work to which the employment relates.
- (5) Withholding: Sponsor from Contractor. Whether or not payments or advances to the Co-Sponsors are withheld or suspended by the FAA, the Co-Sponsors may withhold or cause to be withheld from the Contractor so much of the accrued payments or advances as may be considered necessary to pay laborers and mechanics employed by the Contractor or any subcontractor on the work the full amount of wages required by this contract.
- (6) Nonpayment of Wages. If the Contractor or subcontractor fails to pay any laborer or mechanic employed or working on the site of the work any of the wages required by this contract the Co-Sponsors may, after written notice to the Contractor, take such action as may be necessary to cause the suspension of any further payment or advance of funds until the violations cease.
- (7) <u>FAA Inspection and Review</u>. The Contractor shall allow any authorized representative of the FAA to inspect and review any work or materials used in the performance of this contract.
- (8) <u>Subcontracts</u>. The Contractor shall insert in each of his subcontracts the provisions contained in Paragraphs (1), (3), (4), (5), (6), and (7) above and also a clause requiring the subcontractors to include these provisions in any lower tier subcontracts which they may enter into, together with a clause requiring this insertion in any further subcontracts that may in turn be made.
- (9) Contract Termination. A breach of Paragraph (6), (7), and (8) above may be grounds for termination of the contract.

PROVISIONS REQUIRED BY THE REGULATIONS OF THE SECRETARY OF LABOR 29 CFR 5.5

(a) - Contract-Provisions-and-Related-Matters.

(1) Minimum Wages.

Revised 1/92

- (i) All laborers and mechanics employed or working upon the site of the work will be paid unconditionally and not less often than once a week, and without subsequent deduction or rebate on any account (except such payroll deductions as are permitted by regulations issued by the Secretary of Labor under the Copeland Act (29 CFR Part 3)), the full amount of wages and bona fide fringe benefits (or cash equivalents thereof) due at time of payment computed at rates not less than those contained in the wage determination of the Secretary of Labor which is attached hereto and made a part hereof, regardless of any contractual relationship which may be alleged to exist between the Contractor and such laborers and mechanics. Contributions made or costs reasonably anticipated for bona fide fringe benefits under section 1(b)(2) of the Davis-Bacon Act on behalf of laborers or mechanics are considered wages paid to such laborers or mechanics, subject to the provision of paragraph (a)(1)(iv) of this section; also, regular contributions made or costs incurred for more than a weekly period (but not less often than quarterly) under plans, funds, or programs which cover the particular weekly period, are deemed to be constructively made or incurred during such weekly period. Such laborers and mechanics shall be paid the appropriate wage rate and fringe benefits on the wage determination for the classification of work actually performed, without regard to skill, except as provided in paragraph 5.5(a)(4). Laborers or mechanics performing work in more than one classification may be compensated at the rate specified for each classification for the time actually worked therein: provided, that the employer's payroll records accurately set forth the time spent in each classification in which work is performed. The wage determination (including any additional classification and wage rates conformed under paragraph (a)(1)(ii) of this section) and the Davis-Bacon poster (WH-1321) shall be posted at all times by the Contractor and its subcontractors at the site of the work in a prominent and accessible place where it can be easily seen by the workers.
- (ii)(A) The contracting officer shall require that any class of laborers or mechanics which is not listed in the wage determination and which is to be employed under the contract shall be classified in conformance with the wage determination. The contracting officer shall approve an additional classification and wage rate and fringe benefits therefor only when the following criteria have been met:
 - (1) The work to be performed by the classification requested is not performed by a classification in the wage determination; and
 - (2) The classification is utilized in the area by the construction industry; and
 - (3) The proposed wage rate, including any bona fide fringe benefits, bears a reasonable relationship to the wage rates contained in the wage determination.
- (ii)(B) If the Contractor and the laborers and mechanics to be employed in the classification (if known), or their representatives, and the contracting officer agree on the classification and wage rate (including the amount designated for fringe benefits where appropriate), a report of the action taken shall be sent by the contracting officer to the Administrator of the Wage and Hour Division, Employment Standards Administration, U.S. Department of Labor, Washington, D.C. 20210. The Administrator, or an authorized representative, will approve, modify, or disapprove every additional classification action within 30 days of receipt and so advise the contracting officer or will notify the contracting officer within the 30-day period that additional time is necessary. (Approved by the Office of Management and Budget under OMB control number 1215-0140).
- (ii)(C) In the event the Contractor, the laborers or mechanics to be employed in the classification or their representatives, and the contracting officer do not agree on the proposed classification and wage rate (including the amount designated for fringe benefits, where appropriate), the contracting officer shall refer the questions, including the views of all interested parties and the recommendation of the contracting officer, to the Administrator for determination. The Administrator, or an authorized representative, will issue a determination within 30 days of receipt and so advise the contracting officer or will notify the contracting officer within the 30-day period that additional time is necessary. (Approved by the Office of Management and Budget under OMB control number 1215-0140).

- (ii)(D) The wage rate (including fringe benefits where appropriate) determined pursuant to subparagraphs (1)(B) or (C) of this paragraph, shall be paid to all workers performing work in the classification under this contract from the first day on which work is performed in the classification.
- (iii) Whenever the minimum wage rate prescribed in the contract for a class of laborers or mechanics includes a fringe benefit which is not expressed as an hourly rate, the Contractor shall either pay the benefit as stated in the wage determination or shall pay another bona fide fringe benefit or an hourly cash equivalent thereof.
- (iv) If the Contractor does not make payments to a trustee or other third person, the Contractor may consider as part of the wages of any laborer or mechanic the amount of any costs reasonably anticipated in providing bona fide fringe benefits under a plan or program, provided, that the Secretary of Labor has found, upon the written request of the Contractor, that the applicable standards of the Davis-Bacon Act have been met. The Secretary of Labor may require the Contractor to set aside in a separate account assets for the meeting of obligations under the plan or program. (Approved by the Office of Management and Budget under OMB control number 1215-0140).
- (2) Withholding. The Federal Aviation Administration shall upon its own action or written request of an authorized representative of the Department of Labor withhold or cause to be withheld from the Contractor under this contract or any other Federal contract with the same prime Contractor, or any other Federally-assisted contract subject to Davis-Bacon prevailing wage requirements, which is held by the same prime Contractor, so much of the accrued payments or advances as may be considered necessary to pay laborers and mechanics, including apprentices, trainees, and helpers, employed by the Contractor or any subcontractor the full amount of wages required by the contract. In the event of failure to pay any laborer or mechanic, including any apprentice, trainee, or helper, employed or working on the site of the work, all or part of the wages required by the contract, the (Agency) may, after written notice to the Contractor, sponsor, applicant, or owner, take such action as may be necessary to cause the suspension of any further payment, advance, or guarantee of funds until such violations have ceased.

(3) Payrolls and basic records.

- (i) Payrolls and basic records relating thereto shall be maintained by the Contractor during the course of the work and preserved for a period of three years thereafter for all laborers and mechanics working at the site of the work. Such records shall contain the name, address, and social security number of each such work, his or her correct classification, hourly rates of wages paid (including rates of contributions or costs anticipated for bona fide fringe benefits or cash equivalents thereof of the types described in section 1(b)(2)(B) of the Davis-Bacon Act), daily and weekly number of hours worked, deductions made and actual wages paid. Whenever the Secretary of Labor has found under 29 CFR 5.5(a)(1)(iv) that the wages of any laborer or mechanic include the amount of any costs reasonably anticipated in providing benefits under a plan or program described in section 1(b)(2)(B) of the Davis-Bacon Act, the Contractor shall maintain records which show that the commitment to provide such benefits is enforceable, that the plan or program is financially responsible, and that the plan or program has been communicated in writing to the laborers or mechanics affected, and records which show the costs anticipated or the actual cost incurred in providing such benefits. Contractors employing apprentices or trainees under approved programs shall maintain written evidence of the registration of apprenticeship programs and certification of trainee programs, the registration of the apprentices and trainees, and the ratios and wage rates prescribed in the applicable programs. (Approved by the Office Management and Budget under OMB control numbers 1215-0140 and 1215-0017).
- (ii)(A) The Contractor shall submit weekly for each week in which any contract work is performed a copy of all payrolls to the Federal Aviation Administration if the agency is a party to the contract, but if the agency is not such a party, the Contractor will submit the payrolls to the applicant, sponsor, or owner, as the case may be, for transmission to the Federal Aviation Administration. The payrolls submitted shall set out accurately and completely all of the information-required to-be-maintained-under-paragraph-5.5(a)(3)(i)-of-Regulations, 29 CFR Part-5. This information-may be submitted in any form desired.

Optional Form WH-347 is available for this purpose and may be purchased from the Superintendent of Documents (Federal Stock Number 029-005-00014-1), U.S. Government Printing Office, Washington, D.C. 20402. The prime Contractor is responsible for the submission of copies of payrolls by all subcontractors. (Approved by the Office of Management and Budget under OMB control number 1215-0149).

- (ii)(B) Each payroll submitted shall be accompanied by a "Statement of Compliance," signed by the Contractor, or subcontractor or his or her agent who pays or supervises the payment of the persons employed under the contract and shall certify the following:
 - (1) That the payroll for the payroll period contains the information required to be maintained under paragraph 5.5(a)(3)(i) of Regulations, 29 CFR Part 5 and that such information is correct and complete;
 - (2) That each laborer or mechanic (including each helper, apprentice, and trainee) employed on the contract during the payroll period has been paid the full weekly wages earned, without rebate, either directly or indirectly, and that no deductions have been made either directly or indirectly from the full wages earned, other than permissible deductions as set forth in Regulations, 29 CFR Part 3;
 - (3) That each laborer or mechanic has been paid not less than the applicable wage rates and fringe benefits or cash equivalents for the classification of work performed as specified in the applicable wage determination incorporated into the contract.
- (ii)(C) The weekly submission of a properly executed certification set forth on the reverse side of Optional Form WH-347 shall satisfy the requirement for submission of the "Statement of Compliance" required by paragraph (a)(3)(ii)(B) of this section.
- (ii)(D) The falsification of any of the above certifications may subject the Contractor or subcontractor to civil or criminal prosecution under Section 1001 of Title 18 and Section 231 of Title 31 of the United States Code.
- (iii) The Contractor or subcontractor shall make the records required under paragraph (a)(3)(i) of this section available for inspection, copying, or transcription by authorized representatives of the (write the name of the agency) or the Department of Labor, and shall permit such representatives to interview employees during working hours on the job. If the Contractor or subcontractor fails to submit the required records or to make them available, the Federal agency may, after written notice to the Contractor, sponsor, applicant, or owner, take such action as may be necessary to cause the suspension of any further payment, advance, or guarantee of funds. Furthermore, failure to submit the required records upon request or to make such records available may be grounds for debarment action pursuant to 29 CFR 5.12.

(4) Apprentices and Trainees

(i) Apprentices. Apprentices will be permitted to work at less than the predetermined rate for the work they performed when they are employed pursuant to and individually registered in a bona fide apprenticeship program registered with the U.S. Department of Labor, Employment and Training Administration, Bureau of Apprenticeship and Training, or with a State Apprenticeship Agency recognized by the Bureau, or if a person is employed in his or her first 90 days of probationary employment as a apprentice in such an apprenticeship program, who is not individually registered in the program, but who has been certified by the Bureau of Apprenticeship and Training or a State Apprenticeship Agency (where appropriate) to be eligible for probationary employment as an apprentice. The allowable ratio of apprentices to journeymen on the job site in any craft classification shall not be greater than the ratio permitted to the Contractor as to the entire work force under the registered program. Any worker listed on a payroll at an apprentice wage rate, who is not registered or otherwise employed as stated above, shall be paid not less than the applicable wage rate on the wage determination for the classification of work actually performed. In addition, any apprentice performing work-on-the-job-site-in-excess-of-the-ratio-permitted-under-the-registered-program-shall-be-paid-not-less-than-theapplicable wage rate on the wage determination for the work actually performed. Where a Contractor is performing construction on a project in a locality other than that in which its program is registered, the ratios and wage rates (expressed in percentages of the journeyman's hourly rate) specified in the Contractor's or subcontractor's registered program shall be observed. Every apprentice must be paid at not less than the rate specified in the registered program for the apprentice's level of progress, expressed as a percentage of the journeymen hourly rate specified in the applicable wage determination. Apprentices shall be paid fringe benefits in accordance with the provisions of the apprenticeship program. If the apprenticeship program does not specify fringe benefits, apprentices must be paid the full amount of fringe benefits listed on the wage determination for the applicable classification. If the Administrator determines that a different practice prevails for the applicable apprentice classification, fringes shall be paid in accordance with that determination. In the event the Bureau of Apprenticeship and Training, or a State Apprenticeship Agency recognized by the Bureau, withdraws approval of an apprenticeship program, the Contractor will no longer be permitted to utilize apprentices at less than the applicable predetermined rate for the work performed until an acceptable program is approved.

- (ii) Trainees. Except as provided in 29 CFR 5.16, trainees will not be permitted to work at less than the predetermined rate for the work performed unless they are employed pursuant to and individually registered in a program which has received prior approval, evidenced by formal certification by the U.S. Department of Labor, Employment and Training Administration. The ratio of trainees to journeymen on the job site shall not be greater than permitted under the plan approved by the Employment and Training Administration. Every trainee must be paid at not less than the rate specified in the approved program for the trainee's level of progress, expressed as a percentage of the journeyman hourly rate specified in the applicable wage determination. Trainees shall be paid fringe benefits in accordance with the provisions of the trainee program. If the trainee program does not mention fringe benefits, trainees shall be paid the full amount of fringe benefits listed on the wage determination unless the Administrator of the Wage and Hour Division determines that there is an apprenticeship program associated with the corresponding journeyman wage rate on the wage determination which provides for less than full fringe benefits for apprentices. Any employee listed on the payroll at a trainee rate who is not registered and participating in a training plan approved by the Employment and Training Administration shall be paid not less than the applicable wage rate on the wage determination for the classification of work actually performed. In addition, any trainee performing work on the job site in excess of the ration permitted under the registered program shall be paid not less than the applicable wage rate on the wage determination for the work actually performed. In the event the Employment and Training Administration withdraws approval of a training program, the contract will no longer be permitted to utilize trainees at less than the applicable predetermined rate for the work performed until an acceptable program is approved.
- (iii) Equal employment opportunity. The utilization of apprentices, trainees and journeymen under this part shall be in conformity with the equal employment opportunity requirements of Executive Order 11246, as amended, and 29 CFR Part 30.
- (5) Compliance with Copeland Act requirements. The Contractor shall comply with the requirements of 29 CFR Part 3, which are incorporated by reference in this contract.
- (6) Subcontracts. The Contractor or subcontractor shall insert in any subcontracts the clauses contained in paragraph (a)(1) through (10) of this contract and such other clauses as the Federal Aviation Administration may by appropriate instructions require, and also a clause requiring the subcontractors to include these clauses in any lower tier subcontracts. The prime Contractor shall be responsible for the compliance by an subcontractor or lower tier subcontractor with all the contract clauses in 29 CFR 5.5.
- (7) Contract determination: debarment. A breach of these contract clauses paragraphs (a)(1) through (10) and the 2nd clause (b)(1) through (5) below may be grounds for termination of the contract and for debarment as a Contractor and a subcontractor as provided in 29 CFR 5.12.
- (8) Compliance with Davis-Bacon and Related Act requirements. All rulings and interpretations of the Davis-Bacon and Related Acts contained in 29 CFR Parts 1, 3, and 5 are herein incorporated by referenced in this contract.
- (9) Disputes concerning labor standards. Disputes arising out of the labor standards provisions of this contract shall not be subject to the general disputes clause of this contract. Such disputes shall be resolved in accordance with the procedures of the Department of Labor set forth in 29 CFR Parts 5, 6, and 7. Disputes within the meaning of this clause include disputes between the Contractor (or any of its subcontractors) and the contracting agency, the U.S. Department of Labor, or the employees or their representatives.

(10) Certification of Eligibility.

- (i) By entering into this contract, the Contractor certifies that neither it (nor he or she) nor any person or firm who has an interest in the Contractor's firm is a person or firm ineligible to be awarded Government contracts by virtue of section 3(a) of the Davis-Bacon Act or 29 CFR 5.12(a)(1).
- (ii) No part of this contract shall be subcontracted to any person or firm ineligible for award of a Government contract by virtue of section 3(a) of the Davis-Bacon Act or 29 CFR 5.12(a)(1).
 - (iii) The penalty for making false statements is prescribed in the U.S. Criminal Code, 18 U.S.C. 1001.
- (b) Contract Work Hours and Safety Standards Act. The Agency Head shall cause or require the contracting officer to insert the following clauses set forth in paragraphs (b)(1), (2), (3), (4) and (5) of this section in full in AIP construction contracts in excess of \$2,000. These clauses shall be inserted in addition to the clauses required by paragraph 5.5(a) or paragraph 4.6 of Part 4 of this title. As used in this paragraph, the terms "laborers" and "mechanics" include watchmen and guards.
 - (1) Overtime requirements: No Contractor or subcontractor contracting for any part of the contract work which may require or involve the employment of laborers, mechanics, watchmen or guards (including apprentices and trainees described in paragraphs 5 and 6 above) shall require or permit any laborer, mechanic, watchman or guard in any workweek in which he/she is employed on such work, to work in excess of 40 hours in such workweek unless such laborer, mechanic, watchman or guard receives compensation at a rate not less than one and one-half times his/her basic rate of pay for all hours worked in excess of 40 hours in such workweek.
 - (2) Violations: Liability for Unpaid Wages; Liquidated Damages: In the event of any violation of the clause set forth in subparagraph (1) of this paragraph, the Contractor and any subcontractor responsible therefore shall be liable to any affected employee for his/her unpaid wages. In addition, such Contractor and subcontractor shall be liable to the United States (in case of work done under contract for the District of Columbia or a territory, to such District or to such territory), for liquidated damages. Such liquidated damages shall be computed with respect to each individual laborer, mechanic, watchman or guard employed in violation of the clause set forth in subparagraph (1) of this paragraph, in the sum of \$10.00 for each calendar day on which such employee was required or permitted to work in excess of the standard workweek of 40 hours without payment of the overtime wages required by the clause set forth in subparagraph (1) of this paragraph.
 - (3) Withholding for unpaid wages and liquidated damages. The (write in the name of the Federal agency or the loan or grant recipient) shall upon its own action or upon written request of an authorized representative of the Department of Labor withhold or cause to be withheld, from any moneys payable on account of work performed by the Contractor or subcontractor under any such contract or any other Federal contract with the same prime Contractor, or any other Federally-assisted contract subject to the Contract Work Hours and Safety Standards Act, which is held by the same prime Contractor, such sums as may be determined to be necessary to satisfy any liabilities of such Contractor or subcontractor for unpaid wages and liquidated damages as provided in the clause set forth in subparagraph (2) of this paragraph.
 - (4) Subcontracts. The Contractor or subcontractor shall insert in any subcontracts the clauses set forth in subparagraph (1) through (4) of this paragraph and also a clause requiring the subcontractors to include these clauses in any lower tier subcontracts. The prime Contractor shall be responsible for compliance by any subcontractor or lower tier subcontractor with the clauses set forth in subparagraphs (1) through (4) of this paragraph.
 - (5) Working Conditions. No Contractor or subcontractor may require any laborer or mechanic employed in the performance of any contract to work in surroundings or under working conditions that are unsanitary, hazardous, or dangerous to his health or safety as determined under construction safety and health standards (29 CFR 1926) issued by Department of Labor.

(c) In addition to the clauses contained in paragraph (b), in any contract subject only to the Contract Work Hours and Safety Standards Act and not to any of the other statutes cited in paragraph 5.1, the Agency Head shall cause or require the contracting officer to insert a clause requiring that the Contractor or subcontractor shall maintain payrolls and basic payroll records during the course of the work and shall preserve them for a period of three years from the completion of the contract for all laborers and mechanics, including guards and watchmen, working on the contract. Such records shall contain the name and address of each such employee, social security number, correct classifications, hourly rates of wages paid, daily and weekly number of hours worked, deductions made, and actual wages paid. Further, the Agency Head shall cause or require the contracting officer to insert in any such contract a clause providing that the records to be maintained under this paragraph shall be made available by the Contractor or subcontractor for inspection, copying, or transcription by authorized representatives of the (write the name of agency) and the Department of Labor, and the Contractor or subcontractor will permit such representatives to interview employees during working hours on the job. (Approved by the Office of Management and Budget under OMB control numbers 1215-0140 and 1215-0017).

FEDERAL REGULATIONS VOL. 40, #74, WEDNESDAY, APRIL 16, 1975, PAGE 17124, ADMINISTRATION OF THE CLEAR AIR ACT & WATER POLLUTION CONTROL ACT (with respect to Federal Grants)

In connection with the administration of the Clean Air Act and the Water Pollution Control Act with respect to Federal Grants, specific requirements have been imposed of any contract which is not exempt under the provisions of 40 CFR 15.5.

- (1) Any facility listed on the EPA List of Violating Facilities pursuant to Paragraph 15.20 of 40 CFR as of the date of the contract award will not be utilized in the performance of any non-exempt contract or subcontract.
- (2) The Contractor shall comply with all the requirements of Section 114 of the Clean Air Act, as amended, 42 USC 1857 et seq. and Section 308 of the Federal Water Pollution Control Act, as amended, 33 USC 1251 et seq. relating to inspection, monitoring, entry, reports and information, as well as all other requirements specified in Section 114 and Section 308 of the Air Act and Water Act, respectively, and all regulations and guidelines issued thereunder after the award of the contract.
- (3) Prompt notification shall be required prior to contract award to the awarding official by the Contractor who will receive the award of the receipt of any communication from the Director, Office of Federal Activities, U.S. Environmental Protection Agency, indicating that a facility to be utilized for the contract is under consideration to be listed on the EPA List of Violating Facilities.
- (4) The Contractor shall include or cause to be included the criteria and requirements in paragraphs 1 through 4 in any non-exempt subcontract and will take such action as the Government may direct as a means of enforcing such provisions.

Attachment No. 1

During the performance of the contract, the Contractor agrees as follows:

- (1) The Contractor will not discriminate against any employee or applicant for employment because of race, color, religion, sex or national origin. The Contractor will take affirmative action to ensure that applicants are employed, and that employees are treated during employment without regard to their race, color, religion, sex or national origin. Such action shall include, but not be limited to the following: Employment, upgrading, demotion or transfer, recruitment or recruitment advertising, layoff or termination, rates of pay or other forms of compensation, and selection for training including apprenticeship. The Contractor agrees to post in conspicuous places, available to employees and applicants for employment, notices to be provided setting forth the provisions of this nondiscrimination clause.
- (2) The Contractor will, in all solicitations or advertisements for employees placed by or on the behalf of the Contractor, state that all qualified applicants will receive consideration for employment without regard to race, color, religion, sex or national origin.
- (3) The Contractor will send to each labor union or representative of workers with which he has a collective bargaining agreement or other contract or understanding, a notice to be provided advising the said labor union or worker's representatives of the Contractor's commitments under this section, and shall post copies of the notice in conspicuous places available to employees and applicants for employment.
- (4) The Contractor will comply with all provisions of Executive Order 11246 of September 24, 1965, and of the rules, regulations, and relevant orders of the Secretary of Labor.
- (5) The Contractor will furnish all information and reports required by Executive Order 11246 of September 24, 1965, and by rules, regulations and orders of the Secretary of Labor, or pursuant thereto, and will permit access to his books, records, and accounts by the administering agency and the Secretary of Labor for purposes of investigation to ascertain compliance with such rules, regulations, and orders.
- (6) In the event of the Contractor's noncompliance with the nondiscrimination clauses of this contract or with any of the said rules, regulations, or orders, this contract may be canceled, terminated, or suspended in whole or in part and the Contractor may be declared ineligible for further government contracts or federally assisted construction contracts in accordance with procedures authorized in Executive Order 11246 of 24 September 1965, and such other sanctions may be imposed and remedies invoked as provided in Executive Order 11246 of 24 September 1965, or by rule, regulation or order of the Secretary of Labor, or as otherwise provided by law.
- (7) The Contractor will include the portion of the sentence immediately preceding paragraph (1) and the provisions of paragraphs (1) through (7) in every subcontract or purchase order unless exempted by rules, regulations, or orders of the Secretary of Labor issued pursuant to Section 204 of Executive Order 11246 of 24 September 1965, so that such provisions will be binding upon each subcontractor or vendor. The Contractor will take such action with respect to any subcontract or purchase order as the administering agency may direct as means of enforcing such provisions, including sanctions for noncompliance; provided, however, that in the event a Contractor becomes involved in, or is threatened with, litigation with a subcontractor or vendor as a result of such direction by the administering agency, the Contractor may request the United States to enter into such litigation to protect the interests of the United States.

ATTACHMENT NO. 2

EACH PRIME CONTRACTOR SHALL INSERT IN EACH SUBCONTRACT THE CERTIFICATION IN APPENDIX B, AND FURTHER, SHALL REQUIRE ITS INCLUSION IN ANY LOWER TIER SUBCONTRACT, PURCHASE ORDER, OR TRANSACTION THAT MAY IN TURN BE MADE.

- Appendix B of 49 CFR Part 29 -

This certification applies to subcontractors, material suppliers, vendors and other lower tier participants.

Appendix B--Certification Regarding Debarment, Suspension, Ineligibility and Voluntary Exclusion--Lower Tier Covered Transactions

Instructions for Certification

- 1. By signing and submitting this proposal, the prospective lower tier participant is providing the certification set out below.
- 2. The certification in this clause is a material representation of fact upon which reliance was placed when this transaction was entered into. If it is later determined that the prospective lower tier participant knowingly rendered an erroneous certification, in addition to other remedies available to the Federal Government, the department or agency with which this transaction originated may pursue available remedies, including suspension and/or debarment.
- 3. The prospective lower tier participant shall provide immediate written notice to the person to which this proposal is submitted if at any time the prospective lower tier participant learns that its certification was erroneous when submitted or has become erroneous by reason of changed circumstances.
- 4. The terms "covered transaction," "debarred," "suspended," "ineligible," "lower tier covered transaction, "participant," "person," "primary covered transaction," "principal," "proposal," and "voluntarily excluded," as used in this clause sections of rules implementing Executive Order 12549. You may contact the person to which this proposal is submitted for assistance in obtaining a copy of those regulations.
- 5. The prospective lower tier participant agrees by submitting this proposal that, should the proposed covered transaction be entered into, it shall not knowingly enter into any lower tier covered transaction with a person who is debarred, suspended, declared ineligible, or voluntarily excluded from participation in this covered transaction, unless authorized by the department or agency with which this transaction originated.
- 6. The prospective lower tier participant further agrees by submitting this proposal that it will include this clause titled "Certification Regarding Debarment, Suspension, Ineligibility and Voluntary Exclusion--Lower Tier Covered Transaction," without modification, in all lower tier covered transactions and in all solicitations for lower tier covered transactions.
- 7. A participant in a covered transaction may rely upon a certification of a prospective participant in a lower tier covered transaction that it is not debarred, suspended, ineligible, or voluntarily excluded from the covered transaction, unless it knows that the certification is erroneous. A participant may decide the method and frequency by which it determines the eligibility of its principals. Each participant may, but is not required to, check the Nonprocurement List.
- 8. Nothing contained in the foregoing shall be construed to require establishment of a system of records in order to render in good faith the certification required by this clause. The knowledge and information of a participant is not required to exceed that which is normally possessed by a prudent person in the ordinary course of business dealings.
- 9. Except for transactions authorized under paragraph 5 of these instructions, if a participant in a covered transaction knowingly enters into a lower tier covered transaction with a person who is suspended, debarred, ineligible, or voluntarily excluded from participation in this transaction, in addition to other remedies available to the Federal Government, the department or agency with which this transaction originated may pursue available remedies, including suspension and/or debarment.

Certification Regarding Debarment, Suspension, Ineligibility and Voluntary Exclusion--Lower Tier Covered Transactions

- (1) The prospective lower tier participant certifies, by submission of this proposal, that neither it nor its principals is presently debarred, suspended, proposed for debarment, declared ineligible, or voluntarily excluded from participation in this transaction by any Federal-department or agency.
- (2) Where the prospective lower tier participant is unable to certify to any of the statements in this certification, such prospective participant shall attach an explanation to this proposal.

STATE REQUIRED CONTRACT PROVISIONS

ALL FEDERAL-AID CONSTRUCTION CONTRACTS

Effective February 1, 1969 Revised January 2, 1973

The following provisions are State of Illinois requirements and are in addition to the Federal requirements.

"EQUAL EMPLOYMENT OPPORTUNITY"

In the event of the Contractor's noncompliance with any provisions of this Equal Employment Opportunity Clause, the Illinois Fair Employment Practices Act or the Fair Employment Practices Commission's Rules and Regulations for Public Contracts, the Contractor may be declared nonresponsible and therefore ineligible for future contracts or subcontracts with the State of Illinois or any of its political subdivisions or municipal corporations, and the contract may be canceled or avoided in whole or in part, and such other sanctions or penalties may be imposed or remedies invoked as provided by statute or regulation.

During the performance of this contract, the Contractor agrees as follows:

- (1) That it will not discriminate against any employee or applicant for employment because of race, color, religion, sex, national origin or ancestry; and further that it will examine all job classifications to determine if minority persons or women are underutilized and will take appropriate affirmative action to rectify any such underutilization.
- (2) That, if it hires additional employees in order to perform this contract or any portion hereof, it will determine the availability (in accordance with the Commission's Rules and Regulations for Public Contracts) of minorities and women in the area(s) from which it may reasonably recruit and it will hire for each job classification for which employees are hired in such a way that minorities and women are not underutilized.
- (3) That, in all solicitations or advertisements for employees placed by it or on its behalf, it will state that all applicants will be afforded equal opportunity without discrimination because of race, color, religion, sex, national origin or ancestry.
- (4) That it will send to each labor organization or representative of workers with which it has or is bound by a collective bargaining or other agreement or understanding, a notice advising such labor organization or representative of the Contractors obligations under the Illinois Fair Employment Practices Act and the Commission's Rules and Regulations for Public Contracts. If any such labor organization or representative fails or refuses to cooperate with the Contractor in its efforts to comply with such Act and Rules and Regulations, the Contractor will promptly so notify the Illinois Fair Employment Practices Commission and the contracting agency and will recruit employees from other sources when necessary to fulfill its obligations thereunder.
- (5) That it will submit reports as required by the Illinois Fair Employment Practices Commission's Rules and Regulations for Public Contracts, furnish all relevant information as may from time to time be requested by the Commission or the contracting agency, and in all respects comply with the Illinois Fair Employment Practices Act and the Commission's Rules and Regulations for Public Contracts.
- (6) That it will permit access to all relevant books, records, accounts and work sites by personnel of the contracting agency and the Illinois Fair Employment Practices Commission for purposes of investigation to ascertain compliance with the Illinois Fair Employment Practices Act and the Commission's Rules and Regulations for Public Contracts.
- (7) That it will include verbatim or by reference the provisions of paragraphs 1 through 7 of this clause in every performance subcontract as defined in Section 2.10(b) of the Commission's Rules and Regulations for Public Contracts so that such provisions will be binding upon every subcontractor; and that it will also so include the provisions or paragraphs 1, 5, 6 and 7 in every supply subcontract as defined in Section 2.10(a) of the Commission's Rules and Regulations for Public Contracts so that such provisions will be binding upon every such subcontractor. In the same manner as with other provisions of this contract, the Contractor will be liable for compliance with applicable provisions of this clause by all its subcontractors; and further it will promptly notify the contracting agency and the Illinois Fair Employment Practices Commission in the event any subcontractor fails or refuses to comply therewith. In addition, no Contractor will utilize any subcontractor declared by the Commission to be nonresponsible and therefore ineligible for contracts or subcontracts with the State of Illinois or any of its political subdivisions or municipal corporations.

CONSTRUCTION CONTRACT PROCUREMENT POLICIES

TABLE OF CONTENTS

SECTION 1	
Proposal Requirements and Conditions	
SUB-SECTION	
1-01 ADVERTISEMENT (Notice to Bidders)	42
1-02 PREQUALIFICATION OF BIDDERS	
1-03 CONTENTS OF PROPOSAL FORMS	
1-04 ISSUANCE OF PROPOSAL FORMS	
1-05 INTERPRETATION OF QUANTITIES IN BID SCHEDULE	43
1-06 EXAMINATION OF PLANS, SPECIFICATIONS, AND SITE	
1-07 PREPARATION OF THE PROPOSAL	
1-08 REJECTION OF PROPOSALS	
1-09 PROPOSAL GUARANTY	44
1-10 DELIVERY OF PROPOSALS	
1-11 WITHDRAWAL OF PROPOSALS	45
1-12 PUBLIC OPENING OF PROPOSALS	45
1-13 DISQUALIFICATION OF BIDDERS	45
1-14 WORKER'S COMPENSATION INSURANCE	45
SECTION 2	
Award and Execution of Contract	
CLID CELOTION	
SUB-SECTION	
2-01 CONSIDERATION OF PROPOSALS	45
2-02 AWARD OF CONTRACT	
2-03 CANCELLATION OF AWARD	46
2-04 RETURN OF PROPOSAL GUARANTY	
2-05 REQUIREMENT OF PERFORMANCE AND PAYMENT BONDS	
2-06 EXECUTION OF CONTRACT	
2-07 APPROVAL OF CONTRACT	
2-08-FAILURE TO EXECUTE CONTRACT	

SECTION 1

PROPOSAL REQUIREMENTS AND CONDITIONS

1-01 ADVERTISEMENT (Notice to Bidders). The State of Illinois shall publish the advertisement at such places and at such times as are required by local law or ordinances. The published advertisement shall state the time and place for submitting sealed proposals; a description of the proposed work; instructions to bidders as to obtaining proposal forms, plans, and specifications; proposal guaranty required; and the Owner's right to reject any and all bids.

For Federally assisted contracts the advertisement shall conform to the requirements of local laws and ordinances pertaining to letting of contracts and, in addition, shall conform to the requirements of the appropriate parts of the Federal Aviation Regulations applicable to the particular contract being advertised.

1-02 PREQUALIFICATION OF BIDDERS.

(a) When the awarding authority is the State of Illinois, each prospective bidder, prior to being considered for issuance of any proposal forms will be required to file, on forms furnished by the Department, an experience questionnaire and a confidential financial statement in accordance with the Department's Instructions for Prequalification of Contractors. The Statement shall include a complete report of the prospective bidder's financial resources and liabilities, equipment, past record and personnel, and must be submitted at least thirty (30) days prior to the scheduled opening of bids in which the Contractor is interested.

After the Department has analyzed the submitted "Contractor's Statement of Experience and Financial Condition" and related information and has determined appropriate ratings, the Department will issue to the Contractor a "Certificate of Eligibility". The Certificate will permit the Contractor to obtain proposal forms and plans for any Department of Transportation letting on work which is within the limits of the Contractor's potential as indicated on his "Certificate of Eligibility", subject to any limitations due to present work under contract or pending award as determined from the Contractor's submitted "Affidavit of Availability". Bidders intending to consistently submit proposals shall submit a "Contractor's Statement of Experience and Financial Condition" at least once a year. However, prequalification may be changed during that period upon the submission of additional favorable reports or upon reports of unsatisfactory performance.

Before a proposal is issued, the prospective bidder will be required to furnish an "Affidavit of Availability" indicating the location and amount of all uncompleted work under contract, or pending award, either as principal or subcontractor, as well as a listing of all subcontractors and value of work sublet to others. The prospective bidder may be requested to file a statement showing the amount and condition of equipment which will be available.

Before an award is made, the bidder may be required to furnish an outline of his plans for conducting the work.

(b) When the awarding authority for contract construction work is the County Board of a county; the Council, the City Council, or the President and Board of Trustees of a city, village or town, each prospective bidder, in evidence of his competence, shall furnish the awarding authority as a prerequisite to the release of proposal forms by the awarding authority, a certified or photostatic copy of a "Certificate of Eligibility" issued by the Department of Transportation, in accordance with Section 1-02(a).

The two low bidders must file within 24 hours after the letting a sworn affidavit, in triplicate, showing all uncompleted contracts awarded to them and all low bids pending award for Federal, State, County, Municipal and private-work, using the blank-form made available for this affidavit.—One copy shall be filed with the awarding authority and two copies with the District Highway Office.

1-03 CONTENTS OF PROPOSAL FORMS. Upon request, the Department will furnish the prequalified bidders a proposal form. This form will state the location and description of the contemplated construction and will show the estimate of the various quantities and kinds of work to be performed or materials to be furnished, and will have a schedule of items for which unit bid prices are invited. The proposal form will state the time in which work must be completed, the amount of the proposal guaranty, labor requirements, and date, time and place of the opening of proposals. The form will also include any special provisions or requirements which vary from or are not contained in these specifications.

All papers bound with or attached to the proposal form are considered a part thereof and must not be detached or altered when the proposal is submitted. Any addenda officially issued by the Department, will be considered a part of the proposal whether attached or not.

For Federally assisted contracts, the proposal shall conform to the requirements of local laws and ordinances pertaining to letting of contracts and, in addition, shall conform to the requirements of the appropriate parts of the Federal Aviation Regulations pertaining to the particular contract being let.

1-04 ISSUANCE OF PROPOSAL FORMS. The Department shall refuse to issue a proposal form for any of the following reasons:

- (a) Lack of competency and adequate machinery, plant and other equipment, as revealed by the financial statement and experience questionnaires required under Section 1-02(a).
- (b) Uncompleted work which, in the judgment of the Department, might hinder or prevent the prompt completion of additional work if awarded.
- (c) False information provided on a bidder's "Affidavit of Availability".
- (d) Failure to pay, or satisfactorily settle, all bills due for labor and material on former contracts in force at the time of issuance of proposal forms.
- (e) Failure to comply with any prequalification regulations of the Department.
- (f) Default under previous contracts.
- (g) Unsatisfactory performance record as shown by past work for the Department, judged from the standpoint of workmanship and progress.
- (h) When the Contractor is suspended from eligibility to bid at a public letting where the contract is awarded by, or require approval of, the Department.
- (i) When any agent, servant, or employee of the prospective bidder currently serves as a member, employee, or agent of a governmental body that is financially involved in the proposed work.
- (j) When any agent, servant, or employee of the prospective bidder has participated in the preparation of plans or specifications for the proposed work.

1-05 INTERPRETATION OF QUANTITIES IN BID SCHEDULE. An estimate of quantities of work to be done and materials to be furnished under these specifications is given in the proposal. It is the result of careful calculations and is believed to be correct. It is given only as a basis for comparison of proposals and the award of the contract. The Owner does not expressly or by implication agree that the actual quantities involved will correspond exactly therewith; nor shall the bidder plead misunderstanding or deception because of such estimates of quantities, or of the character, location, or other conditions pertaining to the work. Payment to the Contractor will be made only for the actual quantities of work performed or materials furnished in accordance with the plans and specifications. It is understood that the quantities may be increased or decreased as provided in the subsection titled ALTERATION OF WORK AND QUANTITIES of Section 20 of the Illinois Standard Specifications for Construction of Airports without in any way invalidating the unit bid prices.

1-06 EXAMINATION OF PLANS, SPECIFICATIONS, AND SITE. The bidder is expected to carefully examine the site of the proposed work, the proposal, plans, specifications, and contract forms. He shall satisfy himself as to the character, quality, and quantities of work to be performed, materials to be furnished, and as to the requirements of the proposed contract.—The submission-of—a proposal—shall—be prima—facie—evidence—that—the bidder—has—made—such—examination—and—is satisfied as to the conditions to be encountered in performing the work and as to the requirements of the proposed contract, plans, and specifications.

Boring logs, underground utilities and other records of subsurface investigations and tests are available for inspection of bidders. It is understood and agreed that such subsurface information, whether included in the plans, specifications, or otherwise made available to the bidder, was obtained and is intended for the Owner's design and estimating purposes only. Such information has been made available for the convenience of all bidders. It is further understood and agreed that each bidder is solely responsible for all assumptions, deductions, or conclusions which he may make or obtain from his examination of the boring logs and other records of subsurface investigations and tests that are furnished by the Owner.

1-07 PREPARATION OF THE PROPOSAL. The bidder shall submit his proposal on the form furnished by the Department. The proposal shall be executed property, and bids shall be made for all items indicated in the proposal form, except that when alternate bids are asked, a bid on more than one alternate for each item is not required, unless otherwise provided. The bidder shall indicate, in figures, a unit price for each of the separate items called for in the proposal; he shall show the products of the respective quantities and unit prices in the column provided for that purpose, and the gross sum shown in the place indicated in the proposal shall be the summation of said products. All writing shall be with ink or typewriter, except the signature of the bidder which shall be written with ink.

If the proposal is made by an individual, his name and business address shall be shown. If made by a firm or partnership, the name and business address of each member of the firm or partnership shall be shown. If made by a corporation, the proposal shall show the names, titles, and business address of the president, secretary, and treasurer, and the seal of the corporation shall be affixed and attested by the secretary.

The proposal shall be issued to a prequalified bidder in the same name and style as the financial statement used for prequalification and shall be submitted in like manner.

1-08 REJECTION OF PROPOSALS. The Department reserves the right to reject proposals for any of the conditions in Article 1-04 or for any of the following reasons:

- (a) More than one proposal for the same work from an individual, firm, partnership, or corporation under the same or different names.
- (b) Evidence of collusion among bidders.
- (c) Unbalanced proposals in which the prices for some items are obviously out of proportion to the prices for other items.
- (d) If the proposal does not contain a unit price for each pay item listed except in the case of authorized alternate pay items or lump sum pay items.
- (e) If the proposal is other than that furnished by the Department; or if the form is altered or any part thereof is detached.
- (f) If there are omissions, erasures, alterations, unauthorized additions, conditional or alternate bids, or irregularities of any kind which may tend to make the proposal incomplete, indefinite, or ambiguous as to its meaning.
- (g) If the bidder adds any provisions reserving the right to accept or reject an award, or to enter into a contract pursuant to an award.
- (h) If the proposal is not accompanied by the proper proposal guaranty.
- (i) If the proposal is prepared with other than ink or typewriter.
- (i) If the proposal is submitted in any other name other than that to whom it was issued by the Department.

1-09 PROPOSAL GUARANTY. Each Proposal shall be accompanied by either a bid bond on the Department of Transportation, Division of Aeronautics form contained in the proposal, executed by a corporate surety company satisfactory to the Department or by a bank cashier's check or a properly certified check for not less than 5 percent of the amount bid.

Bank cashier's checks, or properly certified checks accompanying proposals shall be made payable to the Treasurer, State of Illinois.

- 1-10 DELIVERY OF PROPOSALS. Each proposal should be submitted in a special envelope furnished by the Department. The blank spaces on the envelope shall be filled in correctly to clearly indicate its contents. When an envelope other than the special one furnished by the Department is used, it shall be of the same general size and shape and be similarly marked to clearly indicate its contents. When sent by mail, the sealed proposal shall be addressed to the Department at the address and in care of the official in whose office the bids are to be received. All proposals shall be filed prior to the time and place specified in the Notice to Bidders. Proposals received after the time for opening of bids will be returned to the bidder unopened.
- 1-11 WITHDRAWAL OF PROPOSALS. Permission will be given a bidder to withdraw a proposal if he makes his request in writing or by telegram before the time for opening proposals. If a proposal is withdrawn, the bidder will not be permitted to resubmit this proposal at the same letting. With the approval of the Engineer, a bidder may withdraw a proposal and substitute a new proposal prior to the time of opening bids.
- 1-12 PUBLIC OPENING OF PROPOSALS. Proposals will be opened and read publicly at the time and place specified in the Notice to Bidders. Bidders, their authorized agents, and other interested parties are invited to be present.
- 1-13 DISQUALIFICATION OF BIDDERS. A bidder shall be considered disqualified for any of the following reasons:
 - (a) Submitting more than one proposal from the same partnership, firm, or corporation under the same or different name.
 - (b) Evidence of collusion among bidders. Bidders participating in such collusion shall be disqualified as bidders for any future work of the Owner.
 - (c) If the bidder is considered to be in "default" for any reason specified in the Subsection 1-04 titled ISSUANCE OF PROPOSAL FORMS of this section.
- 1-14 WORKER'S COMPENSATION INSURANCE. Prior to the approval of his contract by the Division, the Contractor shall furnish to the Division certificates of insurance covering Worker's Compensation, or satisfactory evidence that this liability is otherwise taken care of in accordance with Section 4.(a) of the "Worker's Compensation Act of the State of Illinois" as amended.

SECTION 2

AWARD AND EXECUTION OF CONTRACT

2-01 CONSIDERATION OF PROPOSALS. After the proposals are publicly opened and read, they will be compared on the basis of the summation of the products obtained by multiplying the estimated quantities shown in the proposal by the unit bid prices. In the event of a discrepancy between unit bid prices and extensions, the unit bid price shall govern.

Until the award of a contract is made, the Owner reserves the right to reject a bidder's proposal for any of the following reasons:

- (a) If the proposal is irregular as specified in the subsection titled REJECTION OF PROPOSALS of Section 1.
- (b) If the bidder is disqualified for any of the reasons specified in the subsection titled DISQUALIFICATION OF BIDDERS of Section 1.

In addition, until the award of a contract is made, the Owner reserves the right to reject any or all proposals; waive technicalities, if such waiver is in the best interest of the Owner and is in conformance with applicable State and Local laws or regulations pertaining to the letting of construction contracts; advertise for new proposals; or proceed with the work otherwise.

2-02 AWARD OF CONTRACT. The award of contract will be made within 60 calendar days after the opening of proposals to the lowest responsible and qualified bidder whose proposal complies with all the requirements prescribed. The successful bidder will be notified by letter, that his bid has been accepted, and that he has been awarded the contract.

If a contract is not awarded within 60 days after the opening of proposals, a bidder may file a written request with the Division for the withdrawal of his bid and the Division will permit such withdrawal.

For Federally assisted contracts, unless otherwise specified in this subsection, no award shall be made until the FAA has concurred in the Owner's recommendation to make such award and has approved the Owner's proposal contract to the extent that such concurrence and approval are required by Federal Regulations.

- 2-03 CANCELLATION OF AWARD. The Division reserves the right to cancel the award without liability to the bidder at any time before a contract has been fully executed by all parties and is approved by the Owner in accordance with the subsection titled APPROVAL OF CONTRACT of this section. The Division at the time of cancellation will return the proposal guaranty.
- 2-04 RETURN OF PROPOSAL GUARANTY. The proposal guaranties of all except the two lowest bidders will be returned promptly after the proposals have been checked, tabulated, and the relation of the proposals established. Proposal guaranties of the two lowest bidders will be returned as soon as the Construction Contract, Performance Bonds, and Payment Bonds of the successful bidder have been properly executed and approved.

If any other form of proposal guaranty is used, other than a bid bond, a bid bond may be substituted at the Contractor's option.

- 2-05 REQUIREMENT OF PERFORMANCE AND PAYMENT BONDS. The successful bidder for a contract, at the time of the execution of the contract, shall deposit with the Division separate performance and payment bonds each for the full amount of the contract. The form of the bonds shall be that furnished by the Division, and the sureties shall be acceptable to the Division.
- 2-06 EXECUTION OF CONTRACT. The successful bidder shall sign (execute) the Contract and shall return the signed Contract to the Owner (Sponsor) for signature (execution) and subsequently return all copies to the Division. The fully executed surety bonds specified in the subsection title REQUIREMENTS OF PERFORMANCE AND PAYMENT BONDS of this section will be forwarded to the Division within 15 days of the date mailed or otherwise delivered to the successful bidder. If the Contract and Bonds are mailed, special handling is recommended.

If the bidder to whom award is to be made is a corporation organized under the laws of a State other than Illinois, the bidder shall furnish the Division a copy of the corporation's certificate of authority to do business in the State of Illinois with the return of the executed contract and bond. Failure to furnish such evidence of a certificate of authority within the time required will be considered as just cause for the annulment of the award and the forfeiture of the proposal guaranty to the State, not as a penalty, but in payment of liquidated damages sustained as a result of such failure.

- 2-07 APPROVAL OF CONTRACT. Upon receipt of the contract and bonds that have been executed by the successful bidder, the Owner shall complete the execution of the contract in accordance with local laws or ordinances, and return the contract to the Division for approval and execution by the Division. Delivery of the fully executed contract to the Contractor shall constitute the Department's approval to be bound by the successful bidder's proposal and the terms of the contract.
- 2-08 FAILURE TO EXECUTE CONTRACT. If the contract is not executed by the Division within 15 days following receipt from the bidder of the properly executed contracts and bonds, the bidder shall have the right to withdraw his bid without penalty.

Failure of the successful bidder to execute the contract and file acceptable bonds within 15 days after the contract has been mailed to him shall be just cause for the cancellation of the award and the forfeiture of the proposal guaranty which shall become the property of the State, not as a penalty, but as liquidation of damages sustained.

ILLINOIS DEPARTMENT OF TRANSPORTATION

DIVISION OF AERONAUTICS

The requirements of the following provisions written for Federally-assisted construction contracts, including all goals and timetables and affirmative action steps, shall also apply to all State-funded construction contracts awarded by the Illinois Department of Transportation.

NOTICE OF REQUIREMENT FOR AFFIRMATIVE ACTION TO ENSURE EQUAL EMPLOYMENT OPPORTUNITY (EXECUTIVE ORDER 11246)

- 1. The Offeror's or Bidder's attention is called to the "Equal Opportunity Clause" and the "Standard Federal Equal Employment Opportunity Construction Contract Specifications" set forth herein.
- 2. The goals and timetables for minority and female participation, expressed in percentage terms for the Contractor's aggregate workforce in each trade on all construction work in the covered area, are as follows:

APPENDIX A

The following goal for female utilization in each construction craft and trade shall apply to all Contractors holding Federal and federally assisted construction contracts and subcontracts in excess of \$10,000. The goal is applicable to the Contractor's total on-site construction workforce, regardless of whether or not part of that workforce is performing work on a Federal, federally assisted or nonfederally related construction contact or subcontract.

AREA COVERED (STATEWIDE)

Goals for Women apply nationwide.

GOAL

Goal (percent)

Female Utilization ... 6.9;

APPENDIX B

Until further notice, the following goals for minority utilization in each construction craft and trade shall apply to all Contractors holding Federal and federally-assisted construction contracts and subcontracts in excess of \$10,000 to be performed in the respective geographical areas. The goals are applicable to the Contractor's total on-site construction workforce, regardless of whether or not part of that workforce is performing work on a Federal, federally-assisted or nonfederally related construction contract or subcontract.

Goal

<u>Economic-Area</u> (percent)

056 Paducah, KY:

Non-SMSA Counties -

5.2

IL - Hardin, Massac, Pope

KY - Ballard, Caldwell, Calloway, Carlisle, Crittenden,

Fulton, Graves, Hickman, Livingston, Lyon, McCracken, Marshall

Economic Area	Goal (percent)
080 Evansville, IN: Non-SMSA Counties - IL - Edwards, Gallatin, Hamilton, Lawrence, Saline, Wabash, White IN - Dubois, Knox, Perry, Pike, Spencer KY - Hancock, Hopkins, McLean, Mublenberg, Ohio, Union, Webster	3.5
081 Terre Haute, IN: Non-SMSA Counties - IL - Clark, Crawford IN - Parke	2.5
083 Chicago, IL: SMSA Counties: 1600 Chicago, IL - IL - Cook, DuPage, Kane, Lake, McHenry, Will	19.6
3740 Kankakee, IL - IL - Kankakee	9.1
Non-SMSA Counties IL - Bureau, DeKalb, Grundy, Iroquois, Kendall, LaSalle, Livingston, Putnam IN - Jasper, Laporte, Newton, Pulaski, Starke	18.4
084 Champaign - Urbana, IL: SMSA Counties:	
1400 Champaign - Urbana - Rantoul, IL - IL - Champaign	7.8
Non-SMSA Counties - IL - Coles, Cumberland, Douglas, Edgar, Ford, Piatt, Vermilion	4.8
085 Springfield - Decatur, IL: SMSA Counties:	
2040 Decatur, IL - IL - Macon	7.6
7880 Springfield, IL - IL - Mendard, Sangamon	4.5
Non-SMSA Counties IL - Cass, Christian, Dewitt, Logan, Morgan, Moultrie, Scott, Shelby	4.0
086 Quincy, IL: Non-SMSA Counties	3.1
MO - Lewis, Marion, Pike, Ralls	
087 Peoria, IL:	
SMSA Counties: 1040 Bloomington - Normal, IL -	2.5
IL - McLean	-

APPENDIX B (CONTINUED)

Economic Area	Goal (percent)
6120 Peoria, IL - IL - Peoria, Tazewell, Woodford	4.4
Non-SMSA Counties - IL - Fulton, Knox, McDonough, Marshall, Mason, Schuyler, Stark, Warren	3.3
088 Rockford, IL:	
SMSA Counties: 6880 Rockford, IL -	6.3
IL - Boone, Winnebago	0.5
Non-SMSA Counties -	4.6
IL - Lee, Ogle, Stephenson	
098 Dubuque, IA:	^ -
Non-SMSA Counties - IL - JoDaviess	0.5
IA - Atlamakee, Clayton, Delaware, Jackson, Winnesheik	
WI - Crawford, Grant, Lafayette	
099 Davenport, Rock Island, Moline, IA - IL:	
SMSA Counties:	
1960 Davenport, Rock Island, Moline, IA - IL -	4.6
IL - Henry, Rock Island IA - Scott	
Non-SMSA Counties -	3.4
IL - Carroll, Hancock, Henderson, Mercer, Whiteside IA - Clinton, DesMoines, Henry, Lee, Louisa, Muscatine	
MO - Clark	
107 St. Louis, MO:	
SMSA Counties:	
7040 St. Louis, MO - IL -	14.7
IL - Clinton, Madison, Monroe, St. Clair	
MO - Franklin, Jefferson, St. Charles, St. Louis, St. Louis City	
Non-SMSA Counties -	11.4
IL - Alexander, Bond, Calhoun, Clay, Effingham, Fayette, Franklin, Greene,	
Jackson, Jasper, Jefferson, Jersey, Johnson, Macoupin, Marion, Montgomery, Perry, Pulaski, Randolph, Richland, Union, Washington,	
Wayne, Williamson	
MO - Bollinger, Butler, Cape Girardeau, Carter, Crawford, Dent, Gasconade,	
Iron, Lincoln, Madison, Maries, Mississippi, Montgomery, Perry, Phelps, Reynolds, Ripley, St. Francois, St. Genevieve, Scott, Stoddard, Warren,	
Washington, Wayne	•

These goals are applicable to all the Contractor's construction work (whether or not it is Federal or federally assisted) performed in the covered area. If the Contractor performs construction work in a geographical area located outside of the covered area, it shall apply the goals established for such geographical area where the work is actually performed. With regard to this second area, the Contractor also is subject to the goals for both its federally involved and nonfederally involved construction.

The Contractor's compliance with Executive Order and the regulations in 41 CFR Part 60-4 shall be based on its implementation of the Equal Opportunity Clause, specific affirmative action obligations required by the provisions and specifications set forth in its federally assisted contracts, and its efforts to meet the goals established for the geographical area where the contract resulting from this solicitation is to be performed. The hours of minority and female employment and training must be substantially uniform throughout the length of the contract, and in each trade, and the Contractor shall make a good faith effort to employ minorities and women evenly on each of its projects. The transfer of minority or female employees or trainees from Contractor to Contractor or from project to project for the sole purpose of meeting the Contractor's goals shall be a violation of the contract, the Executive Order and the regulations in 41 CFR Part 60-4. Compliance with the goals will be measured against the total work hours performed.

- 3. The Illinois Division of Aeronautics will provide written notification to the Director of the Office of Federal Contract Compliance Programs within 10 working days of award of any construction contract and/or subcontract in excess of \$10,000 at any tier for construction work under the contract resulting from this solicitation. This notification will list the name, address and telephone number of the subcontractor; employer identification number; estimated dollar amount of the subcontract; estimated starting and completion dates of the subcontract; and the geographical area in which the contract is to be performed.
- 4. As used in this Notice, and in the contract resulting from this solicitation, the "covered area" is the entire State of Illinois for the goal set forth in APPENDIX A and the county or counties in which the work is located for the goals set forth in APPENDIX B.

STANDARD FEDERAL EQUAL EMPLOYMENT OPPORTUNITY CONSTRUCTION CONTRACT SPECIFICATIONS (EXECUTIVE ORDER 11246)

- 1. As used in these specifications:
 - a) "Covered area" means the geographical area described in the solicitation from which this contract resulted;
 - b) "Director" means Director, Office of Federal Contract Compliance Programs, United States Department of Labor, or any person to whom the Director delegates authority;
 - c) "Employer identification number" means the Federal Social Security number used on the Employer's Ouarterly Federal Tax Return, U.S. Treasury Department Form 941;
 - d) "Minority" includes:
 - (i) Black (all persons having origins in any of the Black African racial groups not of Hispanic origin);
 - (ii) Hispanic (all persons of Mexican, Puerto Rican, Cuban, Central or South American or other Spanish Culture or origin, regardless of race);
 - (iii) Asian and Pacific Islander (all persons having origins in any of the original peoples of the Far East, Southeast Asia, the Indian Subcontinent, or the Pacific Islands); and
 - (iv) American Indian or Alaskan Native (all persons having origins in any of the original peoples of North America and maintaining identifiable tribal affiliations through membership and participation or community identification).
- 2. Whenever the Contractor, or any Subcontractor at any tier, subcontracts a portion of the work involving any construction trade, it shall physically include in each subcontract in excess of \$10,000. the provisions of these specifications and the Notice which contains the applicable goals for minority and female participation and which is set forth in the solicitations from which this contract resulted.

- 3. If the Contractor is participating (pursuant to 41 CFR 60-4.5) in a Hometown Plan approved by the U.S. Department of Labor in the covered area either individually or through an association, its affirmative action obligations on all work in the plan area (including goals and timetables) shall be in accordance with that Plan for those trades which have unions participating in the Plan. Contractors must be able to demonstrate their participation in and compliance with the provisions of any such Hometown Plan. Each Contractor or Subcontractor participating in an approved Plan is individually required to comply with its obligations under the EEO clause, and to make a good faith effort to achieve each goal under the Plan in each trade in which it has employees. The overall good faith performance by other Contractors or Subcontractors toward a goal in an approved Plan does not excuse any covered Contractor's or Subcontractor's failure to take good faith efforts to achieve the Plan goals and timetables.
- 4. The Contractor shall implement the specific affirmative action standards provided in paragraphs 7a through p of these specifications. The goals set forth in the solicitation from which this contract resulted are expressed as percentages of the total hours of employment and training of minority and female utilization the Contractor should reasonably be able to achieve in each construction trade in which it has employees in the covered area. Covered Construction Contractors performing construction work in geographical areas where they do not have a Federal or federally assisted construction contract shall apply the minority and female goals established for the geographical area where the work is being performed. Goals are published periodically in the Federal Register in notice form, and such notices may be obtained from any Office of Federal Contract Compliance Programs office or from Federal procurement contracting officers. The Contractor is expected to make substantially uniform progress toward its goals in each craft during the period specified.
- 5. Neither the provisions of any collective bargaining agreement, nor the failure by a union with whom the Contractor has a collective bargaining agreement, to refer either minorities or women shall excuse the Contractor's obligations under these specifications, Executive Order 11246, or the regulations promulgated pursuant thereto.
- 6. In order for the nonworking training hours of apprentices and trainees to be counted in meeting the goals, such apprentices and trainees must be employed by the Contractor during the training period, and the Contractor must have made a commitment to employ the apprentices and trainees at the completion of their training, subject to the availability of employment opportunities. Trainees must be trained pursuant to training programs approved by the U.S. Department of Labor.
- 7. The Contractor shall take specific affirmative actions to ensure equal employment opportunity. The evaluation of the Contractor's compliance with these specifications shall be based upon its effort to achieve maximum results from its actions. The Contractor shall document these efforts fully, and shall implement affirmative action steps at least as extensive as the following:
 - a) Ensure and maintain a working environment free of harassment, intimidation, and coercion at all sites, and in all facilities at which the Contractor's employees are assigned to work. The Contractor, where possible, will assign two or more women to each construction project. The Contractor shall specifically ensure that all foremen, superintendents, and other on-site supervisory personnel are aware of and carry out the Contractor's obligation to maintain such a working environment, with specific attention to minority or female individuals working as such sites or in such facilities.
 - b) Establish and maintain a current list of minority and female recruitment sources, provide written notification to minority and female recruitment sources and to community organizations when the Contractor or its unions have employment opportunities available, and maintain a record of the organizations' responses.
 - Maintain-a-current-file-of-the-names, addresses-and-telephone-numbers-of-each-minority-and-female-off-thestreet applicant and minority or female referral from a union, a recruitment source or community organization and of what action was taken with respect to each such individual. If such individual was sent to the union hiring hall for referral and was not referred back to the Contractor by the union or, if referred, not employed by the Contractor, this shall be documented in the file with the reason therefor, along with whatever additional actions the Contractors may have taken.

- d) Provide immediate written notification to the Director when the union or unions with which the Contractor has a collective bargaining agreement has not referred to the Contractor a minority person or woman sent by the Contractor, or when the Contractor has other information that the union referral process has impeded the Contractor's efforts to meet its obligations.
- e) Develop on-the-job training opportunities and/or participate in training programs for the area which expressly include minorities and women, including upgrading programs and apprenticeship and trainee programs relevant to the Contractor's employment needs, especially those programs funded or approved by the Department of Labor. The Contractor shall provide notice of these programs to the sources compiled under 7b above.
- f) Disseminate the Contractor's EEO policy by providing notice of the policy to unions and training programs and requesting their cooperation in assisting the Contractor in meeting its EEO obligations; by including it in any policy manual and collective bargaining agreements; by publicizing it in the company newspaper, annual report, etc.; by specific review of the policy with all management personnel and with all minority and female employees at least once a year; and by posting the company EEO policy on bulletin boards accessible to all employees at each location where construction work is performed.
- g) Review, at least annually, the company's EEO policy and affirmative action obligations under these specifications with all employees having any responsibility for hiring, assignment, layoff, termination or other employment decisions including specific review of these items with onsite supervisory personnel such as Superintendents, General Foreman, etc., prior to the initiation of construction work at any job site. A written record shall be made and maintained identifying the time and place of these meetings, persons attending, subject matter discussed, and disposition of the subject matter.
- h) Disseminate the Contractor's EEO policy externally by including it in any advertising in the news media, specifically including minority and female news media, and providing written notification to and discussing the Contractor's EEO policy with other Contractors and Subcontractors with whom the Contractor does or anticipates doing business.
- i) Direct its recruitment efforts, both oral and written, to minority, female and community organizations, to schools with minority and female students and to minority and female recruitment and training organizations serving the Contractor's recruitment area and employment needs. Not later than one month prior to the date for the acceptance of applications for apprenticeship of other training by any recruitment source, the Contractor shall send written notification to organizations such as the above, describing the openings, screening procedures, and tests to be used in the selection process.
- j) Encourage present minority and female employees to recruit other minority persons and women and, where reasonable, provide after school, summer and vacation employment to minority and female youth both on the site and in other areas of a Contractor's workforce.
- k) Validate all tests and other selection requirements where there is an obligation to do so under 41 CFR Part 60-3.
- l) Conduct, at least annually, an inventory and evaluation at least of all minority and female personnel for promotional opportunities and encourage these employees to seek or to prepare for, through appropriate training, etc., such opportunities.
- m)——Ensure-that-seniority-practices, job-classifications, work-assignments-and-other-personnel-practices, do-not have a discriminatory effect by continually monitoring all personnel and employment related activities to ensure that the EEO policy and the Contractor's obligations under these specifications are being carried out.
- n) Ensure that all facilities and company activities are nonsegregated except that separate or single-user toilet and necessary changing facilities shall be provided to assure privacy between the sexes.
- o) Document and maintain a record of all solicitations of offers for subcontracts from minority and female construction Contractors and suppliers, including circulation of solicitations to minority and female Contractor associations and other business associations.

 Revised 08-31-83

- p) Conduct a review, at least annually, of all supervisors' adherence to and performance under the Contractor's EEO policies and affirmative action obligations.
- 8. Contractors are encouraged to participate in voluntary associations which assist in fulfilling one or more of their affirmative action obligations (7a through p). The efforts of a Contractor association, joint Contractor-union, Contractor-community, or other similar group of which the Contractor is a member and participant, may be asserted as fulfilling any one or more of its obligations under 7a through p of these Specifications provided that the Contractor actively participates in the group, makes every effort to assure that the group has a positive impact on the employment of minorities and women in the industry, ensures that the concrete benefits of the program are reflected in the Contractor's minority and female workforce participation makes a good faith effort to meet its individual goals and timetables, and can provide access to documentation which demonstrates the effectiveness of actions taken on behalf of the Contractor. The obligation to comply, however, is the Contractor's and failure of such a group to fulfill an obligation shall not be a defense for the Contractor's noncompliance.
- 9. A single goal for minorities and a separate single goal for women have been established. The Contractor, however, is required to provide equal employment opportunity and to take affirmative action for all minority groups, both male and female, and all women, both minority and non-minority. Consequently, the Contractor may be in violation of the Executive Order if a particular group is employed in a substantially disparate manner (for example, even though the Contractor has achieved its goals for women generally, the Contractor may be in violation of the Executive Order if a specified minority group of women is underutilized).
- 10. The Contractor shall not use the goals and timetables or affirmative action standards to discriminate against any person because of race, color, religion, sex, or national origin.
- 11. The Contractor shall not enter into any Subcontract with any person or firm debarred from Government contracts pursuant to Executive Order 11246.
- 12. The Contractor shall carry out such sanctions and penalties for violation of these specifications and of the Equal Opportunity Clause, including suspension, termination and cancellation of existing subcontracts as may be imposed or ordered pursuant to Executive Order 11246, as amended, and its implementing regulations, by the Office of Federal Contract Compliance Programs. Any Contractor who fails to carry out such sanctions and penalties shall be in violation of these specifications and Executive Order 11246, as amended.
- 13. The Contractor, in fulfilling its obligations under these specifications, shall implement specific affirmative action steps, at least as extensive as those standards prescribed in paragraph 7 of these specifications, so as to achieve maximum results from its efforts to ensure equal opportunity. If the Contractor fails to comply with the requirements of the Executive Order, the implementing regulations, or these specifications, the Director shall proceed in accordance with 41 CFR 60-4.8.
- 14. The Contractor shall designate a responsible official to monitor all employment related activity to ensure that the company EEO policy is being carried out, to submit reports relating to the provisions hereof as may be required by the Government and to keep records. Records shall at least include for each employee the name, address, telephone numbers, construction trade, union affiliation if any, employee identification number when assigned, social security number, race, sex, status (e.g., mechanic, apprentice, trainee, helper, or laborer), dates of changes in status, hours worked per week in the indicated trade, rate of pay, and locations at which the work was performed. Records shall be maintained in an easily understandable and retrievable form; however, to the degree that existing records satisfy his requirement, Contractors shall not be required to maintain separate records.
- 15. Nothing herein provided shall be construed as a limitation upon the application of other laws which establish different standards of compliance or upon the application of requirements for the hiring of local or other area residents (e.g., those under the Public Works Employment Act of 1977 and the Community Development Block Grant Program).

ANNUAL EEO-1 REPORT TO JOINT REPORTING COMMITTEE AS REQUIRED AT

41 CFR 60-1.7(a)

Any Contractor having a Federal contract of \$50,000 or more and 50 or more employees is required to file annual compliance reports on Standard Form 100 (EEO-1) with the Joint Reporting Committee in accordance with the instructions provided with the form. The Contractor will provide a copy of such a report to the contracting agency within 30 days after the award of a contract.

The Contractor shall require its subcontractors to file an SF 100 within 30 days after award of the subcontract if (1) it is not exempt from the provisions of these regulations in accordance with 60-1.5, (2) has 50 or more employees, (3) first tier subcontractor, and (4) has a subcontract amounting to \$50,000 or more.

Subcontractors below the first tier which perform construction work at the site of construction shall be required to file such a report if (1) it is not exempt from the provisions of these regulations in accordance with 60-1.5, (2) has 50 or more employees and has a subcontract amounting to \$50,000 or more.

The SF 100 is available at the following address:

Joint Reports Committee EEOC - Survey Division 1801 "L" Street N.W. Washington, D.C. 20750

Phone (202) 663-4968

DISADVANTAGED BUSINESS POLICY

I. NOTICE

This proposal contains the special provision entitled "Required Disadvantaged Business Participation." Inclusion of this Special Provision in this contract satisfies the obligations of the Department of Transportation under federal law as implemented by 49 CFR 23 and under the Illinois "Minority and Female Business Enterprise Act."

II. POLICY

It is public policy that the businesses defined in 49 CFR Part 23 shall have the maximum opportunity to participate in the performance of contracts financed in whole or in part with State or Federal funds. Consequently, the requirements of 49 CFR Part 23 apply to this contract.

III. OBLIGATION

The Contractor agrees to ensure that the businesses defined in 49 CFR Part 23 have the maximum opportunity to participate in the performance of this contract. In this regard, the Contractor shall take all necessary and reasonable steps, in accordance with 49 CFR Part 23, to ensure that the said businesses have the maximum opportunity to compete for and perform portions of this contract. The Contractor shall not discriminate on the basis of race, color, national origin, or sex in the selection and retention of subcontractors, including procurement of materials and leases of equipment.

The Contractor shall include the above Policy and Obligation statements of this Special Provision in every subcontract, including procurement of materials and leases of equipment.

IV. DBE/WBE CONTRACTOR FINANCE PROGRAM

On contracts where a loan has been obtained through the DBE/WBE Contractor Finance Program, the Contractor shall cooperate with the Department by making all payments due to the DBE/WBE Contractor by means of a two-payee check payable to the Lender (Bank) and the Borrower (DBE/WBE Contractor).

V. BREACH OF CONTRACT

Failure to carry out the requirements set forth above and in the Special Provision shall constitute a breach of contract and may result in termination of the contract or liquidated damages as provided in the special provision.

(Rev. 9/21/92)

State of Illinois Department of Transportation

SPECIAL PROVISION FOR DISADVANTAGED BUSINESS ENTERPRISE PARTICIPATION

- I. <u>FEDERAL OBLIGATION</u>: The Department of Transportation, as a recipient of federal financial assistance, is required to take all necessary and reasonable steps to ensure nondiscrimination in the award and administration of contracts. Consequently, the federal regulatory provisions of 49 CFR part 26 apply to this contract concerning the utilization of disadvantaged business enterprises. This Special Provision will also be used by the Department to satisfy the requirements of the Business Enterprise for Minorities, Females, and Persons with Disabilities Act, 30 ILCS 575. For the purposes of this Special Provision, a disadvantaged business enterprise (DBE) means a business certified by the Department in accordance with the requirements of 49 CFR part 26 and listed in the DBE Directory or most recent addendum.
- II. <u>CONTRACTOR ASSURANCE</u>: The Contractor makes the following assurance and agrees to include the assurance in each subcontract that the Contractor signs with a subcontractor:

The contractor, subrecipient or subcontractor shall not discriminate on the basis of race, color, national origin, or sex in the performance of this contract. The contractor shall carry out applicable requirements of 49 CFR part 26 in the award and administration of federally-assisted contracts. Failure by the contractor to carry out these requirements is a material breach of this contract, which may result in the termination of this contract or such other remedy as the recipient deems appropriate.

- III. OVERALL GOAL SET FOR THE DEPARTMENT: As a requirement of compliance with 49 CFR part 26, the Department has set an overall goal for DBE participation in its federally assisted contracts. That goal is 12.14% of all federal-aid funds the Department will expend in its federally assisted contracts for the subject reporting fiscal year. The Department is required to make a good faith effort to achieve this goal. The dollar amount paid to all approved DBE firms performing work called for in this contract is eligible to be credited toward fulfillment of the Department's overall goal.
- IV. CONTRACT GOAL TO BE ACHIEVED BY THE CONTRACTOR: This contract includes a specific DBE utilization goal established by the Department. The goal has been included because the Department has determined that the work of this contract has subcontracting opportunities that may be suitable for performance by DBE companies. This determination is based on an assessment of the type of work, the location of the work, and the availability of DBE companies to do a part of the work. The assessment indicates that, in the absence of unlawful discrimination, and in an arena of fair-and-open-competition, DBE companies can be expected to perform 4.0% of the work. This percentage is set as the DBE participation goal for this contract. Consequently, in addition to the other award criteria established for this contract, the Department will award this contract to a bidder who makes a good faith effort to meet this goal of DBE participation in the performance of the work. A bidder makes a good faith effort for award consideration if either of the following is done in accordance with the procedures set forth in this Special Provision:
 - A. The bidder documents that firmly committed DBE participation has been obtained to meet the goal; or
 - B. The bidder documents that a good faith effort has been made to meet the goal, even though the effort did not succeed in obtaining enough DBE participation to meet the goal.

- V. <u>DBE LOCATOR REFERENCES:</u> Bidders may consult the DBE Directory as a reference source for DBE companies certified by the Department. In addition, the Department maintains a letting and item specific DBE locator information system whereby DBE companies can register their interest in providing quotes on particular bid items advertised for letting. Information concerning DBE companies willing to quote work for particular contracts may be obtained by contacting the Department's Bureau of Small Business Enterprises at telephone number (217)785-4611, or by visiting the Department's web site at www.dot.state.il.us.
- VI. <u>BIDDING PROCEDURES:</u> Compliance with the bidding procedures of this Special Provision is required prior to the award of the contract and the failure of the as-read low bidder to comply will render the bid nonresponsive.
 - A. In order to assure the timely award of the contract, the as-read low bidder must submit a Disadvantaged Business Utilization Plan on Department form SBE 2026 within seven (7) working days after the date of letting. To meet the seven (7) day requirement, the bidder may send the Plan by certified mail or delivery service within the seven (7) working day period. If a question arises concerning the mailing date of a Plan, the mailing date will be established by the U.S. Postal Service postmark on the original certified mail receipt from the U.S. Postal Service or the receipt issued by a delivery service. It is the responsibility of the as-read low bidder to ensure that the postmark or receipt date is affixed within the seven (7) working days if the bidder intends to rely upon mailing or delivery to satisfy the submission day requirement. The Plan is to be submitted to the Department of Transportation, Bureau of Small Business Enterprises, Contract Compliance Section, 2300 South Dirksen Parkway. Room 319, Springfield, Illinois 62764 (Telefax: (217) 785-1524). It is the responsibility of the bidder to obtain confirmation of telefax delivery. The Department will not accept a Utilization Plan if it does not meet the seven (7) day submittal requirement, and the bid will be declared nonresponsive. In the event the bid is declared nonresponsive due to a failure to submit a Plan or failure to comply with the bidding procedures set forth herein, the Department may elect to cause the forfeiture of the penal sum of the bidder's proposal guaranty, and may deny authorization to bid the project if re-advertised for bids. The Department reserves the right to invite any other bidder to submit a Utilization Plan at any time for award consideration or to extend the time for award.
 - B. The Utilization Plan shall indicate that the bidder either has obtained sufficient DBE participation commitments to meet the contract goal or has not obtained enough DBE participation commitments in spite of a good faith effort to meet the goal. The Utilization Plan shall further provide the name, telephone number and telefax number of a responsible official of the bidder designated for purposes of notification of plan approval or disapproval under the procedures of this Special Provision.
 - C. The Utilization Plan shall include a DBE Participation Commitment Statement, Department form SBE 2025, for each DBE proposed for the performance of work to achieve the contract goal. The signatures on these forms must be original signatures. All elements of information indicated on the said form shall be provided, including but not limited to the following:
 - The name and address of each DBE to be used;
 - 2. A description, including pay item numbers, of the commercially useful work to be done by each DBE;
 - 3. The price to be paid to each DBE for the identified work specifically stating the quantity, unit price and total subcontract price for the work to be completed by the DBE. If partial pay items are to be performed by the DBE, indicate the portion of each item, a unit price where appropriate and the subcontract price amount;
 - 4. A commitment statement signed by the bidder and each DBE evidencing availability and intent to perform commercially useful work on the project; and
 - 5. If the bidder is a joint venture comprised of DBE firms and non-DBE firms, the plan must also include a clear identification of the portion of the work to be performed by the DBE partner(s).

- D. The contract will not be awarded until the Utilization Plan submitted by the bidder is approved. The Utilization Plan will be approved by the Department if the Plan commits sufficient commercially useful DBE work performance to meet the contract goal. The Utilization Plan will not be approved by the Department if the Plan does not commit sufficient DBE performance to meet the contract goal unless the bidder documents that it made a good faith effort to meet the goal. The good faith procedures of Section VIII of this special provision apply. If the Utilization Plan is not approved because it is deficient in a technical matter, unless waived by the Department, the bidder will be notified and will be allowed no less than a five (5) working day period in order to cure the deficiency.
- VII. CALCULATING DBE PARTICIPATION: The Utilization Plan values represent work anticipated to be performed and paid for upon satisfactory completion. The Department is only able to count toward the achievement of the overall goal and the contract goal the value of payments made for the work actually performed by DBE companies. In addition, a DBE must perform a commercially useful function on the contract to be counted. A commercially useful function is generally performed when the DBE is responsible for the work and is carrying out its responsibilities by actually performing, managing, and supervising the work involved. The Department and Contractor are governed by the provisions of 49 CFR part 26.55(c) on questions of commercially useful functions as it affects the work. Specific counting guidelines are provided in 49 CFR part 26.55, the provisions of which govern over the summary contained herein.
 - A. DBE as the Contractor: 100% goal credit for that portion of the work performed by the DBE's own forces, including the cost of materials and supplies. Work that a DBE subcontracts to a non-DBE firm does not count toward the DBE goals.
 - B. DBE as a joint venture Contractor: 100% goal credit for that portion of the total dollar value of the contract equal to the distinct, clearly defined portion of the work performed by the DBE's own forces.
 - C. DBE as a subcontractor: 100% goal credit for the work of the subcontract performed by the DBE's own forces, including the cost of materials and supplies. Work that a DBE subcontractor in turn subcontracts to a non-DBE firm does not count toward the DBE goal.
 - D. DBE as a trucker: 100% goal credit for trucking participation provided the DBE is responsible for the management and supervision of the entire trucking operation for which it is responsible. At least one truck owned, operated, licensed and insured by the DBE must be used on the contact. Credit will be given for the full value of all such DBE trucks operated using DBE employed drivers. Goal credit will be limited to the value of the reasonable fee or commission received by the DBE if trucks are leased from a non-DBE company.

E. DBE as a material supplier:

- 1. 60% goal credit for the cost of the materials or supplies purchased from a DBE regular dealer.
- 2. 100% goal credit for the cost of materials or supplies obtained from a DBE manufacturer.
- 100% credit for the value of reasonable fees and commissions for the procurement of materials and supplies if not a regular dealer or manufacturer.
- VIII. GOOD FAITH EFFORT PROCEDURES: If the bidder cannot obtain sufficient DBE commitments to meet the contract goal, the bidder must document in the Utilization Plan the good faith efforts made in the attempt to meet the goal. This means that the bidder must show that all necessary and reasonable steps were taken to achieve the contract goal. Necessary and reasonable steps are those which could reasonably be expected to obtain sufficient DBE participation. The Department will consider the quality, quantity and intensity of the kinds of efforts that the bidder has made. Mere pro forma efforts are not good faith efforts; rather, the bidder is expected to have taken those efforts that would be reasonably expected of a bidder actively and aggressively trying to obtain DBE participation sufficient to meet the contract goal.

- A. The following is a list of types of action that the Department will consider as part of the evaluation of the bidder's good faith efforts to obtain participation. These listed factors are not intended to be a mandatory checklist and are not intended to be exhaustive. Other factors or efforts brought to the attention of the Department may be relevant in appropriate cases, and will be considered by the Department.
 - Soliciting through all reasonable and available means (e.g. attendance at pre-bid meetings, advertising and/or
 written notices) the interest of all certified DBE companies that have the capability to perform the work of the
 contract. The bidder must solicit this interest within sufficient time to allow the DBE companies to respond to
 the solicitation. The bidder must determine with certainty if the DBE companies are interested by taking
 appropriate steps to follow up initial solicitations.
 - 2. Selecting portions of the work to be performed by DBE companies in order to increase the likelihood that the DBE goals will be achieved. This includes, where appropriate, breaking out contract work items into economically feasible units to facilitate DBE participation, even when the prime contractor might otherwise prefer to perform these work items with its own forces.
 - 3. Providing interested DBE companies with adequate information about the plans, specifications, and requirements of the contract in a timely manner to assist them in responding to a solicitation.
 - 4. (a) Negotiating in good faith with interested DBE companies. It is the bidder's responsibility to make a portion of the work available to DBE subcontractors and suppliers and to select those portions of the work or material needs consistent with the available DBE subcontractors and suppliers, so as to facilitate DBE participation. Evidence of such negotiation includes the names, addresses, and telephone numbers of DBE companies that were considered; a description of the information provided regarding the plans and specifications for the work selected for subcontracting; and evidence as to why additional agreements could not be reached for DBE companies to perform the work.
 - (b) A bidder using good business judgment would consider a number of factors in negotiating with subcontractors, including DBE subcontractors, and would take a firm's price and capabilities as well as contract goals into consideration. However, the fact that there may be some additional costs involved in finding and using DBE companies is not in itself sufficient reason for a bidder's failure to meet the contract DBE goal, as long as such costs are reasonable. Also, the ability or desire of a prime contractor to perform the work of a contract with its own organization does not relieve the bidder of the responsibility to make good faith efforts. Prime contractors are not, however, required to accept higher quotes from DBE companies if the price difference is excessive or unreasonable.
 - 5. Not rejecting DBE companies as being unqualified without sound reasons based on a thorough investigation of their capabilities. The contractor's standing within its industry, membership in specific groups, organizations, or associations and political or social affiliations (for example union vs. non-union employee status) are not legitimate causes for the rejection or non-solicitation of bids in the contractor's efforts to meet the project goal.
 - 6. Making efforts to assist interested DBE companies in obtaining bonding, lines of credit, or insurance as required by the recipient or contractor.
 - 7. Making efforts to assist interested DBE companies in obtaining necessary equipment, supplies, materials, or related assistance or services.
 - 8. Effectively using the services of available minority/women community organizations; minority/women contractors' groups; local, state, and Federal minority/women business assistance offices; and other organizations as allowed on a case-by-case basis to provide assistance in the recruitment and placement of DBE companies.
- B. If the Department determines that the Contractor has made a good faith effort to secure the work commitment of DBE companies to meet the contract goal, the Department will award the contract provided that it is otherwise eligible for award. If the Department determines that a good faith effort has not been made, the Department will notify the bidder of that preliminary determination by contacting the responsible company official designated in the Utilization Plan. The preliminary determination shall include a statement of reasons why good faith efforts have not been found, and may include additional good faith efforts that the bidder could take. The notification will

designate a five (5) working day period during which the bidder shall take additional efforts. The bidder is not limited by a statement of additional efforts, but may take other action beyond any stated additional efforts in order to obtain additional DBE commitments. The bidder shall submit an amended Utilization Plan if additional DBE commitments to meet the contract goal are secured. If additional DBE commitments sufficient to meet the contract goal are not secured, the bidder shall report the final good faith efforts made in the time allotted. All additional efforts taken by the bidder will be considered as part of the bidder's good faith efforts. If the bidder is not able to meet the goal after taking additional efforts, the Department will make a pre-final determination of the good faith efforts of the bidder and will notify the designated responsible company official of the reasons for an adverse determination.

- C. The bidder may request administrative reconsideration of a pre-final determination adverse to the bidder within the five (5) working days after the notification date of the determination by delivering the request to the Department of Transportation, Division of Aeronautics, 1 Langhorne Bond Drive, Capital Airport, Springfield, IL 62707-8415 (Telefax: 217-785-4533). Deposit of the request in the United States mail on or before the fifth business day shall not be deemed delivery. The pre-final determination shall become final if a request is not made and delivered. A request may provide additional written documentation and/or argument concerning the issue of whether an adequate good faith effort was made to meet the contract goal. In addition, the request shall be considered a consent by the bidder to extend the time for award. The request will be forwarded to the Department's Reconsideration Officer. The Reconsideration Officer will extend an opportunity to the bidder to meet in person in order to consider all issues of whether the bidder made a good faith effort to meet the goal. After the review by the Reconsideration Officer, the bidder will be sent a written decision within ten (10) working days after receipt of the request for reconsideration, explaining the basis for finding that the bidder did or did not meet the goal or make adequate good faith efforts to do so. A final decision by the Reconsideration Officer that a good faith effort was made shall approve the Utilization Plan submitted by the bidder and shall clear the contract for award. A final decision that a good faith effort was not made shall render the bid nonresponsive.
- IX. CONTRACT COMPLIANCE: Compliance with this Special Provision is an essential part of the contract. The Department is prohibited by federal regulations from crediting the participation of a DBE included in the Utilization Plan toward either the contract goal or the Department's overall goal until the amount to be applied toward the goals has been paid to the DBE. The following administrative procedures and remedies govern the compliance by the Contractor with the contractual obligations established by the Utilization Plan. After approval of the Plan and award of the contract, the Utilization Plan and individual DBE Participation Statements become part of the contract. If the contractor did not succeed in obtaining enough DBE participation to achieve the advertised contract goal, and the Utilization Plan was approved and contract awarded based upon a determination of good faith, the total dollar value of DBE work calculated in the approved Utilization Plan as a percentage of the awarded contract value shall become the amended contract goal.
 - A. No amendment to the Utilization Plan may be made without prior written approval from the Division of Aeronautics. All requests for amendment to the Utilization Plan shall be submitted to the Department of Transportation, Division of Aeronautics, 1 Langhorne Bond Drive, Capital Airport, Springfield, IL 62707-8415. Telephone number (217) 785-8514. Telefax number (217) 785-4533.
 - B. All work indicated for performance by an approved DBE shall be performed, managed and supervised by the DBE executing the Participation Statement. The Contractor shall not terminate for convenience a DBE listed in the Utilization Plan and then perform the work of the terminated DBE with its own forces, those of an affiliate or those of another-subcontractor, whether-DBE or not, without first obtaining the written consent of the Bureau of Small—Business Enterprises to amend the Utilization Plan. If a DBE listed in the Utilization Plan is terminated for reasons other than convenience, or fails to complete its work on the contract for any reason, the Contractor shall make good faith efforts to find another DBE to substitute for the terminated DBE. The good faith efforts shall be directed at finding another DBE to perform at least the same amount of work under the contract as the DBE that was terminated, but only to the extent needed to meet the contract goal or the amended contract goal. The Contractor shall notify the Division of Aeronautics of any termination for reasons other than convenience, and shall obtain approval for inclusion of the substitute DBE in the Utilization Plan. If good faith efforts following a termination of a DBE for cause are not successful, the Contractor shall contact the Division and provide a full accounting of the efforts undertaken to obtain substitute DBE participation. The Division will evaluate the good faith efforts in light of all circumstances surrounding the performance status of the contract, and determine whether the contract goal should be amended.

- C. The Contractor shall maintain a record of payments for work performed to the DBE participants. The records shall be made available to the Department for inspection upon request. After the performance of the final item of work or delivery of material by a DBE and final payment therefor to the DBE by the Contractor, but not later than thirty (30) calendar days after payment has been made by the Department to the Contractor for such work or material without regard to any retainage withheld by the Department, the Contractor shall submit a DBE Payment Report on Department form SBE 2115 to the Division's Chief Engineer. If full and final payment has not been made to the DBE, the Report shall indicate whether a disagreement as to the payment required exists between the Contractor and the DBE or if the Contractor believes that the work has not been satisfactorily completed. If the Contractor does not have the full amount of work indicated in the Utilization Plan performed by the DBE companies indicated in the Plan, the Department will deduct from contract payments to the Contractor the amount of the goal not achieved as liquidated and ascertained damages.
- D. The Department reserves the right to withhold payment to the Contractor to enforce the provisions of this Special Provision. Final payment shall not be made on the contract until such time as the Contractor submits sufficient documentation demonstrating achievement of the goal in accordance with this Special Provision or after liquidated damages have been determined and collected.

Certification of Nonsegregated Facilities - as Required by 41 CFR 60-1.8

(Applicable to (1) contracts, (2) subcontracts, and (3) agreements with applicants who are themselves performing federally assisted construction contracts, exceeding \$10,000.00 which are not exempt from the provisions of the Equal Opportunity clause).

By the submission of this bid, the bidder, offeror, applicant, or subcontractor certifies that he does not maintain or provide for his employees any segregated facilities at any of his establishments and that that he does not permit his employees to perform their services at any location, under his control, where segregated facilities are maintained. He certifies further that he will not maintain or provide for his employees any segregated facilities at any of his establishments and that he will not permit his employees to perform their services at any location, under his control, where segregated facilities are maintained. The bidder, offeror, applicant, or subcontractor agrees that a breach of his certification is a violation of the Equal opportunity clause in this contract. As used in this certification, the term "segregated facilities" means any waiting rooms, work areas, rest rooms and wash rooms, restaurants and other eating areas, time clocks, locker rooms and other storage or dressing areas. parking lots, drinking fountains, recreation or entertainment areas, transportation, and housing facilities provided for employees which are segregated by explicit directive or are in fact segregated on the basis of race, color, religion, or national origin, because of habit, local custom, or otherwise. He further agrees that (except where he has obtained identical certifications from proposed subcontractors for specific time periods) he will obtain identical certifications from proposed subcontractors prior to the award of subcontracts exceeding \$10,000.00 which are not exempt from the provisions of the Equal Opportunity clause; that he will retain such certifications in his files and that he will forward the following notice to such proposed subcontractors (except where the proposed subcontractors have submitted identical certifications for specific time periods):

NOTICE TO PROSPECTIVE SUBCONTRACTORS OF REQUIREMENT FOR CERTIFICATIONS OF NONSEGREGATED FACILITIES

A certification of Nonsegregated Facilities must be submitted prior to the award of a subcontract exceeding \$10,000.00 which is not exempt from the provisions of the Equal Opportunity clause. The certification may be submitted either for each subcontract or for all subcontracts during a period (i.e., quarterly, semiannually).

NOTE: The penalty for making false statements in offers is prescribed in 18 U.S.C 1001.

CERTIFICATION REGARDING DEBARMENT, SUSPENSION, AND OTHER RESPONSIBILITY MATTERS Instructions for Certification

- 1. By signing and submitting this proposal, the prospective primary participant is providing the certification set out below.
- 2. The inability of a person to provide the certification required below will not necessarily result in denial of participation in this covered transaction. The prospective participant shall submit an explanation of why it cannot provide the certification set out below. The certification or explanation will be considered in connection with the department or agency's determination whether to enter into this transaction. However, failure of the prospective primary participant to furnish a certification or an explanation shall disqualify such person from participation in this transaction.
- 3. The certification in this clause is a material representation of fact upon which reliance was placed when the department or agency determined to enter into this transaction. If it is later determined that the prospective primary participant knowingly rendered an erroneous certification in addition to other remedies available to the Federal Government, the department or agency may terminate this transaction for cause of default.
- 4. The prospective primary participant shall provide immediate written notice to the department or agency to whom this proposal is submitted if at any time the prospective primary participant learns that its certification was erroneous when submitted or has become erroneous by reason of changed circumstances.
- 5. The terms "covered transaction" "debarred" "suspended" "ineligible" "lower tier covered transaction" "participant" "person" "primary covered transaction" "principal" "proposal" and "voluntarily excluded" as used in this clause have the meaning set out in the Definitions and Coverage sections of the rules implementing Executive Order 12540. You may contact the department or agency to which this proposal is being submitted for assistance in obtaining a copy of those regulations.
- 6. The prospective primary participant agrees by submitting this proposal that should the proposed covered transaction be entered into, it shall not knowingly enter into any lower tier covered transaction with a person who is debarred, suspended, declared ineligible, or voluntarily excluded from participation in this covered transaction unless authorized by the department or agency entering into this transaction.
- 7. The prospective primary participant further agrees by submitting this proposal that it will include the clause titled "Certification Regarding Debarment, Suspension, Ineligibility and Voluntary Exclusion Lower Tier Transaction", provided by the department or agency entering into this covered transaction without modification in all lower covered transactions and in all solicitations for lower covered transactions.
- 8. A participant in a covered transaction may rely upon a certification of a prospective participant in a lower tier covered transaction that it is not debarred, suspended, ineligible, or voluntarily excluded from the covered transaction unless it knows that the certification is erroneous. A participant may decide the method and frequency by which it determines the eligibility of its principals. Each participant may, but is not required to check the Nonprocurement List (Tel. #).
- 9. Nothing contained in the foregoing shall be construed to require establishment of a system of records in order to render in good faith the certification required by this clause. The knowledge and information of a participant is not required to exceed that which is normally possessed by a prudent person in the ordinary course of business dealings.
- 10. Except for transactions authorized under paragraph 8 of these instructions, if a participant in a covered transaction knowingly enters into a lower tier covered transaction with a person who is suspended, debarred, ineligible, or voluntarily excluded from participation in this transaction, in addition to other remedies available to the Federal Government, the department or agency may terminate this transaction for cause or default.

<u>Certification Regarding Debarment, Suspension, and</u> <u>Other Responsibility Matters - Primary Covered Transactions</u>

- 1. The prospective primary participant certifies to the best of its knowledge and belief that it and its principals:
 - a. Are not presently debarred, suspended, proposed for debarment, declared ineligible, or voluntarily excluded from covered transactions by an Federal department or agency;
 - b. Have not within a three-year period preceding this proposal been convicted of or had a civil judgment rendered against them for commission of fraud or a criminal offense in connection with obtaining, attempting to obtain or performing a public (Federal, State or Local) transaction or contract under a public transaction: violation of Federal or State antitrust statutes or commission of embezzlement, theft, forgery, bribery, falsification or destruction or destruction of records, making false statements, or receiving stolen property;
 - c. Are not presently indicted for or otherwise criminally or civilly charged by a governmental entity (Federal, State or local) with commission of any of the offenses enumerated in paragraph (1)(b) of this certification; and
 - d. Have not within a three-period preceding this application/proposal had one or more public transactions (Federal, State or local) terminated for cause or default.
- 2. Where the prospective primary participant is unable to certify to any of the statements in this certification, such prospective participant shall attach an explanation to this proposal.

<u>CERTIFICATION REGARDING LOBBYING</u> (Applicable to contracts in excess of \$100,000):

Certification for Contracts, Grants, Loans and Cooperative Agreements.

The undersigned bidder certifies, to the best of his or her knowledge and belief, that:

- (1) No Federal appropriated funds have paid or will be paid, by or behalf of the undersigned, to any person for influencing or attempting to influence an officer or employee of any agency, a Member of Congress, an Officer or employee of Congress, or an employee of a Member of Congress in connection with the awarding of any Federal contract, the making of any Federal grant, the making of any Federal loan, the entering into of any cooperative agreement, and the extension, continuation, renewal, amendment, or modification of any Federal contract, grant, loan, or cooperative agreement.
- (2) If any funds other than Federal appropriated funds have been paid or will be paid to any person for influencing or attempting to influence an officer or employee of any agency, a Member of Congress, an officer or employee of Congress, or an employee of a Member of Congress in connection with this Federal contract, grant, loan, or cooperative agreement, the undersigned shall complete and submit Standard Form-LLL, "Disclosure Form to Report Lobbying", in accordance with its instructions.
- (3) The undersigned shall require that the language of this certification be included in the award documents for all subawards at all tiers (including subcontracts, subgrants, and contracts under grants, loans, and cooperative agreements) and that all subrecipients shall certify and disclose accordingly.

This certification is a material representation of fact upon which reliance was placed when this transaction was made or entered into. Submission of this certification is a prerequisite for making or entering into this transaction imposed by Section 1352, title 31, U.S. Code. Any person who fails to file the required certification shall be subject to a civil penalty of not less than \$10,000 and not more than \$100,000 for each such failure.

WORKERS' COMPENSATION INSURANCE

Prior to the execution of his construction contract by the Illinois Department of Transportation, Division of Aeronautics, hereinafter referred to as "Division", the Contractor shall furnish to the Division certificates of insurance covering Workers' Compensation, or satisfactory evidence that this liability is otherwise taken care of in accordance with Section 4.(a) of the "Workers' Compensation Act of the State of Illinois" as amended.

Such insurance, or other means of protection as herein provided, shall be kept in force until all work to be performed under the terms of the contract has been completed and accepted in accordance with the specifications, and it is hereby understood and agreed that the maintenance of such insurance or other protection, until acceptance of the work by the Division is a part of the contract. Failure to maintain such insurance, cancellation by the Industrial Commission of its approval of such other means of protection as might have been elected, or any other act which results in lack of protection under the said "Workers' Compensation Act" may be considered as a breach of the contract.

SPECIAL PROVISION FOR DOMESTIC SOURCE FOR STEEL

Control of Materials: All steel products, as defined by the Illinois Steel Products Procurement Act, incorporated into this project shall be manufactured or produced in the United States and, in addition, shall be domestically fabricated. The Contractor shall obtain from the steel producer and/or fabricator, in addition to the mill analysis, a certification that all steel products meet these domestic source requirements.

CLAUSE TO BE INCLUDED IN ALL SOLICITATIONS. CONTRACTS. AND SUBCONTRACTS RESULTING FROM PROJECTS FUNDED UNDER THE AIP

The Contractor or subcontractor, by submission of an offer and/or execution of a contract, certifies that it:

- a. is not owned or controlled by one or more citizens or nationals of a foreign country included in the list of countries that discriminate against U.S. firms published by the Office of the United States Trade Representative (USTR);
- b. has not knowingly entered into any contract or subcontract for this project with a Contractor that is a citizen or national of a foreign country on said list, or is owned or controlled directly or indirectly by one or more citizens or nationals of a foreign country on said list.
- c. has not procured any product nor subcontracted for the supply of any product for use on the project that is produced in a foreign country on said list.

Unless the restrictions of this clause are waived by the Secretary of Transportation in accordance with 49 CFR 30.17, no contract shall be awarded to a Contractor or subcontractor who is unable to certify to the above. If the Contractor knowingly procures or subcontracts for the supply of any product or service of a foreign country on the said list for use on the project, the Federal Aviation Administration may direct, through the sponsor, cancellation of the contract at no cost to the Government.

Further, the Contractor agrees that, if awarded a contract resulting from this solicitation, it will incorporate this provision for certification without modification in each contract and in all lower tier subcontracts. The Contractor may rely upon the certification of a prospective subcontractor unless it has knowledge that the certification is erroneous.

The Contractor shall provide immediate written notice to the sponsor if the Contractor learns that its certification or that of a subcontractor was erroneous when submitted or has become erroneous by reason of changed circumstances. The subcontractor agrees to provide immediate written notice to the Contractor, if at any time it learns that its certification was erroneous by reason of changed circumstances.

This certification is a material representation of fact upon which reliance was placed when making the award. If it is later determined that the Contractor or subcontractor knowingly rendered an erroneous certification, the Federal Aviation Administration may direct, through this sponsor, cancellation of the contract or subcontract for default at no cost to the Government.

Nothing contained in the foregoing shall be construed to require establishment of a system of records in order to render, in good faith, the certification required by this provision. The knowledge and information of a Contractor is not required to exceed that which is normally possessed by a prudent person in the ordinary course of business dealings.

This certification concerns a matter within the jurisdiction of an agency of the United States of America and the making of false, fictitious, or fraudulent certification may render the maker subject to prosecution under Title 18, United States Code, Section 1001.

MINIMUM WAGES FOR FEDERAL AND FEDERALLY ASSISTED CONSTRUCTION CONTRACTS

This project is funded, in part, with Federal-aid funds and, as such, is subject to the provisions of the Davis-Bacon Act of March 3, 1931, as amended (46 Sta. 1494, as amended, 40 U.S.C. 276a) and of other Federal statutes referred to in a 29 CFR Part 1, Appendix A, as well as such additional statutes as may from time to time be enacted containing provisions for the payment of wages determined to be prevailing by the Secretary of Labor in accordance with the Davis-Bacon Act and pursuant to the provisions of 29 CFR Part 1. The prevailing rates and fringe benefits shown in the General Wage Determination Decisions issued by the U.S. Department of Labor shall, in accordance with the provisions of the foregoing statutes, constitute the minimum wages payable on Federal and federally assisted construction projects to laborers and mechanics of the specified classes engaged on contract work of the character and in the localities described therein.

General Wage Determination Decisions, modifications and supersedes decisions thereto are to be used in accordance with the provisions of 29 CFR Parts 1 and 5. Accordingly, the applicable decision, together with any modifications issued, must be made a part of every contract for performance of the described work within the geographic area indicated as required by an applicable DBRA Federal prevailing wage law and 29 CFR Part 5. The wage rates and fringe benefits contained in the General Wage Determination Decision shall be the minimum paid by contractors and subcontractors to laborers and mechanics.

NOTICE

The most current **General Wage Determination Decisions** (wage rates) are available on the IDOT web site. They are located on the Letting and Bidding page at http://www.dot.state.il.us/desenv/delett.html.

In addition, ten (10) days prior to the letting, the applicable Federal wage rates will be e-mailed to subscribers. It is recommended that all contractors subscribe to the Federal Wage Rates List or the Contractor's Packet through IDOT's subscription service.

PLEASE NOTE: if you have already subscribed to the Contractor's Packet you will automatically receive the Federal Wage Rates.

The instructions for subscribing are at http://www.dot.state.il.us/desenv/subsc.html.

If you have any questions concerning the wage rates, please contact IDOT's Chief Contract Official at 217-782-7806.

SPECIAL PROVISIONS

DIXON MUNICIPAL AIRPORT - CHARLES R. WALGREEN FIELD DIXON, LEE COUNTY, ILLINOIS

OVERLAY RUNWAY 8-26 and REHABILITATE HANGAR PAVEMENTS

AIP PROJECT NO. 3-17-0036-B5 ILLINOIS PROJECT NO. C73-3313

MARCH 12, 2004



Hanson Professional Services Inc. 815 Commerce Drive, Suite 200 Oak Brook, Illinois 60538 630.990.3800

	(THIS PAGE INTENTION)	ONALLY LEFT BLANK)	·
		·	
,			
na e na nika sekantahnika asaa Ahir na para semat sekan asampan sekit sekantan semak s	un kalen, munita est. Vinkamina antonione escalario escalario escalario de companyo de companyo de companyo de		· ·

INDEX OF SPECIAL PROVISIONS

Page <u>Number</u>		<u>Description</u>
1		General
1		Governing Specifications and Rules and Regulations
2		Illinois Department of Transportation, Division of Aeronautics, Supplemental Specifications, Recurring Special Provisions & Policy Memorandums
5	Section 10	Definition of Terms
6	Section 20	Scope of Work
7	Section 30	Control of Work
8	Section 40	Control of Materials
9	Section 50	Legal Relations and Responsibility to Public
10	Section 60	Prosecution and Progress
11	Section 70	Measurement and Payment
12	ltem 108	Installation of Underground Cable for Airports
13	ltem 110	Installation of Airport Underground Electrical Duct
15	ltem 125	Installation of Airport Lighting Systems
17	ltem 50510	Engineer's Field Office
19	ltem 150560	Temporary Threshold
21	ltem 152	Excavation and Embankment
23	Item 156000	Erosion Control
24	ltem 156513	Separation Fabric
25	Item 156540	Riprap
26	Item 201002	Bituminous Base Course - Method II
27	Item 209	Crushed Aggregate Base Course
29	Item 401002	Bituminous Surface Course - Method II
30	Item 401650	Bituminous Pavement Milling
31	Item 401.665	Bituminous Pavement Sawing
32	ltem 401900	Remove Bituminous Pavement
33	Item 401910	Remove and Replace Bituminous Pavement
36	Item 602	Bituminous Prime Coat
37	Item 603	Bituminous Tack Coat
38	ltem 610	Structural Portland Cement Concrete
39	Item 620	Pavement Marking •

Page		
<u>Number</u>		<u>Description</u>
40	Item 701	Pipe for Storm Sewers and Culverts
42	Item 705	Pipe Underdrains for Airports
48	Item 751	Manholes, Catch Basins, Inlets and Inspection Holes
49	Item 752	Concrete Culverts, Headwalls and Miscellaneous Drainage Structures
51	Item 800932	Runway Closure Marker - Set
53	Item 800961	Granular Drainage Subbase
57	Item 800962	RAP Subbase
61	Item 800970	Trench Drain
63	Item 800972	Partial Depth Bituminous Crack Repair and Patch
66	Item 901	Seeding
67	Item 904	Sodding
68	Item 905	Topsoiling
70	Item 908	Mulching

GENERAL

These Special Provisions, together with applicable Standard Specifications, Supplemental Specifications, Recurring Special Provisions, Policy Memorandums, Rules and Regulations, Contract Requirements for Airport Improvement Projects, Payroll Requirements and Minimum Wage Rates, which are hereto attached or which by reference are herein incorporated, cover the requirements of the State of Illinois, Department of Transportation (IDOT), Division of Aeronautics (Division) for the following improvement project at Dixon Municipal Airport - Charles R. Walgreen Field, Dixon, Lee County, Illinois:

Overlay Runway 8-26 and Rehabilitate Hangar Pavements

including, among other incidental work, the following items:

REPAIR AND OVERLAY RUNWAY 8-26

- Unclassified Excavation.
- Patching of Portions of Existing Bituminous Runway and Taxiway Pavements.
- Construction of a Bituminous Overlay of Runway 8-26 and Portions of Runway 12-30, Taxiway B and Taxiway E.
- Construction of Bituminous Pavement Tapers and Transitions.
- Regrading of Existing Pavement Shoulders.
- Remarking of Overlain Pavements.
- ❖ Adjustment of Existing Runway and Taxiway Edge Lights.
- Topsoiling, Seeding and Mulching, and Sodding.

REMOVE AND REPLACE HANGAR AREA PAVEMENTS (AREA 5)

- A Bituminous Pavement Removal.
- Unclassified Excavation.
- Construction of Proposed Bituminous Pavement Section including Drainage Layer and Aggregate Base.
- Installation of Storm Sewer and Underdrain.
- Regrading of Existing Swales.
- Topsoiling, Seeding and Mulching, and Sodding.

-GOVERNING-SPECIFICATIONS AND RULES AND REGULATIONS

The <u>Standard Specifications for Construction of Airports</u>, Illinois Department of Transportation, Division of Aeronautics, adopted January, 1985, as revised, (Standard Specifications) shall govern the Project except as otherwise revised or noted (1) in the <u>Supplemental Specifications and Recurring Special Provisions</u>, Illinois Department of Transportation, Division of Aeronautics, adopted January 1, 2003 (Supplemental Specifications and Recurring Special Provisions), and (2) in these Special Provisions dated March 12, 2004. All references to IDOT Specifications refer to <u>Standard Specifications for Road and Bridge Construction</u>, Illinois Department of Transportation, adopted January 1, 2002, as revised. Resolution of conflicts with any part or parts of said Specifications shall be in accordance with these Special Provisions, Section 30-03.

March 12, 2004 Page I of 70

<u>ILLINOIS DEPARTMENT OF TRANSPORTATION, DIVISION OF AERONAUTICS</u> SUPPLEMENTAL SPECIFICATIONS, RECURRING SPECIAL PROVISIONS & POLICY MEMORANDUMS

The Illinois Department of Transportation, Division of Aeronautics has implemented <u>Supplemental Specifications and Recurring Special Provisions</u>, adopted January 1, 2003, and Policy Memorandums that govern all or a part of this Project. The Supplemental Specifications, Recurring Special Provisions and Policy Memorandums that are incorporated into this Project by reference are listed below. Also provided is a notation as to whether all or a portion of each applicable Supplemental Specification, Recurring Special Provision or Policy Memorandum has been modified by these Special Provisions, dated March 12, 2004.

Supplemental Specifications

Section/Item	<u>Title</u>	Modified by Special Provisions
10	Definition of Terms	No
20	Scope of Work	Yes
30	Control of Work	Yes
40	Control of Materials	Yes
50	Legal Relations and Responsibility to Public	No
60	Prosecution and Progress	No
70	Measurement and Payment	No
108	Installation of Underground Cable for Airports	No
110	Installation of Airport Underground Electrical Duct	Yes
125	Installation of Airport Lighting Systems	Yes
152	Excavation and Embankment	Yes
209	Crushed Aggregate Base Course	Yes
602	Bituminous Prime Coat	No
603	Bituminous Tack Coat	No
-610	Structural Portland Cement Concrete	No
620	Pavement Marking	Yes
701	Pipe for Storm sewers and Culverts	Yes
751	Manholes, Catch Basins, Inlets and Inspection Holes	Yes
752	Concrete Culverts, Headwalls and Miscellaneous Drainage Structures	Yes
901	Seeding	No
904	Sodding	Yes
908	Mulching	Yes

Recurring Special Provisions

<u>Section/Item</u>	<u>Title</u>	Modified by Special Provisions
156000	Erosion Control	No
156513	Separation Fabric	No
156540	Riprap	Yes
201002	Bituminous Base Course - Method II (over 2,500 tons/pay item/location)	Yes
401002	Bituminous Surface Course - Method II (over 2,500 tons/pay item/location)	Yes
401650	Bituminous Pavement Milling	Yes
401900	Remove Bituminous Pavement	Yes

Policy Memorandums

<u>No.</u>	<u>Title</u>	Modified by Special Provisions
04-1	Acceptance Procedure for Finely Divided Minerals Used in Portland Cement Concrete and Other Applications	No
87-2	Density Acceptance of Bituminous Pavements	No
87-4	Determination of Bulk Specific Gravity (D) of Compacted Bituminous Mixes	No
96-1	Item 610, Structural Portland Cement Concrete: Job Mix Formula Approval and Production Testing	No
96-2	Requirements for Laboratory, Testing, Quality Control, and Paving of Bituminous Concrete Mixtures	No
96-3	Requirements for Quality Assurance on Projects with Bituminous Concrete Paving	No
-97-2	Pavement Marking Paint Acceptance	No
2001-1	Requirements for Cold Weather Concreting	No

(THIS PAGE INTENTIONALLY LEFT BLANK)

March 12, 2004

DIVISION I - GENERAL PROVISIONS

SECTION 10

DEFINITION OF TERMS

The work shall be provided in accordance with Section 10 of the Standard Specifications and Supplemental Specifications.

March 12, 2004 Page 5 of 70

SECTION 20

SCOPE OF WORK

Revise Section 20 of the Standard Specifications and Supplemental Specifications as follows:

<u>20-05</u> <u>MAINTENANCE OF TRAFFIC</u>. Add the following paragraphs:

"A Construction Staging Plan detailing the sequencing of the Contractor's Work throughout the Project is included in the Plans. The Contractor shall provide his written acceptance of the Project Construction Staging Plan at the Pre-construction Conference. Any and all changes to the Construction Staging Plan that may be requested by the Contractor must be approved by the Project Engineer and the Airport Owner. It shall be the Contractor's responsibility to provide sufficient advance notice of any proposed staging change to permit consideration and approval by the Project Engineer and the Airport Owner. The Contractor shall not be entitled to any extra compensation nor extension to the Contract time because of a staging change request nor for any time necessary in receiving the required approvals.

"At the Pre-construction Conference, the Contractor shall provide a Construction Coordination Plan that coordinates his Work in each sequence with the work of his Subcontractors and the work of other contractors of other Airport projects.

"The Contractor shall not have access to any part of the active airfield (runways, taxiways or aprons) for any equipment or personnel without the approval of the Resident Engineer and the Airport Owner. All Contractor activities shall remain more than 125 feet from runway centerlines and 700 feet from runway ends (500 feet if staged construction displacement is implemented). Contractor's personnel and equipment must remain at least 65 feet from the centerline of active taxiways and 10 feet from the edge of active aprons. When construction operations must be conducted within these limits, the pavement must be closed to aircraft activity by the Contractor by providing temporary barricades as shown in the Plans, and in the case of runway pavements, closed runway markers as shown in the Plans.

"Contractor's equipment shall extend no higher than 25 feet, except in Stage 1 in the Staging Plan, when extended equipment heights shall not exceed 19 feet.

"The Contractor shall keep all of his equipment and personnel at least 15 feet from the edge of any active roadway or auto parking pavement. When his activities require working within 15 feet of the road/pavement edge, the Contractor shall close the roadway or auto parking area to traffic by providing temporary barricades and cones and traffic control signs as directed by the Resident Engineer.

"The Contractor must notify the Resident Engineer and the Airport Owner 72 hours in advance of any required partial or complete closing of any public road, Airport road, runway, taxiway or apron, or lighting circuit, utility, or other Airport operational facility."

SECTION 30

CONTROL OF WORK

Revise Section 30 of the Standard Specifications and Supplemental Specifications as follows:

<u>30-12</u> <u>LOAD RESTRICTIONS</u>. Add the following:

"Contractor's use of the existing airfield and roadway pavements by equipment and loaded trucks shall be minimized. The Contractor shall utilize the access ways shown on the Plans or as approved by the Airport Owner and the Resident Engineer. The Contractor shall erect and maintain, at no cost to the Contract, directional and informational signs at the Contractor's access routes as noted on the Plans. Any damage to existing Airport pavements shall be repaired by the Contractor at his own expense and to the satisfaction of the Airport Owner and the Resident Engineer.

"The Contractor shall acquaint himself with the load restrictions of all local streets, roadways and highways intended for use as access/haul roads."

March 12, 2004 Page 7 of 70

SECTION 40

CONTROL OF MATERIALS

Revise Section 40 of the Standard Specifications and Supplemental Specifications as follows:

40-05 RESIDENT ENGINEER'S FIELD OFFICE. Add the following:

"The Contractor will be required to furnish and maintain a Resident Engineer's Field Office throughout the Project, in accordance with Item 150 AR150510 ENGINEER'S FIELD OFFICE."

AIP PROJECT NO. 3-I7-0036-B5 IDA PROJECT NO. C73-3313

SECTION 50

LEGAL RELATIONS AND RESPONSIBILITY TO PUBLIC

The work shall be provided in accordance with Section 50 of the Standard Specifications and Supplemental Specifications.

AIP PROJECT NO. 3-17-0036-B5 IDA PROJECT NO. C73-3313

SECTION 60

PROSECUTION AND PROGRESS

The work shall be provided in accordance with Section 60 of the Standard Specifications and Supplemental Specifications.

March 12, 2004 Page 10 of 70

AIP PROJECT NO. 3-I7-0036-B5 IDA PROJECT NO. C73-33I3

SECTION 70

MEASUREMENT AND PAYMENT

The work shall be provided in accordance with Section 70 of the Standard Specifications and Supplemental Specifications.

March 12, 2004 Page 11 of 70

AIP PROJECT NO. 3-17-0036-B5 IDA PROJECT NO. C73-3313

ITEM 108

INSTALLATION OF UNDERGROUND CABLE FOR AIRPORTS

This item shall be provided in accordance with the Standard Specifications and Supplemental Specification for Item 108, Installation of Underground Cable for Airports.

No direct payment will be made for underground cable used in this work. The cost of furnishing and installing structural concrete shall be considered incidental to the Contract unit prices for the respective pay items utilizing the underground cable.

March 12, 2004 Page 12 of 70

INSTALLATION OF AIRPORT UNDERGROUND ELECTRICAL DUCT

Revise Item 110 of the Standard Specifications and Supplemental Specifications as follows:

110-1.1 <u>DESCRIPTION</u>. Add the following:

"This item shall consist of the construction of 2-way concrete encased duct at the locations shown on the Plans. Excavation and backfilling for the encased duct shall not be paid for separately but shall be included in the unit cost of the duct."

EQUIPMENT AND MATERIALS

110-2.5 STEEL CONDUIT. Delete the first sentence.

Add the following sentence:

"Steel conduits shall be galvanized rigid steel (GRS)."

110-2.7 PLASTIC CONDUIT. Add the following:

"Conduits for the 2-way concrete encased duct shall be 4-inch diameter, PVC, Schedule 40, UL listed, encased in concrete, in accordance with the details shown in the Plans.

CONSTRUCTION METHODS

<u>110-3.4</u> <u>DUCT MARKERS</u>. Delete this Section and replace with the following:

"I10-3.4 DUCT MARKERS. The location of all ducts shall be marked by installing a concrete duct marker (2 foot by 2 foot), at each end of each duct and at bends, as shown in the Plans. Also, each bituminous pavement edge shall be marked with a brass marker installed in the finished pavement, as shown in the Plans. Ducts under concrete pavement shall be marked with a "D" impressed into the fresh pavement, as shown on the Plans. The cost of furnishing and installing the markers shall be included in the unit price of the duct."

<u>110-3.5</u> <u>BACKFILLING</u>. Add the following to the first paragraph:

"Duct located under paved areas shall be backfilled with the FA-6 material."

METHOD OF MEASUREMENT

<u>IIO-4.1</u> <u>METHOD OF MEASUREMENT</u>. Delete this Section and replace with the following:

"<u>I 10-4.10 METHOD OF MEASUREMENT</u>. The quantity of Concrete Encased Duct to be paid for under this item shall be the number of linear feet of the type and size of multi-way duct bank installed, measured in place, completed and accepted. Separate measurements for individual ducts in a multi-duct bank will not be made.

"No separate measurement shall be made for furnishing and installing duct markers as they are incidental to a completed and accepted duct installation.

"Excavation, backfilling, topsoiling, seeding and mulching, or sodding for the trenching and backfilling of the duct installation and duct removal shall not be paid for separately but shall be included in the unit cost of the duct."

BASIS OF PAYMENT

110-5.1 BASIS OF PAYMENT. Delete this Section and replace with the following:

"I 10-5.1 BASIS OF PAYMENT. Payment will be made at the Contract unit price for each type and size of duct bank completed and accepted. This price shall be full compensation for furnishing all materials and for all preparation, assembly, and installation of these materials, for disposal of removed concrete duct, for preparation of all duct ends to remain, and for all labor, equipment, tools, and incidentals necessary to complete this item.

"If, upon delivery and incorporation of any materials, the Contractor has failed to provide the necessary submittals as required by Sections 30-18, 40-01, 40-03 and 40-11 of the Standard Specifications, Supplemental Specifications and Special Provisions, the pay item shall not be included on the Contractor Progress Payment report until such submittals have been furnished.

"Payment will be made under:

"Item AR I 10502 2-Way Concrete Encased Duct - per linear foot."

INSTALLATION OF AIRPORT LIGHTING SYSTEMS

Revise Item 125 of the Standard Specifications and Supplemental Specifications as follows:

125-1.1 DESCRIPTION. Add the following:

"This item shall consist of the adjustment of existing base- and stake-mounted lights, and any associated handholes, to the new final grade. This item shall also include the testing of the adjusted lights, any necessary adjustments, and all incidentals necessary to place the lighting fixture in operation as a completed unit and to the satisfaction of the Resident Engineer."

- 125-2.3 CONCRETE. Delete this Section and replace with the following:
 - "125-2.3 CONCRETE. All structural concrete shall meet the requirements of Item 610."
- 125-2.7 ISOLATION TRANSFORMERS. Add the following:

"Isolation transformers shall be Type L-830, for 60 Hertz 6.6/6.6 series circuits, conforming with FAA Advisory Circular 150/5345-47, current issue."

125-2.8 LIGHT CANS. Revise this section as follows:

Light cans shall be concrete encased Type L-867, Class I, Size B steel base on sand bedding, with L-867 Type I 12-inch steel cover and stainless steel bolts. Concrete shall be in accordance with Item 610."

125-2.9 <u>LIGHT LENS</u>. Revise this section as follows:

"Lens for the edge and threshold fixtures shall conform to FAA Advisory Circular 150/5345-46, current issue."

Add:

<u>ADJUST EXISTING EDGE LIGHT</u>: The Contractor shall adjust the height of existing base- and stake-mounted lights to meet the Project final grade. This adjustment is 8-inches or less. For base-mounted lights, the Contractor shall raise the base can to the new elevation and backfill with sand. For stake-mounted lights, the Contractor shall relocate the isolation transformer, connectors and sand backfill as necessary to conform with the edge light details on the Plans. Any handholes associated with adjusted fixtures shall also be adjusted to the final grade by raising the handhole to the new elevation and backfilling with sand.

Add:

- TESTING. Testing and adjustment of the fixtures shall be in accordance with the equipment 125-2.15 manufacturer. The Contractor shall use a Fluke Model 87 True RMS Multimeter with a clamp-on current probe - Fluke Model 80I-600 to assure the proper adjustment of the installation. The multimeter and probe shall be used to test and adjust the installation in accordance with the recommendations of the fixture manufacturer.
- GENERAL. Add the following to this Section: 125-3.1

"The typical details and dimensions shown in the Plans, the Standard Specifications and these Special Provisions shall govern the adjustment of the edge lights and handholes."

- METHOD OF MEASUREMENT. Delete this Section in its entirety and replace with the following: 125-4.1
 - "125-4.1 METHOD OF MEASUREMENT. "The quantity of adjusted edge lights to be paid for shall be the number of each type of light, base- or stake-mounted, adjusted, ready for operation, tested and accepted by the Resident Engineer. Adjustment of any handholes shall not be measured for payment but shall be included in the cost to adjust the edge lights."
- BASIS OF PAYMENT. Delete this Section in its entirety and replace with the following: 125-5.1
 - "125-5.1 BASIS OF PAYMENT. Payment will be made at the Contract unit price for each type of light adjusted, operational and accepted by the Resident Engineer. These prices shall be full compensation for furnishing all materials and for all preparation, assembly, and installation of these materials, and for all labor, equipment, tools, and incidentals necessary to complete the items.
 - "If, upon delivery and incorporation of any materials, the Contractor has failed to provide the necessary submittals as required by Sections 30-18, 40-01, 40-03 and 40-11 of the Standard Specifications, Supplemental Specifications and Special Provisions, the pay item shall not be included on the Contractor Progress Payment report until such submittals have been furnished.

"Payment will be made under:

"Item AR I 25941 Adjust Stake Mounted Light - per each. Item AR 125942

Adjust Base Mounted Light - per each."

ENGINEER'S FIELD OFFICE

In this item shall consist of furnishing and maintaining in good condition, for the exclusive use of the Resident Engineer, a weatherproof building described hereinafter at the location approved by the Resident Engineer. Unless otherwise approved, the building shall be independent of any buildings used by the Contractor and all keys to the building shall be turned over to the Resident Engineer. The Resident Engineer will designate the location of the building and it shall remain on the work site until released by him. (Mobile units may be substituted with the approval of the Resident Engineer.)

DESCRIPTION

Engineer's Field Office, Type A - Type "A" field offices shall have a ceiling height of not less than seven (7) feet and a floor space of not less than three hundred and eighty (380) square feet. The office shall be provided with sufficient heat, natural and artificial light and air conditioning. Doors and windows shall be equipped with locks approved by the Resident Engineer. Suitable sanitary facilities meeting Federal, State, and local health department requirements shall be provided and maintained clean and in good working condition and shall be stocked with lavatory and sanitary supplies at all times during the period of the Contract. Should sanitary facilities that are an integral part of the office not be practicable, temporary toilet facilities shall be provided. The temporary facilities must be of a size to permit use by access-challenged persons. A separate facility for hand washing must also be available and maintained.

In addition, the following equipment and furniture meeting the approval of the Resident Engineer shall be furnished:

- (a) One (1) desk (minimum 42" by 30") with three (3) non-folding chairs with uphoistered seats and backs.
- (b) One (1) desk (minimum 42' by 30") with height adjustment (23" to 30") for computer use.
- (c) One (1) four-post drafting table (minimum 37½" by 48") and one (1) adjustable stool.
- (d) One (1) free standing file cabinet, legal size, four-drawer.
- (e) Four (4) folding chairs.
- (f) One (1) carbon dioxide fire extinguisher (ten pound rated capacity).
- (g) One (1) steel equipment cabinet (minimum 44" high by 24" wide by 30" deep) with lock.
- (h) One (1) electric water cooler dispenser and supply of water bottles.
- (I) One (I) 2.5 cubic foot counter-top office refrigerator.
- (j) One (1) 800 watt, 0.8 cubic foot microwave oven.
- (k) One (1) electric tape printing calculator.
- (I) One (I) telephone and three (3) telephone lines (one (I) telephone line to have facsimile transmission capability).
- (m) One (1) automatic telephone answering machine.
- (n) One (1) plain paper memory facsimile machine (Brother Intellifax 2600 or equivalent) with operating supplies, maintenance service and 2,000 sheets of paper.

- (o) One (!) photocopy machine (Canon Model PC-980 or equivalent) with activating agent, power source, maintenance and 2,000 sheets of paper.
- (p) Two (2) 28-quart wastebaskets with 8-gallon trash bags.

BASIS OF PAYMENT

150510-3.1 The building fully equipped as specified herein will be paid for at the Contract unit price per lump sum for Engineer's Field Office. This price shall include all utility costs and shall reflect the salvage value of the building, equipment, and furniture which become the property of the Contractor after release by the Resident Engineer. All telephone calls within Area Code 8 I 5 and to Area Codes 2 I 7, 3 I 2, 630, 708, 773, and 847 shall be included in the cost of the Engineer's Field Office. The Resident Engineer shall reimburse the Contractor for all long distance calls outside of these area codes.

Payment will be made under:

Item ARI 50510 Engineer's Field Office - per lump sum.

TEMPORARY THRESHOLD

150560-1.1 This item shall consist of the installation of new lighting components and the modification of existing lighting components, and the maintenance and restoration thereof, for the temporary relocation of a runway threshold at the location shown on the Plans.

The work shall include the following:

- Installation and removal of temporary "jumper" cables as needed to keep the Runway 8-26 Medium Intensity Runway Lights and the Runway 12-30 Medium Intensity Runway Lights in operation while a portion of the pavements are out of service. Staging of this work is noted in the Plans.
- Installation and removal of temporary stake mounted threshold lights and all required materials for their installation.
- Changing of all runway lighting lenses within the closed area, including the threshold lights (but not the taxiway lights), to red lenses. All fixtures within the open area (but not the threshold or taxiway lights) that are currently equipped with clear-yellow lenses shall be furnished with a clear lenses.
- Restoration of all fixtures and cabling to their original location once the temporary threshold is no longer required in the Project.

Maintenance shall include all materials, equipment and labor necessary to keep the temporary threshold lighting operating as required.

EQUIPMENT AND MATERIALS

150560-2.1 Cable and connections shall be in accordance with Item 108. The temporary cabling may be placed on the pavement surface as long as it does not cross active pavements and as long as it is protected from accidental damage by the passing of vehicles and Contractor's equipment.

Threshold lights and components shall be in accordance with Item 125 and shall be suitable for use with the existing lighting system.

CONSTRUCTION METHODS

- <u>I 50560-3.1</u> <u>GENERAL</u>. Placing and removal of the temporary thresholds shall be scheduled to minimize closures of the runway and taxiway. Multiple crews shall be used if necessary to complete the work within the closure period.
- 150560-3.2 <u>LIGHTING</u>. The Contractor shall install new stake-mounted threshold fixtures at the locations shown in the Plans. These fixtures will be delivered to the Airport Owner at Project completion. The Contractor shall make all temporary connections necessary to restore the operation of the pavements at their temporarily reduced lengths.

- 150560-3.3 <u>RELOCATION OF LENSES</u> The Contractor shall relocate existing filters or provide new lenses for fixtures as noted on the Plans. New lenses will be delivered to the Airport Owner at Project completion.
- 150560-3.4 REMOVAL OF TEMPORARY THRESHOLD Upon completion of the specified work and when directed by the Resident Engineer, the temporary threshold lights and jumper cabling shall be removed and the runway and taxiway circuits shall be restored to their original operation. The Contractor shall relocate lenses to restore the fixture lense color scheme to the original operation.

METHOD OF MEASUREMENT

150560-4.1 The installation and removal of the temporary threshold lighting shall be measured as a lump sum item completed and accepted by the Engineer.

BASIS OF PAYMENT

150560-5.1 Payment for this item shall be at the Contract unit price as lump sum payment for the completed work. This price shall be full compensation for furnishing all material, for all preparation, assembly and installation of materials, for all removals, lighting, coverings, restoration and for all labor, equipment, tools and incidentals necessary to complete the item.

Costs associated with maintenance of the temporary threshold shall be considered incidental to the Contract and not included in the lump sum items below.

If, upon delivery and incorporation of any materials, the Contractor has failed to provide the necessary submittals as required by Sections 30-18, 40-01, 40-03 and 40-11 of the Standard Specifications, Supplemental Specifications and Special Provisions, the pay item shall not be included on the Contractor Progress Payment report until such submittals have been furnished.

Payment will be made under:

Item AR150560 - Temporary Threshold - per lump sum

EXCAVATION AND EMBANKMENT

Revise Item 152 of the Standard Specifications and Supplemental Specifications as follows:

152-1.1 <u>DESCRIPTION</u>. Add the following:

"For the purposes of Excavation and Embankment in this Project, this item is to be constructed for aircraft weighing less than 60,000 pounds (Standard Proctor standard)."

152-1.2 CLASSIFICATION. Add the following:

"The Plans identify areas of existing subgrade in the Hangar 5 Pavement Removal and Replacement area that may require removal and replacement with approved aggregate materials. This stabilization is to be provided by the Contractor in the following way, when directed by the Resident Engineer:

❖ Undercut of unstable material to the depth indicated on the Plans (Typical Section - Area 5), or as directed by the Resident Engineer, and placement of a separation fabric over the weak soil area prior to placement of 12-inch Granular Drainage Subbase aggregate drainage layer and a 19-inch layer of RAP Subbase of approved Bituminous asphalt millings. Undercut shall be paid as "Unclassified Excavation", with the unstable material removed and disposed of off-site in accordance with Paragraph 152-2.2 in these Special Provisions. Separation fabric meeting the requirements of Item 156513 shall be paid separately under Item AR156513. Granular Drainage Subbase meeting the requirements of Item 800961 shall be paid separately under Item AR800961. RAP Subbase (Bituminous asphalt millings) from on-site and off-site meeting the requirements of Item 800962 shall be paid separately under Items AR800962 (from on-site) and AR800963 (from off-site)"

CONSTRUCTION METHODS

152-2.1 GENERAL. Add the following:

"The Contractor will proofroll the subgrade **only when required by the Resident Engineer**, as described in the Plans and as directed by the Resident Engineer. The cost for this proofing will not be paid for separately but shall be included in the cost for Unclassified Excavation."

152-2.2 EXCAVATION. Add the following to the fourth paragraph:

"All material unsatisfactory for use as embankment under paved areas, including the gravelly sand and silty material to be undercut in the Hangar 5 Pavement Removal and Replacement area, and any broken asphalt and concrete from existing pavement surfaces excavated under "Unclassified Excavation", shall be removed by the Contractor to an off-site disposal site. Clayey material considered satisfactory by the Resident Engineer as shoulder embankment may be used as fill elsewhere in the Project when placed outside of paved areas. Haul and disposal of these unsuitable materials shall not be measured separately, but their haul and disposal shall be incidental to Unclassified Excavation."

"The Contractor will not be allowed to haul any materials across existing pavements or areas designated by the Airport Owner as used for agriculture or which have been seeded under this or previous contracts.

"Payment for haul away and disposal of unsuitable Unclassified Excavation shall not be made but shall be incidental to Unclassified Excavation."

Add:

152-2.15 <u>DUST CONTROL WATERING</u>. This Work shall consist exclusively of the control of dust from construction operations and not for use in the compaction of earth embankment.

Dust shall be controlled by the regular, uniform application of sprinkled water to earth surfaces and shall be applied as directed by the Resident Engineer, in a manner meeting his approval. Dust control watering shall not be paid for separately but shall be considered incidental to this item.

METHOD OF MEASUREMENT

Add:

- Haul and disposal off-site of unsuitable materials resulting from unclassified excavation operations, as determined by the Resident Engineer, shall not be paid for separately but shall be incidental to the Contract.
- Dust control watering will not be measured for payment, but shall be considered incidental to the Contract items for earthwork.

BASIS OF PAYMENT

Add:

Payment will be made under:

Item ARI52410 Unclassified Excavation - per cubic yard.

EROSION CONTROL

This item shall be provided in accordance with the Recurring Special Provision for Item 156000, Erosion Control.

Payment will be made under:

Item AR I 56510

Silt Fence - per linear foot.

ITEM_156513

SEPARATION FABRIC

This item shall be provided in accordance with the Recurring Special Provision for Item 156513, Separation Fabric.

Payment will be made under:

Item AR156513 Separation Fabric - per square yard.

RIPRAP

Revise the Recurring Special Provision for Item I 56540 Riprap as follows:

156540-1.1 DESCRIPTION. Delete this paragraph and replace with the following:

"<u>156540-1.1</u> <u>DESCRIPTION</u>.

"This item shall consist of furnishing, transporting, and placing a protective course of stone (IDOT RR-4), minimum of 24 inches depth, laid as riprap on filter fabric, in the areas and at the locations shown on the Plans."

MATERIALS

156540-2.1 RIPRAP. Add the following:

"Stone shall be Gradation RR-4 in accordance with IDOT Specifications."

CONSTRUCTION METHODS

156540-3.1 Delete the first paragraph and replace with the following:

"Prior to the placement of the riprap material, The Contractor shall undercut the designated area 24-inches below finished grade. The undercut material may be used as embankment fill material. The riprap course shall be 24-inches total depth."

BASIS OF PAYMENT

Payment will be made under:

Item ARI 56544 Riprap-Gradation No. 4 - per square yard.

FLEXIBLE BASE COURSES

ITEM 201002

BITUMINOUS BASE COURSE - METHOD II (Over 2,500 Tons/Pay Item/Location)

Revise Item 201 of the Standard Specifications and the Recurring Special Provision for Item 201002 as follows:

<u>201-1.1</u> <u>DESCRIPTION</u>. Add the following:

"The Bituminous Base Course for all new pavements shall be placed upon an aggregate base prepared in accordance with Item 602 Bituminous Prime Coat to a 1.5 inch thickness, laid in one (1) lift.

"Bituminous Base Course, Leveling shall be placed upon existing bituminous pavement that has been repaired and accepted in accordance with the Plans and these Special Provisions and prepared in accordance with Item 603 Bituminous Tack Coat, and placed in a varying thickness of 1.5 to 2.5 inches, laid in one (1) lift.

"For purposes of materials and design criteria, this item is to be constructed for aircraft weighing less than 60,000 pounds."

COMPOSITION

201-3.2 JOB MIX FORMULA (IMF). Add the following to the beginning of the fourth paragraph:

"Mix Gradation B (I inch maximum), Table 4, shall be used."

Add the following:

"For purposes of design criteria, this item is to be constructed for aircraft weighing less than 60,000 pounds."

BASIS OF PAYMENT

201-6.1 Add:

Payment will be made under:

ltem AR201610 Bituminous Base Course - per ton.
ltem AR201620 Bituminous Base Course, Leveling - per ton.
ltem AR201630 Bituminous Base Test Section - per each.

CRUSHED AGGREGATE BASE COURSE

Revise Item 209 of the Standard Specifications and Supplemental Specifications as follows:

209-1.1 DESCRIPTION. Add the following:

"The Crushed Aggregate Base Course shall be placed upon a prepared subgrade in lifts of limited thickness as required in the Standard Specifications and to total uniform compacted thickness of 8-inches, as shown in the Plans."

MATERIALS

209-2.3 GRADATION. Add the following:

"The gradation shall be Gradation B."

CONSTRUCTION METHODS

209-3.6 FINISHING AND COMPACTING. Add the following after the first paragraph:

"For the purpose of compaction control testing, this item is to be constructed for aircraft weighing less than 60,000 pounds (Standard Proctor standard)."

METHOD OF MEASUREMENT

<u>209-4.1</u> Delete this Section and replace with the following:

"Measurement for payment shall be in accordance with Section 209-4.2 of the Supplemental Specifications."

BASIS OF PAYMENT

<u>209-5.1</u> Delete this Section and replace with the following:

<u>"209-5.1 BASIS OF PAYMENT</u>. Payment shall be made at the Contract unit price per square yard, per each thickness indicated in the Plans, for Crushed Aggregate Base Course. These prices shall be full compensation for furnishing all materials and for all preparation, operations, hauling, and placing of these materials, for furnishing certified scales, and for all labor, equipment, tools, and incidentals necessary to complete the item.

"If, upon delivery and incorporation of any materials, the Contractor has failed to provide the necessary submittals as required by Sections 30-18, 40-01, 40-03 and 40-11 of the Standard Specifications, Supplemental Specifications and Special Provisions, the pay item shall not be included on the Contractor Progress Payment report until such submittals have been furnished.

AIP PROJECT NO. 3-17-0036-B5 IDA PROJECT NO. C73-3313

"Payment will be made under:

"Item AR209608 Crushed Agg. Base Course - 8-Inch - per square yard."

FLEXIBLE SURFACE COURSES

ITEM 401002

BITUMINOUS SURFACE COURSE - METHOD II (Over 2,500 Tons/Pay Item/Location)

Revise Item 401 of the Standard Specifications and the Recurring Special Provision for Item 401002 as follows:

<u>401-1.1</u> <u>DESCRIPTION</u>. Add the following to the second paragraph:

"The Bituminous Surface Course shall be laid in one (1) lift of 1.5 inches."

Add the following paragraphs:

"Item 603 Bituminous Tack Coat shall be placed between this item and the Bituminous Base Course, in accordance with Item 603, and as approved by the Resident Engineer.

"For purposes of materials and design criteria, this item is to be constructed for aircraft weighing less than 60,000 pounds."

401-3.2 JOB MIX FORMULA (IMF). Add the following to the beginning of the fourth paragraph:

"Mix Gradation B (3/4 inch maximum), Table 4, shall be used."

Add the following:

"For purposes of design criteria, this item is to be constructed for aircraft weighing less than 60,000 pounds."

BASIS OF PAYMENT

401-6.1 Add:

Payment will be made under:

Item AR401610

Bituminous Surface Course - per ton.

Item AR401630

Bituminous Surface Test section - per each.

BITUMINOUS PAVEMENT MILLING

Revise Item 401650 of the Recurring Special Provisions as follows:

DESCRIPTION

401650-1.1 Add the following:

"Milling for the Runway 8-26 crack repairs and for butt jointing (Tapering) construction only will be paid under this item. Milling for Runway 8-26 partial depth patching shall be 2-inches, and; milling for butt jointing (tapering) to meet existing Bituminous pavement for the Runway 8-26 /taxiway overlays and the hangar rehabilitation shall be 1.5-inches. Milling associated with the full-depth pavement removal in the Hangar 5 Pavement Removal and Replacement area will be paid under Item 401900."

METHOD OF MEASUREMENT

401650-4.1 Delete the last sentence of this section and replace with the following:

"Pavement milling necessary for butting new bituminous pavement with existing pavement to remain will be measured for pavement under this item."

BASIS OF PAYMENT

Add:

Payment will be made under:

Item AR401650 Bituminous Pavement Milling - per square yard.

BITUMINOUS PAVEMENT SAWING

DESCRIPTION

401665-1.1 This item shall consist of a saw cut at the extremity of bituminous pavements that are to be removed and at the outer edge of butt jointing, as shown in the Plans or as directed by the Resident Engineer. The depth of saw shall be full-depth or partial depth, as directed by the Resident Engineer.

CONSTRUCTION METHODS

401665-2.1 Prior to excavation, the existing pavement shall be saw cut at the locations shown in the Plans or as directed by the Resident Engineer. It shall be the Contractor's responsibility to determine the actual depth of pavement prior to this saw cut. The pavement to be sawcut will have a thickness of between two (2) and four (4) inches. Saw cutting at butt joints shall be a uniform 1.5-inches. During removal, should any of the pavement to remain be damaged due to a saw cut of insufficient depth, the damaged pavement shall be replaced in a manner satisfactory to the Resident Engineer. However, this pavement replacement shall not be measured for payment.

METHOD OF MEASUREMENT

401665-3.1 This item shall be measured in linear feet marked by the Resident Engineer prior to sawing. Saw cutting outside the limits marked by the Resident Engineer will not be measured for payment.

BASIS OF PAYMENT

401665-4.1 Payment will be made at the Contract unit price per linear foot for bituminous pavement sawing, which price shall be full compensation for the labor, equipment, tools and incidentals necessary to complete the item as specified.

If, upon delivery and incorporation of any materials, the Contractor has failed to provide the necessary submittals as required by Sections 30-18, 40-01, 40-03 and 40-11 of the Standard Specifications, Supplemental Specifications and Special Provisions, the pay item shall not be included on the Contractor Progress Payment report until such submittals have been furnished.

Payment will be made under:

Item AR401665 Bituminous Pavement Sawing - per linear foot.

REMOVE BITUMINOUS PAVEMENT

Revise Item 40 1900 of the Recurring Special Provisions as follows:

DESCRIPTION

401900-1.1 Revise the second paragraph as follows:

"Within the limits shown in the Plans or as directed by the Resident Engineer, the Contractor shall remove all of the existing bituminous concrete **and any existing aggregate base course material that** is **located above the bottom of the new granular drainage subbase** provided with the new taxiway and hangar apron construction."

CONSTRUCTION METHODS

401900-3.1 Add the following to the second paragraph:

"Material removed shall include all of the existing bituminous concrete and any existing aggregate base course material that is located above the bottom of the new granular drainage subbase provided with the new taxiway and hangar apron construction."

Add the following:

"The Contractor may use a power-operated mechanical scarifier, roto-mill, planing machine, grinder or other device to remove the asphalt surface in the area for Remove Pavement. The millings may be stored on-site at the location shown in the Plans for re-use elsewhere in the Project. However, this milling and stockpilling shall not be measured for payment but shall be included in the Contract unit price for Remove Bituminous Pavement."

BASIS OF PAYMENT

Payment will	be made under:	1

Add:

Item AR401900 Remove Bituminous Pavement - per square yard.

REMOVE AND REPLACE BITUMINOUS PAVEMENT

GENERAL

401910-1.1 This item shall consist of the saw cutting and removing of a portion on an existing bituminous pavement taxiway and replacement with new bituminous pavement at the location shown on the Plans and as directed by the Resident Engineer. This removal and replacement is to be furnished at separate times to allow for the installation of culvert pipe and/or utility ductbank.

MATERIALS

401910-2. | Materials used in completing this item shall meet the individual requirements of the Standard Specifications, Supplemental Specifications, Recurring Special provisions and these Special Provisions. Materials include:

a.	Bituminous Pavement Sawing	ltem 401665
b.	Excavation and Embankment	ltem 152
c.	Crushed Aggregate Base Course	Item 209
d.	Bituminous Prime Coat	Item 602
e.	Bituminous Base Course	Item 201
f.	Bituminous Tack Coat	ltem 603
g.	Bituminous Surface Course	ltem 401

CONSTRUCTION METHODS

401910-3.1 This item shall be completed in the following manner:

- a. <u>Saw Cut</u>. The limits of pavement to be removed and replaced will be marked by the Resident Engineer. Initial and secondary saw cuts shall be performed as shown in the Plans. It shall be the Contractor's responsibility to determine the depth of pavement prior to saw cutting to provide a full depth cut. Saw cutting for these patches will not be measured separately for pavement but shall be included in the Contract unit price for bituminous pavement removal and replacement.
- b. Removal. The pavement and base material within the patch area shall be excavated and disposed of by the Contractor at an off-Airport location. No additional compensation will be made for hauling and disposal of the removed material. During removal, should any of the pavement to remain be damaged, the damaged pavement shall be replaced in a manner satisfactory to the Resident Engineer. However, this additional pavement replacement shall not be measured for payment.

- c. <u>Subgrade Inspection</u>. After the removal of base materials and completion of the culvert pipe or ductbank work, the subgrade will be inspected by the Engineer for its suitability. Should removal and replacement of unsuitable subgrade be required, the Contractor shall replace the subgrade with suitable excess excavated materials in accordance with Item 152. Subgrade replaced will be measured and payment will be made under Item 152.
- d. <u>Crushed Aggregate Base Course</u>. Aggregate base shall be placed as specified in Item 209 and as shown in the Plans. The Resident Engineer shall have a nuclear gauge and qualified operator on the Project for density testing and acceptance.
- e. <u>Bituminous Prime Coat</u>. Bituminous prime coat shall be applied as specified in Item 602.
- f. <u>Bituminous Base Course</u>. Bituminous base course shall be constructed in accordance with Item 201. The surface course shall be placed in one (1) lift of 1.5-inch thickness. The Resident Engineer shall have a nuclear gauge and qualified operator on the Project for density testing and acceptance.
- g. <u>Bituminous Tack Coat</u>. Bituminous tack coat shall be applied as specified in Item 603, when directed by the Resident Engineer.
- h. <u>Bituminous Surface Course</u>. Bituminous surface course shall be constructed in accordance with Item 401. The surface course shall be placed in one (1) lift of 1.5-inch thickness. The Resident Engineer shall have a nuclear gauge and qualified operator on the project for density testing and acceptance.

METHOD OF MEASUREMENT

401910-4.1 The quantity to be paid for shall be the area in square yards measured in place, completed and accepted. The length and width for measurement will be the outside lines as marked by the Engineer prior to removal. Replacement of areas outside the limits marked by the Engineer will be completed in accordance with this item, but shall not be measured for payment.

With the exception of unsuitable subgrade removed and replaced, which will be measured and paid under item 152, no other material or work will be separately measured for payment.

BASIS OF PAYMENT

401910-5.1 Payment will be made at the Contract unit price per square yard for pavement removal and replacement, which shall be full compensation for all labor, materials, equipment, tools and incidentals necessary to complete the item specified and accepted.

AIP PROJECT NO. 3-17-0036-B5 IDA PROJECT NO. C73-3313

If, upon delivery and incorporation of any materials, the Contractor has failed to provide the necessary submittals as required by Sections 30-18, 40-01, 40-03 and 40-11 of the Standard Specifications, Supplemental Specifications and Special Provisions, the pay item shall not be included on the Contractor Progress Payment report until such submittals have been furnished.

Payment will be made under:

AR401910 Remove & Replace Bit. Pavement - per square yard.

BITUMINOUS PRIME COAT

This item shall be provided in accordance with the Standard Specifications and Supplemental Specification for Item 602, Bituminous Prime Coat.

Payment will be made under:

Item AR602510 Bituminous Prime Coat - per gallon.

BITUMINOUS TACK COAT

This item shall be provided in accordance with the Standard Specifications and Supplemental Specification for Item 603, Bituminous Tack Coat.

Payment will be made under:

Item AR603510 Bituminous Tack Coat - per gallon.

AIP PROJECT NO. 3-I7-0036-B5 IDA PROJECT NO. C73-3313

ITEM 610

STRUCTURAL PORTLAND CEMENT CONCRETE

This item shall be provided in accordance with the Standard Specifications and Supplemental Specification for Item 610, Structural Portland Cement Concrete.

No direct payment will be made for structural Portland cement concrete. The cost of furnishing and installing structural concrete shall be considered incidental to the Contract unit prices for the respective pay items utilizing the concrete.

PAVEMENT MARKING

Revise Item 620 of the Standard Specifications and Supplemental Specifications as follows:

MATERIALS

620-2.2 PAINT. Add the following:

"Permanent white and yellow markings shall be of epoxy; permanent black border and temporary markings shall be of waterborne."

CONSTRUCTION METHODS

620-3.8 TEMPORARY PAVEMENT MARKING. Add the following:

"Temporary Markings shall be waterborne and provided with glass spheres as specified in Section 620-2.3."

BASIS OF PAYMENT

<u>620-5.1</u> Delete the last paragraph and replace with the following:

"Payment will be made under:

"Item AR620525 Pavement Marking-Black Border - per square foot Item AR620530 Pavement Marking-Epoxy - per square foot.

Item AR620590 Temporary Marking - per square foot."

ITEM 70 L

PIPE FOR STORM SEWERS AND CULVERTS

Revise Item 701 of the Standard Specifications and Supplemental Specifications as follows:

MATERIALS

701-2.1 GENERAL. Add the following:

"The type and class of pipe shall be as shown in the Plans, meeting IDOT Specifications.

"This item shall also include the removal of an existing CMP culvert pipe and end sections and their disposal off-site.

"This item also includes the installation of plugs and restrictor pipes in new culvert pipes as shown in the Plans."

CONSTRUCTION METHODS

701-3.7 BACKFILLING. Add the following:

"No additional compensation will be allowed for backfill material required outside the limits of the specified trench width."

Add:

701-3.13

PIPE PLUGS AND RESTRICTORS. The Contractor shall furnish all materials, labor and incidentals to install mortared plugs and restrictor pipe in new and existing concrete culvert pies as shown and detailed in the Plans. The cost of providing this work shall be incidental to the unit costs for culvert pipe.

METHOD OF MEASUREMENT

701-4.1 METHOD OF MEASUREMENT. Add the following:

"Select granular material for trench backfill, as shown in the Plans, will not be measured but shall be included in the per linear foot price of the size and type of pipe installed.

"In areas were excavated earth material is used for backfill, as shown in the Plans, the Work shall not be measured for separate payment but shall be included in the linear foot price of the size and type of pipe installed.

"The quantities of Remove Pipe measured for payment shall be the linear foot of pipe and end sections removed, regardless of type, hauled and disposed of off-site by the Contractor."

BASIS OF PAYMENT

701-5.1 BASIS OF PAYMENT. Delete the last paragraph and insert the following:

"Payment will also be made at the Contract unit price for pipe removed and disposed of off-site, whose price shall include all materials, equipment, labor, transportation and haul, and incidentals necessary to complete the Remove Pipe item.

"Payment will be made under:

"Item AR701418	18" RCP, Class III - per linear foot.
Item AR701436	36" RCP, Class III - per linear foot.
Item AR701442	42" RCP, Class III - per linear foot.
Item AR701448	48" RCP, Class III - per linear foot.
Item AR701512	12" RCP, Class IV - per linear foot.
Item AR701515	15" RCP, Class IV - per linear foot.
ltem AR701900	Remove Pipe - per linear foot."

<u>ITEM 705</u>

PIPE UNDERDRAINS FOR AIRPORTS

Revise Item 705 of the Standard Specifications as follows:

705-1.1 DESCRIPTION. Add the following:

"The underdrain pipe shall be wrapped with a filter fabric casing. A second Underdrain Trench Envelope surrounding the trench with the underdrain pipe and the porous granular material (Porous Material No. 2) shall also be included. The Trench Envelope and Porous Material No. 2 shall not provided with the underdrain placed within the granular drainage subbase layer (AR800961). Where non-perforated pipe is specified, the fabric casing, porous material and trench fabric envelop shall not be provided.

"This item shall also include the installation of concrete underdrain inspection holes and underdrain cleanouts, as shown in the Plans and as specified below."

MATERIALS

- 705-2.1 GENERAL. Delete Sections 705-2.2 through 705-2.11.
- 705-2.12 CORRUGATED POLYETHYLENE (PE) TUBING AND IGS FITTINGS. Delete this Section and replace with the following:
 - "705-2.12 CORRUGATED POLYETHYLENE (PE) TUBING AND COUPLINGS AND FITTINGS.

 All underdrain shall be 4-inch perforated corrugated polyethylene (PE) pipe, **double wall** with a smooth inner surface, conforming to the requirements of AASHTO M 252, Type SP, Class 2. The underdrain shall be wrapped with a filter fabric casing, as noted in Section 705-2.13.

"Pipe used at connections to underdrain inspection holes and cleanouts shall be 6-inch, non-perforated and include a 6-inch/4-inch reducer fitting, as shown in the Plans."

- 705-2.13 FILTER FABRIC ENVELOPES FOR PERFORATED (PE) TUBING. Delete this section and replace with the following:
 - "705-2.13 FILTER FABRIC CASING FOR PERFORATED (PE) TUBING. The fabric for encasing perforated corrugated polyethylene (PE) tubing may be either a knitted, woven or nonwoven fabric. The fabric casing shall be factory applied to the PE tubing. The filter fabric will not be measured separately but shall be included in the unit price for underdrain pipe.

"(a) Materials.

- (1) Knitted Fabric. Knitted fabric casing shall be an approved continuous one-piece knitted polyester material that fits over the PE tubing like a sleeve. It shall be knitted of continuous 150 denier polyester yarn and shall be free from any chemical treatment or coating that might significantly reduce porosity and permeability.
- (2) Woven or Nonwoven Fabric. The filaments for woven or nonwoven fabric shall be polypropylene, polyester, nylon or polyethylene. The filaments must be dimensionally stable (i.e., filaments must remain in relative position with respect to each other) and resistant to delamination. The filaments must be free from any chemical treatment or coating that might significantly reduce porosity and permeability. Nonwoven fabric may be needle punched, heatbonded, resin-bonded or combinations thereof.
- (3) The physical properties for both knitted and woven or nonwoven fabric shall conform to the following:

Physical Properties (English)	Knitted	Woven or Nonwoven
Minimum Weight (oz./sq. yd.)	3.5 applied ASTM D3887 4.8 relaxed ASTM D3887	3.5 ASTM D-3776
Min. Wet Grab Tensile Strength (lbs.)	50 ASTM D-4632	100 ^{_1} ASTM D-4632
Grab Elongation @ Break (%)		20 min. ¹ / ASTM D-4632
Equivalent Opening Size (EOS No.)	30 min. ^{2/} Corps of Engineers CW-02215	30 min. nonwoven ^{2/} 50 min. woven ^{2/}
Burst Strength (PSI)	100 min. ^{2/} ASTM D-3887	

Physical Properties (Metric)	Knitted	Woven or Nonwoven
Minimum Weight (g/m²)	I20 applied ASTM D3887 I 60 relaxed ASTM D3887	120 ASTM D-3776
Min. Wet Grab Tensile Strength (N)	225 ASTM D-4632	450 ¹ / ASTM D-4632
Grab Elongation @ Break (%)		20 min. ¹ / ASTM D-4632
Equivalent Opening Size (EOS No.)	600 μ m min. ^{2/} Corps of Engineers CW-02215	$600 \mu \text{m}$ nonwoven $^{2/}$ $300 \mu \text{m}$ min. woven $^{2/}$
Burst Strength (PSI)	690 min. ^{2/} ASTM D-3887	

For woven fabric, test results shall be referenced to orientation with warp or fill, whichever the case may be.

^{2/} Manufacturer's certification to meet test requirements.

"(b) <u>Handling and Storage</u>. The knitted fabric envelope shall be applied to the pipe underdrain in the shop so as to maintain a uniform applied weight. Woven and nonwoven fabric or underdrains with knitted fabric envelope shall be delivered to the jobsite in such manner as to facilitate handling and incorporation into the work without damage. Fabric envelope materials shall be stored in UV-resistant bags until just prior to installation. In no case shall the fabric be stored or exposed to direct sunlight that might significantly diminish its strength or toughness. Torn or punctured fabric envelope shall not be used."

705-2.15 POROUS BACKFILL. Delete Table 1.

Add the following:

"Porous backfill material shall conform to the requirements for IDOT CA-14 or IDOT CA-16."

Add:

705-2.16 CONCRETE. Concrete for connections to drainage structures or other miscellaneous items shall conform to Item 610, Structural Portland Cement Concrete.

Add:

705-2.17 <u>ELASTOMERIC SEALS</u>. Elastomeric seals shall conform to the requirements of ASTM F 477.

Add:

<u>705-2.18</u>
<u>UNDERDRAIN TRENCH ENVELOPE</u>. The trench for the underdrain pipe and porous material shall be wrapped in a nonwoven filter fabric envelope. The trench fabric shall be Mirafi 140N, by TC Mirafi, or equal. Alternate fabrics may be submitted for consideration by the Engineer. The filter fabric shall not be measured separately but shall be included in the unit price for underdrain pipe.

Add:

705-2.19

UNDERDRAIN INSPECTION HOLEAND CLEANOUT. Underdrain inspection hole and cleanout shall be as shown in the details and notes shown on the Plans. Concrete collar may be cast-in-place of concrete meeting Item 610 or pre-cast meeting IDOT Specifications for Class PC concrete. Pre-cast structures shall be from IDOT-approved sources. Frame and grate shall be as noted in the Plans. The area between the pipe and the frame opening shall be grouted and sealed with a cement mortar. Separate payment for the frame and grate, cement mortar and other incidentals shall not be made but shall be included in the unit price for inspection hole and cleanout.

Add:

PIPE/MANHOLE CONNECTIONS. Connections to the storm sewer system are to be made at manholes unless otherwise shown on the Plans. These connections shall be made through smooth holes precast in the manhole structure made at the proper invert elevation. Concrete conforming with Item 610 shall be used to seal the connection. Connections to structures shall not be paid for separately but shall be included in the Contract price for underdrain.

CONSTRUCTION METHODS

705-3.3 LAYING AND INSTALLING PIPE. Delete paragraphs (a), (b) and (c) and replace with the following:

"Underdrains using perforated corrugated polyethylene tubing shall be constructed as follows:

- "(a) <u>Trench</u>. Trenches shall be excavated to the dimensions and grades required by the Plans or as directed by the Resident Engineer. In no case shall the width of trench exceed 12 inches. The trench depth shall include the 4-inch bedding to meet the pipe inverts shown on the Plans.
- "(b) <u>Trench Envelope Filter Fabric</u>. The fabric envelope shall be delivered to the jobsite in such a manner as to facilitate handling and incorporation in the Work without damage. Fabric envelope materials shall be stored in UV-resistant covering until just prior to installation. In no case shall the fabric be stored or exposed to direct sunlight that might significantly diminish its strength or toughness. Torn or punctured fabric envelope shall not be used.
 - "After all the necessary excavations of the trench to the required depth have been made, and the trench leveled and smoothed as shown in the Plans, the fabric shall be loosely rolled out in such a manner that the center of the fabric is at the centerline of the excavated trench.
 - "The fabric should not be stretched so that it will tear when the aggregate is placed. When several sections of fabric are used, the fabric shall overlap a minimum of 2 feet to assure continuity of the filter. Sufficient fabric shall remain uncovered to provide for fabric overlap at the top.
- "(c) <u>Pipe</u>. Prior to installing the pipe, a 4-inch layer of porous backfill meeting the requirements of Paragraph 2.15 shall be constructed in the bottom of the trench. Perforated, corrugated polyethylene tubing with filter fabric sock shall be seated in the porous backfill and held firmly in place, while porous backfill meeting the requirements of Paragraph 2.15 is carefully placed to a height of 5 inches <u>+</u> I inch above the tubing. After the first lift is compacted to the satisfaction of the Engineer, the remainder of the backfill shall be placed and compacted.

"Following the backfilling operation, the trench fabric envelop shall be lapped over the top and covered with another specified material.

"Perforated, corrugated polyethylene tubing shall be laid true to grade and shall not be stretched more than 5% during installation. The Contractor shall be required to establish control grade on the underdrain pipe to ensure the pipe is installed at the proper elevation. Contract grade elevations are to be provided to the Resident Engineer upon request."

"Underdrains using non-perforated corrugated polyethylene tubing shall be constructed as follows:

- "(a) <u>Trench</u>. Trenches shall be excavated to the dimensions and grades required by the Plans or as directed by the Resident Engineer. In no case shall the width of trench exceed 12 inches. As bedding material is not needed, the trench depth shall be the pipe inverts shown on the Plans.
- "(b) <u>Pipe</u>. After all the necessary excavations of the trench to the required depth have been made, and the trench leveled and smoothed as shown in the Plans, the non-perforated pipe shall be seated in the trench bottom and held firmly in place, while select excavated material is placed to a height of 5 inches <u>+</u> I inch above the tubing. After the first lift is compacted to the satisfaction of the Engineer, the remainder of the backfill shall be placed and compacted.

"Non-perforated, corrugated polyethylene tubing shall be laid true to grade and shall not be stretched more than 5% during installation. The Contractor shall be required to establish control grade on the underdrain pipe to ensure the pipe is installed at the proper elevation. Contract grade elevations are to be provided to the Resident Engineer upon request."

- 70<u>5-3.4</u> MORTAR. Delete this section.
- 705-3.5 JOINTS IN CLAY OR CONCRETE PIPE. Delete this entire section.
- 705-3.6 BACKFILLING. Add the following:

"Backfilling for perforated underdrains shall be as detailed in the Plans."

705-3.7 CONNECTIONS. Add the following:

"Connections to concrete pipe or manholes shown on the Plans shall be sealed with structural $\frac{1}{2}$ Portland cement concrete, as specified in Item 610."

Add:

705-3.9 HEADWALLS, END SECTIONS, INSPECTION HOLES, COLLECTION STRUCTURES AND CLEANOUTS FOR UNDERDRAINS. Headwalls, end sections, inspection holes, collection structures and cleanouts for underdrains shall be constructed in accordance with the Plans and the applicable sections of Item 751 and Item 752.

METHOD OF MEASUREMENT

Add:

705-4.3 The number of underdrain inspection holes and cleanouts shall be the number of units for each type of structure installed complete in place and accepted.

BASIS OF PAYMENT

705-5. | BASIS OF PAYMENT. Revise this section as follows:

"Payment will be made at the Contract unit price per linear foot for pipe underdrain of the type, class, and size designated. The fabric wrap on the pipe and the trench filter fabric envelope will not be measured separately for payment but shall be included in the unit price for underdrain pipe. Porous Material No. 2 shall be paid at the Contract unit price per cubic yard for Porous Backfill No. 2. Underdrain inspection hole and cleanout shall be paid at the Contract unit price per each type of structure installed and accepted by the Resident Engineer. These prices shall be full compensation for furnishing all materials and for all preparation, hauling, and installation of these materials, and for all labor, equipment, tools, and incidentals necessary to complete the item.

"If, upon delivery and incorporation of any materials, the Contractor has failed to provide the necessary submittals as required by Sections 30-18, 40-01, 40-03 and 40-11 of the Standard and Special Provisions, the pay item shall not be included on the Contractor Progress Payment report until such submittals have been furnished.

"Payment will be made under:

"Item AR705412 Porous Backfill No. 2 - per cubic yard.
Item AR705504 4" Perforated Underdrain - per linear foot.
Item AR705630 Underdrain Inspection Hole - per each.
Item AR705640 Underdrain Cleanout - per each."

MANHOLES, CATCH BASINS, INLETS AND INSPECTION HOLES

Revise Item 751 of the Standard Specifications and Supplemental Specifications as follows:

DESCRIPTION

751-1.1 Add the following to the first paragraph:

"This item shall also meet IDOT Specifications and AASHTO M 199 (ASTM C-478) for pre-cast drainage structures."

CONSTRUCTION METHODS

Add:

751-3.12 <u>PROVISIONS FOR TRENCH DRAIN AND UNDERDRAIN CONNECTIONS</u>. Concrete manhole and inlet structures shall include pre-cast holes for use in making trench drain and/or underdrain pipe connections at those locations and at the inverts shown in the Plans and schedules. This pre-cast work shall be incidental to the manhole or inlet.

BASIS OF PAYMENT

751-5.1 Add the following:

"If, upon delivery and incorporation of any materials, the Contractor has failed to provide the necessary submittals as required by Sections 30-18, 40-01, 40-03 and 40-11 of the Standard Specifications, Supplemental Specifications and Special Provisions, the pay item shall not be included on the Contractor Progress Payment report until such submittals have been furnished."

Delete the pay item listing and replace with the following:

"Payment will be made under:

"Item AR751411	Inlet - Type A - per eac
ltem AR75 540	Manhole 4' - per each.
Item AR751550	Manhole 5' - per each.
ltem AR751560	Manhole 6' - per each.
Item AR751567	Manhole 7' - per each."

CONCRETE CULVERTS, HEADWALLS AND MISCELLANEOUS DRAINAGE STRUCTURES

Revise Item 752 of the Standard Specifications and Supplemental Specifications as follows:

DESCRIPTION

752-1.1 Add the following:

"The precast flared end section shall meet the requirements of IDOT Specifications.

"This item shall also consist of the grating for concrete flared end sections at the dimensions shown in the Plans. The Contractor shall coordinate the grating dimensions shown in the Plans with the manufacture of the pre-cast flared end section."

MATERIALS

Add:

<u>GRATING FOR CONCRETE FLARED END SECTION</u>. Grating dimensions shall be as shown in the Plans. Structural steel shall conform to Section 1006.04 of the IDOT Specifications. Galvanized steel pipe shall conform to Section 1006.27 (b) of the IDOT Specifications. Nuts, bolts and washers shall be in accordance with Section 1006.27 (f) of the IDOT Specifications. All fabrication shall be completed prior to galvanizing. **The Contractor shall coordinate the grating dimensions shown in the Plans with the manufacture of the pre-cast flared end section.**"

METHOD OF MEASUREMENT

752-4.1 METHOD OF MEASUREMENT. Add the following:

"The quantities of grating for concrete flared end sections shall be the actual number of gratings installed by the Contractor and accepted by the Resident Engineer."

BASIS OF PAYMENT

752-5.1 BASIS OF PAYMENT. Revise this section to read as follows:

"The accepted number of concrete flared end sections will be paid for at the Contract unit price per each, complete and in place. The accepted number of gratings for concrete flared end sections will be paid for at the Contract unit price per each, complete and in place. These prices shall be full compensation for furnishing all materials and for all preparation, excavation, backfilling and placing of the materials; furnishing and installation of such specials and connections to pipes and other structures as may be required to complete the item as shown in the Plans; and for all labor, equipment, tools and incidentals necessary to complete the structure.

"If, upon delivery and incorporation of any materials, the Contractor has failed to provide the necessary submittals as required by Sections 30-18, 40-01, 40-03 and 40-11 of the Standard and Special Provisions, the pay item shall not be included on the Contractor Progress Payment report until such submittals have been furnished.

"Payment will be made under:

"Item AR752442

Precast Reinforced Conc. FES 42" - per each.

Item AR752542

Grating for Conc. FES 42" -per each."

RUNWAY CLOSURE MARKER - SET

GENERAL

800932-1.1 This item shall consist of furnishing, placing, relocating and removing manufactured re-usable temporary runway closure markers to indicate that a runway is closed for aircraft use. The marker set - for two ends of the runway, with matching storage bag - are to be placed as noted in the Plans and as directed by the Resident Engineer. The marker set and matching storage bag are to remain as the property of the Airport Owner at project completion.

MATERIALS

800932-2.1 The runway closure marker set (for two runway ends) and storage bag shall be durable lightweight vinyl coated windscreen material which provides a solid appearance clearly indicating a runway is closed for aircraft use at an airport. The design shall have been tested under actual runway conditions for civilian and military runways and meet the requirements of FAA Advisory Circular 150/5340-1H and FAR Part 139 requirements. The material shall be yellow with a visible enhanced black border, and mildew and ultraviolet resistant.

The material shall be manufactured by Neubert Aero Corporation Item TS-100 (for two runway ends) with matching storage bag. Suppliers include:

 Neubert Aero Corporation 4105 West DeLeon Street Tampa, Florida 33609-3851 Telephone: 727.789.8922
 Facsimile: 727.789.2015 Serrot Paving Products
 4439 Town Center Place
 Kingwood, Texas 77339
 Telephone: 281.360.8281
 Facsimile: 281.360.9180

CONSTRUCTION METHODS

800932-3.1 The markers shall be placed on the runway as noted in the Plans and as directed by the Resident Engineer. The markers shall be secured in placed to resist blowing winds and weather using the methods and means recommended by the manufacturer. The Contractor shall install the markers, maintain the installation, relocate and reinstall as necessary, and remove the markers as required to complete the Work.

At project completion, the markers shall become the property of the Airport Owner. The Contractor shall deliver the markers in the matching storage bag to an on-Airport location designated by the Resident Engineer.

METHOD OF MEASUREMENT

800932-4.1 The quantities of markers measured for payment shall be the number of marker sets (for two runway ends and with matching storage bag) furnished, installed, relocated, removed and delivered to the Airport Owner and stored at an on-Airport location and accepted by the Resident Engineer. Separate measurement shall not be made for methods, means and materials necessary to secure the markers from wind and weather as recommended by the marker manufacturer.

BASIS OF PAYMENT

800932-5.1 Payment will be made at the Contract unit price per each of runway closure marker set (for two runway ends with matching storage bag) accepted and delivered to the Airport Owner, which price shall be full compensation for all materials, and the labor, equipment, tools and incidentals necessary to complete the item as specified.

If, upon delivery and incorporation of any materials, the Contractor has failed to provide the necessary submittals as required by Sections 30-18, 40-01, 40-03 and 40-11 of the Standard Specifications, Supplemental Specifications and Special Provisions, the pay item shall not be included on the Contractor Progress Payment report until such submittals have been furnished.

Payment will be made under:

Item AR800932 Runway Closure Marker-Set - per each.

GRANULAR DRAINAGE SUBBASE

GENERAL

800961-1.1 This item shall consist of furnishing, placing, shaping and compacting crushed stone for use as a granular subbase course and drainage layer. The material is to be placed to the lines and grades as shown on the Plans and as directed by the Resident Engineer.

MATERIALS

- 800961-2.1 COARSE AGGREGATE. The crushed coarse aggregate shall conform with the requirements of Article 1004.01 of IDOT Standard Specifications for Road and Bridge Construction, adopted January 1, 2002, and the following specific requirements:
 - (a) <u>Description</u>. The coarse aggregate shall be crushed gravel, novaculite, crushed stone or crushed sandstone. **Pit run gravel and gravel shall not be used for the granular subbase material**.

The granular material , if approved by the Engineer, may be produced by blending aggregates from more than one source, provided the method of blending results in a uniform product. The components of a blend may not be of the same kind of material. The source of material shall not be changed during the progress of the Work without written permission of the Engineer. Where a natural aggregate is deficient in fines, the material added to make up deficiencies shall be a material approved by the Engineer.

- (b) Quality. The coarse aggregate shall be Class D Quality or better.
- (c) Gradation. The coarse aggregate base gradation shall be CA-7.
- (d) <u>Plasticity</u>. All material shall have a plasticity ratio of 0 to 4 percent. The plasticity index requirement for crushed gravel and crushed stone may be waived if the ratio of the percent passing the No. 200 sieve to that passing the No. 40 sieve is 0.60 or less.

The plasticity index shall be determined by the method given in AASHTO T90. Where shale in any form exists in the producing ledges, crushed stone samples shall be soaked a minimum of eighteen hours before processing for plasticity index or minus No. 40 material. When clay material is added to adjust the plasticity index, the clay material shall be in a minus No. 4 sieve size.

CONSTRUCTION METHODS

800961-3.1 GENERAL. All work involved in clearing and stripping of quarries and pits, including the handling of unsuitable material, shall be performed by the Contractor at his own expense. The subbase material shall be obtained from approved sources. The material shall be handled in a manner that shall secure a uniform and satisfactory product.

- 800961-3.2 <u>EQUIPMEN</u>T. All equipment necessary for the proper construction of this Work shall be on the Project, in first-class working condition, and approved by the Resident Engineer before construction is permitted to start. Equipment available shall meet the requirements of IDOT <u>Standard Specifications for Road and Bridge Construction</u>, adopted January 1, 2002, Article 3 I 1.03, of Section 3 I 1, Granular Subbase.
- 800961-3.3 PREPARING UNDERLYING COURSE. The underlying subgrade shall be checked and accepted by the Resident Engineer before placing and spreading operations are started. The subgrade shall be free of ruts, objects and debris, but **shall not be proof rolled unless directed by the Resident Engineer**.

The crushed aggregate is to be placed over a separation fabric as specified in Item 156513. The furnishing and placement of the fabric will be paid under Item AR156513. The aggregate will be spread over the fabric in a manner that is not injurious to the fabric. To protect the underlying course and to insure proper drainage, the spreading of the aggregate shall begin along the centerline of the area for a crowned section or on the high side of the pavement with a one-way slope.

Grade control shall be provided by the Contractor shall be provided using string lines, checkboards, forms or other suitable methods that will assure that the separation fabric beneath is not damaged.

800961-3.4 PLACING AND SPREADING. The depositing and spreading of the material shall commence where designated and shall progress without breaks. The drainage layer shall be constructed in a layer of not less than 3-inches nor more than 6-inches of compacted thickness. The material shall be deposited and spread on the underlying subgrade and separation fabric in lanes of a uniform thickness and gradation, without segregation by size or pockets of fine or coarse materials, and to such loose depth that, when compacted, the layer shall have the required thickness. The aggregate shall be spread by spreader boxes or other approved devices or methods that shall spread the aggregate in the required amount to avoid or minimize the need for re-handling the material and to prevent the rutting of the underlying subgrade. Hauling over the un-compacted material shall not be permitted. No material shall be placed in snow or on a soft, muddy, or frozen underlying course, unless directed by the Resident Engineer.

When more than one layer is required, the construction procedure described herein shall apply similarly to each layer.

During the placing and spreading, sufficient caution shall be exercised to prevent the incorporation of subgrade or shoulder material in the base mixture.

800961-3.5 ROLLING AND COMPACTING. After spreading, the crushed aggregate shall be thoroughly compacted by rolling. The rolling shall progress gradually from the sides to the center of the lane under construction, or from one side toward previously placed material by lapping uniformly each preceding rear wheel track by one-half the width of such track. Rolling shall continue until the stone is thoroughly set, the interstices of the material reduced to a minimum, and creeping of the stone ahead of the roller is no longer visible. The base shall be compacted to the satisfaction of the Resident Engineer.

The course shall not be rolled when the underlying course is soft or yielding or when the rolling causes undulation in the subbase course.

In areas inaccessible to rollers, the crushed aggregate material shall be tamped thoroughly with mechanical tampers.

The sprinkling during rolling, if necessary, shall be in the amount and by equipment approved by the Resident Engineer.

800961-3.6 FINISHING OF SUBBASE. Prior to final shaping, the subbase shall be brought to true shape. After the subbase has been brought to its true shape and correct elevation, the surface shall be wetted and rolled as directed by the Resident Engineer with a three-wheel or tandem roller weighing of between 6 and 10 tons and weighing not less than 200 pounds/inch nor more than 325 ponds/inch of width of the roller.

After the subbase has been compacted and shaped, the surface of the subbase shall be tested for crown and elevation. The Contractor shall furnish all equipment necessary for these checks. Any portion lacking the required smoothness or failing in accuracy of grade or crown shall be scarified, reshaped, re-compacted, and otherwise manipulated as the Resident Engineer may direct until the required smoothness and accuracy are obtained. The finished surface shall not vary more than ½-inch from a 16-foot straightedge when applied to the surface parallel with, and at right angles to, the centerline, or shall not be more than 0.05 foot from the true grade as established by grade hubs or pins.

The Contractor shall have at all times a minimum of one (1) day's production of subbase ahead of the paving.

The subbase shall be moist at the time of placing subsequent base materials. If the subbase subsequently becomes too dry, it shall be sprinkled again, in such a manner as not to form puddles of water. The Contractor shall provide water and all equipment necessary to meet this requirement. The cost of watering shall be incidental to the Contract.

800961-3.7 TOLERANCE IN THICKNESS. The subbase shall be constructed to the thickness shown on the Plans. Thickness determinations shall be made by depth tests or cores taken at intervals in such a manner that each test shall represent no more than 400 square yards. When the base deficiency is more than ½-inch, the Contractor shall correct such areas by scarifying, adding satisfactory base mixture, rolling, sprinkling, reshaping, and finishing in accordance with these Specifications.

The Contractor shall replace, at his expense, the subbase material where borings have been taken for test purposes.

800961-3.8 PROTECTION. Work on the subbase shall not be accomplished during freezing temperatures nor when the subgrade is wet. When the aggregates contain frozen materials or when the underlying course is frozen, the construction shall be stopped.

Hauling equipment may be routed over completed portions of the subbase, provided no damage results and provided that such equipment is routed over the full with of the course to avoid rutting or uneven compaction. However the Resident Engineer shall have the full and specific authority to stop all hauling over completed or partially completed subbase when, in his opinion, such hauling is causing damage. Any damage resulting from routing equipment over the course shall be repaired by the Contractor at his own expense.

800961-3.9 MAINTENANCE. Following the completion of the subbase, the Contractor shall perform all maintenance work necessary to keep the subbase in good condition. The subbase shall be properly drained at all times. If cleaning is necessary, any work or restitution necessary shall be at the expense of the Contractor.

METHOD OF MEASUREMENT

800961-4.1 The Crushed Aggregate Drainage Subbase to be paid for shall be the measured area in square yards for each thickness of subbase course placed, bonded and accepted by the Resident Engineer.

BASIS OF PAYMENT

800961-5.1 Payment will be made at the Contract unit price per square yard, per each thickness indicated on the Plans, for Crushed Aggregate Drainage Subbase. This price shall be full compensation for furnishing all materials and for the preparation, hauling, and placing of these materials, for furnishing certified scales, and for all labor, equipment, tools and incidentals necessary to complete the item.

Payment will be made under:

Item AR800961 Granular Drainage Subbase - 12" - per square yard.

RAP SUBBASE

GENERAL

800962-1.1 This item shall consist of preparing, hauling from an on-site location, placing, shaping and compacting of recycled asphalt pavement (RAP) for use as an aggregate subbase over the existing subgrade at the locations shown in the Plans. This item shall also include the furnishing from an IDOT-approved source, hauling from an IDOT-approved off-site location, placing, shaping and compacting of recycled asphalt pavement (RAP) for use as an aggregate subbase over the existing subgrade at the locations shown in the Plans and when directed by the Resident Engineer. These materials are to be placed to the lines and grades as shown on the Plans and as directed by the Resident Engineer.

MATERIALS

- 800962-2.1 RAP MATERIAL. All available on-site RAP material shall be used before off-site material is used in the Work. The RAP material shall meet the following:
 - a. On-Site. The on-site RAP material to be used shall be uncontaminated bituminous concrete millings produced and stockpiled elsewhere under the Contract. Milling waste to be used as subbase material shall be broken down into sizes no larger than 1-¾ inch. Material larger than 1-¾ inch shall be separated from the remaining material and legally disposed of at an off-Airport location. The haul and disposal of this debris shall be incidental to the Contract unit price for RAP Subbase On-Site. The Contractor will provide a sample of the prepared millings to be used as subbase for purposes of compaction control testing.
 - b. Off-Site. The off-site RAP material to be used shall be uncontaminated bituminous concrete millings obtained from an IDOT-approved stockpile at an off-site location. Milling waste to be used as subbase material shall be broken down into sizes no larger than 1-3/4 inch. Material larger than 1-3/4 inch shall be separated from the remaining material and legally disposed of at an off-Airport location. The haul and disposal of this debris shall be incidental to the Contract unit price for RAP Subbase Off-Site. The Contractor will provide a sample of the prepared millings to be used as subbase for purposes of compaction control testing.

CONSTRUCTION METHODS

800962-3.1 GENERAL. All work involved in preparing the RAP material for use under this item, including the screening-out of larger pieces and the disposal of this unsuitable material, shall be performed by the Contractor at his own expense. Feeding from the stockpile shall be performed so as to avoid any contamination from underlying in-place materials not intended for use as subbase. The material shall be handled in a manner that shall secure a uniform and satisfactory product.

- 800962-3.2 EQUIPMENT. All equipment necessary for the proper construction of this Work shall be on the Project, in first-class working condition, and approved by the Resident Engineer before construction is permitted to start. Equipment available shall meet the requirements of IDOT Standard Specifications for Road and Bridge Construction, adopted January 1, 2002, Article 311.03, of Section 311, Granular Subbase.
- 800962-3.3 PREPARING UNDERLYING COURSE. The underlying granular drainage course shall be checked and accepted by the Resident Engineer before placing and spreading operations are started. The granular course shall be free of ruts, objects and debris, but **shall not be proof rolled unless directed by the Resident Engineer**.

To protect the underlying course and to insure proper drainage, the spreading of the RAP material shall begin along the centerline of the area for a crowned section or on the high side of the pavement with a one-way slope.

800962-3.4 PLACING AND SPREADING. The depositing and spreading of the material shall commence where designated and shall progress without breaks. The material shall be deposited and spread in lanes in a uniform layer and without segregation of size to such loose depth that, when compacted, the layer shall have the required thickness. The RAP material shall be spread by spreader boxes or other approved devices or methods that shall spread the material in the required amount to avoid or minimize the need for re-handling the material and to prevent the rutting of the underlying subgrade. Hauling over the un-compacted material shall not be permitted.

The RAP material shall be placed on the underlying subgrade in loose lifts of up to 4-inches. The material, as spread, shall be of uniform gradation with no segregation or pockets of fine or coarse materials. No material shall be placed in snow or on a soft, muddy, or frozen underlying course. When more than one layer is required, the construction procedure described herein shall apply similarly to each layer.

During the placing and spreading, sufficient caution shall be exercised to prevent the incorporation of subgrade or shoulder material in the aggregate mixture.

800962-3.5 FINISHING AND COMPACTING. After spreading, the material shall be thoroughly compacted by rolling. The rolling shall progress gradually from the sides to the center of the lane under construction, or from one side toward previously placed material by lapping uniformly each preceding rear wheel track by one-half the width of such track. Rolling shall continue until the material is thoroughly set, the interstices of the material reduced to a minimum, and creeping of the material ahead of the roller is no longer visible. Rolling shall continue until the material has been compacted to not less than 95 percent of maximum density when tested in accordance with ASTM D-698 (Standard Proctor). Blading and rolling shall be done alternately, as required or directed, to obtain smooth, even and uniformly compacted backfill.

Sprinkling of the material with water shall be provided by the Contractor as necessary to improve rolling and compaction results. The sprinkling during rolling, if necessary, shall be in the amount and by equipment approved by the Resident Engineer. The costs for this sprinkling shall be incidental to the Contract unit price for RAP Subbase.

The course shall not be rolled when the underlying course is soft or yielding or when the rolling causes undulation in the aggregate course.

In areas inaccessible to rollers, the material shall be tamped thoroughly with mechanical tampers.

800962-3.6 PROTECTION. Work on the backfill shall not be accomplished during freezing temperatures nor when the subgrade is wet. When the RAP material is frozen or when the underlying course is frozen, the construction shall be stopped.

Hauling equipment may be routed over completed portions of the backfill provided no damage results and provided that such equipment is routed over the full with of the course to avoid rutting or uneven compaction. However the Resident Engineer shall have the full and specific authority to stop all hauling over completed or partially completed backfill when, in his opinion, such hauling is causing damage. Any damage resulting from routing equipment over the course shall be repaired by the Contractor at his own expense.

800962-3.7 MAINTENANCE. The backfill shall be properly drained at all times. If cleaning is necessary, any work or restitution necessary shall be at the expense of the Contractor.

METHOD OF MEASUREMENT

800962-4.1 The RAP Subbase- From On-Site to be paid for shall be measured in place and the volume computed in cubic yards for material placed and accepted and obtained from on-Airport stockpiles created from on-site milling operations, and shall be determined from the dimensions given on the Plans or dimensions ordered by the Resident Engineer. Measurements for on-site material will be made separately from off-site material.

The RAP Subbase- From Off-Site to be paid for shall be measured in place and the volume computed in cubic yards for material placed and accepted and obtained from an IDOT-approved off-site stockpile, and shall be determined from the dimensions given on the Plans or dimensions ordered by the Resident Engineer. Measurements for off-site material will be made separately from on-site material.

BASIS OF PAYMENT .

800962-5.1 Payment will be made at the Contract unit price per cubic yard for RAP Subbase from On-Site or from Off-Site, depending upon the origin of the material. This price shall be full compensation for preparing or furnishing all materials and for the preparation, hauling, and placing of these materials, and for all labor, equipment, tools and incidentals necessary to complete the item.

If, upon delivery and incorporation of any materials, the Contractor has failed to provide the necessary submittals as required by Sections 30-18, 40-01, 40-03 and 40-11 of the Standard Specifications, Supplemental Specifications and Special Provisions, the pay item shall not be included on the Contractor Progress Payment report until such submittals have been furnished.

SPECIAL PROVISIONS DIXON MUNICIPAL AIRPORT (C73) OVERLAY RUNWAY 8-26 and REHABILITATE HANGAR PAVEMENTS

AIP PROJECT NO. 3-I7-0036-B5 IDA PROJECT NO. C73-33I3

Payment will be made under:

Item AR800962

RAP Subbase-From On-Site - per cubic yard.

Item AR800963

RAP Subbase-From Off-Site - per cubic yard.

TRENCH DRAIN

GENERAL

800970-1.1 This item shall consist of furnishing, placing and installing a complete high-capacity, pre-sloped surface drainage system comprised of a pre-cast polymer concrete trench and tight-fitting frame and slotted grate with concrete backfill and PVC connector piping, at the locations shown and as detailed in the Plans. This item shall include all labor, equipment and materials required to provide an operating trench drainage system acceptable to the Resident Engineer.

MATERIALS

800970-2.1 PRE-CAST SURFACE DRAINAGE SYSTEM. The pre-sloped surface drainage system shall be Polycast® High Capacity Drain System Series 3000 (8-Inch), by Strongwell, Lenoir City Division, or approved equal. The system shall include a pre-formed, pre-sloped channel of polyester Resin composition, designed to remove rain, melting snow and ice. The pre-sloped drain components shall be of 1.0 percent minimum slope for the lengths shown in the Plans. At full channel conditions, the system flow rate shall not be less than 6.73 cubic feet per second and the flow velocity not less than 5.8 feet per second for continuously sloped runs (of 120 feet). Glass fiber reinforced polymer components shall have a minimum of 65 percent glass reinforcement and UV surfacing veil on inner and outer surfaces. The system shall be installed flush to grade and designed for installation in paved traffic areas.

The trench shown in the Plans shall be provided in sections each 8-foot long. The grate shall be cast iron slotted Polycast[®] Part Number DG3041, or equal, with an open area of 42 square inches per linear foot, designed for a distributed load of 900 psi (130,000 pounds per square foot), exceeding AASHTO H-20 and meeting FAA requirements for pavement design per AC 150/5320-6D. The frame shall be galvanized steel and shall lock to the grate at four (4) lockdown mechanism points per 8-foot section. These lockdown points shall be of %-inch - 16 UNC stainless steel bolts with a round stainless steel washer placed under the bolt head. The lockdown mechanism shall be designed for an installation torque of ten (10) foot-pounds. End caps shall be provided where required. Transition pieces from channel to channel shall be furnished. All accessories, such as channel frames, couplers, adapters and hardware necessary for a complete installation shall be furnished

The shape of the channel shall lock into the concrete for the entire length of the channel. Channels deeper than 20-inches shall have an integral longitudinal stiffening rib reinforcement that locks into the concrete. Channel sidewall deflection shall not impede fluid flow or exceed 0.20 inches during concrete placement. The bottom shall be 8-5% inches inside to match 8-inch pipe diameter and be fully rounded. Radiused longitudinal transitions between vertical wall sections shall have a nominal inside width of 5-5% inches and the channel bottom are acceptable. Integral chairs shall be incorporated into the frame to support the channel and aid in holding two corresponding channels aligned. These chairs shall not require special tools or techniques to adjust. The design of the chair shall be such that it can support the channels from the bottom of the trench or hang the channels from the top of the trench.

The frame shall provide a concrete interlock and capture and support the channel sidewall. Frames shall not restrict the longitudinal movement of the drain body due to thermal expansion. The coefficient of thermal expansion for the channel bodies shall not exceed 4.5×10^6 inch/inch/ ° Fahrenheit. The frame shall incorporate an integral air vent of a design and frequency to release air from under the bearing structure. No composite material shall be between the frame grate bearing member and the encasing concrete.

- 800970-2.2 CONNECTOR PIPE. Pipe connecting the assembled trench drain with the airport culvert drainage system at a manhole, as shown in the Plans, shall be 8-inch PVC pipe and 45° elbow fittings meeting ASTM D3034.
- 800970-2.3 CONCRETE. Concrete used in encasing the assembled trench sections shall be P.C. Concrete, Item 610.

CONSTRUCTION METHODS

- 800970-3.1 PRE-CAST SURFACE DRAINAGE SYSTEM. The pre-sloped trench channel assembly shall be installed in accordance with the manufacturer's recommendations. The PVC connector pipe shall be installed per manufacturer's recommendations.
- 800970-3.2 CONCRETE. Concrete used in encasing the trench drain shall be placed, cured and protected in accordance with Item 610.
- 800970-3.3 CONNECTIONS. PVC pipe connections at the manhole shall be made at openings that have been pre-cast during the manholes manufacturer. The Contractor shall coordinate these requirements with the manhole producer. Connections shall be grouted water tight using P.C. Concrete Item 610.
- 800970-3.4 CLEAN-UP. The Contractor shall dispose of all materials, debris and refuse from the Airport site.

METHOD OF MEASUREMENT

800970-4.1 Trench Drain shall be measured from the end of the assembled channel frame to the opposite end of the assembled channel frame, and shall be the length of Trench Drain actually constructed as a complete unit and accepted by the Resident Engineer. No separate measurements will be made for the PVC connector pipe, the concrete encasement or other materials used in completing this item.

BASIS OF PAYMENT-

800970-5.1 Payment shall be made at the Contract unit price for Trench Drain. This price shall be full compensation for furnishing all materials and for all preparation, removals, relocation, erection, installation and disposal, and for all labor, equipment, tools, and incidentals necessary to complete this item. Separate payment shall not be made for PVC connector pipe, P.C. Concrete or other incidentals used in completing the item.

Payment will be made under:

AR800970 Trench Drain - per linear foot.

PARTIAL DEPTH BITUMINOUS CRACK REPAIR AND PATCH

GENERAL

800972-1.1 This item shall consist of bituminous crack repair utilizing a modified isolation system. The modified system consists of 2-inch depth milling, application of a highly modified polymer bituminous sand mix (interstabilizing) layer, and installation of a crack control fabric material prior to constructing a bituminous overlay. This item shall include all labor, equipment and materials required to complete the crack repair as specified. A representation of the cracks to be prepared is shown in the Plans. The actual cracks to be prepared will be designated by the Resident Engineer.

800972-2.1 MATERIALS. Materials used in completing this item shall meet the individual requirements of the Standard Specifications, Supplemental Specifications, Recurring Special provisions and these Special Provisions. Materials include:

a.	Bituminous Pavement Milling	ltem 401650
	Bituminous Tack Coat	ltem 603
c.	Bituminous Sand Mix	See Section 800972-2.2 below
d.	Crack Control Material	See Section 800972-2.3 below

800972-2.2 BITUMINOUS AND MIX. The material shall meet the following:

a. Gradation

Sieve	Target Percent Passing (%)	Tolerance (%)
#4	95	± 5
#8	60	± 5
#16	35	± 5
#30	25	± 4
#50	14	± 3
#100	11	± 2.5
#200	6	± 1.5

This can normally be accomplished with a volumetric blend consisting of 96 percent FA-2 I and 4 percent dust.

b. Bituminous Material

Binder: PG-76-34

c. Job Mix Formula

The job Mix Formula will be provided to the Contractor by the Engineer in accordance with the provisions of Item 401.

800972-2.3 CRACK CONTROL FABRIC MATERIAL. Crack control material shall be "Glas Grid" Model 8502, Detail Repair System, as manufactured by Saint-Gobain Technical Fabrics, Corporate & Sales Office, 345 Third Street, Suite 615, Niagara Falls, New York 14303, Webpage www.glasgrid.com, Telephone: 716.285.0731, Toll free: 1.888.549.7667, Facsimile: 716.285.5515, E-mail: glasgrid@sgtf.com, or approved equivalent, and shall contain as a minimum the following specific properties:

Specification for Use in Asphalt Overlays	
Material	Fiber glass reinforcement with modified polymer coating and a pressure sensitive adhesive backing
Tensile Strength based on Component Strand Strength,	Across Width = 1.120 pounds/inch Across Length = 560 pounds/inch
Test Method GRI GG 1-87 or ASTM D 6637 Elongation at Break,	Less than 5 Percent
Test Method ASTM D 6637 Melting Point,	Greater than 425° F
Test Method ASTM D 276 Mass/Unit Area,	16 ounces/square yard
Test Method ASTM D 5261-92 Roll Length	65.6 yards 1.64 yards
Roll Width Roll Area Adhesive Backing	107.6 square yards Pressure Sensitive
Grid Size	0.5 inch by 0.5 inch

CONSTRUCTION METHODS

- 800972-3.1 <u>BITUMINOUS PAVEMENT MILLING</u>. At the locations designated by the Resident Engineer, the existing pavement shall be milled to a depth of 2-inches to the width shown on the Plans, and cleaned and prepared in accordance with Item 401650. The work shall be paid under Item AR401650.
- 800972-3.2 <u>BITUMINOUS TACK COAT</u>. A Bituminous Tack Coat shall be applied to the cleaned, prepared milled surface and all associated vertical faces in accordance with Item 603. The work shall be paid under Item AR603510.
- 800972-3.3 BITUMINOUS SAND MIX. The Bituminous Sand Mix-2 Inch shall be constructed to the final compacted dimensions as shown on the Plans. The mixture shall be compacted to 3 percent (3%) air voids in place (2% to 4% allowable). Manufacture, delivery and construction methods for the course shall be as specified for Item 401. All costs associated with the construction of the bituminous sand mix layer shall be included in the Contract unit price for this item.
- 800972-3.4 CRACK CONTROL FABRIC MATERIAL. Upon completion and acceptance of the bituminous sand mix layer **and immediately prior to** construction of the tack coat for the overlay, the Contractor shall install the crack control fabric according to the manufacturer's recommendations. The fabric shall not be exposed to sunlight or excessive construction traffic prior to the construction of the overlay. The fabric shall not be installed more than 36 hours prior to construction of the overlay.

METHOD OF MEASUREMENT

800972-4.1 Bituminous Sand Mix-2 Inch shall be measured by the area in square yards of mixture placed to a thickness of 2-inches, and shall be the square yards of mix actually constructed to the specified thickness and in accordance with the details shown in the Plans and accepted by the Resident Engineer.

Crack Control Material shall be measured by the length in linear feet of fabric material placed, and shall be the linear feet of full-width fabric actually placed in accordance with the details shown in the Plans and accepted by the Resident Engineer.

Bituminous Pavement Milling and Bituminous Tack Coat shall be measured and paid in accordance with Item 401650 and Item 603, respectively.

BASIS OF PAYMENT

800972-5.1 Payment for the bituminous sand mix shall be made at the Contract unit price for Bituminous Sand Mix-2 Inch. Payment for crack control fabric shall be made at the Contract unit price for Crack Control Material. These prices shall be full compensation for furnishing all materials and for all preparation, removals, relocation, erection, installation and disposal, and for all labor, equipment, tools, and incidentals necessary to complete these items as specified.

Payment will be made under:

Item AR800972

Bituminous Sand Mix-2" - per square yard.

Item AR800973

Crack Control Material - per linear foot.

AIP PROJECT NO. 3-17-0036-B5 IDA PROJECT NO. C73-3313

DIVISION V - TURFING

<u>ITEM 901</u>

SEEDING

This item shall be provided in accordance with the Standard Specifications and Supplemental Specification for Item 901, Seeding.

Payment will be made under:

Item AR901510 Seeding - per acre.

SODDING

Revise Item 904 of the Standard Specifications and Supplemental Specifications as follows:

MATERIALS

904-2.1 SOD. Add the following:

"The sod used shall be approved grass that is compatible with the existing turfing at the Project site. It shall be either nursery grown or field grown and be well rooted and approved by the Project Engineer prior to being cut and again before it is laid. Sod that has been grown on soil high in organic matter such as peat will not be acceptable. The consistency of adherent soil shall be such that it will not break, crumble or tear during handling and placing of the sod.

"Each piece of sod shall be well covered with turf grass, shall be free from noxious weeds and other objectionable plants, and shall not contain substances injurious to growth. The grass shall be cut to a length of not less than 1-½ inches nor more than 4 inches before the sod is cut. The sod shall be cut in rectangular pieces with its shortest side not less than 12 inches. The sod shall not be cut less than ½-inch thick. This thickness measurement does not include grass. The Contractor shall adjust the shoulder final grades for this sod thickness to meet the cross-sections shown in the Plans."

904-2.2 LIME. Delete this Section and replace with the following:

"904-2.2 LIME. Agricultural ground limestone shall be applied to the top three (3) inches of the seedbed at a rate of two (2) tons per acre covered. The limestone material shall meet the requirements of Article 1081.07 of IDOT Standard Specifications for Road and Bridge Construction. Illinois Department of Transportation, adopted January 1, 1997, as revised."

904-2.3 <u>FERTILIZER</u>. Add the following:

"Fertilizer shall be applied to all areas designated for sodding at 5:3:2 ratio as follows:

Nitrogen Fertilizer Nutrients 90 pounds per acre
Phosphorus Fertilizer Nutrients 54 pounds per acre
Potassium Fertilizer Nutrients 36 pounds per acre

"The fertilizer shall be incorporated into the soil to a depth of not less than three (3) inches."

BASIS OF PAYMENT

904-5.1 Payment will be made under:

Item AR904510 Sodding - per square yard.

TOPSOILING

Revise Item 905 of the Standard Specifications as follows:

DESCRIPTION

905-1.1 Add the following:

"Topsoil shall be from two sources: (1) from on-site and created by stripping of topsoil from within the grading limits shown in the Plans and stockpiled at locations designated by the Resident Engineer, and; (2) from an off-site source identified by the Contractor and approved by the Resident Engineer. For on-site, stripping of the topsoil and placing in the temporary stockpiles shall be paid under Item ARI52410. When off-site, no separate payment for excavation at the off-site location or haul from off-site will be made, as the Contractor shall include these costs in the Contract unit price for Topsoil from Off-Site."

CONSTRUCTION REQUIREMENTS

905-3.4 PLACING TOPSOIL. Delete the first sentence of the first paragraph and replace with the following sentence:

"The topsoil shall be evenly spread on the prepared areas to receive seeding to a uniform depth of four (4) inches after compaction. Topsoil for sodded areas shall be a uniform depth of 3.5 inches to allow for the sod thickness. The Contractor shall adjust the topsoil depth based upon the thickness of the sod actually used."

BASIS OF PAYMENT

905-5.1 Add the following:

"If, upon delivery and incorporation of any materials, the Contractor has failed to provide the necessary submittals as required by Sections 30-18, 40-01, 40-03 and 40-11 of the Standard Specifications, Supplemental Specifications and Special Provisions, the pay item shall not be included on the Contractor Progress Payment-report until such submittals have been furnished."

905-5.2 Add the following:

"If, upon delivery and incorporation of any materials, the Contractor has failed to provide the necessary submittals as required by Sections 30-18, 40-01, 40-03 and 40-11 of the Standard Specifications, Supplemental Specifications and Special Provisions, the pay item shall not be included on the Contractor Progress Payment report until such submittals have been furnished."

SPECIAL PROVISIONS DIXON MUNICIPAL AIRPORT (C73) OVERLAY RUNWAY 8-26 and REHABILITATE HANGAR PAVEMENTS

AIP PROJECT NO. 3-I7-0036-B5 IDA PROJECT NO. C73-33I3

Payment will be made under:

Item AR905510

Topsoiling (From On Site) - per cubic yard.

Item AR905520

Topsoiling (From Off Site) - per cubic yard.

MULCHING

Revise Item 908 of the Standard Specifications and Supplemental Specifications as follows:

DESCRIPTION

908-1.1 Add the following:

"Material used for mulching shall be a manufactured mulch applied by a hydroseed spray application at the rate approved by the Resident Engineer."

MATERIALS

908-2.1 MULCH MATERIAL. Add the following:

"Only manufactured hydraulic mulch as specified in the Supplemental Specifications may be used."

CONSTRUCTION METHODS

908-3.1 MULCHING. Add the following:

"Mulch shall be applied using the "hydraulic mulch" method specified in the Supplemental Specifications."

BASIS OF PAYMENT

Payment will be made under:

Item AR908510 Mulching - per acre."





Hanson Professional Services Inc. 815 Commerce Drive, Suite 200 Oak Brook, Illinois 60538 630.990.3800