
FOR INDEX OF SHEETS, SEE SHEET NO. 2 FOR SUMMARY OF QUANTITIES, SEE SHEETS NO. 3 TO 4

04-23-2021 LETTING ITEM 125 STATE OF ILLINOIS **DEPARTMENT OF TRANSPORTATION**

PROPOSED HIGHWAY PLANS

ROUTE FAP 760 (ILL 48) SECTION 124RS-7 PROJECT STP-1SB2(085) **SMART OVERLAY DEWITT COUNTY**


> C-95-092-20 ILL 54 TO ILL 10 N OF WELDON




GROSS LENGTH = 29,799.91 FT. = 5.644 MILE NET LENGTH = 29,574.24 FT. = 5.601 MILE

DEWITT CONTRACT NO. 70E83 * 47 - 3 (DELETED SHEETS) = 44 TOTAL SHEETS

P-95-066-20



EUNCTIONAL CLASSIFICATION: MINOR ARTERIAL




PRINTED BY THE AUTHORITY OF THE STATE OF ILLINOIS

= 3.0% MU 95 = 14.0%

TRAFFIC DATA

2020 ADT = 1,000



FULL SIZE PLANS HAVE BEEN PREPARED USING STANDARD ENGINEERING SCALES. REDUCED SIZED PLANS WILL NOT CONFORM TO STANDARD SCALES. IN MAKING MEASUREMENTS ON REDUCED PLANS, THE ABOVE SCALES MAY BE USED.

0

JOINT UTILITY LOCATION INFORMATION FOR EXCAVATORS TOWNSHIPS: 1-800-892-0123 DEWITT, NIXON

PROJECT ENGINEER: JASON W. STULTS SQUAD LEADER: RYAN T. CARROLL

DESIGNER: BRADLEY A. FARNHAM TYLER J. PIERSON

PHONE: (217)-465-4181

CONTRACT NO. 70E83

INDEX OF SHEETS

SHEET NO DESCRIPTION INDEX OF SHEETS, LIST OF HIGHWAY STANDARDS, & COMMITMENTS 3 to 4 SUMMARY OF QUANTITIES TYPICAL CROSS SECTIONS 5 to 9 10 to 13 SCHEDULE OF QUANTITIES CONTROL POINTS 15 to 24 ILL 48 PLAN SHEETS ILL 54 & ILL 48 INTERSECTION STRIPING DETAIL 26 S.N. 020-2011 GUARDRAIL DETAIL S.N. 020-8045 GUARDRAIL DETAIL 27 28 to 29 S.N. 020-0045 GUARDRAIL DETAIL 30 S. N. D20 8032 CHARDRALL DETAIL AT THE STREET OF THE ST DISTRICT 5 DETAIL AMAILBOX TURNOUT (RURAL) 35 to 36 to 37 DISTRICT 5 DETAIL - PRIVATE COMMERCIAL ENTRANCES (NONCOMMERCIAL AND COMMERCIAL RURAL) 38 to 39 DISTRICT 5 DETAIL = SIDEROAD & SIDESTREETS (RURAL) 40 43 DISTRICT 5 DETAIL PAVEMENT MARKING AND MARKERS DISTRICT 5 DETAIL - SURVEY MARKER VAULT DISTRICT 5 DETAIL 4 SURVEY MARKER TYPE 1 & 2 (SPECIAL) 46 DISTRICT 5 DETAIL - RUMBLE STRIP (ADVANCE OF INTERSECTIONS)

LIST OF STANDARDS

| STANDARD NO. | DESCRIPTION |
|--------------|--|
| 000001-08 | STANDARD SYMBOLS, ABBREVIATIONS AND PATTERNS |
| 001006 | DECIMAL OF AN INCH AND OF A FOOT |
| 406201-01 | MAILBOX TURNOUT |
| 442201-03 | CLASS C AND D PATCHES |
| 630001 - 12 | STEEL PLATE BEAM GUARDRAIL |
| 630101-10 | STRONG POST GUARDRAIL ATTACHED TO CULVERT |
| 630106-02 | LONG-SPAN GUARDRAIL OVER CULVERT |
| 630301 - 09 | SHOULDER WIDENING FOR TYPE 1 (SPECIAL) GUARDRAIL TERMINALS |
| 631031 - 17 | TRAFFIC BARRIER TERMINAL, TYPE 6 |
| 642006-01 | SHOULDER RUMBLE STRIPS, 8 IN. |
| 701001-02 | OFF-ROAD OPERATIONS, 2L, 2W, MORE THAN 15' (4.5 M) AWAY |
| 701006 - 05 | OFF-ROAD OPERATIONS, 2L, 2W, 15' (4:5 M) TO 24" (600 MM) FROM PAVEMENT |
| 701011 - 04 | OFF-ROAD MOVING OPERATIONS, 2L 2W, DAY ONLY |
| 701201-05 | LANE CLOSURE, 2L, 2W, DAY ONLY, FOR SPEEDS > 45 MPH |
| 701301 - 04 | LANE CLOSURE, 2L, 2W, SHORT TIME OPERATIONS |
| 701306-04 | LANE CLOSURE, 2L, 2W, SLOW MOVING OPERATIONS DAY ONLY, FOR SPEEDS $>$ 45 |
| 701311 - 03 | LANE CLOSURE, 2L, 2W, MOVING OPERATIONS - DAY ONLY |
| 701336 - 07 | LANE CLOSURE, 2L, 2W, WORK AREAS IN SERIES, FOR SPEEDS > 45 MPH |
| 701901-08 | TRAFFIC CONTROL DEVICES |
| 725001-01 | OBJECT AND TERMINAL MARKERS |
| 780001-05 | TYPICAL PAVEMENT MARKINGS |
| 781001 - 04 | TYPICAL APPLICATIONS RAISED REFLECTIVE PAVEMENT MARKERS |
| 782006-01 | GUARDRAIL AND BARRIER WALL REFLECTOR MOUNTING DETAILS |
| | 000001-08 001006 406201-01 442201-03 630001-12 630101-10 630106-02 630301-09 631031-17 642006-01 701001-02 701006-05 701011-04 701201-05 701301-04 701306-04 701306-07 701901-08 725001-01 780001-05 781001-04 |

GENERAL NOTES

 $\begin{array}{lll} \text{G.N..-100A} \\ \text{ELECTRONIC FILES AND/OR ELECTRONIC SURVEY INFORMATION INCLUDING CADD} \end{array}$ FILES WILL NOT BE AVAILABLE TO THE CONTRACTOR

ALL ELEVATIONS SHOWN IN THE PLANS ARE BASED ON NORTH AMERICAN VERTICAL DATUM OF 1988 (NAVD 88)

G.N., -406H

MIXTURE REQUIREMENTS

THE FOLLOWING MIXTURE REQUIREMENTS ARE APPLICABLE FOR THIS PROJECT:

| Location | IL 48 | IL 48 | IL 48 |
|----------------------------|----------------|----------------|----------------|
| Mixture Use | Surface | Incidental | Class D Patch |
| | Shoulder | | |
| AC/PG | PG 64-22 | PG 64-22 | PG 64-22 |
| Design Air Voids | 4.0% @ Ndes=50 | 4.0% @ Ndes=50 | 4.0% @ Ndes=50 |
| Mix Comp(Gra∉ation) | IL 9 5 | IL 9 5 | IL 19 0 |
| Friction Aggregate | Mix C | Mix C | N.A. |
| Mixture Weight | 112 | 112 | 112 |
| Quality Management Program | QCP | QC / QA | QC/QA |
| Sublot Size | 1000 | N . A | N.A. |
| | | | |

G.N. 703A

SHORT TERM PAVEMENT MARKING SHALL BE APPLIED TO THE PAVEMENT AFTER
ANY OF THE FOLLOWING: COLD MILLING AND/OR PLACING BITUMINOUS MATERIALS
(TACK COAT), LEVELING BINDER (MACHINE METHOD), BINDER AND SURFACE
COURSES SHORT TERM PAVEMENT MARKING PLACED ON THE SURFACE SHALL
COINCIDE WITH THE FINAL PAVEMENT STRIPING. SHORT TERM PAVEMENT
MARKING PLACED PRIOR TO THE SURFACE SHALL COINCIDE WITH THE
EVISTING PAVEMENT MARKING. EXISTING PAVEMENT MARKINGS. USE 4 FEET PER 40 FEET (OR 10% PER

 $G,N_{\rm F}$: 781 THE FINAL PAVEMENT MARKINGS SHALL BE IN PLACE PRIOR TO PLACING THE RAISED REFLECTIVE PAVEMENT MARKERS.

AN EMPTY MTD WITH A MAXIMUM GROSS WEIGHT RESTRICTION OF 40 TONS IS ALLOWED

USER NAME = PiersonTJ DESIGNED REVISED DRAWN REVISED CHECKED REVISED PLOT SCALE = 40.0000 ' / in PLOT DATE = 1/20/2021 DATE REVISED

STATE OF ILLINOIS **DEPARTMENT OF TRANSPORTATION**

SCALE:

COMMITMENTS

THERE ARE NO COMMITMENTS FOR THIS CONTRACT.

| INDEX OF SHEETS, GENERAL NOTES, | F.A.P. RTE. | SECTION | COUNTY | TOTAL SHEETS | SHEET NO. |
|------------------------------------|----------------|------------------|-----------|-----------------|-----------|
| LIST OF STANDARDS, & COMMITMENTS | 760 | 124RS-7 | DE WITT | 47 | 2 |
| LIST OF STANDANDS, & COMMITTINENTS | | 58 55 | CONTRACT | NO. 70 |)E83 |
| SHEET 1 OF 1 SHEETS STA. TO STA. | | ILLINOIS FED. AL | D PROIECT | | |

SUMMARY OF QUANTITIES

LOCATION OF WORK:

FAP 760 (ILL 48) MINOR ARTERIAL

RURAL STA. 352+22.29

STA. 54+22.38
DEWITT
FUNDING BREAKOUT: 80% FED / 20% STATE CONSTRUCTION TYPE CODE:

| LOCATION OF WORK: | FAP 760 (ILL 48) |
|-------------------------|---------------------|
| | MINOR ARTERIAL |
| | RURAL |
| | STA. 352+22.29 |
| | то |
| | STA. 54+22.38 |
| | DEWITT |
| FUNDING BREAKOUT: | 80% FED / 20% STATE |
| CONSTRUCTION TYPE CODE: | 0005 |
| | |

| | CODE NO. | ITEM | UNIT | TOTAL QUANTITY |
|---|----------|---|-------|----------------|
| | | | | |
| | 70300100 | SHORT TERM PAVEMENT MARKING | FOOT | 6,080.00 |
| | 70300150 | SHORT TERM PAVEMENT MARKING REMOVAL | SQ FT | 2,008.00 |
| | 70300220 | TEMPORARY PAVEMENT MARKING - LINE 4" | FOOT | 70,965.00 |
| | 70300260 | TEMPORARY PAVEMENT MARKING - LINE 12" | FOOT | 75.00 |
| | 70300280 | TEMPORARY PAVEMENT MARKING - LINE 24" | FOOT | 45.00 |
| * | 72501000 | TERMINAL MARKER - DIRECT APPLIED | EACH | 16.00 |
| * | 78000200 | THERMOPLASTIC PAVEMENT MARKING - LINE 4" | FOOT | 169.00 |
| * | 78000600 | THERMOPLASTIC PAVEMENT MARKING - LINE 12" | FOOT | 75.00 |
| * | 78000650 | THERMOPLASTIC PAVEMENT MARKING - LINE 24" | FOOT | 45.00 |
| * | 78001110 | PAINT PAVEMENT MARKING - LINE 4" | FOOT | 70,796.00 |
| * | 78100100 | RAISED REFLECTIVE PAVEMENT MARKER | EACH | 390.00 |
| * | 78200005 | GUARDRAIL REFLECTORS, TYPE A | EACH | 65.00 |
| | 78300200 | RAISED REFLECTIVE PAVEMENT MARKER REMOVAL | EACH | 390.00 |
| | 78300202 | PAVEMENT MARKING REMOVAL - WATER BLASTING | SQ FT | 5,161.00 |

| *= SPECIALTY ITEM | |
|-------------------|--|
|-------------------|--|

| | | CODE NO. | | LTEM | <u>UNIT</u> | TOTAL QUANTITY | |
|---|--------|----------|--------|--|-------------|----------------|-----------|
| | | | | | | | |
| | | X4400196 | | HOT-MIX ASPHALT SURFACE REMOVAL, SPECIAL | SQ YD | 1,450.00 | |
| 4 | \sim | \sim | \sim | ········· | mm | mmm | Λ |
| ξ | | X7200201 | | WIDTH RESTRICTION SIGNING | L SUM | | <u>/1</u> |
| ` | ~ | | _ | | | | |
| | * | X7830070 | | GROOVING FOR RECESSED PAVEMENT MARKING 5" | FOOT | 169.00 | |
| | | | | | | | |
| | * | X7830078 | | GROOVING FOR RECESSED PAVEMENT MARKING 13" | FOOT | 75.00 | |
| | | | | | | | |
| | * | X7830090 | | GROOVING FOR RECESSED PAVEMENT MARKING 25" | FOOT | 45.00 | |
| | | | | | | | |
| | * | XZ193400 | | SURVEY MARKER, TYPE 2 (SPECIAL) | EACH | 3.00 | |
| | | Z0013798 | | CONSTRUCTION LAYOUT | L SUM | 1.00 | |
| | | | | | | | |
| | | Z0033700 | | LONGITUDINAL JOINT SEALANT | FOOT | 29,575.00 | |
| | | Z0055300 | | RUMBLE STRIP | EACH | 3.00 | |
| | | | | | | | |
| | * | Z0070202 | | SURVEY MARKER VAULT | EACH | 2.00 | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |

^{*=} SPECIALTY ITEM

JSER NAME = PiersonTJ DESIGNED -REVISED -DRAWN -REVISED -CHECKED -REVISED -PLOT DATE = 1/20/2021 DATE REVISED -

STATE OF ILLINOIS **DEPARTMENT OF TRANSPORTATION**

SUMMARY OF QUANTITIES SHEET 2 OF 2 SHEETS STA. TO STA.

