STATE OF ILLINOIS

DEPARTMENT OF TRANSPORTATION

FOR INDEX OF SHEETS, SEE SHEET NO. 2
FOR SUMMARY OF QUANTATIES, SEE SHEET NO. 3

PROPOSED HIGHWAY PLANS

FAI ROUTE 74 (I 74)
SECTION CM21-5008
PROJECT
PATCHING
MCLEAN COUNTY

C-95-026-21

CURRENT TRAFFIC DATA

L-74 WOODFORD COUNTY LINE TO US 150
2020 ADT: 23,900
2030 ADT: 25,100
P.U. & P.C.%: 80.1
SU%: 4.0
MU%: 15.9

DESIGN DESIGNATION
INTERSTATE

SECTION CM21–5008
BEGIN STA. 1565 + 20

Sugar Ci

Sugar

0 100 200 300 1 = 100 0 10' 20' 30' 1 = 10' 0 50' 100' 1' = 50' 0 50' 100' 1'' = 40' 0 50' 100' 1'' = 30'

FULL SIZE PLANS HAVE BEEN PREPARED USING STANDARD ENGINEERING SCALES. REDUCED SIZED PLANS WILL NOT CONFORM TO STANDARD SCALES. IN MAKING MEASUREMENTS ON REDUCED PLANS, THE ABOVE SCALES MAY BE USED.

J.U.L.I.E.

0

0

JOINT UTILITY LOCATION INFORMATION FOR EXCAVATORS 1-800-892-0123


OR 811 WHITEOAK TOWNSHIP

PROJECT ENGINEER: JASON STULTS SQUAD LEADER: CLARE DIETZ DESIGNER: MARGARET GENTRY PHONE: 217–465–4181 CONTRACT NO. 70F05

GROSS LENGTH = 10,310.00 FT. = 1.953 MILE NET LENGTH = 10,310.00 FT. = 1.953 MILE

D-95-010-21





PRINTED BY THE AUTHORITY OF THE STATE OF ILLINOIS

INDEX OF SHEETS

SHEET NO, DESCRIPTION COVER SHEET

INDEX OF SHEETS

LIST OF HIGHWAY STANDARDS

GENERAL NOTES

SUMMARY OF QUANTITIES TYPICAL CROSS SECTIONS

SCHEDULE OF QUANTITIES 6-7 CLASS A PATCHES (SPECIAL)

TEMPORARY RUMBLE STRIPS (SPECIAL)

GENERAL NOTES

NONE

HIGHWAY STANDARDS

STANDARD NO.

000001-08 STANDARD SYMBOL, ABBREVIATIONS AND PATTERNS

001001-02 AREAS OF REINFORCEMENT BARS DECIMAL OF AN INCH AND OF A FOOT 001006

701400-10 701401-12 701901-08 APPROACH TO LANE CLOSURES, FREEWAY/EXPRESSWAY LANE CLOSURE, FREEWAY/EXPRESSWAY

TRAFFIC CONTROL DEVICES

NO COMMITMENTS

JSER NAME = DietzCB DESIGNED -REVISED DRAWN REVISED CHECKED REVISED PLOT DATE = 1/14/2021 REVISED DATE

STATE OF ILLINOIS

HIGHWAY STANDARDS, GENERAL NOTES, AND INDEX OF SHEETS SHEET 1 OF 1 SHEETS STA.

TO STA.

SECTION COUNTY MCLEAN 8 2 CM21-5008 CONTRACT NO. 70F05

DEPARTMENT OF TRANSPORTATION

SUMMARY OF QUANTITIES

LOCATION OF WORK:

FAI 74 (I-74)

RURAL

INTERSTATE

STA. 1565+20 TO STA. 1668+30

MCLEAN COUNTY

FUNDING BREAKOUT:

SCALE:

100% STATE

CONSTRUCTION TYPE CODE:

0005

X2700001	TEMPORARY RUMBLE STRIPS (SPECIAL)	EACH	16.0	16.
X1700105	CLASS A PATCH, TYPE III, 16 INCH (SPECIAL)	SQ YD	20.0	20.
X1700082	CLASS A PATCH, TYPE IV, 16 INCH (SPECIAL)	SQ YD	187.0	187.
X1700117	CLASS A PATCH, TYPE I, 16 INCH (SPECIAL)	SQ YD	12.0	12.
70107025	CHANGEABLE MESSAGE SIGN	CAL DAY	20.0	20
70103815	TRAFFIC CONTROL SURVEILLANCE	CAL DAY	8.0	8
70100800	TRAFFIC CONTROL AND PROTECTION, STANDARD 701401	L SUM	1.0	1.0
67100100	MOBILIZATION	L SUM	1.0	1.
11213231		2.1011	15510	133.
44213204	TIE BAR 3/4"	EACH	153.0	153
44213200	SAW CUTS	FOOT	472.0	472.
CODE NO. 44213000	PATCH REINFORCEMENT	UNIT SQ YD	TOTAL QUANTITY 219.0	21

MODEL: \$MODELNAME\$

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION


SUMMARY OF QUANTITIES

F.A.I.
74

SHEET 1 OF 1 SHEETS STA. TO STA.

EXISTING TYPICAL CROSS SECTION F.A.I. 74

STATION TO STATION 1565+30 1668+30



MODEL: \$MODELNAME\$

USER NAME = DietzCB	DESIGNED -	REVISED -	
	DRAWN -	REVISED -	
PLOT SCALE = 100.0000 / in.	CHECKED -	REVISED -	
PLOT DATE = 1/14/2021	DATE -	REVISED -	

STATE OF ILLINOIS	
DEPARTMENT OF TRANSPORTATION	

		TYPIC	AL	CROSS	SECTION		F.A. RTE	SECTION		COUNTY	TOTAL SHEETS	SHEET NO.
							74	CM21-5008		MCLEAN	8	4
										CONTRACT	NO. 70	0F05
SHEET	1	OF	1	SHEETS	STA. 1565+20	TO STA. 1668+30		ILLINOIS	FED. AI	D PROJECT		

SCHEDULE OF QUANTITIES

							#5000299	X1700105	X1700082	44213200	44213000	442	13204
							CLASS A	PATCHES, (SPECIAL)	16 INCH	SAW CUTS	PATCH REINFORCEMENT	TIE BAR_	
	STATION	DIR	LANE	LENGTH	WIDTH		TY I	TY III	TY IV	0015	TREINI ORGENIENT	Transverse	Longitudinal
				FT	FT	SQYD	SQYD	SQYD	SQYD	FT	SQYD	EACH	EACH
	1623+60	EB	DL	40	12	53.33	0	0.00	53.33	104	53.33	22	13
	1668+30	EB	DL	100	12	133.33	0	0.00	133.33	224	133.33	22	33
RT W.L.	1565+20	WB	DL	6	6	4.00	4	0.00	0.00	24	4.00	10	0
	1566+10	WB	DL	30	6	20.00	0	20.00	0.00	72	20.00	10	10
RT W.L.	1566+80	WB	DL	6	6	4.00	4	0.00	0.00	24	4.00	10	0
RT W.L.	1622+60	WB	DL	6	6	4.00	4	0.00	0.00	24	4.00	10	0
				,	TOTALS	_	12.00	20.00	186.67	472.00	218.67	97.00	56.00
					USE		12.00	20.00	187.00	472.00	219.00	97.00	56.00


TEMPORARY	RUMBL	E STRIPS
		X2700001
		TEMPORARY RUMBLE
	<u> </u>	STRIPS (SPECIAL)
APPROX. LOCATION	LANE	(EACH)
± 1.5 MI BEFORE TAPER	EBDL	2
± 1.5 M <u>I BEFORE TAPER</u>	EBPL	2
± 3 MI BEFORE TAPER	EBDL	2
± 3 MI BEFORE TAPER	EBPL	2
± 1.5 MI BEFORE TAPER	WBDL	2
± 1.5 MI BEFORE TAPER	WBPL	2
± 3 MI BEFORE TAPER	WBDL	2
± 3 MI BEFORE TAPER	WBPL	2
	TOTAL	16

CHANGEABLE MESSAGE SIGN	
	70107025
	CHANGEABLE
	MESSAGE SIGN
DESCRIPTION	(EACH)
EB I-74 ADVANCE NOTICE	3
WB I-74 ADVANCE NOTICE	3
EB DURING CONSTRUCTION, ± 1.5 MI BEFORE TAPER	7
WB DURING CONSTRUCTION, ± 1.5 MI BEFORE TAPER	7
TOTAL	20

L. 3riODLEIWARIES VAME: pw:\\planroom.dot.illinois.gov.PWIDOT\Documents\IDOT Offices\District 5\Proje

Ī	USER NAME = DietzCB	DESIGNED -	REVISED -
		DRAWN -	REVISED -
	PLOT SCALE = 40.0000 / in.	CHECKED -	REVISED -
	PLOT DATE = 1/14/2021	DATE -	REVISED -

SCHEDULE OF QUANTITIES	F.A.I RTE	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
	74	CM21-5008	MCLEAN	8	5
			CONTRACT	NO. 70)F05
SHEET 1 OF 1 SHEETS STA. TO STA.		ILLINOIS FED.	AID PROJECT		




DRAWN


HECKED

REVISED


REVISED



PAVEMENT REINFORCEMENT DETAIL



GROUTED INTO EXISTING PAVEMENT (TYPICAL)



WITH HMA OVERLAY

#6X32" EPOXY COATED TIE BARS DRILLED AND GROUTED INTO EXISTING PAVEMENT (TYPICAL)

PATCHING DETAIL FOR CLASS A PATCHING (CRC PAVEMENT)

EXISTING LONGITUDINAL REINFORCEMENT SPACING; ±6½".

#6X24" EPOXY COATED

TIE BARS DRILLED AND

PAVEMENT (TYPICAL)

PATCH

GROUTED INTO EXISTING

DRÍLLED HOLE

EXISTING PCC PVMT

PCC SHOULDER,

PCC GUTTER

(BAR SIZE + $\frac{3}{4}$ ")

SPACING OF NEW LONGITUDINAL REINFORCEMENT AND NEW LONGITUDINAL TIE BARS SHALL MATCH SPACING OF EXISTING REINFORCEMENT AND SHALL BE TIED TOGETHER WITH A MINIMUM OF TWO TIES PER BAR.

SUPPORT CHAIRS SHALL BE REQUIRED WHENEVER PATCH LENGTH EXCEEDS 6'-0"


* EVERY THIRD INTERSECTION MUST BE TIED. WHEN THE MINIMUM CLEARANCE CANNOT BE OBTAINED WITH THE TRANSVERSE REBAR ON TOP, THEN THE TRANSVERSE REBAR SHALL BE TIED TO THE BOTTOM OF THE LONGITUDINAL REBAR.

** VARIABLES WHERE S $_1$ AND S $_2$ ARE $2\frac{1}{2}$ " MIN. AND 12" MAX.

STATE OF ILLINOIS **DEPARTMENT OF TRANSPORTATION**

					(0050141)		F.A.I. RTE	SECTION		COUNTY	TOTAL SHEETS	SHEET NO.
	CL	ASS A	N PA	VICHES	(SPECIAL)		VZAR.	CM121-50008		CHA@LEXAGN	8	6
										CONTRACT	NO. 70)F03
E: NONE	SHEET 1	OF	2	SHEETS	STA.	TO STA.		TILLINOIS	S FED A	ID PROJECT		

TRANSVERSE EXPANSION JOINTS




SEE SEALING DETAILS-REINFORCEMENT FULL DEPTH -FULL DEPTH SAW CUT SAW CUT SUPPORT 2" MIN CL 22" MIN LAP CHAIR (TYP.) EXISTING (TYP) 4 (TYP) **EXISTING** PAVEMENT <u>PAVEMENT</u> EXISTING STABILIZED SUB-BASE -#6X32" EPOXY COATED TIE BARS DRILLED AND WITHOUT HMA OVERLAY GROUTED INTO EXISTING

12'-0" MIN


6'-0" MIN

6'-0" MIN



WITH HMA OVERLAY

PAVEMENT REINFORCEMENT DETAIL




SEALING DETAIL

FLEXIBLE FOAM

EXPANSION

JOINT FILLER

PATCH



NOTES:

CLASS A PATCH WITH EXPANSION JOINT

EXISTING LONGITUDINAL REINFORCEMENT SPACING; ±6½".

GROUTED INTO EXISTING

PAVEMENT (TYPICAL)

PAVEMENT (TYPICAL)

SPACING OF NEW LONGITUDINAL REINFORCEMENT AND NEW LONGITUDINAL TIE BARS SHALL MATCH SPACING OF EXISTING REINFORCEMENT AND SHALL BE TIED TOGETHER WITH A MINIMUM OF TWO TIES PER BAR.

SUPPORT CHAIRS SHALL BE REQUIRED WHENEVER PATCH LENGTH EXCEEDS 6'-0"

EVERY THIRD INTERSECTION MUST BE TIED. WHEN THE MINIMUM CLEARANCE CANNOT BE OBTAINED WITH THE TRANSVERSE REBAR ON TOP, THEN THE TRANSVERSE REBAR SHALL BE TIED TO THE BOTTOM OF THE LONGITUDINAL REBAR.

VARIABLES WHERE S AND S ARE 2½" MIN. AND 12" MAX.

LONGITUDINAL CONSTRUCTION JOINT

PATCHES MORE THAN 20' IN LENGTH SHALL BE TIED TO ADJACENT PAVEMENT, PCC SHOULDERS OR PCC CURB AND GUTTER WITH #6x24" EPOXY COATED TIE BARS AT 36" CENTERS.

SEALING DETAIL

USER NAM	AME = DietzCB	DESIGNED -	REVISED -					F.A.I. RTF	SECTION	COUNTY TOTAL SHEE
		DRAWN -	REVISED -	STATE OF ILLINOIS	CLASS A	A PATCHES (SPECIAL)		VAR.	CIMI21-5006	CHAQUEZAGN 8 7
PLOT SCAL	ALE = 40.0000 / in.	CHECKED -	REVISED -	DEPARTMENT OF TRANSPORTATION						CONTRACT NO. 70F03
PLOT DATE	ATE = 1/14/2021	DATE -	REVISED -		SCALE: SHEET 2 OF	2 SHEETS STA.	TO STA.		ILLINOIS FED	. AID PROJECT

DETAIL FOR TEMPORARY RUMBLE STRIPS (SPECIAL) CHANGEABLE MESSAGE SIGN CHANGEABLE MESSAGE SIGN 3 MILES FROM TAPER ± 1½ MILES FROM TAPER ± MEDIAN — SEE DETAIL A \Longrightarrow SEE STANDARD 701400 SEE APPROPRIATE STANDARD FOR DETAILS FOR DETAILS OF APPROACH 250'_ 500**'** TO LANE CLOSURE OF LANE CLOSURE (150 m) (75 m) (150 m) 1100' (330 m) (330 m) SEE STANDARD 701400 FOR DETAILS OF APPROACH TO LANE CLOSURE ROAD CONSTRUCTION RUMBLE STRIPS AHEAD RUMBLE STRIPS AHEAD W20-I103(0)-48 AHEAD 48x48 (0) 48×48 (0) W16-3a(0)-3612 **DETAIL A GENERAL NOTES SYMBOLS** — 20' (TYP.) REMOVE THE TEMPORARY RUMBLE STRIPS (SPECIAL) PRIOR TO THE REMOVAL OF THE ADVANCED TEMPORARY RUMBLE STRIPS (SPECIAL) WARNING SIGNS. ALL DIMENSIONS ARE IN INCHES (MILLIMETERS) TRAILER MOUNTED SIGN UNLESS OTHERWISE SHOWN. 11' (TYP.) 40' INSTALLATION JSER NAME = DietzCB DESIGNED -REVISED SECTION STATE OF ILLINOIS TEMPORARY RUMBLE STRIPS (SPECIAL) DRAWN REVISED 8 8 CM21-5008 MCLEAN CHECKED REVISED **DEPARTMENT OF TRANSPORTATION** CONTRACT NO. 70F05 PLOT DATE = 1/14/2021 REVISED SHEET 1 OF 1 SHEETS STA. DATE