## INDEX OF SHEETS

## STATE STANDARDS

SHEET NO.	DESCRIPTION	STANDARD NO.	DESCRIPTION			
1	TITLE SHEET	000001-05	STANDARD SYMBOLS, ABBREVIATIONS AND PATTERNS			
2	INDEX OF SHEETS, STATE STANDARDS & GENERAL NOTES	420001-07	PAVEMENT JOINTS			
3	SUMMARY OF QUANTITIES	442201-03	CLASS C AND D PATCHES			
4-6	EXISTING AND PROPOSED TYPICAL SECTIONS	504001 07	FRAMES AND LIDS, TYPE 1			
7-8	ROADWAY AND PAVEMENT MARKING PLAN	604001-03				
9-10	DETECTOR LOOPS REPLACEMENT PLANS	635006-03	REFLECTOR AND TERMINAL MARKER PLACEMENT			
11	DETAILS FOR FRAMES AND LIDS ADJUSTMENT WITH MILLING, BD600-03 (BD-8)	635011-02	REFLECTOR MARKER AND MOUNTING DETAILS			
12	PAVEMENT PATCHING FOR HMA SURFACED PAVEMENT, BD 400-04 (BD-22)	701201-03	LANE CLOSURE, 2L, 2W, DAY ONLY, FOR SPEEDS GREATER			
13	CURB OR CURB AND GUTTER REMOVAL AND REPLACEMENT, BD600-06 (BD-24)	, 01201 05	THAN OR EQUAL TO 45MPH			
14	BUTT JOINT AND HMA TAPER, BD 400-05 (BD-32)	701301-03	LANE CLOSURE, 2L, 2W, SHORT TIME OPERATIONS			
15	CATCH BASIN, INLET, AND MANHOLE DETAILS, BD600-13 (BD-47)	701501-05	URBAN LANE CLOSURE, 2L, 2W, UNDIVIDED			
16	TRAFFIC CONTROL AND PROTECTION FOR SIDE ROADS, INTERSECTIONS, AND DRIVEWAYS, TC-10	701701-06	URBAN LANE CLOSURE, MULTILANE INTERSECTION			
17	TYPICAL APPLICATIONS: RAISED REFLECTIVE PAVEMENT MARKERS (SNOW PLOW RESISTANT), TC-11	701901-01	TRAFFIC CONTROL DEVICES			
18	DISTRICT ONE TYPICAL PAVEMENT MARKINGS, TC-13	780001-02	TYPICAL PAVEMENT MARKINGS			
19	TRAFFIC CONTROL AND PROTECTION AT TURN BAYS (TO REMAIN OPEN TO TRAFFIC), TC-14	781001-03	TYPICAL APPLICATIONS RAISED REFLECTIVE PAVEMENT MARKERS			
20	PAVEMENT MARKING LETTERS AND SYMBOLS FOR TRAFFIC STAGING, TC-16	886001-01	DETECTOR LOOP INSTALLATIONS			
21	SIGNING FOR FLAGGING OPERATIONS AT WORK ZONE OPENINGS, TC-18	886006-01	TYPICAL LAYOUT FOR DETECTION LOOPS			
22	ARTERIAL ROAD INFORMATION SIGNING, TC-22					
23	DISTRICT ONE DETECTOR LOOP INSTALLATION DETAILS FOR ROADWAY RESURFACING, TS-07					

## GENERAL NOTES

BEFORE STARTING ANY EXCAVATION, THE CONTRACTOR SHALL CALL "JULIE" AT (800) 892-0123 FOR FIELD LOCATIONS OF BURIED ELECTRIC, TELEPHONE AND GAS UTILITIES (48 HOUR NOTIFICATION IS REQUIRED).

THE CONTRACTOR WILL NOT BE ABLE TO SET UP A YARD OR FIELD OFFICE ON STATE (OR TOLLWAY) PROPERTY WITHOUT THE WRITTEN PERMISSION OF THE DEPARTMENT (OR ISTHA).

BUTT JOINTS WILL BE INSTALLED AT THE ENDS OF RESURFACING (WHERE RESURFACING MEETS EXISTING PAVEMENT) IN ACCORDANCE WITH THE "BUTT JOINT AND HMA TAPER DETAILS" SHEET INCLUDED IN THE PLANS UNLESS OTHERWISE SPECIFIED.

WHEN MILLED PAVEMENT IS OPEN TO TRAFFIC, THE MAXIMUM GRADE DIFFERENTIAL BETWEEN PASSES OF THE MILLING MACHINE SHALL NOT EXCEED 1½INCHES WHERE THE SPEED LIMIT IS 45 MPH OR LESS, AND 1 INCH WHERE THE SPEED LIMIT IS OVER 45 MPH. WITH WRITTEN APPROVAL FROM THE RESIDENT ENGINEER, A MAXIMUM GRADE DIFFERENTIAL OF 3 INCHES MAY BE ALLOWED IF THE EDGE OF THE MILLING IS SLOPED A MINIMUM OF 1:3 (V:H).

WHEN ARTIFICIAL LIGHTING IS UTILIZED IN NIGHT OPERATIONS, THE CONTRACTOR SHALL EXERCISE THE UTMOST PRECAUTIONS IN PREVENTING ADVERSE VISABILITY TO THE MOTORING PUBLIC AND ADJOINING RESIDENTIAL AREAS.

ALL PAVEMENT PATCHING LOCATIONS WILL BE DETERMINED IN THE FIELD BY THE ENGINEER.

BEFORE BEGINNING ANY WORK, THE CONTRACTOR SHALL RETAIN AND RECORD FOR FUTURE REFERENCE, ALL EXISTING PAVEMENT MARKING LINES (AND RAISED REFLECTIVE PAVEMENT MARKERS) IN ORDER THAT THESE LOCATIONS CAN BE RE-ESTABLISHED FOR STRIPING. EXACT LOCATIONS OF ALL PAVEMENT MARKINGS SHALL BE AS DIRECTED BY THE ENGINEER.

ALL PAVEMENT MARKINGS AND RAISED REFLECTIVE PAVEMENT MARKERS OBLITERATED BY MILLING AND RESURFACING OPERATIONS ON SIDE STREETS ADN ENTRANCES SHALL BE REPLACED AND PAID FOR IN KIND.

THE RESIDENT ENGINEER SHALL CONTACT WALLY CZARNY, AT (773) 685-4342 (OFFICE) OR (847) 715-8414 (CELL) A MINIMUM OF 2 WEEKS PRIOR TO PLACEMENT OF FINAL PAVEMENT MARKINGS.

THE RESIDENT ENGINEER SHALL CONTACT THE TRAFFIC CONTROL SUPERVISOR, STEVE BRINK, AT (847) 705-4155 (OFFICE) OR (847) 846-7189 (CELL) A MINIMUM OF 72 HOURS PRIOR TO THE INSTALLATION OF ANY TEMPORARY TRAFFIC CONTROL DEVICES.

	FILE NAME =	USER NAME = aqueelff	DESIGNED -	REVISED -						
	c:\pw_work\PWIDOT\AQUEELFF\dØ120745\D1Z	4397-sht-plan.dgn	DRAWN -	REVISED -						
		PLOT SCALE = 100.0000 '/ IN.	CHECKED -	REVISED -						
		PLOT DATE = 2/11/2009	DATE -	REVISED -						
gn	2/11/2009 4:30:36 PM User=aqueelff	***************************************			_					

	2	5TH	AVI	E (I	BELN	AON	T AVE	. TO	ADDIS	SON	ST.)		
NDEX	0F	SH	EETS	, S	TAT	E ST	<b>TANDA</b>	RDS	AND	GEN	ERAL	NOTES	
		SHEE	T NO	. 2	OF	23	SHEETS	SI	Ά.		TO 9	STA.	