

FLARED END SECTION REMOVAL

LOCATION	QUANTITY
STATION/OFFSET	(EACH)
84+46.1; 31.55' LT	1
85+47.7; 27.65' LT	1
86+18.6; 30.04' RT	1
TOTAL	3

AGGREGATE SUBGRADE, 12"

LOCATION	QUANTITY
STATION TO STATION	(SQ YD)
OAK PARK AVE.	
81+97.89 TO 91+54.94	5476.2
COMMERCIAL ENTRANCE	
82+19.46 TO 82+89.95 LT	110.3
WEST POINT DRIVE	
83+21.68 TO 84+67.03 RT	462.7
SOUTH POINT DRIVE	
90+95.04 TO 91+55.94 LT	144.0
90+81.61 TO 91+55.94 RT	180.5
TOTAL	6373.7

TEMPORARY INFORMATION SIGNING

LOCATION	QUANTITY
	(SQ FT)
*JOBSITE	420
TOTAL	420

TEMPORARY TRAFFIC SIGNAL TIMING

LOCATION	QUANTITY
	(EACH)
DETOUR ROUTE	6
TOTAL	6

CONSTRUCTION LAYOUT

LOCATION	QUANTITY
	(L SUM)
JOBSITE	1
TOTAL	1

FLEXIBLE DELINEATORS

LOCATION	QUANTITY
	(EACH)
*JOBSITE	320
TOTAL	320

STORM SEWER (WATER MAIN REQUIREMENTS) 12"

LOCATION	QUANTITY
STATION/OFFSET	(FOOT)
87+00.0; 32.7' RT TO 86+35.0; 59.5' RT	70.3
TOTAL	70.3

POROUS GRANULAR EMBANKMENT

LOCATION	QUANTITY
STATION TO STATION	(CU YD)
*JOBSITE	1150
TOTAL	1150

POROUS GRANULAR EMBANKMENT, SUBGRADE

LOCATION	QUANTITY
STATION TO STATION	(CU YD)
*JOBSITE	1320
TOTAL	1320

GEOTECHNICAL FABRIC FOR GROUND STABILIZATION

LOCATION	QUANTITY
STATION TO STATION	(SQ YD)
*JOBSITE	3950
TOTAL	3950

HOT-MIX ASPHALT REPLACEMENT OVER PATCHES

LOCATION	QUANTITY
STATION TO STATION	(TON)
*JOBSITE	136
TOTAL	136

HOT-MIX ASPHALT REMOVAL OVER PATCHES, 4"

LOCATION	QUANTITY
STATION TO STATION	(SQ YD)
*JOBSITE	268
TOTAL	268

CLASS D PATCHES, TYPE II, 9 INCH

LOCATION	QUANTITY
STATION TO STATION	(SQ YD)
*JOBSITE	268
TOTAL	268

TEMPORARY ACCESS (COMMERCIAL ENTRANCE)

LOCATION	QUANTITY
STA./OFFSET	(EACH)
STA. 82+49.07 LT.	1
TOTAL	1

TEMPORARY INFORMATION SIGNING FOR LANE CLOSURE

LOCATION	QUANTITY
	(SQ FT)
*JOBSITE	280
TOTAL	280

INLET FILTERS

LOCATION	QUANTITY
	(EACH)
*JOBSITE	16
TOTAL	16

INLET FILTER CLEANING

LOCATION	QUANTITY
	(EACH)
*JOBSITE	16
TOTAL	16

STORM SEWERS TO BE CLEANED 24"

LOCATION	QUANTITY
STA./OFFSET	(FOOT)
83+61.4 RT. TO 85+30.7 RT.	169.6
TOTAL	169.6

STORM SEWERS TO BE CLEANED 60"

LOCATION	QUANTITY
STA./OFFSET	(FOOT)
86+73.0 RT. TO 90+83.6 RT.	410.6
TOTAL	410.6

MIXTURE FOR CRACKS, JOINTS, AND FLANGEWAYS

LOCATION	QUANTITY
STATION	(TON)
MAINLINE	
81+97.89 TO 92+72.60	4.3
TOTAL	4.3

HOT-MIX ASPHALT SURFACE REMOVAL - BUTT JOINT

LOCATION	QUANTITY
STATION	(SQ YD)
MAINLINE	
91+55.94 TO 92+72.60	1151
TOTAL	1151

HOT-MIX ASPHALT PAVEMENT (FULL-DEPTH), 8 3/4"

LOCATION	QUANTITY
STATION	(SQ YD)
OAK PARK AVE.	
81+97.89 TO 92+72.60	5064.0
COMMERCIAL ENTRANCE	
82+09.77 TO 82+98.48 LT	129.4
WEST POINT DR.	
83+21.74 TO 84+66.46 RT	448.8
SOUTH POINT DR.	
90+94.06 TO 91+55.94 LT	313.1
90+81.61 TO 90+55.94 RT	412.1
TOTAL	6367.4

\*ESTIMATED QUANTITY

FILE NAME =	USER NAME = Plotted by Administrator	DESIGNED - OWR	REVISED - 03/05/2009	<b>STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION</b>	<b>SCHEDULE OF QUANTITIES OAK PARK AVENUE OVER UNION DRAINAGE DITCH</b>				F.A. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
...D160C07-ehtr-schedules_R1.dgn		DRAWN - OWR	REVISED -		2774	0306T	COOK	55	14				
PLOT SCALE = 50.00' / IN.		CHECKED - FML	REVISED -		CONTRACT NO. 60C07								
PLOT DATE = 3/18/2009		DATE - 10/2008	REVISED -		SCALE: NONE	SHEET NO.	OF SHEETS	STA.	TO STA.	FED. ROAD DIST. NO.	ILLINOIS FED. AID PROJECT		