INDEX OF SHEETS

TIDEN OF SHEETS	<u> </u>
SHEET NO	DESCRIPTION
1	TITLE
2	INDEX OF SHEETS, GENERAL NOTES AND STATE STANDARDS
3	SUMMARY OF QUANTITIES
4	ALIGNMENT & TIES
5	EXISTING CONDITIONS AND REMOVAL PLAN
6	PROPOSED ROADWAY PLAN
7-8	TRAFFIC CONTROL AND PROTECTION - STAGE 1
9-10	TRAFFIC CONTROL AND PROTECTION - STAGE 2
11-12	PAVEMENT MARKING PLAN
13-14	EXISTING TRAFFIC SIGNAL PLANS
15-17	GENERAL PLAN AND ELEVATION
18	GENERAL NOTES AND BILL OF MATERIALS
19	STAGE CONSTRUCTION DETAILS
20	TEMPORARY CONCRETE BARRIER
21-26	SUPERSTRUCTURE REPAIRS
△ (27-29 c .)	EXPANSION JOINT REPLACEMENT
30	NORTH ABUTMENT BEARINGS
31	STEEL REPAIRS
32	ABUTMENTS - CONCRETE REPAIRS
33-36	PIERS
37	DRAINAGE SYSTEM
38	BAR SPLICER DETAILS
39-40	EXISTING FRAMING PLAN
41	EXISTING STRUCTURAL STEEL DETAILS
42	BUTT JOINT AND HMA TAPER DETAILS ARTERIAL ROAD INFORMATION SIGN (BD-32)
43	TRAFFIC CONTROL AND PROTECTION FOR SIDE ROADS, INTERSECTIONS, AND DRIVEWAYS (TC-10)
44	TYPICAL APPLICATIONS RAISED REFLECTIVE PAVEMENT MARKERS (SNOW PLOW RESISTANT) (TC-11)
45	DISTRICT ONE TYPICAL PAVEMENT MARKINGS (TC-13)
46	TRAFFIC CONTROL AND PROTECTION AT TURN BAYS (TO REMAIN OPEN TO TRAFFIC) (TC-14)
47	PAVEMENT MARKING LETTERS AND SYMBOLS FOR TRAFFIC STAGING (TC-16)
48	ARTERIAL ROAD INFORMATION SIGN (TC-22)

STATE STANDARDS

000001	STANDARD SYMBOLS, ABBREVIATIONS, AND PATTERNS
442101	CLASS B PATCHES
515001	NAME PLATE FOR BRIDGES
630001	STEEL PLATE BEAM GUARDRAIL
631011	TRAFFIC BARRIER TERMINAL, TYPE 2
631031	TRAFFIC BARRIER TERMINAL, TYPE 6
631032	TRAFFIC BARRIER TERMINAL, TYPE 6A
635006	REFLECTOR AND TERMINAL MARKER PLACEMENT
635011	REFLECTOR MARKER AND MOUNTING DETAILS
701606	URBAN LANE CLOSURE, MULTILANE, 2W WITH MOUNTABLE MEDIAN
701901	TRAFFIC CONTROL DEVICES
704001	TEMPORARY CONCRETE BARRIER

GENERAL NOTES

- 1. BEFORE STARTING ANY EXCAVATION, THE CONTRACTOR SHALL CALL "JULIE" AT 800-892-0123 OR 811 FOR FIELD LOCATIONS OF BURIED ELECTRIC, TELEPHONE, AND GAS FACILITIES. (48 HOUR NOTIFICATIONS IS REQUIRED)
- 2. THE CONTRACTOR SHALL COORDINATE CONSTRUCTION ACTIVITIES WITH UTILITY COMPANIES.
- 3. WHEN ARTIFICIAL LIGHTING IS USED IN NIGHT OPERATIONS THE CONTRACTOR SHALL EXERCISE THE UTMOST PRECAUTIONS IN PREVENTING ADVERSE VISIBILITY TO THE MOTORING PUBLIC AND ADJOINING RESIDENTIAL AREAS.
- 4. THE RESIDENT ENGINEER SHALL CONTACT THE TRAFFIC CONTROL SUPERVISOR AT (847) 705-4470 A MINIMUM OF 72 HOURS PRIOR TO THE PLACEMENT OF ANY TEMPORARY TRAFFIC CONTROL DEVICES.
- 5. THE REMOVAL OF TEMPORARY PAVEMENT MARKING ON ALL NEW SURFACES REQUIRES THE USE OF EQUIPMENT THAT DOES NOT DAMAGE THE SURFACE OR TEXTURE OF THE PAVEMENT. USE HYDRO BLASTING TO REMOVE ANY EXISTING OR TEMPORARY PAVEMENT MARKING ON EXISTING OR NEW PAVEMENT. ANY DAMAGE DONE TO THE NEW PAVEMENT BY THE CONTRACTOR SHALL BE REPAIRED BY THE CONTRACTOR AT HIS OWN EXPENSE.

COMMITMENTS

HOT-MIX ASPHALT MIXTURE REQUIREMENTS

OPERATIONS	MIXTURE TYPE	AC TYPE	PERCENT AIR VOIDS		
ROADWAY	HOT-MIX ASPHALT SURFACE COURSE, MIX "D", N70 (IL-9.5 mm), 1 1/2"	PG 64-22	4% @ 70 GYR		
RESURFACING	LEVELING BINDER (MACHINE METHOD), N70 , 1"	PG 64-22*	4% @ 70 GYR		

THE UNIT WEIGHT USED TO CALCLATE ALL HMA SURFACE MIXTURE QUANTITIES IS 112 LBS/SQ YD/IN.

• WHEN RAP EXCEEDS 20%, THE NEW ASPHALT BINDER IN THE MIX SHALL BE PG 58-22.

Ciorba Gr	
CONSULTING ENGINE	ERS
5507 North Cumberland	
Chicago, Illinois 60656	
Tel. 773.775.4009	Fax 773.775.4014

USER NAME = wlancaster	DESIGNED	-	JCC	REVISED ~
	DRAWN	-	JCC	REVISED -
PLOT SCALE = 1.0000 '/ IN.	CHECKED	-	MJL	REVISED -
PLOT DATE = 2/4/2009	DATE	-	02/25/08	REVISED -

										7.7		e
ľ						LLOW					F.	Ā.
l	INDEX	ΛE				SPLAINE			r GENERAL	MOTES	26	59
L	INDLA	U!	JIILL	10, 3	IAIL	SIAND	MINDS	- CX	GLIVENAL	MOILS		
ı	SCALE:		SHEE	T NO.	0F	SHEETS	STA.		TO STA.		FE	D.

ev.	4-9	1-09)					
.U. E.		SEC	TION		COUNTY	TOT	AL TS	SHEET NO.
97	142 B-1-I				COOK	48	2	
					CONTRACT	NO.	60	D89
2 80	AD DIST	NO	TI I THOTE EED		IN DON IECT			

STATE OF ILLINOIS