

DETAIL "B" Cost Included with Concrete Structures

12" Chamfer -

1₂" Premoulded Joint Filler

Cut Existing Water Seal

off Flush with Existing Wall

₋Back Face

Epoxy new Water Seal into 2" Wide Saw Cut Groove.

Type III, Grade 3. Prime Groove with an Epoxy Meeting

Epoxy to Meet the Requirements of ASTM C881,

ASTM C881, Type III, Grade 1

NOTE:

SCALE:

Concrete Nails (Flat Hd. C.S.)

1" Long at 12" cts., Vertical

Work this Sheet With Sheet S1

TO STA.

CHRISTIAN-ROGE & ASSOCIATES, INC. ENGINEERS / PLANNERS / SURVEYORS 211 W. WACKER DRIVE CHICAGO, IL. 60606 PHONE: (312)372-2023 FAX: (312)372-5274

FILE NAME = USER NAME = IDOT DESIGNED - B.N.S. REVISED DRAWN R.E.S./F.M. REVISED PLOT SCALE = 50.0000 '/ IN. CHECKED - B.N.S./J.C.N. REVISED PLOT DATE = 1/30/2009 DATE - JANUARY 27, 2009 REVISED

STATE OF ILLINOIS **DEPARTMENT OF TRANSPORTATION**

WINGWALL DETAILS CH 92 (FOREST WAY DRIVE) SHEET NO. S2 OF S3 SHEETS STA.

COUNTY TOTAL SHEET NO. SECTION COOK 14 10 CONTRACT NO. 60E61 92 2008-029 I