
NOTE: H = Variable (See Plan) where H exceeds 12", use Special Type of C.C.&G See Construction Details (for Miscellaneous Structures)

X = Thickness of Pavement

Y = One half the thickness of concrete pavement or concrete base.

Z = 10" or thickness of Pavement - Whichever is GREATER

## TYPE BV.12 OR TYPE 3 CURB & GUTTER



## TYPE B OR TYPE 4 CURB Rotate Bar so this dimension will be between 3' and 4" -\_Dowel Bars at Expansion — \* "Round Tie Bars,30"Long,30"Apart


BARRIER CURB

## JOINTS IN CURB.GUTTER, COMBINED CURB & GUTTER

in the Curb, Gutter and Combined Curb & Gutter shall be Approved by the COMMISSIONER. Curb, Gutter or Combined Curb & Gutter is constructed adjacent to a flexible base pavement. I thick expansion Joints composed of Bituminous Preformed Joint Filler shall be installed in the Curb and/or Gutter at points of curvature and at construction Joints. Contraction Joints shall also be placed between these expansion joints at distances not exceeding 20 feet.All Tie Bars shall be corrugated-all Dowel Bars shall be smooth.

> The cost of all joints,including labor,furnishing and placing of steel,filler and all other incidentals shall be included in the unit Prices Bid for Type BV.12 or Type 3 Combined Concrete Curb and Gutter, Type 4 or Type B Concrete Curb or any specified special type of curb, gutter or curb and gutter. Unless otherwise specified, the placement of the bars shall be bid separately.

## DEPRESSED CURB & GUTTER



If no item is provided for Depressed Curb and Gutter, it will be paid for as Type BV.12 or Type 3 Combination Concrete Curb and Gutter.

F.A.I. RTE.	SECTION		COUNTY		TOTAL SHEETS	SHEET NO.
57	1920.1B-R		COOK		101	060
STA. TO STA.						
FED. ROAD DIST. NO. 1 ILLINOIS FED. AID PROJECT						
CONTRACT NO. 62533						

112TH PLACE OVER F.A.I ROUTE 57 (INTERSTATE 57)

CITY OF CHICAGO DETAIL COMB CURB & GUTTER BV.12

SCALE: N.T.S. DATE: 01/16/09

DRAWN BY: N/A CHECKED BY: N/A

TENG

TENG & ASSOCIATES, INC.
ENGINEERS/ARCHITECTS/PLANNERS
205 N. MICHIGAN AVE. CHICAGO, IL 60601
TELEPHONE: 312/616-0000

BASIS OF PAYMENT

Transverse Joints of a type similar to that used in the adjacent pavement shall be installed in the curb, gutter and Combined Curb & Gutter in prolongation with the joints in the pavement. The details of the Transverse Joints

DEPRESSED CURB

ILLINOIS DEPARTMENT OF TRANSPORTATION