

PRUNE DAMAGED & BROKEN BRANCHES & TWIGS AS DIRECTED DECIDUOUS TREE PLANTING DECIDIOUOUS IREE PLANTING
MOJTERSHING MUST BE DONE AFTER
PLANTING, AND AT THE DIRECTION OF
THE LANDSCAPE ARCHITECT OR VILLAGE
FORESTER. ROOT COLLAR SHALL BE SET
SO THAT AFTER SOIL SETTLES, THE TOP
OF THE BALL SHALL BE AT THE SAME
ELEVATION AS FINISHED GRADE. BY GROWTH HABIT (DO NOT CUT LEADER OR TERMINAL BUDS) SET TREE PLUMB IN CENTER OF PIT FINAL BALL ELEVATION AND PLANTER BED GRADING AS DIRECTED BY LANDSCAPE ARCHITECT. WHEN SOIL CODDITIONS ARE ENCOUNTERED WITH POOR DRAINAGE, LANDSCAPE CONTRACTOR SHALL NOTIFY LANSCAPE ARCHITECT. LANDSCAPE CONTRACTOR SHALL BEDRATE AND PREPARE RECOMMENDATIONS FOR SOLUTION TO PROBLEM. PRUNE % UP TREE (OR TO FIRST BRANCH) NOMINAL PLANTING SOIL ON TOP OF ROOT BALL TREE SUPPORTS (3 PER TREE) SHALL BE GALVANIZED TURNBUCKLES WITH DOUBLE—STRANDED TWELVE (12) GAUGE GALVANIZED WIRE TIES AT TWELVE INCH (12") INTERVALS. GUYS ARE OPTIONAL AT THE DISORETION OF VILLAGE FORESTER. MINIMUM 3" SHREDDED HARWOOD MULCH SHOW DRAINAGE DETAIL WHERE NECESSARY AS DICTATED BY SITE CONDITIONS. CONNECT TO STORM SYSTEM AS PER ENGINEER'S GRADING AND DRAINAGE PLANS. REMOVE BURLAP FROM ROOT BALL (TOP 1/3 ONLY) MODIFIED SLOPE TYP. 2"x4"x30" GUYING STAKE THREE (3) PER TREE STAKE TREES WITH THREE TO FOUR INCH (3-4") CALIPERS. DO NOT STAKE TREES DRIVE EIGHTEEN INCHES (18") WITHORNEY NEWE INCHOESE") CALIPERS. BELOW BOTTOM OF PIT TOPSOIL SAUCER (ON LOW-SIDE ONLY) FINISHED GRADE WALLER TO SAY TYP. PLANTING SOIL MIX

COMPACTED PLANTING SOIL TO SUPPORT ROOT BALL


(MINIUMUM 12")

## Typical Deciduous Tree Planting Detail (Slope) Scale: NTS


TYP. PERFORATED UNDERDRAINAGE

FOUR INCH (4") Ø, RIGID PVC

COMPACTED SUBGRADE



Typical 4' Ornamental Metal Fence Detail



LANDSCAPE ARCHITECT TO FIELD VERIFY AND APPROVE LAYOUTS AND HEIGHTS OF ALL OUTCROPPING STONE AREAS SHOWN ON THE PLANS.

Ornamental Metal Fence Detail

ILLINOIS DEPARTMENT OF TRANSPORTATION

FAP 348 (HARLEM AVENUE) LANDSCAPING DETAILS **MISCELLANEOUS DETAILS** 

SCALE: VERT. NA HORIZ. NA DATE 12-19-08

REVISIONS

DATE

DRAWN BY MJD

CHECKED BY RJW/PKB

INEERING, LTD.
JTH HOLLAND, ILLINOIS 60473
FAX (708) 331-3826 07441-DTLS-NISC DETAILS P01