


### SANDBLOOM ROAD **EXISTING TYPICAL SECTION** STA. 411+50 TO STA. 426+55 STA. 453+43 TO STA. 477+50

## LOCATION #7 (SEE EXISTING CONDITIONS AND REMOVAL PLAN)



# LOCATION #8 (SEE EXISTING CONDITIONS AND REMOVAL PLAN)

#### ILE NAME = ISER NAME = MAGOLDEN DESIGNED REVISED :\ALGONQUIN\Ø7Ø273\Ø7Ø273.ØØØ19\C1\ TYPSEC\_SANDBLOOM.dgr DRAWN MDH REVISED STATE OF ILLINOIS CHECKED REVISED **DEPARTMENT OF TRANSPORTATION** PLOT DATE = 2/13/2009 2/13/2009 REVISED SCALE: NTS

#### COUNTY TOTAL SHEE NO. SECTION SANDBLOOM ROAD RTE. 08-00075-00-RS MCHENRY 35 **EXISTING TYPICAL SECTIONS** CONTRACT NO. 63138 SHEET NO. 4 OF 4 SHEETS STA. FED. ROAD DIST. NO. 1 ILLINOIS FED. AID PROJECT

## LEGEND

- EXISTING HOT-MIX ASPHALT PAVEMENT EXISTING AGGREGATE SUBBASE

- EXISTING AGGREGATE SHOULDER
- HOT-MIX ASPHALT SURFACE REMOVAL, 1 1/4"
- HOT-MIX ASPHALT SURFACE REMOVAL, 3"
- HOT-MIX ASPHALT SURFACE REMOVAL, VARIABLE DEPTH (3.2 INCHES TO 4.1 INCHES)
- CLASS D PATCHES, 6" (LOCATION AS DIRECTED BY RE)
- SODDING, SALT TOLERANT AS NECESSARY FOR CURB AND GUTTER REMOVAL AND REPLACEMENT (INCIDENTAL TO COMBINATION CONCRETE CURB AND GUTTER REMOVAL AND REPLACEMENT AND AGGREGATE SHOULDER)
- PROPOSED LEVELING BINDER (MACHINE METHOD), N50 3/4".
- PROPOSED LEVELING BINDER (MACHINE METHOD), N70 3/4".
- PROPOSED HOT-MIX ASPHALT SURFACE COURSE, MIX "D" N50 2"
- PROPOSED HOT-MIX ASPHALT SURFACE COURSE, MIX "D" N50 2 1/2"
- PROPOSED HOT-MIX ASPHALT SURFACE COURSE, MIX "D", N70 1 1/2"
- PROPOSED HOT-MIX ASPHALT SURFACE COURSE, MIX "D", N70 2 1/2"
- PROPOSED BITUMINOUS MATERIAL (PRIME COAT)
- PROPOSED AGGREGATE (PRIME COAT)
- PROPOSED AREA REFLECTIVE CRACK CONTROL TREATMENT
- PROPOSED HOT-MIX ASPHALT BINDER COURSE, IL-19.0, N50, 2 1/2"
- 19 PREPARATION OF BASE
- AGGREGATE BASE REPAIR
- 20 21 PROPOSED AGGREGATE SHOULDER, TYPE B (AS DIRECTED BY THE ENGINEER)
- COMBINATION CONCRETE CURB AND GUTTER REMOVAL AND REPLACEMENT (AS DIRECTED BY THE ENGINEER). INCLUDES 4" SUBBASE GRANULAR MATERIAL TYPE B.
- PROPOSED GEOTECHNICAL FABRIC FOR GROUND STABILIZATION
- REMOVAL AND DISPOSAL OF UNSUITABLE MATERIAL
- POROUS GRANULAR EMBANKMENT, SUBGRADE