0

0

0

0

04-24-2020 LETTING ITEM 042

STATE OF ILLINOIS

SECTION (36,37-2)RS 3 LINOIS CONTRACT NO. 68F16

INDEX_OF_SHEETS:

COVER SHEET

COMMITMENTS AND JOB SPECIFIC NOTES 2

SUMMARY OF QUANTITIES

5-6 **SCHEDULE OF QUANTITIES**

LINE DIAGRAM 7

8-9 TYPICAL SECTIONS

DISTRICT STANDARDS 10-11

HIGHWAY STANDARDS

701400-09

701406-12

701411-09

701426-09

701901-08

780001-05

781001-04

DISTRICT_STANDARDS 780001

ADT: 4,250

HCV: 1.092

SU: 642 MU: 450 (15.11%) (10.59%)

(2017)

(25.70%)



ENGINEERING SCALES. REDUCED SIZED PLANS WILL NOT CONFORM TO STANDARD SCALES. IN MAXING MEASUREMENTS ON REDUCED PLANS, THE ABOVE SCALES MAY BE USED.

J.U.L.I.E.

JOINT UTILITY LOCATION INFORMATION FOR EXCAVATORS 1-800-892-0123 OR 811


PROJECT ENGINEER: RICHARD DOTSON (309) 671-3455 PROJECT MANAGER: MICHAEL JACOBS (309) 671-3460

CATALOG NO. 035838-00D CONTRACT NO. 68F16

DEPARTMENT OF TRANSPORTATION


PROPOSED HIGHWAY PLANS

FAP ROUTE 310 (US 67/1L 110) **SECTION** (36,37-2)RS-3 PROJECT NHPP-W6C6(620) **PAVEMENT PRESERVATION** MCDONOUGH AND WARREN COUNTIES C-94-006-20




GROSS LENGTH = 40,378.1 FT. = 7.65 MI. NET LENGTH = 40.096.1 FT. = 7.59 MI.

D-94-005-20



PROJECT DESCRIPTION:

THE PROPOSED IMPROVEMENT CONSISTS OF MICROSURFACING (1 PASS) ON US 67/L 110 FROM 0.4 MILES SOUTH OF N 2109TH ROAD TO NORTH OF 40TH AVENUE



PRINTED BY THE AUTHORITY OF THE STATE OF ILLINOIS

NO COMMITMENTS HAVE BEEN MADE FOR THIS PROJECT.

JOB SPECIFIC NOTES:

SURFACE TESTS APPLICATION

SMOOTHNESS TESTS ON THE COMPLETED SURFACE WILL NOT BE REQUIRED; BUT THE ENGINEER RESERVES THE RIGHT TO REQUIRE CORRECTIVE MEASURES WHEN OBVIOUS SURFACE VARIATIONS ARE PRESENT.

STATIONING

THE EXISTING ROADWAY STATIONS SHALL BE COVERED PRIOR TO THE MICRO-SURFACING APPLICATION.
THE COVER SHALL BE REMOVED AFTER WORK IS COMPLETED. THIS WORK SHALL BE INCLUDED IN THE COST OF THE "TRAFFIC CONTROL AND PROTECTION STANDARD 701406"

PAINT PAVEMENT MARKING

TWO APPLICATIONS SHALL BE APPLIED. THE FIRST APPLICATION SHALL BE APPLIED AFTER THE PROPOSED TREATMENT CURING TIME AS SPECIFIED IN THE STANDARD SPECIFICATIONS. THE SECOND APPLICATION SHALL BE APPLIED THIRTY (30) DAYS AFTER THE FIRST APPLICATION IS APPLIED.

* McDONOUGH/WARREN

JSER NAME = bourisba DESIGNED -REVISED SECTION STATE OF ILLINOIS COMMITMENTS & JOB SPECIFIC NOTES DRAWN REVISED (36,37-2)RS-3 11 HECKED REVISED **DEPARTMENT OF TRANSPORTATION** CONTRACT NO. 68F16 PLOT DATE = 1/31/2020 REVISED OF SHEETS STA. TO STA. DATE

COURT COUR					CONSTRUC	I I ON CODE
TITEM					MCDONOUGH	WARREN
TITEM					COUNTY	COUNTY
Company Comp					80% FEDERAL	80% FEDERAL
		ITEM	LINIT			
10400001 FISER-MODIFICE ASPHALT CRACK SEALING FOOT 1000 600 400 10400000 RAMP REMOVAL 525 10 15 10400000 RAMP REMOVAL 525 10 15 10400000 RAMP REMOVAL 525 10 15 10500000 RAMP REMOVAL 525 10 15 105000000 RAMP REMOVAL 525 10 15 10500000 RAMP REMOVAL 525 10 15 105000000 RAMP REMOVAL 525 10 15 10500000000000000000000000000000	NO.	I I LIVI	ONT	QUANTITY		
10400000 SAMP REMOVAL					0005	0005
10400000 SAMP REMOVAL						
10000118 MICRO SHRTAZING, SINGLE PASS 50 YO 2272428 184572 117856 10000255 POLYMERIZED SITUMINOUS MATERIALS (TACK COAT) 10000256 POLYMERIZED SITUMINOUS MATERIALS (TACK COAT) 101000100 MCRELLIZATION 1 SUM 1 0.5 0.5 101000100 TRAFFIC COATROL AND PROTECTION, STANDARD 701406 1 SUM 1 0.5 0.5 101000100 SHORT-TERM PAVEMENT MARKING 101000100 SHORT-TERM PAVEMENT MARKING REMOVAL 101000100 SHORT-TERM PAVEMENT MARKING REMOVAL 101000100 PAINT PAVEMENT MARKING - LINE 4" FOO" 11416 1518 151084 15642 101001100 PAINT PAVEMENT MARKING - LINE 4" FOO" 10042 18828 21214 101001100 PAINT PAVEMENT MARKING - LINE 6" FOO" 12436 101001100 PAINT PAVEMENT MARKING - LINE 6" FOO" 12436 101001100 PAINT PAVEMENT MARKING - LINE 6" FOO" 12436 101001100 PAINT PAVEMENT MARKING - LINE 6" FOO" 12436 101001100 PAINT PAVEMENT MARKING - LINE 6" FOO" 12436 101001100 PAINT PAVEMENT MARKING - LINE 8" FOO" 12436 101001100 PAINT PAVEMENT MARKING - LINE 8" FOO" 12436 101001100 PAINT PAVEMENT MARKING - LINE 8" FOO" 12436 101001100 PAINT PAVEMENT MARKING - LINE 8" FOO" 12436 101001100 PAINT PAVEMENT MARKING - LINE 8" FOO" 12436 101001100 PAINT PAVEMENT MARKING - LINE 8" FOO" 12436 101001100 PAINT PAVEMENT MARKING - LINE 8" FOO" 12436 101001100 PAINT PAVEMENT MARKING - LINE 8" FOO" 12436	40400001	FIBER-MODIFIED ASPHALT CRACK SEALING	FOOT	1000	600	400
10000118 MICRO SHRTAZING, SINGLE PASS 50 YO 2272428 184572 117856 10000255 POLYMERIZED SITUMINOUS MATERIALS (TACK COAT) 10000256 POLYMERIZED SITUMINOUS MATERIALS (TACK COAT) 101000100 MCRELLIZATION 1 SUM 1 0.5 0.5 101000100 TRAFFIC COATROL AND PROTECTION, STANDARD 701406 1 SUM 1 0.5 0.5 101000100 SHORT-TERM PAVEMENT MARKING 101000100 SHORT-TERM PAVEMENT MARKING REMOVAL 101000100 SHORT-TERM PAVEMENT MARKING REMOVAL 101000100 PAINT PAVEMENT MARKING - LINE 4" FOO" 11416 1518 151084 15642 101001100 PAINT PAVEMENT MARKING - LINE 4" FOO" 10042 18828 21214 101001100 PAINT PAVEMENT MARKING - LINE 6" FOO" 12436 101001100 PAINT PAVEMENT MARKING - LINE 6" FOO" 12436 101001100 PAINT PAVEMENT MARKING - LINE 6" FOO" 12436 101001100 PAINT PAVEMENT MARKING - LINE 6" FOO" 12436 101001100 PAINT PAVEMENT MARKING - LINE 6" FOO" 12436 101001100 PAINT PAVEMENT MARKING - LINE 8" FOO" 12436 101001100 PAINT PAVEMENT MARKING - LINE 8" FOO" 12436 101001100 PAINT PAVEMENT MARKING - LINE 8" FOO" 12436 101001100 PAINT PAVEMENT MARKING - LINE 8" FOO" 12436 101001100 PAINT PAVEMENT MARKING - LINE 8" FOO" 12436 101001100 PAINT PAVEMENT MARKING - LINE 8" FOO" 12436 101001100 PAINT PAVEMENT MARKING - LINE 8" FOO" 12436 101001100 PAINT PAVEMENT MARKING - LINE 8" FOO" 12436						
	40400020	BUMP REMOVAL	EACH	25	10	15
	40400118	MICRO-SURFACING, SINGLE PASS	SQ YD	222428	104572	117856
	40600295	POLYMERIZED RITUMINOUS MATERIALS (TACK COAT)	POLIND	50048	23530	26518
	10000233	TOTAL MENTELS STROM THOSE SINCE AND SOUTH	1 00112	30010	23330	20310
70107025 CHANGEABLE MESSAGE SIGN CAL DA 10 5 5 70300100 SHORT-TERM PAVEMENT MARKING FOOT 14416 6777 7639 70300150 SHORT TERM PAVEMENT MARKING REMOVAL SO FT 4806 2259 2547 78001110 PAINT PAVEMENT MARKING - LINE 4" FOOT 317516 151064 166452 78001130 PAINT PAVEMENT MARKING - LINE 6" FOOT 40042 18828 21214 78001140 PAINT PAVEMENT MARKING - LINE 8" FOOT 23996 11560 12436 78100100 RAISED REFLECTIVE PAVEMENT MARKER REMOVAL RAISED REFLECTIVE PAVEMENT MARKER REMOVAL RAISED REFLECTIVE PAVEMENT MARKER REMOVAL EACH 1318 642 676	67100100	MOBILIZATION	L SUM	1	0.5	0.5
70107025 CHANGEABLE MESSAGE SIGN CAL DA 10 5 5 70300100 SHORT-TERM PAVEMENT MARKING FOOT 14416 6777 7639 70300150 SHORT TERM PAVEMENT MARKING REMOVAL SO FT 4806 2259 2547 78001110 PAINT PAVEMENT MARKING - LINE 4" FOOT 317516 151064 166452 78001130 PAINT PAVEMENT MARKING - LINE 6" FOOT 40042 18828 21214 78001140 PAINT PAVEMENT MARKING - LINE 8" FOOT 23996 11560 12436 78100100 RAISED REFLECTIVE PAVEMENT MARKER REMOVAL RAISED REFLECTIVE PAVEMENT MARKER REMOVAL RAISED REFLECTIVE PAVEMENT MARKER REMOVAL EACH 1318 642 676						
70300100 SHORT-TERM PAVEMENT MARKING FOOT 14416 6777 7639 70300150 SHORT TERM PAVEMENT MARKING REMOVAL SO FT 4806 2259 2547 78001110 PAINT PAVEMENT MARKING - LINE 4" FOOT 317516 151064 166452 78001130 PAINT PAVEMENT MARKING - LINE 6" FOOT 40042 18828 21214 78001140 PAINT PAVEMENT MARKING - LINE 8" FOOT 23996 11560 12436 78100100 RAISED REFLECTIVE PAVEMENT MARKER REMOVAL FOOT 81318 642 676	70100700	TRAFFIC CONTROL AND PROTECTION, STANDARD 701406	L SUM	1	0.5	0.5
70300100 SHORT-TERM PAVEMENT MARKING FOOT 14416 6777 7639 70300150 SHORT TERM PAVEMENT MARKING REMOVAL SO FT 4806 2259 2547 78001110 PAINT PAVEMENT MARKING - LINE 4" FOOT 317516 151064 166452 78001130 PAINT PAVEMENT MARKING - LINE 6" FOOT 40042 18828 21214 78001140 PAINT PAVEMENT MARKING - LINE 8" FOOT 23996 11560 12436 78100100 RAISED REFLECTIVE PAVEMENT MARKER REMOVAL FOOT 81318 642 676						
70300150 SHORT TERM PAVEMENT MARKING REMOVAL SO FT 4806 2259 2547 78001110 PAINT PAVEMENT MARKING - LINE 4" FOOT 317516 151064 166452 78001130 PAINT PAVEMENT MARKING - LINE 6" FOOT 40042 18828 21214 78001140 PAINT PAVEMENT MARKING - LINE 8" FOOT 23996 11560 12436 78100100 RAISED REFLECTIVE PAVEMENT MARKER REMOVAL EACH 1318 642 676	70107025	CHANGEABLE MESSAGE SIGN	CAL DA	10	5	5
70300150 SHORT TERM PAVEMENT MARKING REMOVAL SO FT 4806 2259 2547 78001110 PAINT PAVEMENT MARKING - LINE 4" FOOT 317516 151064 166452 78001130 PAINT PAVEMENT MARKING - LINE 6" FOOT 40042 18828 21214 78001140 PAINT PAVEMENT MARKING - LINE 8" FOOT 23996 11560 12436 78100100 RAISED REFLECTIVE PAVEMENT MARKER REMOVAL EACH 1318 642 676						
78001110 PAINT PAVEMENT MARKING - LINE 4" FOOT 317516 151064 166452 78001130 PAINT PAVEMENT MARKING - LINE 6" FOOT 40042 18828 21214 78001140 PAINT PAVEMENT MARKING - LINE 8" FOOT 23996 11560 12436 78100100 RAISED REFLECTIVE PAVEMENT MARKER EACH 1318 642 676 78300200 RAISED REFLECTIVE PAVEMENT MARKER REMOVAL EACH 1318 642 676	70300100	SHORT-TERM PAVEMENT MARKING	FOOT	14416	6777	7639
78001110 PAINT PAVEMENT MARKING - LINE 4" FOOT 317516 151064 166452 78001130 PAINT PAVEMENT MARKING - LINE 6" FOOT 40042 18828 21214 78001140 PAINT PAVEMENT MARKING - LINE 8" FOOT 23996 11560 12436 78100100 RAISED REFLECTIVE PAVEMENT MARKER EACH 1318 642 676 78300200 RAISED REFLECTIVE PAVEMENT MARKER REMOVAL EACH 1318 642 676	70700150	SUPPL TERM RAVENENT MARKING REMOVAL	60.57	4006	0050	05.47
78001130 PAINT PAVEMENT MARKING - LINE 6" FOOT 40042 18828 21214 78001140 PAINT PAVEMENT MARKING - LINE 8" FOOT 23996 11560 12436 78100100 RAISED REFLECTIVE PAVEMENT MARKER EACH 1318 642 676 78300200 RAISED REFLECTIVE PAVEMENT MARKER REMOVAL EACH 1318 642 676	70300150	SHORT TERM PAVEMENT MARKING REMOVAL	SQ F1	4806	2233	2541
78001140 PAINT PAVEMENT MARKING - LINE 8" 78100100 RAISED REFLECTIVE PAVEMENT MARKER 78300200 RAISED REFLECTIVE PAVEMENT MARKER REMOVAL EACH 1318 642 676	78001110	PAINT PAVEMENT MARKING - LINE 4"	FOOT	317516	151064	166452
78001140 PAINT PAVEMENT MARKING - LINE 8" 78100100 RAISED REFLECTIVE PAVEMENT MARKER 78300200 RAISED REFLECTIVE PAVEMENT MARKER REMOVAL EACH 1318 642 676						
78100100 RAISED REFLECTIVE PAVEMENT MARKER RAISED REFLECTIVE PAVEMENT MARKER REMOVAL RAISED REFLECTIVE PAVEMENT MARKER REMOVAL EACH 1318 642 676	78001130	PAINT PAVEMENT MARKING - LINE 6"	FOOT	40042	18828	21214
78100100 RAISED REFLECTIVE PAVEMENT MARKER RAISED REFLECTIVE PAVEMENT MARKER REMOVAL RAISED REFLECTIVE PAVEMENT MARKER REMOVAL EACH 1318 642 676						
78300200 RAISED REFLECTIVE PAVEMENT MARKER REMOVAL EACH 1318 642 676	78001140	PAINT PAVEMENT MARKING - LINE 8"	FOOT	23996	11560	12436
78300200 RAISED REFLECTIVE PAVEMENT MARKER REMOVAL EACH 1318 642 676						
	78100100	RAISED REFLECTIVE PAVEMENT MARKER	EACH	1318	642	676
	7070000	DATCED DEFLECTIVE DAVENENT MADVED DEVOVA	540	1710	640	6.76
	10300200	NAISEU REFLECTIVE FAVEMENT MARKER REMOVAL	EACH	1318	642	010
'= SPECIALTY ITEM	*= SPF(IA	 TY ITEM				

FILE NAME: pw:\\planroom.dot.

* McDONOUGH/WARREN

CONSTRUCTION CODE

USER NAME = bourisba	DESIGNED -	REVISED -							F.A.P RTE	SECTION	COUNTY	TOTAL	SHEET
	DRAWN -	REVISED -	STATE OF ILLINOIS			UMMAF	RY OF QUANTITIES		310	(36.37-2)RS-3	*	11	3
PLOT SCALE = 100.0000 / in.	CHECKED -	REVISED -	DEPARTMENT OF TRANSPORTATION								CONTRAC	CT NO. 6	8F16
PLOT DATE = 1/31/2020	DATE -	REVISED -		SCALE:	SHEET	OF	SHEETS STA.	TO STA.		ILLINOIS FE	D. AID PROJECT		

16	
3F.1	ı
89	ı
īŠ	ı
99	ı
ta\CADsheet	ı
ã	ı
3	ı
(CADData)	ı
at	ı
ΔDC	ı
A	ı
3	ı
Ξ	ı
88	ı
4 68F16\	ı
ã	ı
13	ı
'rojects\D.	ı
9	ı
弖	ı
t 4\Pi	ı
ces/District	ı
ŧ	ı
莅	ı
Si	ı
<u>"</u>	ı
≒	
ğ	ı
ᄗᅈ	
(IDOT Of	
ts\IDOT of	
ents\IDOT Of	
iments\IDOT of	
cuments\IDOT of	
ents/]	
JT\Documents\IDOT Of	
DOT\Documents\IDOT Of	
MIDOT\Documents\IDOT Of	
:PWIDOT\Documents\IDOT Of	
J/TOGIW9:v	
J/TOGIW9:v	
S.gov:PWIDOT\[
S.gov:PWIDOT\[
S.gov:PWIDOT\[
ot.IIIInols.gov:PWIDOT\[
ot.IIIInols.gov:PWIDOT\[
ot.IIIInols.gov:PWIDOT\[
ot.IIIInols.gov:PWIDOT\[
S.gov:PWIDOT\[
ot.IIIInols.gov:PWIDOT\[
ot.IIIInols.gov:PWIDOT\[

USER NAME = bourisba

PLOT DATE = 1/31/2020

PLOT SCALE = 100,0000 ' / in.

DESIGNED -

DRAWN -

DATE

CHECKED -

REVISED -

REVISED -

REVISED -	DEPARTMENT OF TRANSPORTATION
REVISED -	STATE OF ILLINOIS
REVISED -	

		SUMMARY	OF QU	ANTITIES	
SCALE:	SHEET	OF	SHEETS	STA.	TO STA.

CONSTRUCTION CODE

 * McDONOUGH/WARREN

 F.A.P RTE.
 SECTION
 COUNTY SHEETS NO.
 SHEETS NO.

 310
 (36,37-2)RS-3
 *
 11
 4

 CONTRACT NO. 68F16

 ILLINOIS FED. AID PROJECT

				CONSTRUC	TION CODE
				MCDONOUGH	WARREN
				COUNTY	COUNTY
				80% FEDERAL	80% FEDERAL
CODE	ITEM	UNIT	TOTAL		20% STATE
NO.	1 _	UNIT	QUANTITY	20% STATE	20% STATE
				0005	0005
0327980	PAVEMENT MARKING REMOVAL - WATER BLASTING	SQ FT	72972	34783	38189

MICRO-SURFACING, SINGLE PASS						
LOCATION	LENGTH	WIDTH	AREA			
LOCATION	FT	FT	SQ YD			
US 67 (MCDONOUGH COUNTY)						
NBL						
STA. 402+45 TO STA. 530+40	12,795	25	35,542			
BRIDGE OMISSION						
STA. 531+72 TO STA. 592+00	6,028	25	16,744			
SBL	SBL					
STA. 402+45 TO STA. 530+40	12,795	25	35,542			
BRIDGE OMISSION						
STA. 531+72 TO STA. 592+00	6,028	25	16,744			
SUBTOTAL M	ICDONOUGH	COUNTY	104,572			
US 67 (WARREN COUNTY)						
NBL						
STA. 592+00 TO 737+04	14,504	25	40,289			
BRIDGE OMISSION						
STA. 738+54 TO 805+64	6,710	25	18,639			
SBL						
STA. 592+00 TO 737+04	14,504	25	40,289			
BRIDGE OMISSION						
STA. 738+54 TO 805+64	6,710	25	18,639			
SUBTO	TAL WARREN	COUNTY	117,856			
TOTA	222,428					

PAVEMENT MARKING REMOVAL -WATER BLASTING					
LOCATION	SQ FT.				
US 67 (MCDONOUGH COUNTY)					
NBL & SBL					
STA. 402+45 TO STA. 592+00 34,783					
US 67 (WARREN COUNTY)					
NBL & SBL					
STA. 592+00 TO 805+64	38,189				
TOTAL ALL COUNTIES	72,972				

LOCATION	LENGTH	WIDTH	POUNDS		
LOCATION	FT	FT	LBS		
US 67 (MCDONOUGH COUN	NTY)				
NBL	·				
STA. 402+45 TO STA. 530+40	12,795	25	7,997		
BRIDGE OMISSION					
STA. 531+72 TO STA. 592+00	6,028	25	3,768		
SBL					
STA. 402+45 TO STA. 530+40	12,795	25	7,997		
BRIDGE OMISSION					
STA. 531+72 TO STA. 592+00	6,028	25	3,768		
SUBTOTAL N	MCDONOUGH (COUNTY	23,530		
US 67 (WARREN COUNTY)					
NBL					
STA. 592+00 TO 737+04	14,504	25	9,065		
BRIDGE OMISSION					
STA. 738+54 TO 805+64	6,710	25	4,194		
SBL					
STA. 592+00 TO 737+04	14,504	25	9,065		
BRIDGE OMISSION					
STA. 738+54 TO 805+64	6,710	25	4,194		
SUBTC	TAL WARREN	COUNTY	26,518		
TOT	AL ALL COL	JNTIES	50,048		

PAVEMENT MARKING SCHEDULE						
LOCATION	EDGE LINE 4"	CENTER LINE 6"	TURN LANES & ISLANDS BORDER 8"			
	FOOT	FOOT	FOOT			
US 67 (MCDONOUGH COUNTY)						
NBL & SBL	-					
STA. 402+45 TO STA. 592+00	75,532	9,414	5,780			
US 67 (WARREN COUNTY)						
NBL & SBL						
STA. 592+00 TO 805+64	83,226	10,607	6,218			
TOTAL ALL COUNTIES**	317,516	40,042	23,996			
** 2 APPLICATIONS.						

* McDONOUGH/WARREN

STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION

SCALE:

MOBILIZATION				
LOCATION	LSUM			
US 67 (MCDONOUGH COUNTY)	0.5			
US 67 (WARREN COUNTY)	0.5			
TOTAL	1			

BUMP REMOVAL				
LOCATION	EACH			
US 67 (MCDONOUGH COUNTY)	10			
US 67 (WARREN COUNTY)	15			
TOTAL	25			

FIBER-MODIFIED ASPHALT CRACK SEALING								
LOCATION	LENGTH							
LOCATION	FT							
US 67 (MCDONOUGH COUNTY)	600							
US 67 (WARREN COUNTY)	400							
TOTAL	1000							

TRAFFIC CONTROL A PROTECTION STANDA 701406	
LOCATION	LSUM
US 67 (MCDONOUGH COUNTY)	0.5
US 67 (WARREN COUNTY)	0.5
TOTAL	1

RAISED REFLECTIVE PAVEMENT MARKER REMOVAL									
LOCATION	EACH								
US 67 (MCDONOUGH COUNTY)									
NBL & SBL									
STA. 402+45 TO STA 592+00	642								
US 67 (WARREN COUNTY)									
NBL & SBL									
STA. 592+00 TO 805+64	676								
TOTAL ALL COUNTIES	1,318								

RAISED REFLECTIVE PAVEMENT MARKER								
LOCATION EACH								
US 67 (MCDONOUGH COUNTY)								
NBL & SBL								
STA. 402+45 TO STA 592+00	642							
US 67 (WARREN COUNTY)								
NBL & SBL								
STA. 592+00 TO 805+64	676							
TOTAL ALL COUNTIES	1,318							

CHANGEABLE MESSAGE SIGN							
	CAL DAY						
2 SIGNS @ 5 DAYS EACH	10						
TOTAL	10						

SHORT TERM PAVEMENT MARKING REMOVAL									
LOCATION LENGTH AREA									
LOCATION	FT	SQ FT							
US 67 (MCDONOUGH COUN	TY)								
NBL & SBL									
STA. 402+45 TO STA 592+00	6,777	2,259							
US 67 (WARREN COUNTY)									
NBL & SBL									
STA. 592+00 TO 805+64	7,639	2,547							
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,									
TOTAL ALL COUNTIES 14,416 4,806									

SHORT TERM PAVEMENT MARKING								
LOCATION	LENGTH							
LOCATION	FT							
US 67 (MCDONOUGH COUNT	Y)							
NBL & SBL	-							
STA. 402+45 TO STA 592+00	6,777							
US 67 (WARREN COUNTY)								
NBL & SBL								
STA. 592+00 TO 805+64	7,639							
TOTAL ALL COUNTIES	14,416							

TO STA.

* McDONOUGH/WARREN

COUNTY SHEETS NO.

* 11 6


CONTRACT NO. 68F16


SECTION

(36,37-2)RS-3

USER NAME = bourisba DESIGNED -REVISED -STATE OF ILLINOIS SCHEDULE OF QUANTITIES DRAWN -REVISED -PLOT SCALE = 100.0000 ' / in. CHECKED -REVISED -**DEPARTMENT OF TRANSPORTATION** PLOT DATE = 1/31/2020 DATE REVISED -SCALE: SHEET OF SHEETS STA.

MODEL: Default





STA. 402+45 TO STA. 805+64


LEGEND

- 1) EXISTING PAVEMENT & OVERLAYS
- (2) EXISTING HMA SHOULDER
- (3) PROPOSED MICROSURFACING
- 4) PROPOSED PAVEMENT MARKING

NOT DRAWN TO SCALE

* McDONOUGH/WARREN

USER NAME = bourisba	DESIGNED -	REVISED -								SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
	DRAWN -	REVISED -	STATE OF ILLINOIS	TYPICAL SECTIONS					310	(36,37-2)RS-3	*	11	8
PLOT SCALE = 100.0000 ' / in.	CHECKED -	REVISED -	DEPARTMENT OF TRANSPORTATION								CONTRACT	T NO. 68	F16
PLOT DATE = 1/31/2020	DATE -	REVISED -		SCALE:	SHEET	OF	SHEETS STA.	TO STA.		ILLINOIS FED. A	ID PROJECT		



WARREN COUNTY

STA. 664+13 10TH AVE. STA. 697+68 20TH AVE. STA. 750+12 30TH AVE. STA. 776+87 35TH AVE. STA. 803+96 40TH AVE.

LEGEND


- (1) EXISTING PAVEMENT & OVERLAYS
- (2) EXISTING HMA SHOULDER
- (3) PROPOSED MICROSURFACING
- (4) PROPOSED PAVEMENT MARKING

MCDONOUGH COUNTY

NOT DRAWN TO SCALE

* McDONOUGH/WARREN

JSER NAME = bourisba DESIGNED -REVISED SECTION STATE OF ILLINOIS TYPICAL SECTIONS DRAWN REVISED -(36,37-2)RS-3 * 11 9 CONTRACT NO. 68F16 **DEPARTMENT OF TRANSPORTATION** LOT SCALE = 100.0000 / in. CHECKED -REVISED PLOT DATE = 1/31/2020 DATE SHEET OF SHEETS STA. TO STA.




FLUSH PAVED MEDIAN: TWO-WAY LEFT TURN LANE WITH ONE-WAY LEFT TURN LANE AT SIGNALIZED INTERSECTION

TYPICAL PAVEMENT MARKING LEGEND

(Note: This is a District Standard Legend. Some elements may not apply to specific project.)

- 1) 4(100) Solid (Yellow)
- (2) 4(100) Solid (White)
- 2-6(150) Crosswalk @ 6'-6" (2m)min C.-C. (White)
 2-8(200) Crosswalk @ 6'-6" (2m)min C.-C. (White) (When traffic signals are present.)
- 4 6(150) Skip-Dash (White)




(See Special Note 1)

- (5) 8(200) Solid (White)
- (6) 12(300) Diagonal (White) (Item (6) is shown on Std. 780001)
- (7) 24(600) Stop Bar (White)
- (See Std. 780001 and Special Notes 2 & 3)

11(280) C.-C.

9 4(100) Skip-Dash (Yellow)

4(100) Double Solid (Yellow)



See Table A

SPECIAL NOTES

- Skip-Dash markings will be centered between both ends of city blocks and shall be placed in alignment transversly across the pavement.
- 2. The following shall apply to arrows located in one-way left turn lanes:
- A. A minimum of two (2) arrows is required.
 - B. The maximum spacing between arrows is 80′ (24 m).
 - C. Arrows shall be evenly spaced if three (3) or more are required.
- 3. The following shall apply to arrow pairs located in two-way left turn lanes:
 - A. A minimum of two (2) arrow pairs is required. B. The maximum spacing between arrow pairs
 - C. Arrow pairs shall be evenly spaced if three (3) or more are required.
- D. The spacing between Bi Directional Left Turn Arrows is 33' (10 m).


GENERAL NOTES

- 1. Refer to State Standard 780001 for additional Pavement Markings including letters & arrows.
- See Plans for Pavement Markings adjacent to curbed islands and medians, and through lane reductions.
- 3. Refer to Article 780.13 for letter, number and symbol areas (sq. ft.)
- 4. Areas are grooved 1" beyond each edge for the following symbols: Through Arrow= 14.8 sq. ft.
 Large Left or Right Arrow= 21.9 sq. ft.
 2 Arrow Combination Left (or Right) and Through= 34.9 sq. ft.
 Wrong Way Arrow= 29.5 sq. ft.
 Railroad Crossing Symbol= 69.8 sq. ft.
 (For further information, refer to BDE Special Provision: Grooving for Recessed Pavement Markings)

* McDONOUGH/WARREN


DESIGNED JSER NAME = bourisba REVISED SECTION COUNTY STATE OF ILLINOIS DRAWN REVISED TYPICAL PAVEMENT MARKINGS (36,37-2)RS-3 11 10 SHT. 1 OF 2 CADD STD. 780001-D4 LOT SCALE = 100.0000 ' / in. HECKED REVISED **DEPARTMENT OF TRANSPORTATION** CONTRACT NO. 68F16 SHEETS STA. LOT DATE = 1/31/2020 DATE REVISED


is 200' (61 m).



FLUSH PAVED MEDIAN: RESTRICTED LEFT TURN LANE

TABLE A RECOMMENDED SPACING BETWEEN DIAGONAL LINES





MEDIAN INTRODUCTION - WIDTH TRANSITIONS

All dimensions are in inches (millimeters) unless otherwise noted.

* McDONOUGH/WARREN

USER NAME = bourisba	DESIGNED -	REVISED -	FAP DTC									COUNTY	TOTAL	SHEET
	DRAWN -	REVISED -	STATE OF ILLINOIS		TYPICAL PAVEMENT MARKINGS					310	(36.37-2)RS-3	*	11	11
PLOT SCALE = 100.0000 / in.	CHECKED -	REVISED -	DEPARTMENT OF TRANSPORTATION						SHT. 2 OF 2 CADD STD. 780001-D4			CONTRAC	Г NO. 6	8F16
PLOT DATE = 1/31/2020	DATE -	REVISED -		SCALE: NO SCALE	SHEET	OF	SHEETS	STA.	TO STA.		ILLINOIS FED. A	ID PROJECT		