·	
COMBINATION CURB @ GU	TTER REMOVAL
LOCATION	NEEDED LENGTH (FT)
SOUTHEAST QUADRANT RADIUS	252.0
SOUTHEAST QUADRANT ISLAND	43.0
NORTHEAST OUADRANT RADIUS	87.7
NORTHEAST QUADRANT ISLAND	50.0
NORTHWEST QUADRANT ISLAND	7.0
SOUTHWEST QUADRANT ISLAND	7.0
	TOTAL 446 7 CT
	TOTAL = 446.7 FT

CONCRETE MEDIAN SURFACE REMOVAL	
LOCATION	NEEDED QUANTITY (SQ FT)
SOUTHEAST QUADRANT ISLAND	75.0
NORTHEAST QUADRANT ISLAND	100.3
SOUTHWEST QUADRANT ISLAND	42.6
NORTHWEST QUADRANT ISLAND	48.0
	TOTAL = 265.9 SQ FT

BITUMINOUS CONCRETE SHOULDER REMOVAL	
LOCATION	NEEDED QUANTITY (SQ YD)
STA. 36+79.13 TO STA. 38+10.50	120.2
STA, 40+99.48 TO STA, 41+77.92	84.4
<u></u>	TOTAL = 204.6 SQ YD

PAVEMENT REMOVAL	
LOCATION	NEEDED QUANTITY (SQ YD)
SOUTHEAST QUADRANT ISLAND	40.5
NORTHEAST QUADRANT ISLAND	46.7
· ·	TOTAL = 87.2 SO YD

SIDEWALK REMOVAL	
LOCATION	NEEDED QUANTITY (SQ FT)
SOUTHEAST QUADRANT RADIUS	54.1
NORTHEAST QUADRANT RADIUS	65.3
	TOTAL = 119.4 SQ FT

SUB-BASE GRANULAR MATE	ERIAL TYPE A, 4"
LOCATION	NEEDED QUANTITY (SQ YD)
SOUTHEAST QUADRANT RADIUS	282.0
SOUTHEAST QUADRANT ISLAND	40.5
NORTHEAST QUADRANT RADIUS	98.3
NORTHEAST QUADRANT ISLAND	46.7
	TOTAL = 467.5 SQ YD

P.C.C. BASE COURSE, 7"	
LOCATION	NEEDED QUANTITY (SQ YD)
SOUTHEAST QUADRANT RADIUS	55.5
NORTHEAST QUADRANT RADIUS	83.3
<u> </u>	TOTAL = 138.8 SO YD

P.C.C. PAVEMENT 8"	
LOCATION	NEEDED QUANTITY (SQ YD)
SOUTHEAST QUADRANT TURN LANE	159.0
<u> </u>	TOTAL = 159.0 SO YD

CONCRETE MEDIAN	SURFACE, 4"
LOCATION	NEEDED QUANTITY (SQ FT)
SOUTHEAST QUADRANT ISLAND	92.3
NORTHEAST QUADRANT ISLAND	111.7
	TOTAL = 204.0 SQ FT

PCC SIDEWALK, 4	INCH
LOCATION	NEEDED QUANTITY (SQ FT)
SOUTHEAST QUADRANT ISLAND	95.9
SOUTHEAST QUADRANT RADIUS	168.0
NORTHEAST QUADRANT ISLAND	98.9
NORTHEAST QUADRANT RADIUS	176.6
SOUTHWEST QUADRANT ISLAND	33.5
NORTHWEST QUADRANT ISLAND	36.4
	TOTAL = 620.1 SO FT

COMBINATION CONCRETE CURB @ GUTTER, TYPE M-6.06	
LOCATION NEEDED LENGTH (FT)	
SOUTHEAST QUADRANT ISLAND	28.9
NORTHEAST QUADRANT ISLAND	32.4
	TOTAL = 61.3 FEET

COMBINATION CONCRETE CURB @ GUTTER, TYPE M-6.24	
LOCATION	NEEDED LENGTH (FT)
SOUTHEAST QUADRANT ISLAND	23.9
NORTHEAST QUADRANT ISLAND	21.5
SOUTHWEST QUADRANT ISLAND	7.0 *
NORTHWEST QUADRANT ISLAND	7.0 *
*-DEPRESSED CURB & GUTTER	TOTAL = 59.4 FEET

¥					
COMBINATION CONCRETE TYPE M-6.24 (VARIABLE					
LOCATION	NEEDED LENGTH (FT)				
SOUTHEAST QUADRANT ISLAND	24.3				
NORTHEAST QUADRANT ISLAND	31.7				
	TOTAL = 56.0 FEET				

A STATE OF THE STA						
COMBINATION CONCRETE CURB © GUTTER, TYPE B-6.24						
LOCATION	NEEDED LENGTH (FT)					
SOUTHEAST QUADRANT RADIUS	260.8					
NORTHEAST QUADRANT RADIUS	79.4					
	TOTAL = 340.2 FEET					

COMBINATION CONCRETE ( TYPE B-6.24 (VARIABLE W					
LOCATION	NEEDED LENGTH (FT)				
SOUTHEAST QUADRANT RADIUS ALONG DIRKSEN PKWY. STA. 37+39.81 TO STA. 37+55.98	16.2				
NORTHEAST QUADRANT RADIUS ALONG DIRKSEN PKWY. STA. 41+23.21 TO STA. 41+39.71	16.5				
	TOTAL = 32.7 FEET				

FILE NAME :	USER NAME = laughlinrl	DESIGNED	-	RTS	REVISED	-
c:\projects\d603508\shtsch.dgn		DRAWN	-	RTS	REVISED	-
	PLOT SCALE = 40.0000 '/ IN.	CHECKED	-	MEB	REVISED	+
	PLOT CATE = Feb-20-2008 11:33:00AM	DATE	-	FEBRUARY 11, 2008	REVISED	*

STATE	OF	ILLINOIS
DEPARTMENT	OF '	TRANSPORTATION

COUPDIECO OF QUANTITICO				FAP RTE.		TION	COUNTY	SHEETS	SHEET NO.
SCHEDULES OF QUANTITIES				17N,	7S. I	SANGAMON	25	8	
		p					CONTRACT	NO.	72B75
SCALE:	SHEET NO. 1 OF 2 SHEETS	STA,	TO STA.		DAD DIST. NO.		D PROJECT		