SUMMARY OF QUANTITIES

FAP ROUTE	SECTION	COUNTY	TOTAL SHEETS	SHEET NO				
592	121-1R, 121HVB	ST CLAIR	239	10				
CUBBLIDY OF CHANTITIES								

<u></u>				CONSTRUCTION TYPE CODE					
			URBAN TOTAL QUANTITIES	I000-2A	X171-5B	Y031-1F			
SUMMARY OF QUANTITIES CODE NO ITEM UNIT		80% FEDERAL		80% FEDERAL	ST. PAUL DR. 80% FED. / 13% IDOT /	RANGE LANE 80% FED. / 10% IDOT /	RESURFACING / INNERCONNECT 80% FEDERAL		
	IGNAL HEAD, POLYCARBONATE, LED, 1-FACE, 5-SECTION, AST ARM MOUNTED	EACH	5	/ 20% IDOT	/ 20% IDOT	7% CAHOKIA	10% CAHOKIA	/ 20% IDOT	
88102830 PE	EDESTRIAN SIGNAL HEAD, POLYCARBONATE, LED, 2-FACE, RACKET MOUNTED	EACH	. 8			-	8		
	RAFFIC SIGNAL BACKPLATE	EACH	17			7	10		
	NDUCTIVE LOOP DETECTOR	EACH	32			12	20		
	ETECTOR LOOP, TYPE I	FOOT	11,491			1, 456	2, 217	7,818	
			8			2, 100	8	1,525	
	EMOVE ELECTRIC CABLE FROM CONDUIT	EACH FOOT	2,480				_	2,480	
	EMOVE EXISTING TRAFFIC SIGNAL EQUIPMENT	EACH	3			1	1	1	
***************************************	EMOVE EXISTING HANDHOLE	EACH	14				14	_	
	EMOVE EXISTING CONCRETE FOUNDATION	EACH	7				6	1	
	UILDING REMOVAL NO. 1	L SUM	i	1				_	
	UILDING REMOVAL NO. 2	L SUM	1	1					
Z0007603 BU	UILDING REMOVAL NO. 3	L SUM	1	1			,		
Z0007604 BU	UILDING REMOVAL NO. 4	L SUM	1	1			**		
Z0007605 BU	UILDING REMOVAL NO. 5	L SUM	1	1					
	UILDING REMOVAL NO. 6	L SUM	1	1					
	ONSTRUCTION LAYOUT	L SUM	1	1					
	ENCE REMOVAL	FOOT	2, 244	2, 244					
Z0030260 IM	MPACT ATTENUATORS, TEMPORARY (FULLY EDIRECTIVE, NARROW), TEST LEVEL 3	EACH	2	2					
	MPACT ATTENUATORS, RELOCATE (FULLY EDIRECTIVE), TEST LEVEL 3	EACH	1	1					
Z0041700 PL	LUG EXISTING STORM SEWERS	EACH	2	2			4.		
Z0048665 RA	AILROAD PROTECTIVE LIABILITY INSURANCE	L SUM	1	1					
	EMOVAL AND DISPOSAL OF FRIABLE SBESTOS, BUILDING NO. 2	L SUM	1	1			÷"		
	EMOVAL AND DISPOSAL OF NON-FRIABLE SBESTOS, BUILDING NO. 2	L SUM	1	1					
AS	EMOVAL AND DISPOSAL OF NON-FRIABLE SBESTOS, BUILDING NO. 5	L SUM	1	ı î		i	Wa.		
AS	EMOVAL AND DISPOSAL OF NON-FRIABLE SBESTOS, BUILDING NO. 6	L SUM	1	1					
6′	REE, MALUS PRAIRIFIRE (PRAIRIFIRE CRABAPPLE), HEIGHT, CLUMP FORM, BALLED AND BURLAPPED	EACH	10	10					
6′	REE, MALUS SNOWDRIFT (SNOWDRIFT CRABAPPLE), HEIGHT, CLUMP FORM, BALLED AND BURLAPPED	EACH	10	10				,	
•	ENCE TO BE REMOVED AND RE-ERECTED	F00T	292	292					
	NGINEERED BARRIER	SQ YD	132	132			-		
	DLYUREA PAVEMENT MARKING TYPE I - CURB	FOOT	240	240					
	DLYUREA PAVEMENT MARKING TYPE I - RAISED MEDIAN	SQ FT	337	337		,	e ja		
70076600 TR	RAINEES	HOUR	3000	3000					
			i.						
				.]					
L		J						9 Y080	* SPECIALTY ITE