

- Notes: 1. Each Decorative Steel Railing section to be divided into equally spaced segments approximately 5' in length.
  - 2. Decorative Steel Railing must stay parallel to sidewalk / trail.
  - 3. Top rail to be 38" above pavement.
  - 4. Pavers run with sidewalk edge and are cut near the street curb, retaining wall, etc.

## CONTRACT NO. 95545 F.A.\_ SECTION COUNTY TOTAL SHEETS NO. 05-00525-00 SW MACON 106 46 STA. \_\_\_\_\_\_\_\_ TO STA. \_\_\_\_\_\_\_ FED. ROAD DIST. NO. ILLINOIS FED. AID PROJECT

REV. NO.	DESCRIPTION	BY	DATE	APPROVED
HARDSCAPE PLAN – OAKLAND AVENUE				
design KLM date 12/07	WEST MAIN STREET PH 2 IMPROVEMENTS CITY OF DECATUR		SCALE 1"=20'	
drawn MRG date 12/07			PROJECT NO. DATE 1/11/08	
checked KLM date 12/07				
APPROVED DATE CLIENT	Massie Massie & Associates Land planning and Landscape architecture 421 West Main Street, Decour, IL 52522 217/424-0792 www.Massie-Massie-Associates.com		L-6	
APPR. DATE				