

PAINT PAVEMENT MARKING SCHEDULE				
LOCATION (STATION TO STATION)	LENGTH	4" YELLOW LN SKIP-DASH	4" WHITE LN SOLID	4" TEMP PVT MARKING LN
	FT	FT	FT	FT
STA 206+26 TO STA 215+86.5	960.5	240.125	1805	2045.125
TOTAL		2045		2045

NOTE: NO EDGE LINES THROUGH INTERSECTION.

PAVEMENT MARKING REMOVAL SCHEDULE		
LOCATION STATION TO STATION	LENGTH FT	REMOVAL SQ FT
STA 206+26 TO STA 215+86.5	960.5	325.33
TOTAL		325

RAISED REFLECTIVE PAVEMENT MARKER SCHEDULE				
LOCATION (STATION TO STATION)	LENGTH	R.R.P.M. CRYSTAL	R.R.P.M. BRIDGE	R.R.P.M. REMOVAL
	FT	EACH		EACH
STA 206+26 TO STA 210+65.36	439.36	6		6
PR SN 092-0171			1	
STA 211+56.64 TO STA 215+86.5	429.86	6		6
TOTAL		12	1	12

WORK ZONE PAVEMENT MARKING REMOVAL SCHEDULE			
LOCATION STATION TO STATION	LENGTH (FT)	REMOVAL (SQ FT)	
SHORT-TERM PM STA 206+26 TO STA 215+86.5	96	32.00	
TEMPORARY PAVEMENT MARKING - STAGE I	1238.82	412.94	
TEMPORARY PAVEMENT MARKING - STAGE II	1232.9	410.97	
TOTAL		856	

SHORT TERM PAVEMENT MARKING SCHEDULE		
LOCATION STATION TO STATION	LENGTH FT	SHORT TERM (1 APP) FT
4" SKIP-DASH CENTERLINE STA 206+26 TO STA 215+86.5	960.5	96.05
TOTAL		96

GUARDRAIL SCHEDULE								
LOCATION	S.P.B.G.R ATTACHED TO STRUCTURES	S.P.B.G.R TYPE A	TRAFFIC BARRIER TERMINAL TYPE 1 (SPECIAL) TANGENT	TRAFFIC BARRIER TERMINAL TYPE 1 (SPECIAL) FLARED	TRAFFIC BARRIER TERMINAL TYPE 6A	TRAFFIC BARRIER TERMINAL TYPE 2	S.P.B.G.R. SHORT RADIUS	TERMINAL MARKER - DIRECT APPLIED
	FT	FT	EACH	EACH	EACH	EACH	FT	EACH
LT 209+62.56 TO 210+12.57				1				1
LT 210+12.57 TO 210+59.19					1			
RT 209+00.70 TO 209+50.70				1				1
RT 209+50.70 TO 210+00.70		50						
RT 210+00.70 TO 210+47.32					1			
LT 211+74.71 TO 212+21.33					1			
LT 212+21.33 TO 212+71.33		50						
LT 212+71.33 TO TR 2100N RT 14+60.22							37.5	
RT TR 2100N STA 14+10.25 TO 14+60.22			1					1
RT 211+62.84 TO 212+09.46					1			
RT 212+09.46 TO 212+65.31		55.85*						
RT 212+65.31 TO TR 2100N 15+43.15							37.5	
RT TR 2100N STA 15+43.15 TO 15+68.15	25							
RT TR 2100N STA 15+68.15 TO 15+79.67							12.5	
RT TR 2100N STA 15+79.67 TO 15+85.48						1		
LT TR 2100N 15+85.15 TO 15+79.58						1		
LT TR 2100N 15+79.58 TO 15+68.15							12.5	
LT TR 2100N 15+68.15 TO 15+43.15	25							
LT TR 2100N 15+43.15 TO 213+57.46							50	
RT 213+57.46 TO 214+07.48			1					1
TOTAL	50	156	2	2	4	2	150	4

* Cut 12.5' section to specified length needed in field.

BRIDGE APPROACH PAVEMENT CONNECTOR (FLEXIBLE) SCHEDULE		
LOCATION STA TO STA	WIDTH	BR APPR PVT CONN (FLEX)
	FT	SQ. YD
210+29.36 TO 210+35.36	33	22
211+86.64 TO 211+92.64	33	22
TOTAL		44

GUARDRAIL MARKERS - TYPE A SCHEDULE	
LOCATION	EACH
RT 209+80.69	1
RT210+60.69	1
RT 211+40.69	1
RT 212+20.69	1
TR 2100N RT & LT 15+26.15	2
TR 2100N RT & LT 15+55.65	2
TR 2100N RT & LT 15+79.63	2
TR 2100N RT 14+75.12	1
LT 212+12.49	1
LT 211+32.49	1
LT 210+52.49	1
LT 209+72.49	1
TOTAL	15

BITUMINOUS MATERIALS (PRIME COAT) SCHEDULE		
LOCATION STA TO STA	WIDTH	BIT MATL PR COAT
	FT <td>GALLON</td>	GALLON
210+29.36 TO 210+35.36	33	2.2
211+86.64 TO 211+92.64	33	2.2
TOTAL		4.4