LETTING ITEM NO.: 10A APRIL 26, 2024 LETTING

CONSTRUCTION PLANS

HA031 TOTAL SHEETS: 10

HARRISBURG-RALEIGH AIRPORT


REMARK RUNWAY 6-24, RUNWAY 14-32, PARTIAL PARALLEL TAXIWAY AND TAXIWAY CONNECTORS




ILLINOIS PROJECT NUMBER: HSB-5094 SBG PROJECT NUMBER: 3-17-SBGP-162/171

HARRISBURG, ILLINOIS SALINE COUNTY

100% SUBMITTAL JANUARY 12, 2024





VICINITY MAP

BROWN AND ROBERTS, INC.

CONSULTING ENGINEER

PRESIDENT

SUBMITTED BY:

JIM W. BROWN, PRESIDENT

DATE SUBMITTED:

LICENSE NUMBER: 062-035047

LICENSE EXPIRATION DATE: NOVEMBER 30, 2025


PLANS PREPARED BY:

BROWN AND ROBERTS, INC.

1 WESTRIDGE ROAD

HARRISBURG, IL. 62946

(618) 252-8111



26 Dec 2023 - 8:23am X:\2023\23060\ac\Cover Sheet.dwg: Layout Tab 'Cover

B.R.I. JOB NO. 23-060

SUMMARY OF QUANTITIES			
ITEM	ITEM DESCRIPTION	UNIT	TOTAL
NUMBER			QUANTITY
AR150520	MOBILIZATION	L SUM	1
AR620520	PAVEMENT MARKING - WATERBORNE	SQ FT	67,250
AR620525	PAVEMENT MARKING - BLACK BORDER	SQ FT	22,500

PAVEMENT MARKING - WATERBORNE SCHEDULE			
DESCRIPTION	UNIT AREA	NO. REQ'D	TOTAL
	(SQ FT)		(SQ FT)
NUMERAL 6	712	1	712
NUMERAL 2	652	2	1,304
NUMERAL 4	602	2	1,204
NUMERAL 1	318	1	318
NUMERAL 3	634	1	634
6-24 CENTERLINE STRIPE - 145' x 3'	435	2	870
6-24 CENTERLINE STRIPE - 141' x 3'	423	1	423
6-24 CENTERLINE STRIPE - 120' x 3'	360	19	6,840
6-24 AIMING LINES - 150' x 15'	2,250	4	9,000
6-24 THRESHOLD LINES - 150' x 5.75'	863	12	10,356
14-32 CENTERLINE STRIPE - 120' x 3'	360	8	2,880
14-32 CENTERLINE STRIPE - 140' x 3'	420	1	420
14-32 CENTERLINE STRIPE - 150' x 3'	450	3	1,350
14-32 AIMING LINES - 150' x 15'	2,250	2	4,500
6-24 AND 14-32 EDGELINE	20,498	1	20,498
	TOTAL	WHITE	61,309
HOLD LINE - RUNWAY 6 TURNAROUND	345	1	345
HOLD LINE - 6-24 TAXILANE	183	1	183
HOLD LINE - TAXIWAY B-1	189	1	189
HOLD LINE - TAXIWAY B	147	1	147
HOLD LINE - 14-32 TAXILANE	148	1	148
6-24 TAXILINE CENTERLINE	1,256	1	1,256
TAXIWAY B CENTERLINE	1,787	1	1,787
TAXIWAY B-1 CENTERLINE	931	1	931
TAXIWAY B EDGELINE	122	1	122
14-32 TAXILANE CENTERLINE	833	1	833
	TOTAL YELLOW		5,941

TOTAL WATERBORNE	67.250
TOTAL WATERBORNE	1 07.230

	INDEX OF SHEETS	
SHEET NUMBER	DESCRIPTION	
1	COVER SHEET	
2	INDEX OF SHEETS, SUMMARY OF QUANTITIES AND MATERIAL SCHEDULES	
3	CONSTRUCTION SAFETY AND PHASING PLAN	
4	PLAN VIEW 1	
5	PLAN VIEW 2	
6	PLAN VIEW 3	
7	PLAN VIEW 4	
8	PLAN VIEW 5	
9	PLAN VIEW 6	
10	MARKINGS AND TYPICAL DETAILS	

PAVEMENT MARKING - BLACK BORDER SCHEDULE			
DESCRIPTION	UNIT AREA	NO. REQ'D	TOTAL
	(SQ FT)		(SQ FT)
NUMERAL 1 OUTLINE	68	1	68
NUMERAL 4 OUTLINE	107	2	214
NUMERAL 2 OUTLINE	106	2	212
NUMERAL 3 OUTLINE	103	1	103
NUMERAL 6 OUTLINE	113	1	113
6-24 CENTERLINE STRIPE 145' OUTLINE	149	2	298
6-24 CENTERLINE STRIPE 141' OUTLINE	145	1	145
6-24 CENTERLINE STRIPE 120' OUTLINE	124	19	2,356
6-24 AIMING LINE OUTLINE	166	4	664
6-24 THRESHOLD LINE OUTLINE	157	12	1,884
14-32 CENTERLINE STRIPE 120' OUTLINE	124	8	992
14-32 CENTERLINE STRIPE 140' OUTLINE	144	1	144
14-32 CENTERLINE STRIPE 150' OUTLINE	154	3	462
14-32 AIMING LINE OUTLINE	166	2	332
6-24 AND 14-32 EDGELINE BORDER	6,825	1	6,825
HOLD LINE - RUNWAY 6 TURNAROUND	940	1	940
HOLD LINE - 6-24 TAXILANE	483	1	483
HOLD LINE TAXIWAY B-1	495	1	495
HOLD LINE TAXIWAY B	385	1	385
HOLD LINE - 14-32 TAXILANE	395	1	395
6-24 TAXILANE CENTERLINE OUTLINE	1,256	1	1,256
TAXIWAY B CENTERLINE OUTLINE	1,787	1	1,787
TAXIWAY B-1 CENTERLINE OUTLINE	931	1	931
TAXIWAY B EDGELINE OUTLINE	183	1	183
14-32 TAXILANE CENTERLINE OUTLINE	833	1	833

TOTAL BLACK BORDER 22,500

HARRISBURG-RALEIGH AIRPORT
IL PROJECT NO. HSB-5094
SBG NO. 3-17-SBGP-162/171

INDEX OF SH SUMMARY OF QU AND MATERIAL SO	IANTITIEŚ
SHEET 2 OF 10	HA031

SCOPE OF WORK

THE PROJECT SCOPE CONSISTS OF THE REMARKING OF RUNWAY 6-24 RUNWAY 14-32, THE PARTIAL PARALLEL TAXIWAY AND THE TAXIWAY CONNECTORS.

GENERAL- THE HARRISBURG-RALEIGH AIRPORT AUTHORITY CURRENTLY HAS A PAVED RUNWAY 6-24 WHICH IS 5013 FT. x 75 FT. AND A PAVED RUNWAY 14-32 WHICH IS 2820 FT, x 75 FT.

THE CONTRACTOR SHALL SUBMIT A SAFETY PLAN COMPLIANCE DOCUMENT (SPCD) CONFIRMING COMPLIANCE WITH THE CONSTRUCTION SAFETY PHASING PLAN (CSPP) PRIOR TO THE ISSUANCE OF THE NOTICE TO PROCEED AS SPECIFIED IN FAA AC

CONTRACTOR'S RESPONSIBILITIES

IDENTIFICATION- THE CONTRACTOR'S VEHICLES AND EQUIPMENT SHALL BE PROPERLY MARKED WITH 3-FOOT SQUARE INTERNATIONAL ORANGE AND WHITE CHECKERED FLAGS ANYTIME THEY ARE ON AIRPORT PROPERTY

THE CONTRACTOR AND HIS EMPLOYEES SHALL BE RESTRICTED TO THE WORK

EQUIPMENT PARKING AND STORAGE- THE CONTRACTOR'S EQUIPMENT PARKING, STORAGE, AND EMPLOYEE PARKING WILL BE AT THE LOCATION SHOWN ON THIS SHEET. ONLY CONTRACTOR VEHICLES AND EQUIPMENT REQUIRED FOR CONSTRUCTION WILL BE ALLOWED OUTSIDE THIS AREA.

BARRICADES AND TRAFFIC CONES - IT WILL BE THE CONTRACTOR'S RESPONSIBILITY TO PLACE AND MAINTAIN BARRICADES AND TRAFFIC CONES AS REQUIRED AND AS DIRECTED BY THE RESIDENT ENGINEER. BARRICADES WILL BE LIGHTED WITH RED ELASHING LIGHTS BARRICADES THEIR MAINTENANCE, PLACEMENT, AND REMOVAL WILL BE CONSIDERED AS AN INCIDENTAL ITEM TO THE CONTRACT AND NO ADDITIONAL COMPENSATION

THE CONTRACTOR WILL BE RESPONSIBLE FOR REPAIRING ANY DAMAGE TO EXISTING PAVEMENTS CAUSED BY HIS PERSONNEL OR

NONCOMPLIANCE WITH CONTRACTOR'S APPROVED SAFETY PLAN MAY RESULT IN FINES AS ALLOWED BY LAW

HAUL ROUTE AND EQUIPMENT PARKING

THE CONTRACTOR WILL USE THE DESIGNATED HAUL ROUTE AND EQUIPMENT PARKING AREA SHOWN ON THIS SAFETY PLAN. THE PROPOSED EQUIPMENT PARKING AREA WILL BE APPROXIMATELY 75-FT BY 150-FT. THE CONTRACTOR WILL BE REQUIRED TO MAINTAIN THE PROPOSED HAUL ROUTE AND PARKING AREA THROUGHOUT THE COURSE OF THE PROJECT. AT THE CONCLUSION OF THE PROJECT, ALL AREAS DISTURBED WILL BE RESTORED AS NEEDED TO ITS ORIGINAL STATE. RESTORATION OF THE HAUL ROUTE AND EQUIPMENT PARKING AREA WILL BE CONSIDERED INCIDENTAL TO THE PROJECT AND NO ADDITIONAL COMPENSATION WILL BE ALLOWED

THE CONTRACTOR IS RESPONSIBLE FOR CONTACTING ALL UTILITY COMPANIES AND ORGANIZATIONS THAT HAVE LINES OR CONDUITS IN THE PROPOSED WORK AREA. ALL LINES AND CONDUITS SHALL BE LOCATED AND IDENTIFIED FOR DEPTH BEFORE ANY EXCAVATION BEGINS. THE CONTRACTOR SHALL CALL JULIE (1-800-892-0123) TO ACCOMPLISH THESE REQUIREMENTS. THE CONTRACTOR IS RESPONSIBLE FOR IDENTIFYING ALL NON-JULIE UTILITIES LOCATED WITHIN THE PROPOSED CONSTRUCTION LIMITS. THESE UTILITIES ARE TO BE LOCATED PRIOR TO THE START OF CONSTRUCTION.

J.U.L.I.E. INFORMATION

COUNTY .HARRISBURG (5 MI NORTH) .RALEIGH SECTION NO. NEAREST MAJOR ROAD INTERSECTION...ILLINOIS RT. 34 & AIRPORT DRIVE AIRPORT ADDRESS....HARRISBURG-RALEIGH AIRPORT HARRISBURG, IL 62946

HEIGHT OF CONSTRUCTION EQUIPMENT

THE MAXIMUM ANTICIPATED HEIGHT OF THE CONSTRUCTION EQUIPMENT IS 12 FEET. THE TALLEST EQUIPMENT IS EXPECTED TO BE A PAVEMENT MARKING


AIRPORT SECURITY

AIRPORT SECURITY WILL BE MAINTAINED AT ALL TIMES. THE PROPOSED HAUL ROUTE SHOWN ON THIS SAFETY PLAN IS THE ONLY ACCESS CONTRACTOR EQUIPMENT AND PERSONNEL WILL BE ALLOWED TO USE. THE CONTRACTOR SHALL PROVIDE BARRICADES AT THIS ACCESS AND ENSURE THE BARRICADES ARE IN PLACE AT THE END OF EACH WORKING DAY

CLOSURE OF RUNWAY 6/24 OR RUNWAY 14/32:

WHEN CONSTRUCTION OPERATIONS MAKE IT NECESSARY FOR THE CONTRACTOR TO BE WORKING CLOSER THAN 200 FEET OF THE CENTERLINE OF RUNWAY 6/24 OR 125 FEET OF THE CENTERLINE OF RUNWAY 14/32, THE RUNWAY SHALL BE CLOSED PRIOR TO COMMENCING CONSTRUCTION ACTIVITIES WITHIN THE SPECIFIED DISTANCE TO THE CENTERLINE OF THE RESPECTIVE RUNWAY. THE CONSTRUCTION ACTIVITIES SHALL BE STAGED TO MINIMIZE THE CLOSURE TIME OF

RUNWAY SHALL REMAIN CLOSED IF THERE ARE ANY OPEN TRENCHES OR PITS EXCEEDING 3" DEPTH WITHIN THE ABOVE SPECIFIED DISTANCE TO THE CENTERLINE OF EITHER RUNWAY CAUSED BY EXCAVATING OR CONSTRUCTION ACTIVITIES. THE RUNWAY SHALL NOT BE REOPENED UNTIL THE TRENCHES OR PITS HAVE BEEN RESTORED TO ORIGINAL GRADES.



DETAIL OF CROSS FOR CLOSED RUNWAY

RUNWAY CLOSURE PROCEDURES:


- CONTACT THE AIRPORT MANAGER OR HIS ASSIGNED REPRESENTATIVE
- ISSUANCE OF NOTAM BY THE AIRPORT MANAGER OR HIS ASSIGNED
- * PLACEMENT OF CROSSES (SEE DETAIL THIS SHEET).
- PLACEMENT OF LIGHTED BARRICADES, ONLY AT THE TIME THAT ALL OF THE ABOVE ARE COMPLETED MAY ANY CONSTRUCTION OPERATIONS WITHIN 200' OF THE RUNWAY CENTERLINE BEGIN.
- * RUNWAY LIGHTS SHALL BE DISABLED.

RUNWAY RE-OPENING PROCEDURES:

- REMOVE CROSSES.
- REMOVE LIGHTED BARRICADES.
- NOTIFY THE AIRPORT MANAGER OR HIS REPRESENTATIVE TO CANCEL THE NOTAM
- CANCELLATION OF THE NOTAM. A CLOSED RUNWAY WILL NOT BE RE-OPENED UNTIL ALL EQUIPMENT AND WORK ARE NOT WITHIN 125' OF THE RUNWAY CENTERLINE

RUNWAY MARKER

RUNWAY LIGHTS SHALL BE REACTIVATED



 $^{\star}\,$ THE CONSTRUCTION ENTRANCE AS SHOWN ON THIS SHEET IS ONLY TO BE USED FOR THIS PROJECT, ACCESS TO THE PROJECT FOR ALL HAULING OF MATERIALS AND EQUIPMENT SHALL BE RESTRICTED TO THE DESIGNATED CONSTRUCTION ENTRANCE AND HAUL ROUTE. ACCESS TO THE WORK AREAS FROM THE STAGING AREA SHALL BE COORDINATED WITH THE RESIDENT ENGINEER AND AIRPORT

* THE CONTRACTOR SHALL PROVIDE AN ESCORT (WITH A RADIO) WHEN REQUESTED

OUTSIDE THE CONSTRUCTION LIMITS, GENERAL PROJECT AREA OR ACCESS ROUTE




HARRISBURG-RALEIGH AIRPORT IL PROJECT NO. HSB-5094 SBG NO. 3-17-SBGP-162/171 **CONSTRUCTION SAFETY** AND PHASING PLAN SHEET 3 OF 10 HA031


BY THE RESIDENT ENGINEER NO EQUIPMENT SHALL BE PERMITTED TO CROSS OR USE ANY EXISTING PAVEMENT * THE CONTRACTOR SHALL PLACE BARRICADES WITH RED FLASHING LIGHTS AT TEN (10) FOOT SPACING TO PREVENT AIRCRAFT FROM ENTERING ANY AREA CLOSED FOR CONSTRUCTION. CLOSED RUNWAY MARKER CLOSED RUNWAY MARKER -(WHEN RUNWAYS ARE CLOSED) (4) **Proposed Contractor** Vehicle & Equipment Parking Area and Airport Access Point Existing Airport Reference Point Latitude 37°48'41" N Longitude 88°32'57" W Elevation: 398 MSL **LEGEND** PROJECT WORK AREAS BARRICADES (WHEN RUNWAYS IDOT TYPE II BARRICADE WITH RED FLASHING LIGHTS - 10' MAX SPACING CRITICAL POINT WITH CORRESPONDING NUMBER **CRITICAL POINTS** (MSL) DESCRIPTION 389.0 BARRICADE LOCATION: NORTH SIDE OF MAIN APRON CLOSED 389.0 BARRICADE LOCATION: WEST SIDE OF MAIN APRON RUNWAY MARKER-


CRITICAL GROUND ELEVATION POINT NUMBER LATITUDE LONGITUDE 37°48'41.40" N 88°32'51.15" W 88°32'48.60" W 2 37°48'37.80" N 37°48'43.38" N 88°32'51.16" W 390.0 BARRICADE LOCATION: WEST SIDE CORPORATE HANGAR .3 388.0 NORTHWEST CORNER EQUIPMENT PARKING AREA 37°48'42.83" N 88°32'46.51" W


STRAWBERRY LANE


Lone Oak Road


















RUNWAY DESIGNATION MARKING DETAILS NO SCALE


HARRISBURG-RALEIGH AIRPORT
IL PROJECT NO. HSB-5094
SBG NO. 3-17-SBGP-162/171
MARKINGS AND TYPICAL DETAILS
SHEET 10 OF 10 HA031

TAXIWAY B EDGELINE DETAIL

-6" BLACK BORDERS



HOLD POSITION MARKING DETAIL



CENTERLINE DETAIL

NO SCALE