VERIFIED UTILITY INFORMATION - SUE QUALITY LEVEL A

CONFLICT NO.	SIZE/TYPE	NORTHING	EASTING	STATION	OFFSET	TOP OF UTILITY	EXISTING CUT	REFERENCE ELEV.	COMMENTS	
1	15" STEEL WATER MAIN	1899342,900	1005675.580	136+18.68	68.15' RT	748.65	7.92	756.57	CITY OF WEST CHICAGO	
2	20" STEEL GAS MAIN	1899392.440	1005476.100	134+12.94	67.47' RT	751.40	5.05	756.45	NATURAL GAS PIPELINE	
2A	3" VENT PIPE	1899392.290	1005475.800	134+12.68	67.69' RT	753.15	3.30	756.45	NATURAL GAS PIPELINE	
3	36" STEEL GAS MAIN	1899402.990	1005425.810	133+61.58	69.18' RT	752.25	4.50	756.75	NATURAL GAS PIPELINE	
ЗА	3" VENT PIPE	0	0	0	0	0.00	0.00	756.75	NATURAL GAS PIPELINE, NO VENT PIPE FOUND	
4	20" STEEL GAS MAIN	1899516.09	1005477.79	133+85.19	53.04' LT	751.38	4.74	756.12	NATURAL GAS PIPELINE	
4A	3" VENT PIPE	1899515.95	1005478.88	133+86.28	53.16' LT	753.62	2.50	756.12	NATURAL GAS PIPELINE	
5	36" STEEL GAS MAIN	1899522.59	1005426.67	133+33.99	47.20' LT	752.24	4.55	756.79	NATURAL GAS PIPELINE	
5A	3" VENT PIPE	1899522.75	1005426.17	133+33.47	47.24' LT	752.89	3.90	756.79	NATURAL GAS PIPELINE	
6	10" STEEL WATER MAIN	1900308.92	1001782.52	95+02.04	45.31' RT	778.77	3.76	782.53	CITY OF GENEVA	

CONFLICT NO.	SIZE/TYPE	NORTHING	EASTING	STATION	OFFSET	TOP OF UTILITY	EXISTING CUT	REFERENCE ELEV.	COMMENTS
1	15" STEEL WATER MAIN	1899342,900	1005675.580	136+18.68	68.15' RT	748.65	7.92	756.57	CITY OF WEST CHICAGO
2	20" STEEL GAS MAIN	1899392.440	1005476.100	134+12.94	67.47' RT	751.40	5.05	756.45	NATURAL GAS PIPELINE
2A	3" VENT PIPE	1899392.290	1005475.800	134+12.68	67.69' RT	753.15	3.30	756.45	NATURAL GAS PIPELINE
3	36" STEEL GAS MAIN	1899402.990	1005425.810	133+61.58	69.18' RT	752.25	4.50	756.75	NATURAL GAS PIPELINE
за	3" VENT PIPE	0	0	0	0	0.00	0.00	756.75	NATURAL GAS PIPELINE, NO VENT PIPE FOUND
4	20" STEEL GAS MAIN	1899516.09	1005477.79	133+85.19	53.04' LT	751.38	4.74	756.12	NATURAL GAS PIPELINE
4A	3" VENT PIPE	1899515.95	1005478.88	133+86.28	53.16' LT	753.62	2.50	756.12	NATURAL GAS PIPELINE
5	36" STEEL GAS MAIN	1899522.59	1005426.67	133+33.99	47.20' LT	752.24	4.55	756.79	NATURAL GAS PIPELINE
5A	3" VENT PIPE	1899522.75	1005426,17	133+33.47	47.24' LT	752.89	3.90	756.79	NATURAL GAS PIPELINE
6	10" STEEL WATER MAIN	1900308.92	1001782.52	95+02.04	45.31' RT	778.77	3.76	782.53	CITY OF GENEVA


CONFLICT # 5
36" NATURAL GAS
PIPELINE OF AMERICA
CONFLICT # 5A
3" VENT PIPE
SUE QUALITY LEVEL "A"


CONFLICT * 4
20" NATURAL GAS
PIPELINE OF AMERICA
CONFLICT * 4A
3" VENT PIPE
SUE QUALITY LEVEL "A"

- NATURAL GAS PIPELINE OF AMERICA UNDERGROUND GAS LINE SUE QUALITY LEVEL B

BLVD.

TECHNOLOGY





NATURAL GAS PIPELINE OF AMERICA -UNDERGROUND GAS LINES SUE QUALITY LEVEL B

CONFLICT * 336" NATURAL GAS
PIPELINE OF AMERICA
CONFLICT * 3A
NO VENT PIPE FOUND
SUE QUALITY LEVEL "A"

CONFLICT # 2
20" NATURAL GAS
PIPELINE OF AMERICA
CONFLICT # 2A
3" VENT PIPE
SUE QUALITY LEVEL

NOTES:

1. HORIZONTAL CONTROL, VERTICAL CONTROL, CENTERLINE ALIGNMENT, TOPOGRAPHIC FEATURES, AND ALL UTILITY LINE WORK (EXCEPTING SUE QUALITY LEVEL A LOCATIONS) WERE SUPPLIED BY ILLINOIS DEPARTMENT OF TRANSPORTATION, CONTRACT NUMBER 60D12, DATED DECEMBER 19, 2008.

LEGEND

•

CONFLICT * (SUE QUALITY LEVEL A)

SURVEYING & ENGINEERING, P.C.

EXISTING UNDERGROUND WATER

EXISTING UNDERGROUND GAS

STATE OF ILLINOIS)
COUNTY OF COOK)

UTILITY(IES) SHOWN HEREON HAVE BEEN INVESTIGATED BY ASE IN ACCORDANCE WITH SUE INDUSTRY STANDARDS QUALITY LEVEL B (QLA) AND LEVEL B (QLB). ALL OTHER INFORMATION SHOWN HAS BEEN PROVIDED BY OTHERS.

FIELD WORK WAS PERFORMED BETWEEN THE 21ST OF FEBRUARY AND 28TH DAY OF FEBRUARY, A.D., 2011.

IN WITNESS WHEREOF, I HAVE HEREUNTO SET MY HAND AND SEAL THIS 28TH DAY OF FEBRUARY A.D., 2011. CHICAGO, IL.



STEVEN M. RIENKS - ILLINOIS PROFESSIONAL ENGINEER RUMBER 62-044619 MY LICENSE EXPIRES 11/30/2011

Chicogo: 312-277-2000 / Fax 31 Dixon: 815-288-6231 / Fax 815- Aurora: 603-897-4105 / Fax 6. Illinois Professional Design Firm M	2-277-2002 -288-6277 30-897-4121	LINOIS					
FILE NAME =	USER NAME = \$USER\$	DESIGNED	REVISED -		OUT INTESTIGATION OF	F.A. SECTION	COUNTY TOTAL SHEET
D16ØI22-SHT-SUEØ1.dgn		DRAWN	REVISED -	STATE OF ILLINOIS	SUE INVESTIGATION OF	RIE. SECTION	SHEETS NO.
	PLOT SCALE = 50.000000 '/ IN.	CHECKED	REVISED -	DEPARTMENT OF TRANSPORTATION	UNDERGROUND UTILITIES		421 95
	PLOT DATE = 2/28/2011	DATE -	REVISED -		SCALE: 1"=50' SHEET NO. 1 OF 1 SHEETS STA. TO STA.	ILLINOIS FED.	CONTRACT NO. AID PROJECT

-CITY OF WEST CHICAGO WATER LINE SUE QUALITY LEVEL B

— CONFLICT * 1 15" WATER MAIN SUE QUALITY LEVEL "A"

CITY OF WEST CHICAGO WATER LINE SUE QUALITY LEVEL B