TRAFFIC SIGNAL LEGEND

ITEM	REMOVAL	EXISTING	PROPOSED	ITEM	REMOVAL	EXISTING	PROPOSED	ITEM	REMOVAL	EXISTING	PROPOSED
CONTROLLER CABINET	\bowtie^{R}	\bowtie	\blacksquare	EMERGENCY VEHICLE LIGHT DETECTOR	R≪	\bowtie	~	ELECTRIC CABLE IN CONDUIT, TRACER, NO. 14 1/C, UNLESS NOTED OTHERWISE			
AILROAD CONTROL CABINET				CONFIRMATION BEACON	R_{O-0}	0-()	•-(2011711 21715		\prec	
OMMUNICATIONS CABINET	C C	ECC	CC	HANDHOLE	R			COAXIAL CABLE		<u> </u>	
ASTER CONTROLLER		EMC	MC	VE 1111 SUEV. 1111SUS E	R	H	H	VENDOR CABLE FOR CAMERA		<u></u>	(v)
ASTER MASTER CONTROLLER	R	EMMC	MMC	HEAVY DUTY HANDHOLE	R			COPPER INTERCONNECT CABLE,		/	_
NINTERRUPTIBLE POWER SUPPLY	UPS	EUPS	UPS	DOUBLE HANDHOLE JUNCTION BOX	R O		0	NO. 18 3 PAIR TWISTED, SHIELDED		<u></u>	<u>—6</u> —
ERVICE INSTALLATION, P) POLE OR (G) GROUND MOUNT	-□- ^R	-□ ^P	- ■ P	GALVANIZED STEEL CONDUIT				FIBER OPTIC CABLE NO. 62.5/125, MM12F		—(12F)—	
ELEPHONE CONNECTION P) POLE OR (G) GROUND MOUNT	R T	P	P	IN TRENCH (T) OR PUSHED (P) TEMPORARY SPAN WIRE, TETHER WIRE,	P			FIBER OPTIC CABLE NO. 62.5/125, MM12F SM12F		<u></u>	—(24F)—
TEEL MAST ARM ASSEMBLY AND POLE	R_O	0	•	AND CABLE				FIBER OPTIC CABLE NO. 62.5/125.		,	
LUMINUM MAST ARM ASSEMBLY AND POLE	R	0		COMMON TRENCH			СТ	(NUMBER OF FIBERS & TYPE TO BE		-	——
TEEL COMBINATION MAST ARM SSEMBLY AND POLE WITH LUMINAIRE	^R O→¤———	o- ≭	• ×	COILABLE NONMETALLIC CONDUIT (EMPTY) SYSTEM ITEM		S	CNC S	NOTED ON PLANS) GROUND ROD AT (C) CONTROLLER,		^C ı∥ ⊢ ⊸	^C ⊒ —•
TEEL COMBINATION MAST ARM	R PīZ]1		PTZ N	INTERSECTION ITEM		I	ΙP	(H) HANDHOLE, (P) POST, (M) MAST ARM, OR (S) SERVICE		1	'II
SSEMBLY AND POLE WITH PTZ CAMERA	•	0	-ن-ب- - -	REMOVE ITEM	R			CONTROLLER CABINET AND	RCF		
EMPORARY WOOD POLE (CLASS 5 OR	R ○ R	\otimes	⊗	RELOCATE ITEM	RL			FOUNDATION TO BE REMOVED			
ETTER) 45 FOOT (13.7m) MINIMUM JY WIRE	⊗ 	>	>	ABANDON ITEM 12" (300mm) TRAFFIC SIGNAL SECTION	А	R	R	STEEL MAST ARM POLE AND FOUNDATION TO BE REMOVED	ORMF		
	R		•	12 (JOOHIII) TRAFFIC STONAL SECTION			11	ALUMINUM MAST ARM POLE AND FOUNDATION TO BE REMOVED	RMF		
GNAL HEAD GNAL HEAD CONSTRUCTION STAGES	→	\rightarrow	→	12" (300mm) RED WITH 8" (200mm) YELLOW AND GREEN TRAFFIC SIGNAL FACE		(R) (Y)					
UMBERS INDICATE THE CONSTRUCTION STAGE)			→ [∠]	TELEVIL AND ONLEN THAT TO STONAL TAGE		Ö		STEEL COMBINATION MAST ARM ASSEMBLY AND POLE WITH LUMINAIRE AND	RMF O–¤———		
GNAL HEAD WITH BACKPLATE	+⊳ ^R	+->	+			(R)	R	FOUNDATION TO BE REMOVED			
GNAL HEAD OPTICALLY PROGRAMMED	R →>′′P′′		-▶ "P"	SIGNAL FACE			G	SIGNAL POST AND FOUNDATION TO BE REMOVED	RMF O		
ASHER INSTALLATION DENOTES SOLAR POWER)	R ○>''F''	O-D ^{''F''}	●► "F"			(+ y) (+ c)	4 Y 4 G	INTERSECTION & SAMPLING (SYSTEM) DETECTOR			IS
DESTRIAN SIGNAL HEAD	R -□	-0	-1			R	R	SAMPLING (SYSTEM) DETECTOR		[<u>5</u>]	S
EDESTRIAN PUSHBUTTON DETECTOR	R (1)	©	•	SIGNAL FACE WITH BACKPLATE. "P" INDICATES PROGRAMMED HEAD		(c)	Y G	EXISTING INTERSECTION LOOP DETECTOR		121	
CCESSIBLE PEDESTRIAN PUSHBUTTON DETECTOR	R APS	@APS	APS				∢ Y ∢ G	PROPOSED INTERSECTION AND SAMPLING (SYSTEM) DETECTO	R	[<u>P</u>]	
LUMINATED SIGN	R					"P"	"P"	EXISTING PREFORMED INTERSECTION LOOP DETECTOR PROPOSED INTERSECTION AND SAMPLING (SYSTEM) DETECTO	R	ÎPPÎ	
NO LEFT TURN"			•	12" (300mm) PEDESTRIAN SIGNAL HEAD		DW W		PREFORMED INTERSECTION AND SAMPLING		Į– † ĮPISį	PIS
LUMINATED SIGN NO RIGHT TURN''	R			WALK/DON'T WALK SYMBOL 12" (300mm) PEDESTRIAN SIGNAL HEAD		(W)		(SYSTEM) DETECTOR PREFORMED SAMPLING (SYSTEM) DETECTOR		1 13 PS 1	[PS]
ETECTOR LOOP, TYPE I				INTERNATIONAL SYMBOL, OUTLINED						₽	<u> </u>
REFORMED DETECTOR LOOP		β – γ b s	Р	12" (300mm) PEDESTRIAN SIGNAL HEAD INTERNATIONAL SYMBOL, SOLID		①	*	RAILROAD SYMBOLS			
ICROWAVE VEHICLE SENSOR	R [M][]	[M]	M1	PEDESTRIAN SIGNAL HEAD, INTERNATIONAL SYMBOL, WITH COUNTDOWN TIMER		(C) C	₽ C ★ D			<u>EXISTING</u>	PROPOSED
IDEO DETECTION CAMERA	R [V]	[V]	V ●	RADIO INTERCONNECT	## * 0	##+0	##•	RAILROAD CONTROL CABINET		<u> </u>	E C
IDEO DETECTION ZONE							<u>.</u>	RAILROAD CANTILEVER MAST ARM	5	XOZ X X	XOX
	R			RADIO REPEATER	RERR	ERR	RR		2	X O X	X O X
AN, TILT, ZOOM CAMERA		PTZ)1	PTZ 1	DENOTES NUMBER OF CONDUCTORS, ELECTRIC CABLE NO. 14, UNLESS NOTED OTHERWISE,		<u> </u>		FLASHING SIGNAL			
IRELESS DETECTOR SENSOR	RW	W	W	ALL DETECTOR LOOP CABLE TO BE SHIELDED		۳		CROSSING GATE		$\times \times \times$	X 0 X
IRELESS ACCESS POINT	R			GROUND CABLE IN CONDUIT NO. 6 SOLID COPPER (GREEN)		(1)	1	CROSSBUCK		≥	>
NAME = USER NAME = konthophix		SIGNED - DAG/BCK	REVISED -		OF 1111101	•		DISTRICT 1	F.A. RTE.	SECTION	COUNTY TOTA
v_work\PWIDOT\KANTHAPHIXAYBC\dØII26 4\traffic_legend_v7.dgn PLOT SCALE = 20.0000 //		AWN - BCK ECKED - DAD	REVISED -	STATE OF ILL DEPARTMENT OF TRA			STANDARD TRAFFIC SIGNAL DESIGN DETAILS		94	49-1(HB & HB-1)R	LAKE 225