



MIN. BAR LAPS
(U.N.O.)

Bar	Length
#4	2'-11"
#6	4'-5"
#8	6'-9"

NOTES:

- Optional full depth construction joints with 1/2" chamfers may be placed in anchorage slab and parapet at contraction joint location(s).
- Bars indicated thus 7x6-#5 etc. indicates 7 lines of bars with 6 lengths per line.
- For Section A-A see sheet S-4.

FILE NAME = 082-W310.76C52.S03.MomSlab.dgn	USER NAME = searab	DESIGNED DEV	REVISED -	STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION	RETAINING WALL 082-W310 PARAPET & ANCHORAGE SLAB	F.A.I. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
		DRAWN GF	REVISED -			• 82-1-RIA), 82-1-RIB)	ST. CLAIR	629	495	
		CHECKED ATB	REVISED -			• 64/998/70	CONTRACT NO. 76C52			
		DATE JUNE 10, 2011	REVISED -			FED. ROAD DIST. NO.	ILLINOIS FED. AID PROJECT			
				SCALE: N.T.S.	SHEET NO. S-3 OF S-5 SHEETS	STA. 65+23.00 TO STA. 66+75.00				