



# Illinois Department of Transportation

2300 South Dirksen Parkway / Springfield, Illinois / 62764

April 19, 2018

SUBJECT: FAS Route 882 (CH 10 – Blairsville Road)  
Project STP-BK15 (046)  
Section 102B-3  
Hamilton County  
Contract No. 78080  
Item No. 56, April 27, 2018 Letting  
Addendum A

## NOTICE TO PROSPECTIVE BIDDERS:

Attached is an addendum to the plans or proposal. This addendum involves revised and/or added material.

1. Revised the Schedule of Prices
2. Revised page ii of the Table of Contents to the Special Provisions
3. Added page 63 to the Special Provisions
4. Revised sheets 1, 4, and 21 of the Plans
5. Added sheet 21A to the Plans

Prime contractors must utilize the enclosed material when preparing their bid and must include any changes to the Schedule of Prices in their bid.

Very truly yours,

Jack A. Elston, P.E.  
Acting Bureau Chief  
Bureau of Design and Environment

A handwritten signature in black ink, appearing to read 'Ted B. Walschleger', followed by the initials 'P.E.'.

By: Ted B. Walschleger, P. E.  
Engineer of Project Management

cc: Jeffery Keirn, Region 5, District 9; D. Carl Puzey; Tim Kell

CWR/ck

WEEKLY DBE TRUCKING REPORTS (BDE)..... 48  
FUEL COST ADJUSTMENT (BDE)..... 48  
STEEL COST ADJUSTMENT (BDE)..... 51  
404 PERMIT ..... 54  
PRECAST CONCRETE BOX CULVERTS 15' X 6' (SPECIAL)..... 63

**PRECAST CONCRETE BOX CULVERTS 15' X 6' (SPECIAL)**

Description: This item shall include the furnishing of all materials and the necessary labor to construct and erect the completed box culvert as specified on the plans and as specified herein.

Construction: Precast Concrete Box Culverts 15'x6' (Special) shall be constructed in accordance with applicable articles of Section 540, 1042.05, and 1042.16.

The Contractor shall submit cross-section dimensions furnished by the precast supplier prior to fabrication. The non-standard dimensions may require the precast concrete supplier to alter reinforcement bar layouts and slab and wall dimensions from that of standard precast concrete box culvert sizes. If the wall or slab dimensions recommended by the precast supplier differ from those assumed in the design plans, the contractor shall contact the engineer for approval prior to fabrication of the precast concrete box culvert.

Method of Measurement: This work shall be measured in place per lineal foot of box culvert.

Basis of Payment: This work will be paid for at the contract unit price per foot for PRECAST CONCRETE BOX CULVERTS 15' X 6' (SPECIAL), which price shall be full compensation for all labor equipment and materials required for performing the work as specified herein and as detailed on the plans.