04-28-2017 LETTING ITEM 128

FOR INDEX OF SHEETS, SEE SHEET NO. 2

0

0

0

0

STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION

F.A. SECTION COUNTY TOTAL SHEETS NO.

VAR DIST 8 BRIDGE DECK 2017-2 CLINTON 28 1


IN 19975 CONTRACT NO. 76K27

D-98-048-17

PROPOSED HIGHWAY PLANS

VARIOUS ROUTE
SECTION DIST 8 BRIDGE DECK 2017-2
BRIDGE DECK SEALING
CLINTON COUNTY

C-98-034-17



NOT TO SCALE

GROSS LENGTH = 9048.11 FT. = 1.714 MILE NET LENGTH = 9048.11 FT. = 1.714 MILE


0 100' 200' 300' — 1" = 180'
0 10' 20' 30' — 1" = 10'
0 50' 100' 1" = 40'
0 50' 100' — 1" = 30'
0 50' 100' — 1" = 20'


FULL SIZE PLANS HAVE BEEN PREPARED USING STANDARD ENGINEERING SCALES. REDUCED SIZED PLANS WILL NOT CONFORM TO STANDARD SCALES. IN MAKING MEASUREMENTS ON REDUCED PLANS, THE ABOVE SCALES MAY BE USED.

J.U.L.I.E.
JOINT UTILITY LOCATION INFORMATION FOR EXCAVATION
1–800–892–0123
OR 811

PROJECT ENGINEER: HERVE GELIN (618) 346-3179 PROJECT MANAGER: BILLIE OWEN (618) 346-3209

CONTRACT NO. 76K27





PRINTED BY THE AUTHORITY OF THE STATE OF ILLINOIS

INDEX OF SHEETS

- COVER SHEET
- 2. INDEX OF SHEETS, HIGHWAY STANDARDS, GENERAL NOTES, COMMITMENTS & ADT
- 3. SUMMARY OF QUANTITIES
- 4. SCHEDULES OF QUANTITIES
- LOCATION MAP
- 6. 28. PLAN AND SECTION VIEWS

HIGHWAY STANDARDS

000001-06 001006 701201-04 701901-06

COMMITMENTS

NONE

GENERAL NOTES

- ILLINOIS STATE LAW REQUIRES A 48-HOUR NOTICE TO BE GIVEN TO UTILITIES BEFORE DIGGING, FIELD MARKING OF FACILITIES MAY BE OBTAINED BY CONTACTING J.U.L.I.E. (1-800-892-0123 OR 811) OR FOR NON-MEMBERS THE UTILITY COMPANY DIRECTLY.
- 2. THE CONTRACTOR AND THE ENGINEER SHALL BE AWARE THAT NO SURVEY WAS PERFORMED FOR THIS PROJECT. THE STATIONING AND TOPOGRAPHY SHOWN IN THE PLANS WAS CREATED USING MICROFILM AND FIELD MEASUREMENTS. BOTH SHALL BE ASSUMED TO BE APPROXIMATE. THE CONTRACTOR SHALL VERIFY DIMENSIONS AND CONDITIONS IN THE FIELD PRIOR TO CONSTRUCTION AND ORDERING OF MATERIALS.
- 3. THE CONTRACTOR SHALL VERIFY ALL DIMENSIONS AND CONDITIONS IN THE FIELD PRIOR TO CONSTRUCTION AND ORDERING MATERIALS.
- 4. ALL TURF AREAS DISTURBED BY THE CONTRACTOR SHALL BE SEEDED WITH THE APPROPRIATE EROSION CONTROL AS DIRECTED BY THE ENGINEER AT THE CONTRACTOR'S EXPENSE.
- 5. NO OVERNIGHT CLOSURES WILL BE PERMITTED.
- 6. COVERING OF EXISTING PAVEMENT MARKINGS AS NOTED IN THE BRIDGE DECK CONCRETE SEAL SPECIAL PROVISION SHALL INCLUDE RAISED REFLECTIVE PAVEMENT MARKERS.

BRIDGE LOCATIONS & TRAFFIC DATA

						NET LENGTH	TRA	AFFIC DA	ТА
STRUCTURE NO.	FACILITY CARRIED	FEATURE CROSSED	LOCATION	LATITUDE	LONGITUDE		ADT 2015	% SU	% MU
SN 014-0009	IL 161	WILKEN LAKE	1/2 MI E OF GERMANTOWN	38.5482	-89.5319	439.99	4000	8.1	4 . 5
SN 014-0010	IL 161	SHOAL CREEK	0.6 MI E OF GERMANTOWN	38.54518	89.5293	491.21	4000	8.1	4.5
SN 014-0015	IL 127	SOUTHERN RR	POSEY	38.5366	89.3528	199.08	3350	5.1	8.2
SN 014-0024	IL 161	LOST CREEK	1.7 MI E OF IL 127	38.5366	89.3228	348.72	3350	5.7	4 . 5
SN 014-0049	US 50	SUGAR CREEK	3 MI E OF TRENTON	38.6159	89.6307	629.08	6800	10.7	11.0
SN 014-0050	SCHUMACHER RD (TR 48)	US 50	5 MI E OF TRENTON	38.6153	89.5941	231.50	6800	10.7	11.0
SN 014-0054	ST. ROSE RD (FAS 778)	US 50	7 MI E OF TRENTON	38.6197	89.5538	262.33	3400	4.4	3 . 5
SN 014-0055	FROGTOWN RD (TR 90)	US 50	6 MI W OF CARLYLE	38.6234	89.4793	275.42	75	13.3	
SN 014-0056	FLAT BRANCH RD (TR 126)	US 50	1.5 MI W OF CARLYLE	38.6239	89.4007	226.17	375	3.7	0.3
SN 014-0058	US 50	SHOAL CREEK	2.5 MI E OF BREESE	38.6214	89.4861	1229.33	6000	8.8	11.3
SN 014-0060	US 50	BEAVER CREEK	4 MI W OF CARLYLE	38.624	89.4463	455.67	5200	3.9	9.6
SN 014-0061	US 50	KASKASKIA RIVER	AT CARLYLE	38.6102	89.3581	293.00	6700	10.1	9.3
SN 014-0063	IL 127	FLAT BRANCH CREEK	6.1 MI N OF CARLYLE	38.7275	89.3719	228.79	2850	10.5	13.2
SN 014-0064	IL 127	FLAT BRANCH CREEK	4 MI N OF CARLYLE	38.7029	89.372	145.97	3400	18.4	14.0
SN 014-0069	0ld US 50	BEAVER CREEK	1.2 MI W OF BECKEMEYER	38.6092	89.4588	419.35	5650	4.0	2.1
SN 014-0070	IL 161	SHOAL CREEK	1.5 MI E OF GERMANTOWN	38.5367	89.522	266.25	4000	8.1	4.5
SN 014-0071	IL 161	KASKASKIA RIVER	4.5 MI E OF BARTELSO	38.5365	89.3839	780.42	2250	4	4
SN 014-0072	IL 177	QUEENS LAKE BRANCH	0.2 MI E OF NEW MEMPHIS	38.4706	89.6773	182.50	2350	6.8	4.3
SN 014-0073	IL 177/IL 160	QUEENS LAKE SLOUGH	1 MI E OF NEW MEMPHIS	38.4587	89.6585	540.58	2150	12.8	5.1
SN 014-0074	IL 177/IL 160	KASKASKIA OVERFLOW	1.2 MI E OF NEW MEMPHIS	38.4578	89.6512	345.92	2150	12.8	5.1
SN 014-0076	US 50	LOST CREEK	9.6 MI E OF CARLYLE	38.6155	89.1905	211.83	3550	8.5	15.5
SN 014-0077	OLD US 50	SUGAR CREEK	1.1 MI W OF AVISTON	38.6119	89.63	432.00	4100	2.9	1.5
SN 014-0078	IL 161	SUGAR CREEK	4 MI E OF NEW BADEN	38.5414	89.6266	413.00	4700	17.0	4.8
'					TOTAL	9048.11			

	FILE NAME =	USER NAME = agboolato	DESIGNED -	REVISED -			INDEX	OF SHE	ETS, HIGHWAY ST	TANDARDS	F.A.P RTF.	SECTION	COUNTY	TOTAL SHEET
	pw:\\ILØ84EBIDINTEG.illinois.gov:PWIDOT\Do	cuments\IDOT Offices\District 8\Projects\D87	K 2R XIYAN Data\€ADsheets\D876K27-sht-genno	teREgAISED −	STATE OF ILLINOIS				ES, COMMITMENT		VAR.	DIST 8 BRIDGE DECK 2017-2	CLINTON	28 2
		PLOT SCALE = 100.0000 '/ in.	CHECKED -	REVISED -	DEPARTMENT OF TRANSPORTATION		GEIVE	MAL NUT	·	I & ADI			CONTRAC	T NO. 76K27
- 1	Default	PLOT DATE = 1/18/2017	DATE -	REVISED -		SCALE:	SHEET	OF	SHEETS STA.	TO STA.		ILLINOIS FED. AI	D PROJECT	

CONSTR. CODE 100 % STATE BRIDGE TOTAL 0014 CODE ITEM UNIT QUANTITY RURAL -NO. ì 67100100 MOBILIZATION LSUM ł LSUM 1 1 70100450 TRAFFIC CONTROL AND PROTECTION, STANDARD 701201 X5870015 BRIDGE DECK CONCRETE SEALER SO FT 361936 361936

İ	FILE NAME +	USER NAME - agbooleto	DESIGNED -	REVISED -			MIIS	MARY OF	QUANTITIE	\$
	p=1\\tu84EBIDINTEG.:11:mpsa.gov:PWIDOT\So	ioments\1007 Offices\District 8\Projects\087	IQRXIVIO0 ato\EAOshaats\0876K27-sht-500.do	rREVISED -	STATE OF ILLINOIS		0011	11271111 141	40/1141112	•
		PLOT SCALE : 100.0000 '/ In.	CHECKED ~	REVISED -	DEPARTMENT OF TRANSPORTATION			· · · · · · · · · · · · · · · · · · ·		
1	Default	PLOT DATE * 1/18/2017	DATE -	REVISED -		SCALE:	SHEET OF	SHEET	S STA,	TO STA.

RTE, SECTION COUNTY TOTAL SHEET NO.


VAR. DIST 8 BRIDGE DECK 2017-2 CLINTON 29 3

CONTRACT NO. 76K27

STRUCTURE NO.	LOCATION	CONCRETE SEALER (SQFT)
SN 014-0009	IL 161 OVER WILKEN LAKE, 1/2 MILE E OF GERMANTOWN	17158.41
SN 014-0010	IL 161 OVER SHOAL CREEK OVERFLOW, 0.6 MILE E IF GERMANTOWN	19110.21
SN 014-0015	IL 127 OVER SOUTHERN RR IN POSEY	7504.58
SN 014-0024	IL 161 OVER LOST CREEK, 1.7 MILES E OF IL 127	14017.28
SN 014-0049	US 50 OVER SUGAR CREEK, 3 MILES E OF TRENTON	26985.15
SN 014-0050	SCHUMACHER RD OVER US 50, 5 MILES E OF TRENTON	7599.63
SN 014-0054	ST. ROSE RD OVER US 50, 7 MILES E OF TRENTON	10169.98
SN 014-0055	FROGTOWN RD OVER US 50, 6 MILES W OF CARLYLE	8478.11
SN 014-0056	FLAT BRANCH RD OVER US 50, 1.5 MILES W OF CARLYLE	6959.46
SN 014-0058	US 50 OVER SHOAL CREEK, 2.5 MILES E OF BREESE	53498.17
SN 014-0060	US 50 OVER BEAVER CREEK, 4 MILES W OF CARLYLE	19823.78
SN 014-0061	US 50 OVER KASKASKIA RIVER AT CARLYLE	11059.50
SN 014-0063	IL 127 OVER FLAT BRANCH CREEK, 6.1 MILES N OF CARLYLE	11096.92
SN 014-0064	IL 127 OVER FLAT BRANCH CREEK, 4 MILES N OF CARLYLE	7161.50
SN 014-0069	OLD US 50 OVER BEAVER CREEK, 1.2 MILES W OF BECKEMEYER	16538.62
SN 014-0070	IL 161 OVER SHOAL CREEK, 1.5 MILES E OF GERMANTOWN	10671.63
SN 014-0071	IL 161 OVER KASKASKIA RIVER, 4.5 MILES E OF BARTELSO	30613.93
SN 014-0072	IL 177 OVER QUEENS LAKE BRANCH, O.2 MILE E NEW MEMPHIS	6760.78
SN 014-0073	IL 177/160 OVER QUEENS LAKE SLOUGH, 1 MILE E NEW MEMPHIS	21091.40
SN 014-0074	IL 177/160 OVER KASKASKIA OVERFLOW, 1.2 MILES E NEW MEMPHIS	13218.47
SN 014-0076	US 50 OVER LOST CREEK, 9.6 MILES E OF CARLYLE	7919.92
SN 014-0077	OLD US 50 OVER SUGAR CREEK, 1.1 MILES W OF AVISTON	16992.18
SN 014-0078	IL 161 OVER SUGAR CREEK, 4 MILES E OF NEW BADEN	17506.86
	TOTAL	361936


FILE NAME =	USER NAME = agboolato	DESIGNED -	REVISED	-]
pw:\\IL084EBIDINTEG.:111:nois.gov:PWIDOT\Do	cuments\IDOT Offices\District 8\Projects\D87	K (2R X0¥10 Data\€ADsheets\D876K27-sht-sched	₁BE⊌∯∄SED	-	
	PLOT SCALE = 100.0000 '/ in.	CHECKED -	REVISED	-	
Default	PLOT DATE = 1/19/2017	DATE -	REVISED	-	

		SCHEDU	JLE OF QU	JANTITIES		F.A.P RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
						VAR.	DIST 8 BRIDGE DECK 2017-2	CLINTON	28	4
								CONTRAC	T NO. 7	76K27
SCALE:	SHEET	OF	SHEETS	STA.	TO STA.		ILLINOIS FED. AID PROJECT			




A CONCRETE SEALER SHALL BE APPLIED TO THE SURFACE OF THE DECK, PARAPETS, AND APPROACH PAVEMENTS. SEE SPECIAL PROVISIONS FOR DECK CONCRETE SEALER.

EXISTING PAVEMENT MARKINGS SHALL BE TEMPORARILY COVERED PRIOR TO APPLICATION OF THE DECK SURFACE TREATMENT, TO PREVENT THE MATERIAL FROM BEING APPLIED OVER THE MARKINGS. THE TEMPORARY COVERING SHALL BE REMOVED AFTER THE APPLICATION OF THE DECK SURFACE TREATMENT AND PRIOR TO OPENING TO TRAFFIC. COST INCLUDED WITH CONCRETE SEALER.



ITEM	UNIT	TOTAL
BRIDGE DECK CONCRETE SEALER	SQ. FT.	17159

TOTAL BILL OF MATERIALS




RANGE 4 W 3rd PM 4 GERMANTOWN 3 8 10 STRUCTURE LOCATION LOCATION SKETCH

FILE NAME =	USER NAME = agboolato	DESIGNED -	REVISED -		PLAN AND SECTION VIEWS	F.A.P SECTION COUNTY	TOTAL SHEET
pw:\\ILØ84EBIDINTEG.1llmois.gov:PWIDOT\Do	cuments\IDOT Offices\District 8\Projects\D8	7 6K2RXWAN Data\€ADsheets\D876K27-sht-typic	1.RG∀ISED -	STATE OF ILLINOIS	[The state of the	VAR. DIST 8 BRIDGE DECK 2017-2 CLINTON	28 6
	PLOT SCALE = 100.0000 ' / in.	CHECKED -	REVISED -	DEPARTMENT OF TRANSPORTATION	IL RTE 161 OVER WILKEN LAKE – SN 014-0009	CONTRAC	T NO. 76K27
Default	PLOT DATE = 1/20/2017	DATE -	REVISED -		SCALE: SHEET OF SHEETS STA. TO STA.	THE INOIS FED. AID PROJECT	

A CONCRETE SEALER SHALL BE APPLIED TO THE SURFACE OF THE DECK, PARAPETS, AND APPROACH PAVEMENTS, SEE SPECIAL PROVISIONS FOR DECK CONCRETE SEALER.


EXISTING PAVEMENT MARKINGS SHALL BE TEMPORARILY COVERED PRIOR TO APPLICATION OF THE DECK SURFACE TREATMENT, TO PREVENT THE MATERIAL FROM BEING APPLIED OVER THE MARKINGS. THE TEMPORARY COVERING SHALL BE REMOVED AFTER THE APPLICATION OF THE DECK SURFACE TREATMENT AND PRIOR TO OPENING TO TRAFFIC. COST INCLUDED WITH CONCRETE SEALER.



<u>PARTIAL PLAN</u>

TOTAL BILL OF MATERIALS

ITEM	UNIT	TOTAL
BRIDGE DECK CONCRETE SEALER	SQ. FT.	19111



CROSS SECTION

RANGE 4 W	3rd PM		
GERMANTOWN OB M. I. JAMES 9 STRUCTURE LOCATION	3 10 (161)	TWP 1 N	

LOCATION SKETCH

FILE NAME =	USER NAME = agboolato	DESIGNED -	REVISED -	
pw:\\IL084EBIDINTEG.1ll1no1s.gov:PWIDOT\Do	cuments\IDOT Offices\District 8\Projects\D87	K 2R ANAN Data\€ADsheets\D876K27-sht-typica	ıR6viseD -	
	PLOT SCALE = 100.0000 '/ in.	CHECKED -	REVISED -	
Default	PLOT DATE = 1/19/2017	DATE -	REVISED -	


STATE OF ILLINOIS	
DEPARTMENT OF TRANSPORTATION	

			PLAN AND	SECTI	ON VIEWS			
IL RTE	161	OVER	SHOAL CREEK	OVER	OVERFLOW	- SN	014-0010	
SCALE:		SHEET	OF	SHEETS	STA.	TO	STA.	

	F.A.P SECTION							COUNTY	TOTAL SHEETS	SHEET NO.
	VAR.	R. DIST 8 BRIDGE			DECK	2017-2	2	CLINTON	28	7
CONTRACT NO. 76										6K27
	ILLINOIS FED. AID PROJECT									

A CONCRETE SEALER SHALL BE APPLIED TO THE SURFACE OF THE DECK, PARAPETS, AND APPROACH PAVEMENTS. SEE SPECIAL PROVISIONS FOR DECK CONCRETE SEALER.


EXISTING PAVEMENT MARKINGS SHALL BE TEMPORARILY COVERED PRIOR TO APPLICATION OF THE DECK SURFACE TREATMENT, TO PREVENT THE MATERIAL FROM BEING APPLIED OVER THE MARKINGS. THE TEMPORARY COVERING SHALL BE REMOVED AFTER THE APPLICATION OF THE DECK SURFACE TREATMENT AND PRIOR TO OPENING TO TRAFFIC. COST INCLUDED WITH CONCRETE SEALER.



PARTIAL PLAN

TOTAL BILL OF MATERIALS

ITEM	UNIT	TOTAL			
BRIDGE DECK CONCRETE SEALER	SQ. FT.	7505			



CROSS SECTION

(A-A)


_	RANGE 4 W		3r	d PM	_	
	WESSELMAN	RD				
		27				
	_ ("	7	8	8		1
ا	TDUCTUBE		TWEN-	HOFEL		/
	TRUCTURE OCATION	Ρ	OSEY		z	N
-				SS	TWP	N
	18 —		17	RAKERS	[H
	FAP 42	RIPPI	ENGER RD			

LOCATION SKETCH

FILE NAME	1E =	USER NAME = agboolato	DESIGNED -	REVISED -		PLAN AND SECTION VIEWS		F.A.P	SECTION	COUNTY	TOTAL SHEET				
pw:\\IL08	84EBIDINTEG.:111:nois.gov:PWIDOT\Do	cuments\IDOT Offices\District 8\Projects\D8	7 6K2RXWAW Data\€ADsheets\D876K27-sht-typic	alag√ISED -	STATE OF ILLINOIS	IL RTE 127 OVER SOUTHERN RR - SN 014-0015		VAR.	DIST 8 BRIDGE DECK 2017-2	CLINTON	28 8				
		PLOT SCALE = 100.0000 '/ in.	CHECKED -	REVISED -	DEPARTMENT OF TRANSPORTATION	IL RIE 121 OVER SOUTHERIN RR - SIN 014-0015					CONTRAC	T NO. 76K27			
Default		PLOT DATE = 1/19/2017	DATE -	REVISED -		SCALE:	SHEET	OF	SHEET	S STA.	TO STA.		ILLINOIS FED. AI	D PROJECT	

A CONCRETE SEALER SHALL BE APPLIED TO THE SURFACE OF THE DECK, PARAPETS, AND APPROACH PAVEMENTS. SEE SPECIAL PROVISIONS FOR DECK CONCRETE SEALER.


EXISTING PAVEMENT MARKINGS SHALL BE TEMPORARILY COVERED PRIOR TO APPLICATION OF THE DECK SURFACE TREATMENT, TO PREVENT THE MATERIAL FROM BEING APPLIED OVER THE MARKINGS. THE TEMPORARY COVERING SHALL BE REMOVED AFTER THE APPLICATION OF THE DECK SURFACE TREATMENT AND PRIOR TO OPENING TO TRAFFIC. COST INCLUDED WITH CONCRETE SEALER.




PARTIAL PLAN

TOTAL BILL OF MATERIALS

ITEM	UNIT	TOTAL
BRIDGE DECK CONCRETE SEALER	SO. FT.	14018






LOCATION SKETCH


- 1	Α-	A)	

FILE NAME =	USER NAME = agboolato	DESIGNED -	REVISED -			PLAN AND SECTION VIEWS F.				F.A.P	SECTION	COUNTY	TOTAL SHE	∄T]
pw:\\ILØ84EBIDINTEG.:ll:nois.gov:PWIDOT\D	Ocuments\IDOT Offices\District 8\Proje	cts\D876K 2R%0MAD Data\€ADsheets\D87	K27-sht-typical REVISED -	STATE OF ILLINOIS		IL RTE 161 OVER LOST CREEK - SN 014-0024		VAR. D	IST 8 BRIDGE DECK 2017-2	CLINTON	28 9			
	PLOT SCALE = 100.0000 '/ in.	CHECKED -	REVISED -	DEPARTMENT OF TRANSPORTATION		IL NIE 10	I UVEN I	LUSI CHEEK - SIN	014=0024			CONTRAC	T NO. 76K2	7
Default	PLOT DATE = 1/19/2017	DATE -	REVISED -		SCALE:	SHEET	OF	SHEETS STA.	TO STA.		TILINOIS FED. A	ID PROJECT		\neg



A CONCRETE SEALER SHALL BE APPLIED TO THE SURFACE OF THE DECK, PARAPETS, AND APPROACH PAVEMENTS. SEE SPECIAL PROVISIONS FOR DECK CONCRETE SEALER.

EXISTING PAVEMENT MARKINGS SHALL BE TEMPORARILY COVERED PRIOR TO APPLICATION OF THE DECK SURFACE TREATMENT, TO PREVENT THE MATERIAL FROM BEING APPLIED OVER THE MARKINGS. THE TEMPORARY COVERING SHALL BE REMOVED AFTER THE APPLICATION OF THE DECK SURFACE TREATMENT AND PRIOR TO OPENING TO TRAFFIC. COST INCLUDED WITH CONCRETE SEALER.




<u>PARTIAL PLAN</u>

TOTAL BILL OF MATERIALS

ITEM	UNIT	TOTAL
BRIDGE DECK CONCRETE SEALER	SQ. FT.	7600

3rd PM



LOCATION SKETCH

RANGE 4 W


AVISTON

CROSS	SECTION

FILE NAME =	USER NAME = agboolato	DESIGNED -	REVISED -			PLAN AND SECTION VIEWS				F.A.P	SECTION	COUNTY	TOTAL SHEETS NO.
pw:\\IL084EBIDINTEG.:ll:nois.gov:PWIDOT\D	Ocuments\IDOT Offices\District 8\Proje	cts\D876K 2R%0MAN Data\€ADsheets\D87	K27-sht-typicalRGVISED -	STATE OF ILLINOIS	SCHUMACHER RD (TR 48) OVER US 50 - SN 014-0050			VAR. DI	IST 8 BRIDGE DECK 2017-2	CLINTON	28 11		
	PLOT SCALE = 100.0000 '/ in.	CHECKED -	REVISED -	DEPARTMENT OF TRANSPORTATION	301	TUIVIAGREN	חו) עח	1 40) UVEN US SI	7 - 3N 014-0030			CONTRAC	T NO. 76K27
Default	PLOT DATE = 1/19/2017	DATE -	REVISED -		SCALE:	SHEET	OF	SHEETS STA.	TO STA.		TILINOIS FED. A	ID PROJECT	

A CONCRETE SEALER SHALL BE APPLIED TO THE SURFACE OF THE DECK, PARAPETS, AND APPROACH PAVEMENTS. SEE SPECIAL PROVISIONS FOR DECK CONCRETE SEALER.


EXISTING PAVEMENT MARKINGS SHALL BE TEMPORARILY COVERED PRIOR TO APPLICATION OF THE DECK SURFACE TREATMENT, TO PREVENT THE MATERIAL FROM BEING APPLIED OVER THE MARKINGS. THE TEMPORARY COVERING SHALL BE REMOVED AFTER THE APPLICATION OF THE DECK SURFACE TREATMENT AND PRIOR TO OPENING TO TRAFFIC. COST INCLUDED WITH CONCRETE SEALER.



PARTIAL PLAN

TOTAL BILL OF MATERIALS

ITEM	UNIT	TOTAL			
BRIDGE DECK CONCRETE SEALER	SO. FT.	10170			



BREESE RD

HOLY CROSS LA.

(BB)

9

STRUCTURE
LOCATION

BREESE
20
21

BREESE RD

CROSS SECTION

(A-A)


LOCATION SKETCH

RANGE 4 W

FILE NAME =	USER NAME = agboolato	DESIGNED -	REVISED -		PLAN AND SECTION VIEWS	F.A.P SECTION COUNTY TOTAL SHEET
pw:\\IL084EBIDINTEG.1ll1no1s.gov:PWIDOT\Do	cuments\IDOT Offices\District 8\Projects\D8	7 6K2RXWAN Data\€ADsheets\D876K27-sht-typic	1.RG∀ISED -	STATE OF ILLINOIS	I	VAR. DIST 8 BRIDGE DECK 2017-2 CLINTON 28 12
	PLOT SCALE = 100.0000 ' / in.	CHECKED -	REVISED -	DEPARTMENT OF TRANSPORTATION	ST ROSE RD (FAS 778) OVER US 50 - SN 014-0054	CONTRACT NO. 76K27
Default	PLOT DATE = 1/19/2017	DATE -	REVISED -		SCALE: SHEET OF SHEETS STA. TO STA.	ILLINOIS FED. AID PROJECT

A CONCRETE SEALER SHALL BE APPLIED TO THE SURFACE OF THE DECK, PARAPETS, AND APPROACH PAVEMENTS. SEE SPECIAL PROVISIONS FOR DECK CONCRETE SEALER.

EXISTING PAVEMENT MARKINGS SHALL BE TEMPORARILY COVERED PRIOR TO APPLICATION OF THE DECK SURFACE TREATMENT, TO PREVENT THE MATERIAL FROM BEING APPLIED OVER THE MARKINGS. THE TEMPORARY COVERING SHALL BE REMOVED AFTER THE APPLICATION OF THE DECK SURFACE TREATMENT AND PRIOR TO OPENING TO TRAFFIC. COST INCLUDED WITH CONCRETE SEALER.




PARTIAL PLAN

TOTAL BILL OF MATERIALS

ITEM	UNIT	TOTAL			
BRIDGE DECK CONCRETE SEALER	SQ. FT.	8479			

RANGE 3 W 3rd PM




LOCATION SKETCH

FILE NAME =	USER NAME = agboolato	DESIGNED -	REVISED -					AND SECTION VIEV	NS	F.A.P	SECTION	COUNTY	TOTAL SHEET
pw:\\ILØ84EBIDINTEG.:ll:nois.gov:PWIDOT\D	ocuments\IDOT Offices\District 8\Projec	ts\D876K 2RXWAW Data\€ADsheets\D87	K27-sht-typical AGWISED -	STATE OF ILLINOIS		FROGTOWN RD (TR 90) OVER US 50 - SN 014-0055					IST 8 BRIDGE DECK 2017-2	CLINTON	28 13
	PLOT SCALE = 100.0000 '/ in.	CHECKED -	REVISED -	DEPARTMENT OF TRANSPORTATION		FRUGIOWN	חו) עח	90) UVEN US 30	- 514 014-0055			CONTRAC	T NO. 76K27
Default	PLOT DATE = 1/19/2017	DATE -	REVISED -		SCALE:	SHEET	OF	SHEETS STA.	TO STA.		TILLINOIS FED. A	ID PROJECT	

A CONCRETE SEALER SHALL BE APPLIED TO THE SURFACE OF THE DECK, PARAPETS, AND APPROACH PAVEMENTS. SEE SPECIAL PROVISIONS FOR DECK CONCRETE SEALER.

EXISTING PAVEMENT MARKINGS SHALL BE TEMPORARILY COVERED PRIOR TO APPLICATION OF THE DECK SURFACE TREATMENT, TO PREVENT THE MATERIAL FROM BEING APPLIED OVER THE MARKINGS. THE TEMPORARY COVERING SHALL BE REMOVED AFTER THE APPLICATION OF THE DECK SURFACE TREATMENT AND PRIOR TO OPENING TO TRAFFIC. COST INCLUDED WITH CONCRETE SEALER.






<u>PARTIAL PLAN</u>

TOTAL BILL OF MATERIALS

ITEM	UNIT	TOTAL			
BRIDGE DECK CONCRETE SEALER	SQ. FT.	6960			

12 CARLYLE


RANGE 3 W




LOCATION SKETCH

FILE NAME =	USER NAME = agboolato	DESIGNED -	REVISED -				ΡΙΔΝ Δ	ND SECTION VIEW	NS	F.A.P RTF.	SECTION	COUNTY	TOTAL SHEET
pw:\\ILØ84EBIDINTEG.:111:no1s.gov:PWIDOT	\Documents\IDOT Offices\District 8\Projec	ts\D876K 2RXWAN Data\&ADsheets\D876K27-sht	typicalABEVISED –	STATE OF ILLINOIS		FLAT BRANCH RD (TR 126) OVER US 50 - SN 014-0056				VAR.	DIST 8 BRIDGE DECK 2017-2	CLINTON	28 14
	PLOT SCALE = 100.0000 ' / in.	CHECKED -	REVISED -	DEPARTMENT OF TRANSPORTATION	FI	LAI DNAINGH	חו) עח	120) UVEN US 30	- 514 014-0050			CONTRACT	T NO. 76K27
Default	PLOT DATE = 1/19/2017	DATE -	REVISED -		SCALE:	SHEET	OF	SHEETS STA.	TO STA.		ILLINOIS FED. AI	D PROJECT	

A CONCRETE SEALER SHALL BE APPLIED TO THE SURFACE OF THE DECK, PARAPETS, AND APPROACH PAVEMENTS. SEE SPECIAL PROVISIONS FOR DECK CONCRETE SEALER.






PARTIAL PLAN

42'-0" OUT TO OUT DECK 21'-0'' 21'-0'' 9'-3" SHLD. 12'-0" LANE 12'-0" LANE

TOTAL BILL OF MATERIALS

ITEM	UNIT	TOTAL
BRIDGE DECK CONCRETE SEALER	SQ. FT.	53499




LOCATION SKETCH

				(A-A)									
FILE NAME =	USER NAME = agboolato	DESIGNED -	REVISED -			PLAN AND SECTION VIEWS					SECTION	COUNTY	TOTAL SHEET
pw:\\ILØ84EBIDINTEG.:111:no1s.gov:PWIDOT\	Documents\IDOT Offices\District 8\Proj	ects\D87 <mark>6K2R%WMWData\€</mark> ADsheets\D87	6K27-sht-typical Rig∀ ISED –	STATE OF ILLINOIS		US RTE 50 OVER SHOAL CREEK - SN 014-0058				VAR. DIS	ST 8 BRIDGE DECK 2017-2	CLINTON	28 15
	PLOT SCALE = 100.0000 '/ in.	CHECKED -	REVISED -	DEPARTMENT OF TRANSPORTATION		U3 NIE 30 C	UVEN SHUP	IL UNEEK - 3	N 014-0056	CONTRACT			T NO. 76K27
Default	PLOT DATE = 1/19/2017	DATE -	REVISED -		SCALE:	SHEET	OF SH	HEETS STA.	TO STA.		ILLINOIS FED. A	ID PROJECT	


A CONCRETE SEALER SHALL BE APPLIED TO THE SURFACE OF THE DECK, PARAPETS, AND APPROACH PAVEMENTS. SEE SPECIAL PROVISIONS FOR DECK CONCRETE SEALER.


EXISTING PAVEMENT MARKINGS SHALL BE TEMPORARILY COVERED PRIOR TO APPLICATION OF THE DECK SURFACE TREATMENT, TO PREVENT THE MATERIAL FROM BEING APPLIED OVER THE MARKINGS. THE TEMPORARY COVERING SHALL BE REMOVED AFTER THE APPLICATION OF THE DECK SURFACE TREATMENT AND PRIOR TO OPENING TO TRAFFIC. COST INCLUDED WITH CONCRETE SEALER.



TOTAL BILL OF MATERIALS

ITEM	UNIT	TOTAL
BRIDGE DECK CONCRETE SEALER	SQ. FT.	19824






LOCATION SKETCH

١,٣	м

FILE NAME =		USER NAME = agboolato	DESIGNED -	REVISED -				PΙΔΝ	AND S	SECTION	VIEWS		F.A.P	SECTION	COUNTY	TOTAL SH	IEET NO
pw:\\ILØ84EBIDINTEC	EG.:111:no:s.gov:PWIDOT\Do	cuments\IDOT Offices\District 8\Projects\D87	76K 2RXWAN Data\€ADsheets\D876K27-sht-typic	alag√ISED -	STATE OF ILLINOIS		PLAN AND SECTION VIEWS US 50 OVER BEAVER CREEK – SN 014-0060				VAR. DIS	T 8 BRIDGE DECK 2017-2	CLINTON	28	16		
		PLOT SCALE = 100.0000 ' / 10.	CHECKED -	REVISED -	DEPARTMENT OF TRANSPORTATION		02 20	UVEK	BEAVER	K CKEEK	(- 5N U14-UU6	U				T NO. 76K	27
Default		PLOT DATE = 1/19/2017	DATE -	REVISED -		SCALE:	SHEET	OF		HEETS ST.				ILLINOIS FED. A	ID PROJECT		


A CONCRETE SEALER SHALL BE APPLIED TO THE SURFACE OF THE DECK, PARAPETS, AND APPROACH PAVEMENTS. SEE SPECIAL PROVISIONS FOR DECK CONCRETE SEALER.

EXISTING PAVEMENT MARKINGS SHALL BE TEMPORARILY COVERED PRIOR TO APPLICATION OF THE DECK SURFACE TREATMENT, TO PREVENT THE MATERIAL FROM BEING APPLIED OVER THE MARKINGS. THE TEMPORARY COVERING SHALL BE REMOVED AFTER THE APPLICATION OF THE DECK SURFACE TREATMENT AND PRIOR TO OPENING TO TRAFFIC. COST INCLUDED WITH CONCRETE SEALER.




TOTAL BILL OF MATERIALS

ITEM	UNIT	TOTAL			
BRIDGE DECK CONCRETE SEALER	OGE DECK CONCRETE SEALER SO. FT.				



CROSS SECTION

(A-A)



LOCATION SKETCH

FILE NAME =	USER NAME = agboolato	DESIGNED -	REVISED -			
pw:\\ILØ84EBIDINTEG.:1ll:nois.gov:PWIDOT\Do	cuments\IDOT Offices\District 8\Projects\D87	K 2R ANAN Data\€ADsheets\D876K27-sht-typica	ıR6viseD -			
	PLOT SCALE = 100.0000 '/ in.	CHECKED -	REVISED -			
Default	PLOT DATE = 1/19/2017	DATE -	REVISED -			

STATE OF ILLINOIS	
DEPARTMENT OF TRANSPORTATION	


SCALE:

PLAN AND SECTION VIEWS								
ι	JS 50	OVER	KASKA	SKIA F	RIVEF	R – SN	014-0061	
	SHEET	()F	SHEETS	STA		TO STA.	

F.A.P RTE.			SECT	ION		COUNTY	TOTAL SHEETS	SHEET NO.		
VAR.	DIST 8 BRIDGE			IST 8 BRIDGE DECK 2017-2 CLINTON				17		
					CONTRACT	NO. 7	6K27			
	ILLINOIS FED. AID PROJECT									

A CONCRETE SEALER SHALL BE APPLIED TO THE SURFACE OF THE DECK, PARAPETS, AND APPROACH PAVEMENTS. SEE SPECIAL PROVISIONS FOR DECK CONCRETE SEALER.


EXISTING PAVEMENT MARKINGS SHALL BE TEMPORARILY COVERED PRIOR TO APPLICATION OF THE DECK SURFACE TREATMENT, TO PREVENT THE MATERIAL FROM BEING APPLIED OVER THE MARKINGS. THE TEMPORARY COVERING SHALL BE REMOVED AFTER THE APPLICATION OF THE DECK SURFACE TREATMENT AND PRIOR TO OPENING TO TRAFFIC. COST INCLUDED WITH CONCRETE SEALER.




PARTIAL PLAN

TOTAL BILL OF MATERIALS

ITEM	UNIT	TOTAL			
BRIDGE DECK CONCRETE SEALER	SQ. FT.	11097			






LOCATION SKETCH

CROSS SECTION

FILE NAME =	USER NAME = agboolato DESIGNED - REVISED -				PLAN AND SECTION VIEWS	F.A.P SECTION	COUNTY TOTAL SHEET
p#:\\L084EBIDINTEG.1 lnois.gov:PWIDOT\Documents\IDOT Offices\District 8\Projects\D876K2R#MMData\EADsheets\D876K27-sht-typice 195 4ISED -		colaBEv∕ISED –	STATE OF ILLINOIS		VAR. DIST 8 BRIDGE DECK 2017-2	CLINTON 28 18	
		REVISED -	DEPARTMENT OF TRANSPORTATION	IL RTE 127 OVER FLAT BRANCH CREEK – SN 014-0063		CONTRACT NO. 76K27	
Default	PLOT DATE = 1/20/2017	DATE -	REVISED -		SCALE: SHEET OF SHEETS STA. TO STA.	TILINOIS EED A	AID PROJECT

A CONCRETE SEALER SHALL BE APPLIED TO THE SURFACE OF THE DECK, PARAPETS, AND APPROACH PAVEMENTS. SEE SPECIAL PROVISIONS FOR DECK CONCRETE SEALER.


EXISTING PAVEMENT MARKINGS SHALL BE TEMPORARILY COVERED PRIOR TO APPLICATION OF THE DECK SURFACE TREATMENT, TO PREVENT THE MATERIAL FROM BEING APPLIED OVER THE MARKINGS. THE TEMPORARY COVERING SHALL BE REMOVED AFTER THE APPLICATION OF THE DECK SURFACE TREATMENT AND PRIOR TO OPENING TO TRAFFIC. COST INCLUDED WITH CONCRETE SEALER.




PARTIAL PLAN

TOTAL BILL OF MATERIALS

ITEM	UNIT	TOTAL
BRIDGE DECK CONCRETE SEALER	SQ. FT.	7162






LOCATION SKETCH

CROSS SECTION

FILE NAME =	USER NAME = agboolato	DESIGNED -	REVISED -			P	ΝΑΝ ΔΝΙ	D SECTI	ON VIEWS	:	F.A.P RTF.	SECTION	COUNTY	TOTAL SHEET
pw:\\IL084EBIDINTEG.:ll:nois.gov:PWIDOT\Do	cuments\IDOT Offices\District 8\Projects\D87	K 2RXWAN Data\€ADsheets\D876K27-sht-typi	alag√ISED –	STATE OF ILLINOIS	II DTI						VAR. DIST	8 BRIDGE DECK 2017-2	CLINTON	28 19
	PLOT SCALE = 100.00000 '/ in.	CHECKED -	REVISED -	DEPARTMENT OF TRANSPORTATION	IL NII	PLAN AND SECTION VIEWS IL RTE 127 OVER FLAT BRANCH CREEK - SN 014-0064 ALE: SHEET OF SHEETS STA. TO STA.				CONTRAC	T NO. 76K27			
Default	PLOT DATE = 1/20/2017	DATE -	REVISED -		SCALE:	SHEET	OF	SHEETS	STA.	TO STA.		ILLINOIS FED. A	ID PROJECT	

A CONCRETE SEALER SHALL BE APPLIED TO THE SURFACE OF THE DECK, PARAPETS, AND APPROACH PAVEMENTS. SEE SPECIAL PROVISIONS FOR DECK CONCRETE SEALER.

EXISTING PAVEMENT MARKINGS SHALL BE TEMPORARILY COVERED PRIOR TO APPLICATION OF THE DECK SURFACE TREATMENT, TO PREVENT THE MATERIAL FROM BEING APPLIED OVER THE MARKINGS. THE TEMPORARY COVERING SHALL BE REMOVED AFTER THE APPLICATION OF THE DECK SURFACE TREATMENT AND PRIOR TO OPENING TO TRAFFIC. COST INCLUDED WITH CONCRETE SEALER.




PARTIAL PLAN

TOTAL BILL OF MATERIALS

RANGE 3 W

ITEM	UNIT	TOTAL			
BRIDGE DECK CONCRETE SEALER	SQ. FT.	16539			



FAR 327

STRUCTURE

COCATION

NEHRT RO

DUD ROUTE 500


LOCATION SKETCH

CROSS SECTION

FILE NAME =	USER NAME = agboolato	DESIGNED -	REVISED -		PLAN AND SECTION VIEWS F.A.P RTE.		F.A.P SECTION	COUNTY	TOTAL SHEET			
pw:\\ILØ84EBIDINTEG.:111:no1s.gov:PWIDOT\	USER NAME = agboolato		STATE OF ILLINOIS			VAR. DIST 8 BRIDGE DECK	2017-2 CLINTON	28 20				
	PLOT SCALE = 100.0000 ' / in.	CHECKED -	REVISED -	DEPARTMENT OF TRANSPORTATION		OLD US 50 OVER BEAVER CREEK - SN 014-0069 VAR. DIST 8 BRIDGE DECK 2017-2 CL						
Default	PLOT DATE = 1/20/2017	DATE -	REVISED -		SCALE:	SHEET OF SHEETS STA. TO STA.	TILL INOIS	EED AID PROJECT				

A CONCRETE SEALER SHALL BE APPLIED TO THE SURFACE OF THE DECK, PARAPETS, AND APPROACH PAVEMENTS. SEE SPECIAL PROVISIONS FOR DECK CONCRETE SEALER.

EXISTING PAVEMENT MARKINGS SHALL BE TEMPORARILY COVERED PRIOR TO APPLICATION OF THE DECK SURFACE TREATMENT, TO PREVENT THE MATERIAL FROM BEING APPLIED OVER THE MARKINGS. THE TEMPORARY COVERING SHALL BE REMOVED AFTER THE APPLICATION OF THE DECK SURFACE TREATMENT AND PRIOR TO OPENING TO TRAFFIC. COST INCLUDED WITH CONCRETE SEALER.




PARTIAL PLAN

TOTAL BILL OF MATERIALS

ITEM	UNIT	TOTAL			
BRIDGE DECK CONCRETE SEALER	SO. FT.	10672			

GERMANTOWN

LOCATION SKETCH




CROSS SECTION

FILE NAME =	USER NAME = agboolato	DESIGNED -	REVISED -			Р	ΙΔΝ ΔΝ	ND SECTION VII	:ws	F.A.P	SECTION	COUNTY	TOTAL SHI	EET
pw:\\ILØ84EBIDINTEG.1ll1no1s.gov:PWIDOT\Do	allinois.gov:PWIDOT\Documents\IDOT Offices\District 8\Projects\D87 <mark>k2R%WMD</mark> Data\EADsheets\D876K27-sht-typic elA6w ISED -			STATE OF ILLINOIS	IL RTE 161 OVER SHOAL CREEK - SN 014-0070					VAR. D	VAR. DIST 8 BRIDGE DECK 2017-2		28 2	21
	PLOT SCALE = 100.0000 ' / in.	CHECKED -	REVISED -	DEPARTMENT OF TRANSPORTATION	ļ	L KIE 161	UVEK	SHUAL CREEK -	SN 014-0070			CONTRACT NO.		27
Default	PLOT DATE = 1/20/2017	DATE -	REVISED -		SCALE:	SHEET	OF	SHEETS STA.	TO STA.		TILLINOIS FED. AT	D PROJECT		

A CONCRETE SEALER SHALL BE APPLIED TO THE SURFACE OF THE DECK, PARAPETS, AND APPROACH PAVEMENTS. SEE SPECIAL PROVISIONS FOR DECK CONCRETE SEALER.


EXISTING PAVEMENT MARKINGS SHALL BE TEMPORARILY COVERED PRIOR TO APPLICATION OF THE DECK SURFACE TREATMENT, TO PREVENT THE MATERIAL FROM BEING APPLIED OVER THE MARKINGS. THE TEMPORARY COVERING SHALL BE REMOVED AFTER THE APPLICATION OF THE DECK SURFACE TREATMENT AND PRIOR TO OPENING TO TRAFFIC. COST INCLUDED WITH CONCRETE SEALER.




PARTIAL PLAN

TOTAL BILL OF MATERIALS

ITEM	UNIT	TOTAL
BRIDGE DECK CONCRETE SEALER	SQ. FT.	30614






LOCATION SKETCH

CROSS SECTION


FILE NAME =	USER NAME = agboolato	DESIGNED -	REVISED -		PLAN AND SECTION VIEWS	F.A.P SECTION	COUNTY TOTAL SHEET
pw:\\ILØ84EBIDINTEG.:1ll:no:s.gov:PWIDOT\Do	cuments\IDOT Offices\District 8\Projects\D87	K 2R XXXXX Data\€ADsheets\D876K27-sht-typic	1.RGWISED -	STATE OF ILLINOIS		VAR. DIST 8 BRIDGE DECK 2017-2	CLINTON 28 22
	PLOT SCALE = 100.0000 ' / 10.	CHECKED -	REVISED -	DEPARTMENT OF TRANSPORTATION	IL RTE 161 OVER KASKASKIA RIVER – SN 014-0071	THE STORY OF SHIPSE SESSIVE STORY	CONTRACT NO. 76K27
Default	PLOT DATE = 1/20/2017	DATE -	REVISED -		SCALE. SHEET OF SHEETS STA TO STA	THE INOIS SED. AT	D. DDO IECT

A CONCRETE SEALER SHALL BE APPLIED TO THE SURFACE OF THE DECK, PARAPETS, AND APPROACH PAVEMENTS. SEE SPECIAL PROVISIONS FOR DECK CONCRETE SEALER.

EXISTING PAVEMENT MARKINGS SHALL BE TEMPORARILY COVERED PRIOR TO APPLICATION OF THE DECK SURFACE TREATMENT, TO PREVENT THE MATERIAL FROM BEING APPLIED OVER THE MARKINGS. THE TEMPORARY COVERING SHALL BE REMOVED AFTER THE APPLICATION OF THE DECK SURFACE TREATMENT AND PRIOR TO OPENING TO TRAFFIC. COST INCLUDED WITH CONCRETE SEALER.




PARTIAL PLAN




CROSS SECTION

(A-A)



ITEM	UNIT	TOTAL
BRIDGE DECK CONCRETE SEALER	SQ. FT.	6761




LOCATION SKETCH

FILE NAME =	USER NAME = agboolato	DESIGNED -	REVISED -			P	ΡΙΔΝ ΔΝ	D SECTION VIEW	21	F.A.P RTF.	SECTION	COUNTY	TOTAL SHEET
pw:\\ILØ84EBIDINTEG.1llno1s.gov:PWIDOT\Do	cuments\IDOT Offices\District 8\Projects\D8	76K 2RXWAN Data\€ADsheets\D876K27-sht-typic	alagwiseD -	STATE OF ILLINOIS	и вт			S LAKE BRANCH		VAR. D	IST 8 BRIDGE DECK 2017-2	CLINTON	28 23
	PLOT SCALE = 100.0000 '/ in.	CHECKED -	REVISED -	DEPARTMENT OF TRANSPORTATION	IL NI	E I// UVER	1 UUEEN	S LAKE DRAINUT	- 314 014-0072			CONTRACT	T NO. 76K27
Default	PLOT DATE = 1/20/2017	DATE -	REVISED -		SCALE:	SHEET	OF	SHEETS STA.	TO STA.		ILLINOIS FED. AI	ID PROJECT	

A CONCRETE SEALER SHALL BE APPLIED TO THE SURFACE OF THE DECK, PARAPETS, AND APPROACH PAVEMENTS. SEE SPECIAL PROVISIONS FOR DECK CONCRETE SEALER.

EXISTING PAVEMENT MARKINGS SHALL BE TEMPORARILY COVERED PRIOR TO APPLICATION OF THE DECK SURFACE TREATMENT, TO PREVENT THE MATERIAL FROM BEING APPLIED OVER THE MARKINGS. THE TEMPORARY COVERING SHALL BE REMOVED AFTER THE APPLICATION OF THE DECK SURFACE TREATMENT AND PRIOR TO OPENING TO TRAFFIC. COST INCLUDED WITH CONCRETE SEALER.




PARTIAL PLAN

12'-0" LANE

TOTAL BILL OF MATERIALS

ITEM	UNIT	TOTAL
BRIDGE DECK CONCRETE SEALER	SQ. FT.	21092



LOCATION SKETCH

12'-0" LANE

17'-7''

4'-0" SHLD.

CROSS SECTION

35'-2" OUT TO OUT DECK


FILE NAME =	USER NAME = agboolato	DESIGNED -	REVISED -			F	ΡΙΔΝ ΔΝ	VD SECTION	ON VIEWS		F.A.P RTF.	SECTION	COUNTY	TOTAL SHEET
pw:\\ILØ84EBIDINTEG.:111:no1s.gov:PWIDOT\Do	cuments\IDOT Offices\District 8\Projects\D8	76K 2RXWAN Data\€ADsheets\D876K27-sht-typic	IA6∀ISED -	STATE OF ILLINOIS	IIII DTE					- SN 014-0073	VAR. DIS	T 8 BRIDGE DECK 2017-2	CLINTON	28 24
	PLOT SCALE = 100.0000 ' / in.	CHECKED -	REVISED -	DEPARTMENT OF TRANSPORTATION	OIL NIE	: 171/100 01	/EN UUE	ENS LAKI	E SLUUUN -	- 314 014-00/3			CONTRACT	T NO. 76K27
Default	PLOT DATE = 1/20/2017	DATE -	REVISED -		SCALE:	SHEET	OF	SHEETS	STA.	TO STA.		ILLINOIS FED. AI	D PROJECT	

17'-7''


4'-0" SHLD.

A CONCRETE SEALER SHALL BE APPLIED TO THE SURFACE OF THE DECK, PARAPETS, AND APPROACH PAVEMENTS. SEE SPECIAL PROVISIONS FOR DECK CONCRETE SEALER.

EXISTING PAVEMENT MARKINGS SHALL BE TEMPORARILY COVERED PRIOR TO APPLICATION OF THE DECK SURFACE TREATMENT, TO PREVENT THE MATERIAL FROM BEING APPLIED OVER THE MARKINGS. THE TEMPORARY COVERING SHALL BE REMOVED AFTER THE APPLICATION OF THE DECK SURFACE TREATMENT AND PRIOR TO OPENING TO TRAFFIC. COST INCLUDED WITH CONCRETE SEALER.



PARTIAL PLAN




CROSS SECTION

(A-A)



TOTAL BILL OF MATERIALS

ITEM	UNIT	TOTAL
BRIDGE DECK CONCRETE SEALER	SQ. FT.	13219




LOCATION SKETCH

FILE NAME =	USER NAME = agboolato	DESIGNED -	REVISED -			F	PLAN AN	ND SECTION VIEW	vs	F.A.F RTE.	SECTION	COUNTY	TOTAL SHEET SHEETS NO.
pw:\\IL084EBIDINTEG.:lll:nois.gov:PWIDOT\D		76K 2R MMM Data\€ADsheets\D876K27-sht-typ1	collang-wiseD -	STATE OF ILLINOIS	II RTE	-		ASKIA OVERFLOW		VAR.	DIST 8 BRIDGE DECK 2017-2	CLINTON	28 25
	PLOT SCALE = 100.00000 '/ in.	CHECKED -	REVISED -	DEPARTMENT OF TRANSPORTATION	12		LII KAOK					CONTRAC	CT NO. 76K27
Default	PLOT DATE = 1/20/2017	DATE -	REVISED -		SCALE:	SHEET	OF	SHEETS STA.	TO STA.		ILLINOIS FED. AI	D PROJECT	

A CONCRETE SEALER SHALL BE APPLIED TO THE SURFACE OF THE DECK, PARAPETS, AND APPROACH PAVEMENTS. SEE SPECIAL PROVISIONS FOR DECK CONCRETE SEALER.

EXISTING PAVEMENT MARKINGS SHALL BE TEMPORARILY COVERED PRIOR TO APPLICATION OF THE DECK SURFACE TREATMENT, TO PREVENT THE MATERIAL FROM BEING APPLIED OVER THE MARKINGS. THE TEMPORARY COVERING SHALL BE REMOVED AFTER THE APPLICATION OF THE DECK SURFACE TREATMENT AND PRIOR TO OPENING TO TRAFFIC. COST INCLUDED WITH CONCRETE SEALER.



PARTIAL PLAN

BRIDGE DECK CONCRETE SEALER SO. FT. 7920

STRUCTURE LOCATION _

FRRIN


LOCATION SKETCH

RANGE 1 W

TOTAL

UNIT

TOTAL BILL OF MATERIALS




CROSS SECTION

FILE NAME =	USER NAME = agboolato	DESIGNED -	REVISED -			PLAN AND	D SECTION VIEW	9	F.A.P	SECTION	COUNTY	TOTAL SHEE SHEETS NO.
pw:\\IL084EBIDINTEG.:llinois.gov:PWIDOT\C	ocuments\IDOT Offices\District 8\Projec	ts\D876K 2RXWAW Data\&ADsheets\D87	K27-sht-typicalRGVISED -	STATE OF ILLINOIS		US 50 OVER LOS			VAR. DIS	ST 8 BRIDGE DECK 2017-2	CLINTON	28 26
	PLOT SCALE = 100.00000 ' / in.	CHECKED -	REVISED -	DEPARTMENT OF TRANSPORTATION		OS SO OVER LOS	SI CHEEK - SIN	014-0076			CONTRACT	T NO. 76K27
Default	PLOT DATE = 1/20/2017	DATE -	REVISED -		SCALE:	SHEET OF	SHEETS STA.	TO STA.		ILL INOIS FED. AL	D PROJECT	

A CONCRETE SEALER SHALL BE APPLIED TO THE SURFACE OF THE DECK, PARAPETS, AND APPROACH PAVEMENTS. SEE SPECIAL PROVISIONS FOR DECK CONCRETE SEALER.


EXISTING PAVEMENT MARKINGS SHALL BE TEMPORARILY COVERED PRIOR TO APPLICATION OF THE DECK SURFACE TREATMENT, TO PREVENT THE MATERIAL FROM BEING APPLIED OVER THE MARKINGS. THE TEMPORARY COVERING SHALL BE REMOVED AFTER THE APPLICATION OF THE DECK SURFACE TREATMENT AND PRIOR TO OPENING TO TRAFFIC. COST INCLUDED WITH CONCRETE SEALER.



<u>PARTIAL PLAN</u>

TOTAL BILL OF MATERIALS

ITEM	UNIT	TOTAL
BRIDGE DECK CONCRETE SEALER	SQ. FT.	16993






LOCATION SKETCH

CROSS SECTION

FILE NAME =	USER NAME = agboolato	DESIGNED -	REVISED -				PLAN AI	ND SECTION	VIEWS	F.A.P RTE.	SECTION	COUNTY	TOTAL SHEET SHEETS NO.
pw:\\ILØ84EBIDINTEG.:ll:nois.gov:PWIDOT\Do	cuments\IDOT Offices\District 8\Projects	\D876K 2RXWAW Data\&ADsheets\D87		STATE OF ILLINOIS		OLD US !	O OVER		(- SN 014-0077	VAR.	DIST 8 BRIDGE DECK 2017-2	CLINTON	
	PLUI SCALE = 100.0000 7 in.	CHECKED -	REVISED -	DEPARTMENT OF TRANSPORTATION								CONTRAC	T NO. 76K27
Default	PLOT DATE = 1/20/2017	DATE -	REVISED -		SCALE:	SHEET	OF	SHEETS STA.	TO STA.		ILLINOIS FED. AI	ID PROJECT	

A CONCRETE SEALER SHALL BE APPLIED TO THE SURFACE OF THE DECK, PARAPETS, AND APPROACH PAVEMENTS. SEE SPECIAL PROVISIONS FOR DECK CONCRETE SEALER.

EXISTING PAVEMENT MARKINGS SHALL BE TEMPORARILY COVERED PRIOR TO APPLICATION OF THE DECK SURFACE TREATMENT, TO PREVENT THE MATERIAL FROM BEING APPLIED OVER THE MARKINGS. THE TEMPORARY COVERING SHALL BE REMOVED AFTER THE APPLICATION OF THE DECK SURFACE TREATMENT AND PRIOR TO OPENING TO TRAFFIC. COST INCLUDED WITH CONCRETE SEALER.





<u>PARTIAL PLAN</u>



TOTAL BILL OF MATERIALS

ITEM	UNIT	TOTAL
BRIDGE DECK CONCRETE SEALER	SQ. FT.	17506





LOCATION SKETCH

CROSS SECTION

FILE NAME =	USER NAME = agboolato	DESIGNED -	REVISED -		PLAN AND SECTION VIEWS	F.A.P SECTION	COUNTY SHEET
pw:\\ILØ84EBIDINTEG.1l1no1s.gov:PWIDOT\Do	cuments\IDOT Offices\District 8\Projects\D87	K 2R XXXXX Data\€ADsheets\D876K27-sht-typic	ı.Ra⊊wised –	STATE OF ILLINOIS		VAR. DIST 8 BRIDGE DECK 2017-2	CLINTON 28 28
	PLOT SCALE = 100.0000 ' / in.	CHECKED -	REVISED -	DEPARTMENT OF TRANSPORTATION	IL RTE 161 OVER SUGAR CREEK — SN 014-0078		CONTRACT NO. 76K27
Default	PLOT DATE = 1/20/2017	DATE -	REVISED -		SCALE. SHEET OF SHEETS STA TO STA	THE INOTE SED. ATO	