F.A.I. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
90/94	2004-101 I	COOK	31	26
STA.		TO STA.		
FED. ROAD DIST. NO. 1	ILLINOIS	FED. AID PROJECT		

62842



MATERIAL:

A.S.T.M. A-36 MODIFIED STEEL, 55 000 LBS. MINIMUM YIELD.

HARDWARE TO BE FURNISHED & ATTACHED IN PLACE ON ROD FOR SHIPPING:
2 HEX. NUTS, HEAVY, GALV., 1".
2 WASHERS, STEEL, ROUND, GALV., TYPE "B", SERIES "W", 1".
1 WASHER, LOCK, STEEL, GALV., HELICAL SPRING, REGULAR, 1".

BOLT & NUTS SHALL HAVE AN AMERICAN STANDARD CLASS 2 OR 3 FIT. (NUT IS TAPPED OVERSIZE BY 1/32")

REDRAWN

1"x 60"
STEEL ANCHOR BOLT
COMMODITY CODE 37-8180-0220

REVISED	
A	9-6-1983
B	
C	
D	
E	
F	
G	

CITY OF CHICAGO
DEPT OF STREETS AND SANITATION
BUREAU OF ELECTRICITY
DIVISION OF ELECTRICAL ENGINEERING

DRAWN: EUGENE GERULIS | CHECKED: A. BUCKLEY | ENGINEER: M. SHINE
ELEC. DESIGN ENGINEER: [signature]
ENGINEER OF ELECTRICITY: [signature]
DEPUTY COMMISSIONER: [signature]
SIZE 17"x 28" | SCALE | DWG. NO. 830 | DATE SEPT. 8, 1983

BOE-4

REVISIONS	
NAME	DATE

ILLINOIS DEPARTMENT OF TRANSPORTATION
F.A.I. 90/94 (DAN RYAN EXPRESSWAY)
63rd ST TO 59th ST (FRONTAGE ROADS)
CITY OF CHICAGO LIGHTING CONDUIT & FOUNDATIONS
WELLS STREET AND WENTWORTH AVENUE

BOE STANDARD DETAILS

SCALE: NONE | DRAWN BY: HAR
DATE: February 11, 2005 | CHECKED BY: WDS

CTE ENGINEERS
CONSOER TOWNSEND ENVIRODYNE ENGINEERS, INC.
303 EAST WACKER DRIVE, SUITE 600
CHICAGO ILLINOIS 60601-5212, PHONE: (312) 938-0300

\\ctechi-nt7\p40468\p40468\elect\4-cntr9\sht\contract 9c12\boe09ci20042a.sht
02/02/2005 09:31:58 AM