



INTERIOR ELEVATION - WOMEN'S RESTROOM

R-30 ROOF INSULATION W 1/8" FIBERGLASS REINFORCED
PANEL ON 1/2 PLYWOOD & VAPOR BARRIER

3KW WALL MOUNTED HEATER
"COM-PAK TWIN"
CT302SP, 240V/1PH AS
MFR'D. BY CADET MFR. CO.

R20 INSULATION W 1/8" FIBERGLASS
REINFORCED PANEL ON 1/2"
PLYWOOD & VAPOR BARRIER (TYP
ALL EXT WALLS)

NOTE: PLUMBING
ARE SHOWN FOR CONTRACTOR SHAI
FOR APPROVAL PR

PRODUCT OR BRAI
ESTABLISH MINIMUL
PRODUCTS OR BRAI

INTERIOR ELEVATION - MEN'S RESTROOM

WOMENS OPPOSITE HAND

NOTE: PLUMBING & ELECTRICAL COMPONENTS
ARE SHOWN FOR GENERAL ARRANGEMENT ONLY.

PRODUCT OR BRAND NAMES ARE SHOWN TO ESTABLISH MINIMUM QUALITY REQUIREMENTS, PRODUCTS OR BRANDS OF EQUAL QUALITY ARE ACCEPTABLE.

CONTRACTOR SHALL SUBMIT DETAILED PLANS FOR APPROVAL PRIOR TO ORDERING BUILDING.

INTERIOR ELEVATION — WOMEN'S RESTROOM

MENS OPPOSITE HAND

REVISIONS		ILLINOIS DEPARTMENT OF TRANSPORTATION		
NAME	DATE	TELETO DE ARTIMENT OF INANSFORTATION		
		CLIFTON TERRA	CE PARK	
	COMFORT STATION		ATION :	
		INTERIOR ELEVATIONS		
		SCALE: VERT. $\frac{1}{2}$ " = 1'-0" HORIZ. $\frac{1}{2}$ " = 1'-0"	DRAWN BY DWH	
1		DATE FEBRUARY 9, 2005	CHECKED BY DWH	1

INTERIOR ELEVATION - MEN'S RESTROOM