


-CONDUIT KNOCK-OUT PUNCHED OR DRILLED


SCALE:



NOTES:


- 1. PROVIDE REQUIRED LENGTH OF CONNECTING EXPANSION NIPPLE. REFER TO STRUCTURAL DRAWINGS FOR THE EXPANSION JOINT CHARACTERISTICS
- 2. THE BARREL OF THE FITTING SHALL BE FULLY EMBEDDED IN THE CONCRETE OF ONE SIDE OF THE EXPANSION JOINT.
- 3.A CAVITY OPENING, IF REQUIRED, SHALL BE 3" (76.2 mm) LARGER DIAMETER AND A MAXIMUM DEPTH OF HALF OF THE DEFLECTION SLEEVE LENGTH. THE DEFLECTION FITTING SHALL BE CENTERED IN THE OPENING AND EMBEDDED IN THE CONCRETE ONLY UP TO THE DEFLECTION FITTING CENTER.
- 4. THE EXPANSION FITTING AND ALL HARDWARE AND LABOR SHALL BE INCLUDED IN CONDUIT EMBEDDED IN STRUCTURE PAY ITEM. NO SEPARATE PAYMENT WILL BE MADE.





JUNCTION BOX EMBEDDED-IN STRUCTURE

MALE ADAPTER-



NOTES

- CONCRETE ENCASED CONDUIT STUBBED FROM JUNCTION BOX TO BELOW GRADE AND ALL HARDWARE AND LABOR SHALL BE INCLUDED IN THE JUNCTION BOX EMBEDED IN STRUCTURE PAY ITEM. NO SEPARATE PAYMENT WILL BE MADE.
- IN ACCORDANCE WITH NEC 314,28(A)(3), JUNCTION BOXES SHALL BE PERMANENTLY MARKED WITH THE MAXIMUM NUMBER AND THE MAXIMUM SIZE OF CONDUCTOR PERMITTED, THE COST OF THIS WORK SHALL BE INCLUDED IN THE JUNCTION BOX PAY ITEM.

DETAIL 3
WING WALL TO PARAPET WALL
CONDUIT TRANSITION

5	CMT	@Copyright Diff, Inc.
	CRAWFORD, MURPHY CONSULTING ENGINE LICENSE NO. 184-01	ERS

	USER NAME = Steve Prange	DESIGNED - SJP / MNB	REVISED -
		DRAWN - ERD	REVISED -
	PLOT SCALE = 40,0000 '/ IN.	CHECKED - SJP	REVISED -
	PLOT DATE = 02/04/11	DATE - 02/04/2011	REVISED -
7			

CITY OF ROCKFORD MORGAN STREET BRIDGE

ELECTRICAL DETAILS 4								RTE.	SECTION	COUNTY	SHEETS	NO.	
ELECTRICAL DETAILS - 4							uro	5077	99-00493-00-BR	WINNEBAGO	253	122	
								CONTRACT	NO. 8	35529			
N/A	SHEET	NO.	4	OF	8	SHEETS	STA.	TO STA.	FED. RC	DAD DIST. NO. 2 ILLINOIS FED. A	ID PROJECT BRM	-5099(65)	