


**INSPECTION HOLE NOTES**

- DIAMETER OF PIPE AS SPECIFIED.
- TOP OF INSPECTION HOLES SHALL BE 2" ABOVE FINISH GROUND LINE AT LOCATION SHOWN ON PLANS.
- 1/2" CHAMFER TO BE USED ON ALL EXPOSED EDGES OF INSPECTION HOLES.
- THE CONCRETE SHALL BE STRUCTURAL PORTLAND CEMENT CONCRETE (NON-REINFORCED)

QUANTITIES			
ITEM NO.	DESCRIPTION	UNIT	QUANTITY
AR705410	POROUS BACKFILL	C.Y.	96
AR705524	4" PERFORATED UNDERDRAIN W/SOCK	L.F.	3,930
AR705620	UNDERDRAIN END SECTION	EA.	1
AR705630	UNDERDRAIN INSPECTION HOLE	EA.	11

**LEGEND**

- EXISTING IMPROVEMENTS
- PROPOSED IMPROVEMENTS
- EXISTING STORM SEWER
- PROPOSED STORM SEWER
- EXISTING UNDERDRAIN
- PROPOSED UNDERDRAIN
- EXISTING PAVED DITCH
- EXISTING RIPRAP
- EXISTING UNDERDRAIN END SECTION
- EXISTING UNDERDRAIN INSPECTION HOLE
- PROPOSED INSPECTION HOLE
- EXISTING CONCRETE HEADWALL
- PROPOSED CONCRETE HEADWALL
- EXISTING CONCRETE FLARED END SECTION
- PROPOSED CONCRETE FLARED END SECTION



DATE	REVISION	BY

**LITCHFIELD MUNICIPAL AIRPORT  
LITCHFIELD, ILLINOIS**

IL PROJ.: 31F-4046 A.I.P. PROJ.: 3-17-0063-B17

Hanson Project No. 10A0094D_0800	LAYOUT	MDR	02/15/11
Filename R-132DRN.DWG	DRAWN	MDR	02/15/11
Scale 1"=30'	REVIEWED	CAH	xx/xx/xx
Date 02/04/11			



Hanson Professional Services Inc.  
1525 South Sixth Street  
Springfield, Illinois 62703-2886  
Offices Nationwide

**TAXIWAY "C"  
EXTENSION**  
PROPOSED DRAINAGE PLAN  
STA. 80+00 TO STA. 86+00