




*** REDUCE TO 40' (12 m) O.C. ON CURVES WITH POSTED OR ADVISORY SPEED 45 M.P.H. (70 km/h) OR LESS.

TWO-LANE/TWO-WAY






TWO-WAY LEFT TURN



MULTI-LANE/UNDIVIDED



MULTI-LANE/DIVIDED

GENERAL NOTES

- 1. MARKERS USED WITH DASHED LINES SHALL BE CENTERED IN THE GAP BETWEEN SEGMENTS.
- 2. MARKERS USED ADJACENT TO SOLID LINES SHALL BE OFFSET 2 TO 3 (50 TO 75) TOWARD TRAFFIC AS SHOWN.
- 3. MARKERS THROUGH TANGENTS LESS THAN 500' (150 m) IN LENGTH BETWEEN CURVES SHALL BE INSTALLED AT THE LESSER OF THE TWO CURVE SPACINGS.

LANE MARKER NOTES

- B. REDUCE TO 40' (12 m) O.C. ON CURVES WHERE ADVISORY SPEEDS ARE 10 M.P.H (20 km/h) LOWER THAN POSTED SPEEDS.
- A. USE DOUBLE LANE LINE MARKERS SPACED AS SHOWN.

SYMBOLS

- ---- YELLOW STRIPE
- WHITE STRIPE
- ONE-WAY CRYSTAL MARKER (W/O)
- TWO-WAY AMBER MARKER

DESIGN NOTES

- 1. DOUBLE LANE LINE MARKERS SHALL BE USED UNLESS SPECIFIED OTHERWISE.
- 2. EXCEPT AS SHOWN ON THE LANE REDUCTION TRANSITION AND FREEWAY EXIT RAMP DETAIL, MARKERS ARE NOT TO BE SPECIFIED ON RIGHT EDGE
- 3. THE EXACT MARKER LIMITS, SPACING, AND COLOR SHOULD BE INCLUDED IN THE PLANS, ..
- 4. MARKERS SHOULD NOT BE USED ALONGSIDE CURBS EXCEPT FOR EXTREMELY SHORT SECTIONS OF CURBS WHERE NOT MORE THAN TWO MARKERS WOULD BE

MINIMUM OF 3 W 3 @ 80' (24 m) O.C. -- 3 @ 80' (24 m) O.C. EQUALLY SPACED 3 @ 40' (12 m) O.C. 3 @ 40' (12 m) 40' (12 m) 0.C. ⇔ * SEE TWO-LANE/TWO-WAY WHERE MARKERS CONTINUE ** WHERE THE MEDIAN WIDTH IS 6' (2 m) OR LESS USE TWO-WAY MARKERS.

LEFT TURN

All dimensions are in inches (millimeters) unless otherwise shown.

COUNTY TOTAL SHEET NO.

COOK 21 16

CONTRACT NO. 62323

ILE NAME =	USER NAME = shiranisb	DESIGNED -	REVISED - T. RAMMACHER 09-19-94	STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION	TVDICAL ADDITICATIONIC	F.A.U. SECTION	COUNTY
P:\CERMAK\toll.dgn		DRAWN -	REVISED - T. RAMMACHER 03-12-99			1453 2001-144 RS	СООК
	PLOT SCALE = 50.000 '/ IN.	CHECKED -	REVISED -T. RAMMACHER 01-06-00		RAISED REFLECTIVE PAVEMENT MARKERS (SNOW-PLOW RESISTANT)	TC_11	CONTRACT
	PLOT DATE = 4/20/2009	DATE -	REVISED -		SCALE: NONE SHEET NO. 1 OF 1 SHEETS STA. TO STA.	FED. ROAD DIST. NO. 1 ILLINOIS FED.	
	ILE NAME = \CERMAK\tell.dgn	NCERMAK\toll.dgn	CCERMAK\toll.dgn	DRAWN - REVISED - T. RAMMACHER 03-12-99 PLOT SCALE = 50.800 '/ IN. CHECKED - REVISED - T. RAMMACHER 01-06-00	CCERMAK\toll.dgn DRAWN - REVISED -T. RAMMACHER 03-12-99 STATE OF ILLINOIS PLOT SCALE = 50.000 // IN. CHECKED - REVISED -T. RAMMACHER 01-06-00 DEPARTMENT OF TRANSPORTATION	TYPICAL APPLICATIONS DRAWN - REVISED -T. RAMMACHER 03-12-99 PLOT SCALE = 50,800 1/ IN. CHECKED - REVISED -T. RAMMACHER 01-06-00 DEPARTMENT OF TRANSPORTATION TYPICAL APPLICATIONS RAISED REFLECTIVE PAVEMENT MARKERS (SNOW-PLOW RESISTANT)	TYPICAL APPLICATIONS PLOT SCALE = 50,800 1/ IN. CHECKED - REVISED -T. RAMMACHER 03-12-99 REVISED -T. RAMMACHER 01-06-00 DEPARTMENT OF TRANSPORTATION TYPICAL APPLICATIONS RAISED REFLECTIVE PAVEMENT MARKERS (SNOW-PLOW RESISTANT) TC-11