

## SURFACE REMOVAL & RESURFACING SCHEDULE

LOCATION STATION TO STATION	HOT-MIX ASPHALT SURFACE REMOVAL 1 1/2" (SQ YD)	HOT-MIX ASPHALT SURFACE REMOVAL VAR. DEPTH (SQ YD)	HOT-MIX ASPHALT SURFACE REMOVAL 3 1/4" (SQ YD)	HOT-MIX ASPHALT SURFACE REMOVAL 1 3/4" (SQ YD)	POLYMERIZED HOT-MIX ASPHALT BINDER COURSE IL-19.0, N105 2 1/4" (TON)	POLYMERIZED HOT-MIX ASPHALT SURFACE COURSE MIX "D", N105 (TON)	HOT-MIX ASPHALT SHOULDERS 2 1/4" (SQ YD)	AGGREGATE SHOULDER TYPE, B (TON)	POLYMERIZED BITUMINOUS MATERIALS PRIME COAT (GAL)	AGGREGATE PRIME COAT (TON)	REMARKS
I-57											
472 + 20.0 TO 612 + 24.5 502+98	37345				4706	3137	21785	830	5322	89	
612 + 24.5 TO 612 + 94.5		296			24	16	109		27	0	PAVING AT TURNAROUND
612 + 94.5 TO 614 + 54.5			427	249	54	36	249		61	1	BEGIN SHOULDER MILLING(STA. 612+24.5)
614 + 54.5 TO 615 + 24.5		296			24	16	109		27	0	END SHOULDER MILLING(STA. 615+24.5)
615 + 24.5 TO 688 + 95.0	19655				2476	1651	11465	437	2801	47	
TOTALS	57000	591	427	249	7283	4870	33717	1266	8237	137	

## GUARDRAIL SCHEDULE

LOCATION STATION TO STATION	GUARDRAIL REMOVAL FOOT	TRAFFIC BARRIER TERMINAL, TYPE 6B EACH	STEEL PLATE BEAM GUARDRAIL TYPE A FOOT	TRAFFIC BARRIER TERMINAL, TYPE 1 (SPECIAL) TANGENT EACH	GUARDRAIL MARKER, TYPE B EACH	TERMINAL MARKERS DIRECT APPLIED EACH
613+53.9 TO 615+73	219					
613+53.9 TO 614+12		1				
614+12 TO 616+37			225		3	
616+37 TO 616+87				1		
616+87						1
TOTALS	219	1	225	1	3	1

## PAVEMENT MARKING SCHEDULE

LOCATION STATION TO STATION	PREFORMED PLASTIC PAVEMENT MARKING, TYPE B - INLAID - LINE 4"			RAISED REFLECTIVE PAVEMENT MARKERS (EACH)
	SOLID EDGE LINE WHITE (FOOT)	C. L. SKIP DASH WHITE (FOOT)	SOLID EDGE LINE YELLOW (FOOT)	
	I-57 472 + 20 TO 688 + 95	21675	5419	
SUBTOTALS	21675	5419	21675	
TOTALS		48769		271

## RIPRAP SCHEDULE

LOCATION STATION TO STATION	LENGTH OF STONE RIPRAP DITCH* FOOT	STONE RIPRAP DITCH TON
472+63 TO 474+13	160	89
491+36 TO 492+17	90	50
495+56 TO 496+56	101	56
501+31 TO 502+16	87	48
508+80 TO 510+48	172	96
522+02 TO 522+98	98	54
536+26 TO 536+92	68	38
600+08 TO 606+60	664	369
607+03 TO 607+36	33	18
618+63 TO 619+82	135	75
667+18 TO 668+39	126	70
TOTALS	1734	964

\* NOT A PAY ITEM - FOR INFORMATION ONLY

## SEEDING AND EROSION CONTROL SCHEDULE

LOCATION STA. TO STA.	SEEDING, CLASS 7 ACRE	SEEDING, CLASS 2 (MODIFIED) ACRE	NITROGEN FERTILIZER NUTRIENT POUND		PHOSPHORUS FERTILIZER NUTRIENT POUND	POTASSIUM FERTILIZER NUTRIENT POUND	AGRICULTURAL GROUND LIMESTONE TON	MULCH, METHOD 2 ACRE		EROSION CONTRIL BLANKET SQ YD	PERIMETER EROSION BARRIER FOOT
			FOR CLASS 7	FOR CLASS 2 (MODIFIED)				FOR CLASS 7	FOR CLASS 2 (MODIFIED)		
	472+52 TO 474+30	0.123	0.123	4.9	14.8	14.8	14.8	0.25	0.123	0.123	597
491+19 TO 492+30	0.079	0.079	3.2	9.5	9.5	9.5	0.16	0.079	0.079	381	148
495+38 TO 496+59	0.084	0.084	3.4	10.1	10.1	10.1	0.17	0.084	0.084	406	234
501+11 TO 502+20	0.074	0.074	3.0	8.9	8.9	8.9	0.15	0.074	0.074	357	205
508+62 TO 510+48	0.138	0.138	5.5	16.5	16.5	16.5	0.28	0.138	0.138	667	328
521+87 TO 522+98	0.081	0.081	3.2	9.7	9.7	9.7	0.16	0.081	0.081	392	225
536+08 TO 536+97	0.064	0.064	2.6	7.7	7.7	7.7	0.13	0.064	0.064	311	112
600+06 TO 606+74	0.469	0.469	18.8	56.3	56.3	56.3	0.94	0.469	0.469	2269	1350
606+86 TO 607+40	0.037	0.037	1.5	4.4	4.4	4.4	0.07	0.037	0.037	177	97
618+44 TO 619+89	0.102	0.102	4.1	12.2	12.2	12.2	0.20	0.102	0.102	492	285
667+00 TO 668+46	0.105	0.105	4.2	12.6	12.6	12.6	0.21	0.105	0.105	507	217
SUBTOTALS			54.2	162.6				1.355	1.355		
TOTALS	1.355	1.355	217		163	163	2.71	2.709		6557	3453

NITROGEN FERTILIZER NUTRIENT IS APPLIED AT 40 LB/ACRE FOR CLASS 7 AND 120 LB/ACRE FOR CLASS 2 (MODIFIED)

FILE NAME =	USER NAME = naasdp	DESIGNED -	REVISED -	<b>STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION</b>	<b>SCHEDULES</b>	F.A. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.	
0:\pw_work\p\dot\naasdp\d0123680\78118	sh-t-schedule.dgn	DRAWN -	REVISED -			FA157	77-(3,2)RS-3	PULASKI	17	5	
		CHECKED -	REVISED -			CONTRACT NO. 78118					
		DATE -	REVISED -			ILLINOIS FED. AID PROJECT					