INDEX OF SHEETS

SHEET NO.	DESCRIPTION
1	COVER SHEET
2	INDEX OF SHEETS, STATE STANDARDS AND GENERAL NOTES
3-6	SUMMARY OF QUANTITIES
7-8	EXISTING AND PROPOSED TYPICAL SECTIONS
9	SCHEDULE OF QUANTITIES
10	ALIGNMENT, TIES, AND BENCHMARKS
11-13	ROADWAY PLAN
14	EXISITNG PROFILE - IL ROUTE 59
15	EXISTING PROFILE - ANDREW ROAD / PASQUINELLI DRIVE
16	SUGGESTED MAINTENANCE OF TRAFFIC PLAN
17	EROSION AND SEDIMENT CONTROL PLAN
18-20	EXISTING UTILITIES AND PROPOSED DRAINAGE
21	INTERSECTION DETAILS
22	PAVEMENT MARKING PLAN
23	(BD-7) DETAIL OF STORM SEWER CONNECTION TO EXISTING SEWER
24	(BD-24) CURB OR CURB AND GUTTER REMOVAL AND REPLACEMENT
25	(BD-48) PCC PAVEMENT ROUNDOUTS AT CURB & GUTTER
26	(80-52) DETAIL OF PAVEMENT SEPERATION, JOINT FOR JOINTED PCC PAVEMENTS AT INTERSECTIONS
27	(8D-53) DETAIL OF VARIOUS TYPES OF LANE REDUCTION FOR PCC PAVEMENT
28	(TC-10) TRAFFIC CONTROL AND PROTECTION FOR SIDE ROADS, INTERSECTIONS AND DRIVEWAYS
29	(TC-11) TYPICAL APPLICATIONS, RAISED REFLECTIVE PAVEMENT MARKERS (SNOW-PLOW RESISTANT)
30	(TC-13) DISTRICT ONE TYPICAL PAVEMENT MARKINGS
31	(TC-14) TRAFFIC CONTROL AND PROTECTION AT TURN BAYS (TO REMAIN OPEN TO TRAFFIC)
32	(TC-16) PAVEMENT MARKING LETTERS AND SYMBOLS FOR TRAFFIC STAGING
33	(TC-22) ARTERIAL ROAD INFORMATION SIGN
34-38	EXIST & PROP CROSS SECTIONS

STATE STANDARDS

STANDARD NO.	DESCRIPTION
000001-04	TYPICAL SYMBOLS, ABBREVIATIONS AND PATTERNS
420001-07	PAVEMENT JOINTS
420111 -03	PCC PAVEMENT ROUNDOUTS
420601- <i>05</i>	24' (7.2 m) PCC PAVEMENT
420701 -02	PAVEMENT FABRIC
602001 -02	CATCH BASIN TYPE A
602011- 02	CATCH BASIN TYPE C
602301 <i>-03</i>	INLET TYPE A
602401 <i>-03</i>	MANHOLE - TYPE A
602701 - <i>02</i>	MANHOLE STEPS
604001 - 03	FRAME AND LIOS TYPE 1
606001-04	CONCRETE CURB TYPE B AND COMBINATION CONCRETE CURB AND GUTTER
606301-04	PC CONCRETE ISLANDS AND MEDIAN
701301 - 04	LANE CLOSURE, 2L, 2W, SHORT TIME OPERATIONS
701426 - 05	LANE CLOSURE, MULTILANE, INTERMITTENT OR MOVING OPERATIONS, FOR SPEEDS \geqslant 45 MPH
701701- <i>08</i>	URBAN LANE'CLOSURE, MULTILANE INTERSECTION
701901- <i>0</i> 2	TRAFFIC CONTROL DEVICES
781001 - 03	TYPICAL APPLICATIONS RAISED REFLECTIVE PAVEMENT MARKERS
782001	PRISMATIC CURB REFLECTORS

GENERAL NOTES

- 1. ALL CONSTRUCTION SHALL BE DONE IN ACCORDANCE WITH THE DETAILS IN THE PLANS, THE SPECIAL PROVISIONS INCLUDED IN THE CONTRACT DOCUMENTS, AND THE LATEST EDITION OF THE FOLLOWING STATE OF ILLINOIS SPECIFICATIONS: "THE STANDARD SPECIFICATIONS FOR ROAD AND BRIDGE CONSTRUCTION" ADOPTED JANUARY 1, 2012 (REFERRED TO AS THE STANDARD SPECIFICATIONS), THE "SUPPLEMENTAL SPECIFICATIONS AND RECURRING SPECIAL PROVISIONS", THE "MANUAL ON UNIFORM TRAFFIC CONTROL DEVICES FOR STREETS AND HIGHWAYS" AND THE "MANUAL OF TEST PROCEDURES FOR MATERIALS".
- BEFORE STARTING ANY EXCAVATION, THE CONTRACTOR SHALL CALL "JULIE" AT (800) 892-0123 OR 811 FOR FIELD LOCATIONS OF BURIED ELECTRIC, TELEPHONE, AND GAS FACILITIES. (48 HOUR NOTIFICATION REQUIRED).
- THE CONTRACTOR SHALL COORDINATE CONSTRUCTION ACTIVITIES WITH UTILITY COMPANIES AND WILL COUNTY,
- THE CONTRACTOR WILL NOT BE ABLE TO SET UP A YARD OR FIELD OFFICE ON STATE PROPERTY WITHOUT THE WRITTEN PERMISSION OF THE DEPARTMENT.
- THE CONTRACTOR SHALL NOTIFY THE IDOT ARTERIAL TRAFFIC CONTROL SUPERVISOR AT (847) 705-4470 A MINIMUM of 72 HOURS IN ADVANCE OF REGINNING WORK.
- THE RESIDENT ENGINEER SHALL CONTACT MR. CORY JUCIUS, ARTERIAL TRAFFIC OPERATIONS ENGINEER, AT (847) 705-4411 A MINIMUM OF TWO (2) WEEKS PRIOR TO PLACEMENT OF FINAL PAVEMENT MARKINGS.
- ALL DAMAGE TO EXISTING PAVEMENT MARKINGS OR RAISED REFLECTIVE PAVEMENT MARKERS OUTSIDE THE REMOVAL LINE SHOWN ON THE PLANS SHALL BE REPLACED AT NO ADDITIONAL COST TO THE DEPARTMENT.
- 8. BEFORE BEGINNING ANY WORK, THE CONTRACTOR SHALL RETAIN AND RECORD FOR FUTURE REFERENCE, ALL EXISTING PAVEMENT MARKING LINES (AND RAISED REFLECTIVE PAVEMENT MARKERS) IN ORDER THAT THESE LOCATIONS CAN BE RE-ESTABLISHED FOR STRIPING, EXACT LOCATIONS OF ALL PAVEMENT MARKINGS SHALL BE AS DIRECTED BY THE ENGINEER.
- DRAINAGE ADJUSTMENT OR RECONSTRUCTION LOCATIONS WILL BE DETERMINED IN THE FIELD BY THE ENGINEER.
- 10. IT SHALL BE THE CONTRACTOR'S RESPONSIBILITY TO VERIFY ALL DIMENSIONS AND CONDITIONS EXISTING IN THE FIELD PRIOR TO CONSTRUCTION AND ORDERING OF MATERIALS.
- FRAMES AND CRATES ADJUSTMENT OF PRIVATE UTILITIES WITHIN THE LIMITS OF THE IMPROVEMENTS SHALL BE DONE BY THEIR RESPECTIVE OWNERS AND ARE NOT PART OF THIS CONTRACT.
- 12. THE CONTRACTOR SHALL BE REQUIRED TO MAINTAIN ACCESS TO ABUTTING PROPERTY AT ALL TIMES DURING THE CONSTRUCTION OF THIS PROJECT.
- 13. DO NOT SCALE PLANS FOR CONSTRUCTION DIMENSIONS.
- 14. THE CONTRACTOR SHALL REPLACE ALL THE PAVEMENT MARKINGS AS LAID OUT IN THE FIELD AS DIRECTED BY THE ENGINEER.
- 15. THE CONTRACTOR SHALL FURNISH TWO CHANGEABLE MESSAGE SIGNS FOR A DURATION OF THREE MONTHS EACH, FOR A TOTAL OF SIX MONTHS. THESE SIGNS SHALL BE FURNISHED, PLACED, AND MAINTAINED, AND AS DIRECTED BY THE ENGINEER. THIS WORK WILL BE PAID FOR AT THE CONTRACT UNIT PRICE PER CALENDAR MONTH FOR EACH SIGN AS CHANGEABLE MESSAGE SIGN.

COMMITMENTS

THERE ARE NO COMMITMENTS FOR THIS PROJECT.

5								1
<u>".</u>	USER NAME = mmiller	DESIGNED -	BFH	REVISED -			F.A.P. SECTION	COUNTY TOTAL SHEET
ž		DRAWN -	BFH	REVISEO -	STATE OF ILLINOIS	INDEX OF SHEETS, STATE STANDARDS AND GENERAL NOTES	770	SHEETS NO.
w !	PLOT SCALE = 180,0000 '/ in.	CHECKED -	BA	REVISEO -	DEPARTMENT OF TRANSPORTATION		אנשייאכווי פכנ	CONTRACT NO. 60195
SHT.PLAN	PLOT DATE = 4/10/2013	DATE -	3/19/13	REVISEO -		SCALE: N.T.S. SHEET 1 OF 1 SHEETS STA. TO STA.	ILLINO	ISIFED, AID PROJECT