





LOCATIONS VARY (95TH ST. ENTRANCE, 87TH ST. EXIT/ENTRANCE RAMP GORES)

NOTES:

- 1. REFER TO PAVEMENT JOINTING AND ELEVATION PLANS FOR DESCRIPTIONS AND DETAILS OF
- 2. EXACT LOCATION OF EXISTING FIBER OPTIC DUCT IS UNKNOWN. CONTRACTOR MUST NOTIFY THE CTA TO LOCATE THE DUCT PRIOR TO THE START OF WORK.

* PAID FOR AS SUB-BASE GRANULAR MATERIAL, TYPE B 24"

TOTAL SHEET SHEETS NO. SECTION COUNTY COOK 916 21 STA-190+65 (NB I-57) TO STA-2316+00 (NB RYAN) FED. ROAD DIST. NO. ILLINOIS FED. AID PROJECT

62304

• (1516.1, 1717, & 1818) R-4

PROPOSED LEGEND

- 1 CONTINUOUSLY REINFORCED PORTLAND CEMENT CONCRETE PAVEMENT 14"; & PAVEMENT REINFORCEMENT, 14"
- 2 STABILIZED SUB-BASE, 6" (BITUMINOUS AGGREGATE MIXTURE)
- 3 SUB-BASE GRANULAR MATERIAL, TYPE B 24"
- (4) GEOTECHNICAL FABRIC FOR GROUND STABILIZATION
- 5 CONCRETE MEDIAN SURFACE, 6 INCH (SPECIAL)
- 6 CONCRETE MEDIAN SURFACE, 6 INCH (SPECIAL)
 (WITHOUT STAMPED PATTERN)
- (7) COMBINATION CONCRETE CURB AND GUTTER, TYPE M-2.24
- 8 COMBINATION CONCRETE CURB AND GUTTER, TYPE M-4.24
- (9) COMBINATION CONCRETE CURB AND GUTTER, TYPE M-4.48
- 10 PORTLAND CEMENT CONCRETE SHOULDERS 14"
- (1) CONCRETE BARRIER, SINGLE FACE, 32 INCH HEIGHT: BARRIER BASE; BARRIER WALL MARKERS (PER IDOT STD. 635001 & 635006)
- 12 TRAFFIC BARRIER TERMINAL, TYPE VARIES
- TOPSOIL FURNISH AND PLACE, 4"; SEEDING, CLASS 2A; EROSION CONTROL BLANKET
- (4) AGGREGATE FILL (INCLUDED IN THE COST OF "CONCRETE MEDIAN SURFACE, 6" (SPECIAL)" (MATCH DEPTH TO ADJACENT CURB & GUTTER)
- (15) POLYMERIZED BITUMINOUS CONCRETE SURFACE COURSE, MIX "F", N105, 174"
- (6) PIPE UNDERDRAIN, 6" (SEE DETAILS)
- 7 POLYMERIZED BITUMINOUS CONCRETE BINDER COURSE, SUPERPAVE, IL-19, N105, 21/4"
- (18) ELECTRICAL DUCTBANK (SEE ELECTRICAL INFRASTRUCTURE PLANS)
- TOPSOIL FURNISH AND PLACE, 12": COMPOST FURNISH AND PLACE 6": EROSION CONTROL BLANKET; SEEDING (SEE PLAN FOR CLASS)
- CONCRETE BARRIER, SINGLE FACE, 42 INCH HEIGHT (SPECIAL); BARRIER BASE; CTA FENCE (SEE DETAILS); BARRIER WALL MARKERS (PER IDOT STD, 635001 & 635006)
- 21) PORTLAND CEMENT CONCRETE PAVEMENT 10" (JOINTED)
- 2 SUB-BASE GRANULAR MATERIAL, TYPE B 12"
- 3 SUB-BASE GRANULAR MATERIAL, TYPE B 6"
- 2 PORTLAND CEMENT CONCRETE SHOULDERS 9"
- BITUMINOUS CONCRETE SURFACE COURSE, SUPERPAVE MIX "D", N70, 11/2"
- 6 PORTLAND CEMENT CONCRETE BASE COURSE 13"
- 27 PORTLAND CEMENT CONCRETE PAVEMENT 14" (JOINTED)

EXISTING LEGEND

ALL EXISTING PAVEMENT DEPTHS ARE FROM AS-BUILT PLANS AND ARE SUBJECT TO CHANGE

- A BIT CONC SURFACE COURSE, 11/2"±
- B) BIT CONC BINDER COURSE, 11/2"±
- © BIT CONC BINDER COURSE, 43/4"±
- D SUB-BASE GRANULAR MATERIAL, 4"±
- © SUB-BASE GRANULAR MATERIAL, 6"±
- F CRUSHED STONE, 5"±
- G PCC SHOULDERS, 9"±
- (H) PCC BASE COURSE, 9"±
- (I) COMB CONC CURB & GUTTER
- J PCC PAVEMENT, 10"± (W/ PAVEMENT FABRIC, 80 LBS±/100 SF)
- (K) CONCRETE BARRIER WALL
- CTA BALLAST STONE: REGRADE AS NECESSARY (INCLUDE REGRADING IN THE COST OF "CONCRETE BARRIER, SINGLE FACE, 42 INCH HEIGHT (SPECIAL)")
- M BITUMINOUS SURFACE, 7"±
- N STABLIZED SUB-BASE, 4"±
- SUB-BASE GRANULAR MATERIAL, 12"±
- EXISTING PIPE UNDERDRAIN (REMOVAL TO PAID FOR SEPARATELY, SEE SPECIAL PROVISION "PIPE UNDERDRAIN REMOVAL")

@ EXISTING FIBER OPTIC DUCT

REVISIONS ILLINOIS DEPARTMENT OF TRANSPORTATION F.A.I. 94 (DAN RYAN EXPRESSWAY) EXISTING & PROPOSED TYPICAL SECTIONS NB I-94 (DAN RYAN EXPRESSWAY) (SHEET 5 OF 8)

SCALE: NONE 05/08/06 DATE: MARCH 7, 2006

DRAWN BY: RTM CHECKED BY: MPG

TYLININTERNATIONAL