





## NOTES:

- 1. BOX SHALL HAVE AN OPEN BASE.
- COVER SHALL WITHSTAND AASHTO H 20 LOADING AND SHALL LOCK.
- ALL OPENINGS IN STRUCTURE MUST BE MACHINED AT TIME OF FABRICATION OR PUNCH DRIVEN AT TIME OF PLACEMENT.
- 4. FIELD PLACEMENT OF COMMUNICATIONS VAULT SHALL BE AS DIRECTED BY THE ENGINEER.

COUNTY

WILL

CONTRACT NO. 60K06

PLAN

FILE NAME =	USER NAME = wingram	DESIGNED -	REVISED ~				
P:\P-07-1600-11\Gen\Communications Vault	Details.dgn	DRAWN -	REVISED -				
	PLOT SCALE = \$SCALE\$	CHECKED -	REVISED -				
	PLOT DATE = 3/18/2010	DATE -	REVISED -				

STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION

FIBER OPTIC CABLE INSTALLATION - I-55 (I-80 TO NAPERVILLE ROAD)						F.A.		SECTION			
COMMUNICATIONS VAULT DETAILS								2009-139 SG			
LF: 1" = 50'	SHEET NO	ΩF	SHEETS	STA	TO STA	EED	DOAD DICT	NO	THE THOTE!	cri	