







URETHANE FOAM GEOTEXTILES




DETAIL 1




DETAIL 2



DETAIL 3



STAPLE DETAIL



PUSH PIN DETAIL

NOTES:

1. Staples shall be placed in a diamond pattern at 2 per s.y. for stiched blankets. Non-stiched shall use 4 staples per s.y. of material. This equates to 200 staples with stiched blanket and 400 stapels with non-stiched blanket per 100 s.y. of material.
2. Staple or push pin lengths shall be selected based on soil type and conditions. (minimum staple length is 6")
3. Erosion control material shall be placed in contact with the soil over a prepared seedbed.
4. All anchor slots shall be stapled at approximately 12" intervals.

REFERENCE	
Project	_____
Designed	_____ Date _____
Checked	_____ Date _____
Approved	_____ Date _____



STANDARD DWG. NO.
IUM-514
SHEET 1 OF 1
DATE 6-30-11

File No. IUM-530
Drawing No. _____
Sheet 1 of 1

EROSION CONTROL BLANKET INSTALLATION DETAILS

Designed	_____	Date	_____
Drawn	B. JOHNSON	Date	11/08
Checked	_____		
Approved	_____		

USER NAME = footemj	DESIGNED -	REVISD - J.A.F. 04-03
	DRAWN -	REVISD - S.P.B. 01-07
PLOT SCALE = 50.0000' / in.	CHECKED -	REVISD - S.P.B. 12-09
PLOT DATE = 3/4/2019	DATE -	REVISD -

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION

SEDIMENT AND EROSION CONTROL DETAILS

SCALE: NONE SHEET 1 OF 5 SHEETS STA. TO STA.

F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
344	2020-196-T	DUPAGE	122	118
CONTRACT NO. 62M69				
ILLINOIS FED. AID PROJECT				