


COMBINATION CONCRETE CURB AND GUTTER DETAIL

(3)


(1)

COMBINATION CONCRETE CURB AND GUTTER REMOVAL AND REPLACEMENT,


- 3/13/2009




P. C. CONCRETE DRIVEWAY REMOVAL AND REPLACEMENT. 8"



HOT-MIX ASPHALT DRIVEWAY




TYPICAL DRIVEWAY DETAIL



SIDEWALK REMOVAL AND REPLACEMENT, 5"

SCALE: NONE



SEC Group, Inc.	USER NAME ≕ jstrzalka	DESIGNED	-	CL	REVISED
Engineering Surveying Planning Landscape Architecture		DRAWN	-	JJS	REVISED
	PLOT SCALE = NONE	CHECKED	-	CL .	REVISED
McHenry * Yorkville * New Lenox * Chicago www.secgroupinc.com	PLOT DATE = 4/9/2009	DATE	-	4/9/09	REVISED

CITY OF AURORA

(2) CONTINUOUS REBAR, (2) - #4 - REQ'D FOR ALL CURB OVER 10' LONG

3 SUBBASE GRANULAR MATERIAL, TYPE 8 (CRUSHED STONE CA-7) (COST IS INCIDENTAL TO COMB. CURB & GUTTER)

5 EXISTING PAVEMENT, VARIES

CONSTRUCTION DETAILS				F.A. SECTION		COUNTY	TOTAL	SHEE NO.	
				0360	08-00279-00-RS	KANE	12	9	
	-						CONTRACT	NO.	63155
	SHEET NO. 1 OF	1 SHEETS	STA.	TO STA.	FED. ROA	AD DIST. NO. ILLINOIS FED. A	D PROJECT		