





-3-#3 BARS @ 4" O.C.

-\*3 BARS (4 REQUIRED)







CONCRETE LID PLAN N.T.S.

PRECAST CONCRETE

\*4 BARS (3 REQUIRED)






FRONT ELEVATION

N.T.S.

INLET TYPE	INSIDE WIDTH	LID TYPE
INLETS, SPECIAL, TYPE 1	3 X 3	NORMAL
INLETS, SPECIAL, TYPE 2	4 X 4	NORMAL
INLETS, SPECIAL, TYPE 3	5 X 5	NORMAL




LIGHT DUTY RING AND COVER N.T.S.


REINFORCING BARS, CLASS "PC" CONCRETE, CAST IRON RING AND COVER, AND ALL MATERIAL AND LABOR SHALL BE INCLUDED IN THE UNIT PRICE BID FOR "INLET, SPECIAL, TYPE SPECIFIED" COMPLETE AND IN PLACE.


THE TOPS OF ALL INLETS WHICH ARE LOCATED IN CURVES SHALL BE CONSTRUCTED TO CONFORM TO THE RADIUS OF THE CURVE.


DETAILS FOR THE INLET, SPECIAL, TYPE 1 AS SHOWN ABOVE ARE BASED UPON INSIDE DIMENSIONS OF 3'X3'. ALL OTHER SIZES NOTED IN THE PLANS REFER TO INSIDE DIMENSIONS.

FOR THE INLET, SPECIAL, TYPE 4, THERE SHALL BE AN ADDITIONAL OPENING SIMILAR TO THE OPENING AS SHOWN IN THE SECTION A-A PLACED ON ALL FOUR SIDES OF THE









ELEVATION

## CURB AND GUTTER TERMINI

