06-12-2020 LETTING ITEM 178

## STATE OF ILLINOIS **DEPARTMENT OF TRANSPORTATION**

DS EM INLAY 2020-1 MILEAN &

#### P-95-005-20



STATE OF GLUNDIS DEPARTMENT OF TRANSPORTATION

PRINTED BY THE AUTHORITY OF THE STATE OF ILLINOIS

FOR INDEX OF SHEETS, SEE SHEET NO. 2 FOR SUMMARY OF QUANTITIES, SEE SHEET NO. 3

CURRENT TRAFFIC DATA											
LOCATION F.A.P. 317 (U.S. 24) LEG	-8-	_	ADT 2019 3,300	<u>PU %</u> 69.7	<u>su %</u>	MU %					
F.A.P. 317 (U.S. 24) LEG		=	7,500	80.6	8.3 9.7	9.7					
FUNCTIONAL CLASSIFIC	CATIO	V =	OTHER P	RINCIPAL ART	ERIAL						

DESIGN DESIGNATION

0

0

0

0

N/A

FULL SIZE PLANS HAVE BEEN PREPARED USING STANDARD ENGINEERING SCALES, REDUCED SIZED PLANS WILL NOT CONFORM TO STANDARD SCALES, IN MAKING MEASUREMENTS ON REDUCED PLANS, THE ABOVE SCALES MAY BE USED.

JOINT UTBLTY LOCATION INFORMATION FOR EXCAVATORS 1-800-492-0123 OR 831 CHENDA TOWNSHIP


PROJECT ENGINEER: JASON W. STULTS SQUAD LEADER: DAVID F. JAYME **DESIGNERS: JASON C. HELANDER** PHONE NUMBER: (217) 465-4181

CONTRACT NO. 70E31

# **PROPOSED** HIGHWAY PLANS

F.A.P. ROUTE 317 (US 24) SECTION D5 CM INLAY 2020-1 **PROJECT PARTIAL WIDTH RESURFACING** MCLEAN COUNTY

C-95-016-20 0.3 MI W OF 1-55 TO OLD RTE 66 W OF CHENOA



#### **INDEX OF SHEETS**

SHEET NO.	DESCRIPTION
1	COVER SHEET
2	INDEX OF SHEETS / HIGHWAY STANDARDS / GENERAL NOTES
3	SUMMARY OF QUANTITIES
4 - 6	TYPICAL SECTIONS
7	SCHEDULE OF QUANTITIES
8	SIGN DETAIL FOR I-55 OFF RAMPS

#### **HIGHWAY STANDARDS**

STANDARD NO.	DESCRIPTION
000001-07	STANDARD SYMBOLS, ABBREVIATIONS AND PATTERNS
001006	DECIMAL OF AN INCH AND OF A FOOT
701006-05	OFF-RD OPERATIONS, 2L, 2W, 15' (4.5 m) TO 24" (600 mm) FROM PAVEMENT EDGE
701101-05	OFF-RD OPERATIONS, MULTILANE, 15' (4.5 m) TO 24" (600 mm) FROM PAVEMENT EDGE
701301-04	LANE CLOSURE, 2L, 2W, SHORT TIME OPERATIONS
701306-04	LANE CLOSURE, 2L, 2W, SLOW MOVING OPERATION DAY ONLY, FOR SPEEDS ≥ 45 MPH
701601-09	URBAN LANE CLOSURE, MULTILANE, 1W OR 2W WITH NONTRAVERABLE MEDIAN
701701-10	URBAN LANE CLOSURE, MULTILANE INTERSECTION
701901-08	TRAFFIC CONTROL DEVICES

#### **GENERAL NOTES**

#### G.N.-100A

ELECTRONIC FILES AND/OR ELECTRONIC SURVEY INFORMATION INCLUDING CADD FILES WILL NOT BE AVAILABLE TO THE CONTRACTOR.

#### G.N.-105.07C

EXISTING STATE-OWNED AND MAINTAINED UNDERGROUND UTILITY FACILITIES EXIST WITHIN THE ROW. THE DEPARTMENT IS NOT A MEMBER OF JULIE AND DOES NOT LOCATE IT'S OWN FACILITIES. THE CONTRACTOR SHALL BE RESPONSIBLE AT THEIR OWN EXPENSE FOR SECURING AN APPROVED LOCATING FIRM TO LOCATE ALL EXISTING IDOT UNDERGROUND FACILITIES PRIOR TO COMMENCING ANY EXCAVATION, PER THE REQUIREMENTS OF ARTICLE 803 OF THE STANDARD SPECIFICATIONS. UTILITY LOCATES MAY ALSO BE REQUIRED OUTSIDE THE PROJECT LIMITS, SUCH AS FOR TRAFFIC CONTROL SIGNING AND OTHER ITEMS. THE CONTRACTOR MAY OBTAIN, ON REQUEST, PLANS OF EXISTING ELECTRICAL FACILITIES FROM THE DEPARTMENT. FOR FURTHER INFORMATION, THE CONTRACTOR MAY CONTACT THE DISTRICT TRAFFIC OPERATIONS ENGINEER, GARY SIMS, AT 217-251-4859.

#### G.N.-406

THE QUANTITIES INCLUDED IN THE PLANS FOR HOT-MIX ASPHALT RESURFACING ARE INTENDED TO GIVE THE COVERAGE SHOWN ON THE TYPICAL CROSS SECTIONS. IT IS NOT INTENDED TO INCREASE THE THICKNESS OF THE HOT-MIX ASPHALT MIXTURE IN ORDER TO USE ALL OF THE QUANTITIES INCLUDED IN THE CONTRACT.

G.N.-406H

#### MIXTURE REQUIREMENTS

THE FOLLOWING MIXTURE REQUIREMENTS ARE APPLICABLE FOR THIS PROJECT:

LOCATION(S):	U.S. 24
MIXTURE USE	POLYMER SURFACE
AC/PG	SBS PG 70-22
DESIGN AIR VOIDS	4.0% @ Ndes=70
MIX COMP (GRADATION)	IL 9.5
FRICTION AGGREGATE	Mix D
MIXTURE WEIGHT	112
QUALITY MANAGEMENT PROGRAM	QC/QA
SUBLOT SIZE	N.A.

NO COMMITMENTS.

SCALE: N/A

USER NAME = hodgsonra	DESIGNED -	JCH	REVISED -
	DRAWN -	JCH	REVISED -
PLOT SCALE = 40.0000 / in.	CHECKED -		REVISED -
PLOT DATE = 1/15/2020	DATE -	11/25/2019	REVISED -

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION

## **SUMMARY OF QUANTITIES**

LOCATION OF WORK: F.A.P. 317 (U.S. 24)

RURAL MULTILANE

OTHER PRINCIPAL ARTERIAL

STA. 1520+25.00 TO

STA. 1563+00.00

MCLEAN COUNTY

FUNDING BREAKOUT:

100% STATE

CONSTRUCTION TYPE CODE:

SCALE: N/A


0005

CODE NO.	ITEM	<u>UNIT</u>	TOTAL QUANTITIES
40600290	BITUMINOUS MATERIALS (TACK COAT)	POUND	2,080.
40604162	POLYMERIZED HOT-MIX ASPHALT SURFACE COURSE, IL-9.5, MIX "D", N70	TON	388.0
44000155	HOT-MIX ASPHALT SURFACE REMOVAL, 1 1/2"	SQ YD	4,619.
67100100	MOBILIZATION	L SUM	1.0
70100460	TRAFFIC CONTROL AND PROTECTION, STANDARD 701306	L SUM	1.0
70102630	TRAFFIC CONTROL AND PROTECTION, STANDARD 701601	L SUM	1.0
70102635	TRAFFIC CONTROL AND PROTECTION, STANDARD 701701	L SUM	1.0
70300100	SHORT TERM PAVEMENT MARKING	FOOT	280.0
78300200	RAISED REFLECTIVE PAVEMENT MARKER REMOVAL	EACH	54.0

\* DENOTES SPECIALTY ITEM


STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION


DOT(Documents)IDOT Offices(District 5/Projects(D570E31)(CADData)(CADsheets(D570E3



USER NAME = hodgsonra	DESIGNED - J	JCH	REVISED -	
	DRAWN - J	ICH	REVISED -	
PLOT SCALE = 40.0000 ' / in.	CHECKED -		REVISED -	
PLOT DATE = 1/15/2020	DATE - 1	11/18/2019	REVISED -	

			<b>-</b>	AL SECT	F.A.P. RTE	SECT	COUNTY	TOTAL SHEETS	SHEET NO.				
		317	317 D5 CM INLAY 2020-1 MCLEAN			MCLEAN	8	4					
ı											CONTRACT	NO. 70	DE31
	SCALE: N/A	SHEET 1	OF 3	SHEETS	STA.	TO STA.	ILLINOIS FED. AID PROJECT						
7													





## **SCHEDULE OF QUANTITIES**

### **HOT-MIX ASPHALT**

LOCATIONS	STATION	то	STATION	LENGTH (FOOT)	WIDTH (FOOT)	AREA (SQ FT)	AVG. DEPTH RATE (INCH) (LB/SQ FT)		BITUMINOUS MATERIALS (TACK COAT) 40600290 (POUND)	POLYMERIZED HOT-MIX ASPHALT SURFACE COURSE, IL-9.5, MIX "D", N70 40604162 (TON)	HOT-MIX ASPHALT SURFACE REMOVAL, 1 1/2" 44000155 (SQ YD)	
F.A.P. 317 (U.S. 24)												
W.B.D.L.	1527+60.00	TO	1528+00.00	40.00	14.00	560.00	1.50	0.05	28.0	5.2	62.22	
E.B.D.L.	1531+25.00	TO	1532+75.00	150.00	14.00	2,100.00	1.50	0.05	105.0	19.6	233.33	
E.B.P.L.	1531+25.00	TO	1532+75.00	150.00	13.00	1,950.00	1.50	0.05	97.5	18.2	216.67 490.00	
W.B.D.L.	1531+75.00	TO	1534+90.00	315.00	14.00	4,410.00	1.50	0.05	220.5	41.2		
W.B.D.L.	1538+85.00	TO	1542+60.00	375.00	14.00	5,250.00	1.50	0.05	262.5	49.0	583.33	
W.B.P.L.	1538+85.00	TO	1542+60.00	375.00	14.00	5,250.00	1.50	0.05	262.5	49.0	583.33	
E.B.D.L.	1540+50.00	TO	1543+65.00	315.00	14.00	4,410.00	1.50	0.05	220.5	41.2	490.00	
E.B.P.L.	1540+50.00	TO	1543+65.00	315.00	14.00	4,410.00	1.50	0.05	220.5	41.2	490.00	
E.B.D.L.	1545+00.00	TO	1549+25.00	425.00	14.00	5,950.00	1.50	0.05	297.5	55.5	661.11	
E.B.P.L.	1547+25.00	TO	1549+25.00	200.00	14.00	2,800.00	1.50	0.05	140.0	26.1	311.11	
E.B.P.L.	1552+80.00	TO	1554+50.00	170.00	14.00	2,380.00	1.50	0.05	119.0	22.2	264.44	
W.B.D.L.	1555+50.00	TO	1557+00.00	150.00	14.00	2,100.00	1.50	0.05	105.0	19.6	233.33	
							F.A.P. 317	(U.S. 24) TOTAL =	2,078.5	388.0	4,618.9	
NOTE;								USE =	2,080.0	388.0	4,619.0	

FIELD LAYOUT WILL BE COORDINATED WITH OPERATIONS SUPERVISOR, ROD LASHUAY, AT 217-251-4866 PRIOR TO CONSTRUCTION.

#### MISC. PAVEMENT ITEMS

LOCATIONS	STATION	то	STATION	LENGTH (FOOT)	RAISED REFLECTIVE PAVEMENT MARKER REMOVAL	SHORT TERM PAVEMENT MARKING 70300100 (FOOT)					
				(FOOT)	78300200	WHITE	WHITE				
					(EACH)	CENTERLINE	EDGE LINE				
F.A.P. 317 (U.S. 24)											
W.B.D.L.	1527+60.00	TO	1528+00.00	40.00	2.0	4.0	0.0				
E.B.D.L.	1531+25.00	TO	1532+75.00	150.00	4.0	16.0	8.0				
W.B.D.L.	1531+75.00	TO	1534+90.00	315.00	8.0	32.0	12.0				
W.B.D.L.	1538+85.00	TO	1542+60.00	375.00	10.0	40.0	16.0				
E.B.D.L.	1540+50.00	TO	1543+65.00	315.00	8.0	32.0	12.0				
E.B.D.L.	1545+00.00	TO	1549+25.00	425.00	12.0	44.0	20.0				
E.B.P.L.	1552+80.00	TO	1554+50.00	170.00	6.0	20.0	0.0				
W.B.D.L.	1555+50.00	TO	1557+00.00	150.00	4.0	16.0	8.0				
		F	A.P. 317 (U.S. 24)	SUB TOTAL =	54.0	204.0	76.0				
			F.A.P. 317 (U.S	. 24) TOTAL =	54.0	28	30.0				


MODEL: \$MODELNAME\$ FILE NAME: pw:\\planroom.dot.llllnols.gov:

USER NAME = hodgsonra	DESIGNED - JCH	REVISED -	
	DRAWN - JCH	REVISED -	
PLOT SCALE = 40.0000 / in.	CHECKED -	REVISED -	
PLOT DATE = 1/15/2020	DATE - 11/25/2019	REVISED -	

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION

	_					F.A.P. RTE	SECT	ΠΟN		TOTAL SHEETS	SHEET NO.	
	SCHEDULE OF QUANTITIES								D5 CM INLAY 2020-1			7
										CONTRACT	NO. 70	DE31
LE: N/A	SHEET 1	OF 1	SHEETS	STA.	TO STA.	ILLINOIS FED. AID PROJECT						

## I-55 OFF RAMPS



FILE NAME: pw:\\planroom.dot.llllnols.gov:

REVISED -

REVISED

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION

SIGN DETAIL FOR

1-55 OFF RAMPS

SHEET 1 OF 1 SHEETS STA. TO STA.

SCALE: N/A