

A AERIAL
UNKNOWN
O OIL
CTV CABLE TV
T TELEPHONE
G GAS
E ELECTRIC
W WATER
FORCE MAIN
FO FIBER OPTIC
END OF INFORMATION
TBE TEST HOLE

UTILITY OWNERS
AT&T = TELEPHONE
AT&T = FIBER OPTIC
AUX SABLE LIQUID PRODUCTS = OIL
BP PIPELINE = OIL
CHICAP PIPELINE = OIL
COM-ED = ELECTRIC
COM-ED/G4S TECHNOLOGY = FIBER OPTIC
COMCAST = CABLE TV
COMCAST = FIBER OPTIC
ILLINOIS AMERICAN WATER = WATER
MOBIL PIPELINE = OIL
NICOR = GAS
NICOR = OIL
NORTHERN BORDER PIPELINE COMPANY = OIL
PEOPLE'S LIGHT & COKE CO. = OIL
TEPPCO/ENTERPRISE PIPELINE = OIL
UNOCAL PIPELINE CO. = OIL
WOLVERINE PIPELINE = OIL

Utilities shown on these plans as depicted in the legend have been investigated by Cardno TBE in accordance with SUE Industry Standards. All other information shown has been provided to Cardno TBE by others. Cardno TBE's QL"B" SUE field investigation was performed 8/09/12 through 1/25/13. Changes to utilities after 1/25/13 may have been made and therefore may result in variances from this plan. Consideration should be given to updating this plan if deemed advisable prior to final design and construction.

ALL UTILITIES SHOWN QUALITY LEVEL "B" UNLESS NOTED OTHERWISE.

20 0 METERS 20 40
50 0 FEET 50 100

Cardno TBE

Dynasty Group
Engineers & Surveyors

TBE Job No. IL09510501
SUE Plan Page: 27 of 28

Utility Quality Level "A" : Visually Verified Test Hole
Utility Quality Level "B" : Designating/non Visually Verified Test Hole
Utility Quality Level "C" : Research with Survey
Utility Quality Level "D" : Records Research

DESIGNED	ER & IP	REVISED
DRAWN	SRK	REVISED
CHECKED	KFS	REVISED
DATE	2/01/13	REVISED

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION

IL RT. 71–355 to Will Cook Road
Homer, Illinois

F.A. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
351	536-R-1	Will	207	101
		Contract No. 60X92		
FED. ROAD DIST. NO. _	ILLINOIS	IDOT Project No.		



A AERIAL
UNKNOWN
O OIL
CTV CABLE TV
T TELEPHONE
G GAS
E ELECTRIC
W WATER
FORCE MAIN
FO FIBER OPTIC
END OF INFORMATION
TBE TEST HOLE

UTILITY OWNERS

AT&T = TELEPHONE
AT&T = FIBER OPTIC
AUX SABLE LIQUID PRODUCTS = OIL
BP PIPELINE = OIL
CHICAP PIPELINE = OIL
COM-ED = ELECTRIC
COM-ED/G4S TECHNOLOGY = FIBER OPTIC
COMCAST = CABLE TV
COMCAST = FIBER OPTIC
ILLINOIS AMERICAN WATER = WATER
MOBIL PIPELINE = OIL
NICOR = GAS
NICOR = OIL
NORTHERN BORDER PIPELINE COMPANY = OIL
PEOPLE'S LIGHT & COKE CO. = OIL
TEPPCO/ENTERPRISE PIPELINE = OIL
UNOCAL PIPELINE CO. = OIL
WOLVERINE PIPELINE = OIL

Utilities shown on these plans as depicted in the legend have been investigated by Cardno TBE in accordance with SUE Industry Standards. All other information shown has been provided to Cardno TBE by others. Cardno TBE's QL"B" SUE field investigation was performed 8/09/12 through 1/25/13. Changes to utilities after 1/25/13 may have been made and therefore may result in variances from this plan. Consideration should be given to updating this plan if deemed advisable prior to final design and construction.

ALL UTILITIES SHOWN QUALITY LEVEL "B" UNLESS NOTED OTHERWISE.

20 0 METERS 20 40
50 0 FEET 50 100

Cardno TBE

Dynasty Group
Engineers & Surveyors

TBE Job No. IL09510501
SUE Plan Page: 28 of 28

Utility Quality Level "A" : Visually Verified Test Hole
Utility Quality Level "B" : Designating/non Visually Verified Test Hole
Utility Quality Level "C" : Research with Survey
Utility Quality Level "D" : Records Research

DESIGNED	ER & IP	REVISED
DRAWN	SRK	REVISED
CHECKED	KFS	REVISED
DATE	2/01/13	REVISED

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION

IL RT. 71–355 to Will Cook Road
Homer, Illinois

F.A. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
351	536-R-1	Will	207	102
		Contract No. 60X92		
FED. ROAD DIST. NO. _	ILLINOIS	IDOT Project No.		



A	AERIAL
	UNKNOWN
O	OIL
CTV	CABLE TV
T	TELEPHONE
G	GAS
E	ELECTRIC
W	WATER
FO	FIBER OPTIC
	FORCE MAIN
	TBE TEST HOLE

UTILITY OWNERS

AT&T = TELEPHONE
AT&T = FIBER OPTIC
COM-ED = ELECTRIC
COMCAST = CABLE TV
COMCAST = FIBER OPTIC
NICOR = GAS
OSD = FIBER OPTIC
VILLAGE OF ORLAND PARK = WATER
VILLAGE OF ORLAND PARK = SEWER

Utilities shown on these plans as depicted in the legend have been investigated by Cardno TBE in accordance with SUE Industry Standards. All other information shown has been provided to Cardno TBE by others. Cardno TBE's QL"B" SUE field investigation was performed 10/31/12 through 1/25/13. Changes to utilities after 1/25/13 may have been made and therefore may result in variances from this plan. Consideration should be given to updating this plan if deemed advisable prior to final design and construction.

ALL UTILITIES SHOWN QUALITY LEVEL "B" UNLESS NOTED OTHERWISE.

Cardno TBE

Dynasty Group
Engineers & Surveyors

TBE Job No. IL09510502
SUE Plan Page: Cover of 14

Utility Quality Level "A" : Visually Verified Test Hole
Utility Quality Level "B" : Designating/non Visually Verified Test Hole
Utility Quality Level "C" : Research with Survey
Utility Quality Level "D" : Records Research

DESIGNED	ER	REVISED
DRAWN	KLC	REVISED
CHECKED	KFS	REVISED
DATE	2/06/13	REVISED

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION

US RT. 6/1L RT. 7 Will Cook Road to west of US RT. 45
Orland Park, Illinois

F.A. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
351	2014-010DTR	Cook	207	103
		Contract No.	60X92	
FED. ROAD DIST. NO. _	ILLINOIS	IDOT Project No.		



AERIAL
UNKNOWN
OIL
CABLE TV
TELEPHONE
GAS
ELECTRIC
WATER
FIBER OPTIC
FORCE MAIN
TBE TEST HOLE

UTILITY OWNERS

AT&T = TELEPHONE
AT&T = FIBER OPTIC
COM-ED = ELECTRIC
COMCAST = CABLE TV
COMCAST = FIBER OPTIC
NICOR = GAS
OSD = FIBER OPTIC
VILLAGE OF ORLAND PARK = WATER
VILLAGE OF ORLAND PARK = SEWER

Utilities shown on these plans as depicted in the legend have been investigated by Cardno TBE in accordance with SUE Industry Standards. All other information shown has been provided to Cardno TBE by others. Cardno TBE's QL"B" SUE field investigation was performed 10/31/12 through 1/25/13. Changes to utilities after 1/25/13 may have been made and therefore may result in variances from this plan. Consideration should be given to updating this plan if deemed advisable prior to final design and construction.

ALL UTILITIES SHOWN QUALITY LEVEL "B" UNLESS NOTED OTHERWISE.

20 0 METERS 20 40
50 0 FEET 50 100

Cardno TBE

Dynasty Group
Engineers & Surveyors

TBE Job No. IL09510502
SUE Plan Page: 1 of 14

Utility Quality Level "A" : Visually Verified Test Hole
Utility Quality Level "B" : Designating/non Visually Verified Test Hole
Utility Quality Level "C" : Research with Survey
Utility Quality Level "D" : Records Research

DESIGNED	ER	REVISED
DRAWN	KLC	REVISED
CHECKED	KFS	REVISED
DATE	2/06/13	REVISED

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION

US RT. 6\1L RT. 7 Will Cook Road to west of US RT. 45
Orland Park, Illinois

F.A. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
351	2014-010DTR	Cook	207	104
		Contract No.	60X92	
FED. ROAD DIST. NO. _	ILLINOIS	IDOT Project No.		



AERIAL
UNKNOWN
OIL
CABLE TV
TELEPHONE
GAS
ELECTRIC
WATER
FIBER OPTIC
FORCE MAIN
TBE TEST HOLE

UTILITY OWNERS
AT&T = TELEPHONE
AT&T = FIBER OPTIC
COM-ED = ELECTRIC
COMCAST = CABLE TV
COMCAST = FIBER OPTIC
NICOR = GAS
OSD = FIBER OPTIC
VILLAGE OF ORLAND PARK = WATER
VILLAGE OF ORLAND PARK = SEWER

Utilities shown on these plans as depicted in the legend have been investigated by Cardno TBE in accordance with SUE Industry Standards. All other information shown has been provided to Cardno TBE by others. Cardno TBE's QL"B" SUE field investigation was performed 10/31/12 through 1/25/13. Changes to utilities after 1/25/13 may have been made and therefore may result in variances from this plan. Consideration should be given to updating this plan if deemed advisable prior to final design and construction.

ALL UTILITIES SHOWN QUALITY LEVEL "B" UNLESS NOTED OTHERWISE.

20 0 METERS 20 40
50 0 FEET 50 100

Cardno TBE

Dynasty Group
Engineers & Surveyors

TBE Job No. IL09510502
SUE Plan Page: 2 of 14

Utility Quality Level "A" : Visually Verified Test Hole
Utility Quality Level "B" : Designating/non Visually Verified Test Hole
Utility Quality Level "C" : Research with Survey
Utility Quality Level "D" : Records Research

DESIGNED	ER	REVISED
DRAWN	KLC	REVISED
CHECKED	KFS	REVISED
DATE	2/06/13	REVISED

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION

US RT. 6/L RT. 7 Will Cook Road to west of US RT. 45
Orland Park, Illinois

F.A. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
351	2014-010DTR	Cook	207	105
		Contract No.	60X92	
FED. ROAD DIST. NO. _	ILLINOIS	IDOT Project No.		



AERIAL	
UNKNOWN	
OIL	
CABLE TV	
TELEPHONE	
GAS	
ELECTRIC	
WATER	
FIBER OPTIC	
FORCE MAIN	
TBE TEST HOLE	

UTILITY OWNERS
AT&T = TELEPHONE
AT&T = FIBER OPTIC
COM-ED = ELECTRIC
COMCAST = CABLE TV
COMCAST = FIBER OPTIC
NICOR = GAS
OSD = FIBER OPTIC
VILLAGE OF ORLAND PARK = WATER
VILLAGE OF ORLAND PARK = SEWER

Utilities shown on these plans as depicted in the legend have been investigated by Cardno TBE in accordance with SUE Industry Standards. All other information shown has been provided to Cardno TBE by others. Cardno TBE's QL"B" SUE field investigation was performed 10/31/12 through 1/25/13. Changes to utilities after 1/25/13 may have been made and therefore may result in variances from this plan. Consideration should be given to updating this plan if deemed advisable prior to final design and construction.

ALL UTILITIES SHOWN QUALITY LEVEL "B" UNLESS NOTED OTHERWISE.

20 0 METERS 20 40
50 0 FEET 50 100

Cardno TBE

Dynasty Group
Engineers & Surveyors

TBE Job No. IL09510502
SUE Plan Page: 3 of 14

Utility Quality Level "A" : Visually Verified Test Hole
Utility Quality Level "B" : Designating/non Visually Verified Test Hole
Utility Quality Level "C" : Research with Survey
Utility Quality Level "D" : Records Research

DESIGNED	ER	REVISED
DRAWN	KLC	REVISED
CHECKED	KFS	REVISED
DATE	2/06/13	REVISED

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION

US RT. 6/L RT. 7 Will Cook Road to west of US RT. 45
Orland Park, Illinois

F.A. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
351	2014-010DTR	Cook	207	106
		Contract No.	60X92	
FED. ROAD DIST. NO. _	ILLINOIS	IDOT Project No.		



AERIAL	
UNKNOWN	
OIL	
CABLE TV	
TELEPHONE	
GAS	
ELECTRIC	
WATER	
FIBER OPTIC	
FORCE MAIN	
TBE TEST HOLE	

UTILITY OWNERS

AT&T = TELEPHONE
AT&T = FIBER OPTIC
COM-ED = ELECTRIC
COMCAST = CABLE TV
COMCAST = FIBER OPTIC
NICOR = GAS
OSD = FIBER OPTIC
VILLAGE OF ORLAND PARK = WATER
VILLAGE OF ORLAND PARK = SEWER

Utilities shown on these plans as depicted in the legend have been investigated by Cardno TBE in accordance with SUE Industry Standards. All other information shown has been provided to Cardno TBE by others. Cardno TBE's QL"B" SUE field investigation was performed 10/31/12 through 1/25/13. Changes to utilities after 1/25/13 may have been made and therefore may result in variances from this plan. Consideration should be given to updating this plan if deemed advisable prior to final design and construction.

ALL UTILITIES SHOWN QUALITY LEVEL "B" UNLESS NOTED OTHERWISE.

20 0 METERS 20 40
50 0 FEET 50 100

Cardno TBE

Dynasty Group
Engineers & Surveyors

TBE Job No. IL09510502
SUE Plan Page: 4 of 14

Utility Quality Level "A" : Visually Verified Test Hole
Utility Quality Level "B" : Designating/non Visually Verified Test Hole
Utility Quality Level "C" : Research with Survey
Utility Quality Level "D" : Records Research

DESIGNED	ER	REVISED
DRAWN	KLC	REVISED
CHECKED	KFS	REVISED
DATE	2/06/13	REVISED

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION

US RT. 6/L RT. 7 Will Cook Road to west of US RT. 45
Orland Park, Illinois

F.A. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
351	2014-010DTR	Cook	207	107
		Contract No.	60X92	
FED. ROAD DIST. NO. _	ILLINOIS	IDOT Project No.		



AERIAL
UNKNOWN
OIL
CABLE TV
TELEPHONE
GAS
ELECTRIC
WATER
FIBER OPTIC
FORCE MAIN
TBE TEST HOLE

UTILITY OWNERS
AT&T = TELEPHONE
AT&T = FIBER OPTIC
COM-ED = ELECTRIC
COMCAST = CABLE TV
COMCAST = FIBER OPTIC
NICOR = GAS
OSD = FIBER OPTIC
VILLAGE OF ORLAND PARK = WATER
VILLAGE OF ORLAND PARK = SEWER

Utilities shown on these plans as depicted in the legend have been investigated by Cardno TBE in accordance with SUE Industry Standards. All other information shown has been provided to Cardno TBE by others. Cardno TBE's QL"B" SUE field investigation was performed 10/31/12 through 1/25/13. Changes to utilities after 1/25/13 may have been made and therefore may result in variances from this plan. Consideration should be given to updating this plan if deemed advisable prior to final design and construction.

ALL UTILITIES SHOWN QUALITY LEVEL "B" UNLESS NOTED OTHERWISE.

20 0 METERS 20 40
50 0 FEET 50 100

Cardno TBE

Dynasty Group
Engineers & Surveyors

TBE Job No. IL09510502
SUE Plan Page: 5 of 14

Utility Quality Level "A" : Visually Verified Test Hole
Utility Quality Level "B" : Designating/non Visually Verified Test Hole
Utility Quality Level "C" : Research with Survey
Utility Quality Level "D" : Records Research

DESIGNED	ER	REVISED
DRAWN	KLC	REVISED
CHECKED	KFS	REVISED
DATE	2/06/13	REVISED

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION

US RT. 6/L RT. 7 Will Cook Road to west of US RT. 45
Orland Park, Illinois

F.A. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
351	2014-010DTR	Cook	207	108
		Contract No. 60X92		
FED. ROAD DIST. NO. _	ILLINOIS	IDOT Project No.		



AERIAL
UNKNOWN
OIL
CABLE TV
TELEPHONE
GAS
ELECTRIC
WATER
FIBER OPTIC
FORCE MAIN
TBE TEST HOLE

UTILITY OWNERS
AT&T = TELEPHONE
AT&T = FIBER OPTIC
COM-ED = ELECTRIC
COMCAST = CABLE TV
COMCAST = FIBER OPTIC
NICOR = GAS
OSD = FIBER OPTIC
VILLAGE OF ORLAND PARK = WATER
VILLAGE OF ORLAND PARK = SEWER

Utilities shown on these plans as depicted in the legend have been investigated by Cardno TBE in accordance with SUE Industry Standards. All other information shown has been provided to Cardno TBE by others. Cardno TBE's QL"B" SUE field investigation was performed 10/31/12 through 1/25/13. Changes to utilities after 1/25/13 may have been made and therefore may result in variances from this plan. Consideration should be given to updating this plan if deemed advisable prior to final design and construction.

ALL UTILITIES SHOWN QUALITY LEVEL "B" UNLESS NOTED OTHERWISE.

20 0 METERS 20 40
50 0 FEET 50 100

Cardno TBE

Dynasty Group
Engineers & Surveyors

TBE Job No. IL09510502
SUE Plan Page: 6 of 14

Utility Quality Level "A" : Visually Verified Test Hole
Utility Quality Level "B" : Designating/non Visually Verified Test Hole
Utility Quality Level "C" : Research with Survey
Utility Quality Level "D" : Records Research

DESIGNED	ER	REVISED
DRAWN	KLC	REVISED
CHECKED	KFS	REVISED
DATE	2/06/13	REVISED

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION

US RT. 6/L RT. 7 Will Cook Road to west of US RT. 45
Orland Park, Illinois

F.A. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
351	2014-010DTR	Cook	207	109
		Contract No.	60X92	
FED. ROAD DIST. NO. _	ILLINOIS	IDOT Project No.		



AERIAL
UNKNOWN
OIL
CABLE TV
TELEPHONE
GAS
ELECTRIC
WATER
FIBER OPTIC
FORCE MAIN
TBE TEST HOLE

UTILITY OWNERS
AT&T = TELEPHONE
AT&T = FIBER OPTIC
COM-ED = ELECTRIC
COMCAST = CABLE TV
COMCAST = FIBER OPTIC
NICOR = GAS
OSD = FIBER OPTIC
VILLAGE OF ORLAND PARK = WATER
VILLAGE OF ORLAND PARK = SEWER

Utilities shown on these plans as depicted in the legend have been investigated by Cardno TBE in accordance with SUE Industry Standards. All other information shown has been provided to Cardno TBE by others. Cardno TBE's QL"B" SUE field investigation was performed 10/31/12 through 1/25/13. Changes to utilities after 1/25/13 may have been made and therefore may result in variances from this plan. Consideration should be given to updating this plan if deemed advisable prior to final design and construction.

ALL UTILITIES SHOWN QUALITY LEVEL "B" UNLESS NOTED OTHERWISE.

20 0 METERS 20 40
50 0 FEET 50 100

Cardno TBE

Dynasty Group
Engineers & Surveyors

TBE Job No. IL09510502
SUE Plan Page: 7 of 14

Utility Quality Level "A" : Visually Verified Test Hole
Utility Quality Level "B" : Designating/non Visually Verified Test Hole
Utility Quality Level "C" : Research with Survey
Utility Quality Level "D" : Records Research

DESIGNED	ER	REVISED
DRAWN	KLC	REVISED
CHECKED	KFS	REVISED
DATE	2/06/13	REVISED

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION

US RT. 6/IL RT. 7 Will Cook Road to west of US RT. 45
Orland Park, Illinois

F.A. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
351	2014-010DTR	Cook	207	110
		Contract No. 60X92		

FED. ROAD DIST. NO. _ | ILLINOIS | IDOT Project No.



AERIAL	
UNKNOWN	
OIL	
CABLE TV	
TELEPHONE	
GAS	
ELECTRIC	
WATER	
FIBER OPTIC	
FORCE MAIN	
TBE TEST HOLE	

UTILITY OWNERS

AT&T = TELEPHONE
AT&T = FIBER OPTIC
COM-ED = ELECTRIC
COMCAST = CABLE TV
COMCAST = FIBER OPTIC
NICOR = GAS
OSD = FIBER OPTIC
VILLAGE OF ORLAND PARK = WATER
VILLAGE OF ORLAND PARK = SEWER

Utilities shown on these plans as depicted in the legend have been investigated by Cardno TBE in accordance with SUE Industry Standards. All other information shown has been provided to Cardno TBE by others. Cardno TBE's QL"B" SUE field investigation was performed 10/31/12 through 1/25/13. Changes to utilities after 1/25/13 may have been made and therefore may result in variances from this plan. Consideration should be given to updating this plan if deemed advisable prior to final design and construction.

ALL UTILITIES SHOWN QUALITY LEVEL "B" UNLESS NOTED OTHERWISE.

20 0 METERS 20 40
50 0 FEET 50 100

Cardno TBE

Dynasty Group
Engineers & Surveyors

TBE Job No. IL09510502
SUE Plan Page: 8 of 14

Utility Quality Level "A" : Visually Verified Test Hole
Utility Quality Level "B" : Designating/non Visually Verified Test Hole
Utility Quality Level "C" : Research with Survey
Utility Quality Level "D" : Records Research

DESIGNED	ER	REVISED
DRAWN	KLC	REVISED
CHECKED	KFS	REVISED
DATE	2/06/13	REVISED

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION

US RT. 6\1L RT. 7 Will Cook Road to west of US RT. 45
Orland Park, Illinois

F.A. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
351	2014-010DTR	Cook	207	111
		Contract No. 60X92		
FED. ROAD DIST. NO. _	ILLINOIS	IDOT Project No.		



AERIAL
UNKNOWN
OIL
CABLE TV
TELEPHONE
GAS
ELECTRIC
WATER
FIBER OPTIC
FORCE MAIN
TBE TEST HOLE

UTILITY OWNERS
AT&T = TELEPHONE
AT&T = FIBER OPTIC
COM-ED = ELECTRIC
COMCAST = CABLE TV
COMCAST = FIBER OPTIC
NICOR = GAS
OSD = FIBER OPTIC
VILLAGE OF ORLAND PARK = WATER
VILLAGE OF ORLAND PARK = SEWER

Utilities shown on these plans as depicted in the legend have been investigated by Cardno TBE in accordance with SUE Industry Standards. All other information shown has been provided to Cardno TBE by others. Cardno TBE's QL"B" SUE field investigation was performed 10/31/12 through 1/25/13. Changes to utilities after 1/25/13 may have been made and therefore may result in variances from this plan. Consideration should be given to updating this plan if deemed advisable prior to final design and construction.

ALL UTILITIES SHOWN QUALITY LEVEL "B" UNLESS NOTED OTHERWISE.

20 0 METERS 20 40
50 0 FEET 50 100

Cardno TBE

Dynasty Group
Engineers & Surveyors

TBE Job No. IL09510502
SUE Plan Page: 9 of 14

Utility Quality Level "A" : Visually Verified Test Hole
Utility Quality Level "B" : Designating/non Visually Verified Test Hole
Utility Quality Level "C" : Research with Survey
Utility Quality Level "D" : Records Research

DESIGNED	ER	REVISED
DRAWN	KLC	REVISED
CHECKED	KFS	REVISED
DATE	2/06/13	REVISED

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION

US RT. 6\1L RT. 7 Will Cook Road to west of US RT. 45
Orland Park, Illinois

F.A. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
351	2014-010DTR	Cook	207	112
		Contract No.	60X92	
FED. ROAD DIST. NO. _	ILLINOIS	IDOT Project No.		



A AERIAL
UNKNOWN
O OIL
CTV CABLE TV
T TELEPHONE
G GAS
E ELECTRIC
W WATER
FO FIBER OPTIC
FORCE MAIN
TBE TEST HOLE

UTILITY OWNERS
AT&T = TELEPHONE
AT&T = FIBER OPTIC
COM-ED = ELECTRIC
COMCAST = CABLE TV
COMCAST = FIBER OPTIC
NICOR = GAS
OSD = FIBER OPTIC
VILLAGE OF ORLAND PARK = WATER
VILLAGE OF ORLAND PARK = SEWER

Utilities shown on these plans as depicted in the legend have been investigated by Cardno TBE in accordance with SUE Industry Standards. All other information shown has been provided to Cardno TBE by others. Cardno TBE's QL"B" SUE field investigation was performed 10/31/12 through 1/25/13. Changes to utilities after 1/25/13 may have been made and therefore may result in variances from this plan. Consideration should be given to updating this plan if deemed advisable prior to final design and construction.

ALL UTILITIES SHOWN QUALITY LEVEL "B" UNLESS NOTED OTHERWISE.

20 0 METERS 20 40
50 0 FEET 50 100

Cardno TBE

Dynasty Group
Engineers & Surveyors

TBE Job No. IL09510502
SUE Plan Page: 10 of 14

Utility Quality Level "A" : Visually Verified Test Hole
Utility Quality Level "B" : Designating/non Visually Verified Test Hole
Utility Quality Level "C" : Research with Survey
Utility Quality Level "D" : Records Research

DESIGNED	ER	REVISED
DRAWN	KLC	REVISED
CHECKED	KFS	REVISED
DATE	2/06/13	REVISED

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION

US RT. 6&L RT. 7 Will Cook Road to west of US RT. 45
Orland Park, Illinois

F.A. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
351	2014-010DTR	Cook	207	113
		Contract No. 60X92		
FED. ROAD DIST. NO. _	ILLINOIS	IDOT Project No.		



AERIAL
UNKNOWN
OIL
CABLE TV
TELEPHONE
GAS
ELECTRIC
WATER
FIBER OPTIC
FORCE MAIN

TBE TEST HOLE

UTILITY OWNERS
AT&T = TELEPHONE
AT&T = FIBER OPTIC
COM-ED = ELECTRIC
COMCAST = CABLE TV
COMCAST = FIBER OPTIC
NICOR = GAS
OSD = FIBER OPTIC
VILLAGE OF ORLAND PARK = WATER
VILLAGE OF ORLAND PARK = SEWER

Utilities shown on these plans as depicted in the legend have been investigated by Cardno TBE in accordance with SUE Industry Standards. All other information shown has been provided to Cardno TBE by others. Cardno TBE's QL"B" SUE field investigation was performed 10/31/12 through 1/25/13. Changes to utilities after 1/25/13 may have been made and therefore may result in variances from this plan. Consideration should be given to updating this plan if deemed advisable prior to final design and construction.

ALL UTILITIES SHOWN QUALITY LEVEL "B" UNLESS NOTED OTHERWISE.

20 0 METERS 20 40
50 0 FEET 50 100

Cardno TBE

Dynasty Group
Engineers & Surveyors

TBE Job No. IL09510502
SUE Plan Page: 11 of 14

Utility Quality Level "A" : Visually Verified Test Hole
Utility Quality Level "B" : Designating/non Visually Verified Test Hole
Utility Quality Level "C" : Research with Survey
Utility Quality Level "D" : Records Research

DESIGNED	ER	REVISED
DRAWN	KLC	REVISED
CHECKED	KFS	REVISED
DATE	2/06/13	REVISED

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION

US RT. 6/L RT. 7 Will Cook Road to west of US RT. 45
Orland Park, Illinois

F.A. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
351	2014-010DTR	Cook	207	114
		Contract No.	60X92	
FED. ROAD DIST. NO. _	ILLINOIS	IDOT Project No.		



AERIAL
UNKNOWN
OIL
CABLE TV
TELEPHONE
GAS
ELECTRIC
WATER
FIBER OPTIC
FORCE MAIN
TBE TEST HOLE

UTILITY OWNERS
AT&T = TELEPHONE
AT&T = FIBER OPTIC
COM-ED = ELECTRIC
COMCAST = CABLE TV
COMCAST = FIBER OPTIC
NICOR = GAS
OSD = FIBER OPTIC
VILLAGE OF ORLAND PARK = WATER
VILLAGE OF ORLAND PARK = SEWER

Utilities shown on these plans as depicted in the legend have been investigated by Cardno TBE in accordance with SUE Industry Standards. All other information shown has been provided to Cardno TBE by others. Cardno TBE's QL"B" SUE field investigation was performed 10/31/12 through 1/25/13. Changes to utilities after 1/25/13 may have been made and therefore may result in variances from this plan. Consideration should be given to updating this plan if deemed advisable prior to final design and construction.

ALL UTILITIES SHOWN QUALITY LEVEL "B" UNLESS NOTED OTHERWISE.

20 0 METERS 20 40
50 0 FEET 50 100

Cardno TBE

Dynasty Group
Engineers & Surveyors

TBE Job No. IL09510502
SUE Plan Page: 12 of 14

Utility Quality Level "A" : Visually Verified Test Hole
Utility Quality Level "B" : Designating/non Visually Verified Test Hole
Utility Quality Level "C" : Research with Survey
Utility Quality Level "D" : Records Research

DESIGNED	ER	REVISED
DRAWN	KLC	REVISED
CHECKED	KFS	REVISED
DATE	2/06/13	REVISED

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION

US RT. 6/L RT. 7 Will Cook Road to west of US RT. 45
Orland Park, Illinois

F.A. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
351	2014-010DTR	Cook	207	115
		Contract No.	60X92	
FED. ROAD DIST. NO. _	ILLINOIS	IDOT Project No.		



A — A — AERIAL
UNKNOWN
O — O — OIL
CTV — CTV — CABLE TV
T — T — TELEPHONE
GAS
E — E — ELECTRIC
W — WATER
FO — FO — FIBER OPTIC
FORCE MAIN
TBE TEST HOLE

UTILITY OWNERS
AT&T = TELEPHONE
AT&T = FIBER OPTIC
COM-ED = ELECTRIC
COMCAST = CABLE TV
COMCAST = FIBER OPTIC
NICOR = GAS
OSD = FIBER OPTIC
VILLAGE OF ORLAND PARK = WATER
VILLAGE OF ORLAND PARK = SEWER

Utilities shown on these plans as depicted in the legend have been investigated by Cardno TBE in accordance with SUE Industry Standards. All other information shown has been provided to Cardno TBE by others. Cardno TBE's QL"B" SUE field investigation was performed 10/31/12 through 1/25/13. Changes to utilities after 1/25/13 may have been made and therefore may result in variances from this plan. Consideration should be given to updating this plan if deemed advisable prior to final design and construction.

ALL UTILITIES SHOWN QUALITY LEVEL "B" UNLESS NOTED OTHERWISE.

20 0 METERS 20 40
50 0 FEET 50 100

Cardno TBE

Dynasty Group
Engineers & Surveyors

TBE Job No. IL09510502
SUE Plan Page: 13 of 14

Utility Quality Level "A" : Visually Verified Test Hole
Utility Quality Level "B" : Designating/non Visually Verified Test Hole
Utility Quality Level "C" : Research with Survey
Utility Quality Level "D" : Records Research

DESIGNED	ER	REVISED
DRAWN	KLC	REVISED
CHECKED	KFS	REVISED
DATE	2/06/13	REVISED

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION

US RT. 6/L RT. 7 Will Cook Road to west of US RT. 45
Orland Park, Illinois

F.A. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
351	2014-010DTR	Cook	207	116
		Contract No.	60X92	
FED. ROAD DIST. NO. _	ILLINOIS	IDOT Project No.		



A AERIAL
UNKNOWN
O OIL
CTV CABLE TV
T TELEPHONE
G GAS
E ELECTRIC
W WATER
FO FIBER OPTIC
FORCE MAIN
TBE TEST HOLE

UTILITY OWNERS

AT&T = TELEPHONE
AT&T = FIBER OPTIC
COM-ED = ELECTRIC
COMCAST = CABLE TV
COMCAST = FIBER OPTIC
NICOR = GAS
OSD = FIBER OPTIC
VILLAGE OF ORLAND PARK = WATER
VILLAGE OF ORLAND PARK = SEWER

Utilities shown on these plans as depicted in the legend have been investigated by Cardno TBE in accordance with SUE Industry Standards. All other information shown has been provided to Cardno TBE by others. Cardno TBE's QL"B" SUE field investigation was performed 10/31/12 through 1/25/13. Changes to utilities after 1/25/13 may have been made and therefore may result in variances from this plan. Consideration should be given to updating this plan if deemed advisable prior to final design and construction.

ALL UTILITIES SHOWN QUALITY LEVEL "B" UNLESS NOTED OTHERWISE.

20 0 METERS 20 40
50 0 FEET 50 100

Cardno TBE

Dynasty Group
Engineers & Surveyors

TBE Job No. IL09510502
SUE Plan Page: 14 of 14

Utility Quality Level "A" : Visually Verified Test Hole
Utility Quality Level "B" : Designating/non Visually Verified Test Hole
Utility Quality Level "C" : Research with Survey
Utility Quality Level "D" : Records Research

DESIGNED	ER	REVISED
DRAWN	KLC	REVISED
CHECKED	KFS	REVISED
DATE	2/06/13	REVISED

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION

US RT. 6/L RT. 7 Will Cook Road to west of US RT. 45
Orland Park, Illinois

F.A. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
351	2014-010DTR	Cook	207	117
		Contract No.	60X92	
FED. ROAD DIST. NO. _	ILLINOIS	IDOT Project No.		

PART OF THE WEST HALF OF THE SOUTHWEST QUARTER OF SECTION 17 TWP. 36 N., R. 11 E. OF THE 3RD. P.M., IN WILL COUNTY, ILLINOIS.

PARCEL NUMBER	OWNER	TOTAL HOLDINGS ACRES	PART TAKEN ACRES	AREA IN EXISTING R.O.W. ACRES	REMAINDER AREA ACRES	EASEMENT AREA ACRES	EASEMENT PURPOSE	PERMANENT INDEX NUMBER	PROPERTY ACQUIRED BY
1JD0001	CATHERINE L. BOO, AS TO AN UNDIVIDED 16.666% INTEREST; DAVID C BOO, AS TO AN UNDIVIDED 16.666 % INTEREST; CATHERINE L. BOO, AS CUSTODIAN FOR BRANDON MICHAEL BOO, AS TO AN UNDIVIDED 3.937% INTEREST; CATHERINE L. BOO, AS CUSTODIAN FOR RACHAEL LOJISE BOO, AS TO AN UNDIVIDED 16.667% INTEREST; CATHERINE L. BOO, AS TRUSTEE OF THE MARION L. MEYERS GIFT TRUST FOR BRANDON MICHAEL BOO UNDER AGREEMENT DATED DECEMBER 27, 1990, AS TO AN UNDIVIDED 12.73% INTEREST AND CATHERINE L. BOO, AS TRUSTEE OF THE MARION L. MEYERS GIFT TRUST FOR BRANDON AARON CARL BOO UNDER AGREEMENT DATED DECEMBER 27, 1990, AS TO AN UNDIVIDED 12.73 % INTEREST	37.504	0.162	0.029	37.342			16-05-17-300-013	
1JD0001TE-A			0.000	0.000		0.034	TEMPORARY	16-05-17-300-024	
1JD0001TE-B			0.000	0.000		0.083	TEMPORARY		
1JD0001PE			0.000	0.000		0.115	PERMANENT		



SEE SHEET 4 FOR TOTAL HOLDING



DETAIL "A"
NOT TO SCALE

PROJECT COORDINATE VALUES AND BEARINGS ARE GROUND AND BASED ON ILLINOIS STATE PLANE, EAST ZONE. REFERENCE ELLIPSOID, WGS 1984 WITH A COMBINED SCALE FACTOR OF 0.9999544733.

NOTES:

1. ALL STATIONING SHOWN HEREON ARE GROUND DISTANCES IN FEET.
2. ALL OFFSETS ARE SHOWN HEREON ARE GROUND DISTANCES IN FEET.
3. ANY DISCREPANCY IN MEASUREMENT DISCOVERED UPON THE GROUND SHOULD BE PROMPTLY REPORTED TO THE SURVEYOR FOR EXPLANATION OR CORRECTION.
4. FOR BUILDING LINE AND OTHER RESTRICTIONS NOT SHOWN HEREON, REFER TO YOUR ABSTRACT, DEEDS, CONTRACTS AND ZONING ORDINANCES.

REVISION DATE: 01/13/2012
01/24/2012
02/27/2012
04/04/2012
05/10/2012
11/08/2012

LEGEND

- LIGHT
- FIRE HYDRANT
- AUXILIARY VALVE
- BUFFALO BOX
- WATER VALVE
- CATCH BASIN
- INLET
- STORM MANHOLE
- SANITARY MANHOLE
- UNIDENTIFIED MANHOLE
- FLARED END SECTION
- SIGN
- MAILBOX

BX BUILDING CORNER
CLF CHAIN LINK FENCE
CMP CORRUGATED METAL PIPE
CONC CONCRETE
CO CLEAN-OUT
ELEC ELECTRIC
GM GAS METER
IP IRON PIPE
IR IRON ROD
MON MONUMENT
RCP REINFORCED CONC PIPE

9 10 16 15 SECTION CORNER
16 15 QUARTER SECTION CORNER

- SECTION LINE
- QUARTER SECTION LINE
- QUARTER, QUARTER SECTION LINE
- PLATTED LOT LINES
- P PROPERTY (DEED) LINE
- APL APPARENT PROPERTY LINE
- CENTERLINE
- EXISTING RIGHT OF WAY LINE
- PROPOSED RIGHT OF WAY LINE
- PROPOSED EASEMENT
- PROPOSED CENTERLINE
- 129.32' MEASURED DIMENSION
- 129.32' (COMP) COMPUTED DIMENSION
- (129.32') RECORDED DIMENSION
- EXISTING BUILDING

N

GRAPHIC SCALE
FEET
0 50.100
SCALE: 1" = 50'

COORDINATE/STATION TABLE

Point	Northing	Easting	Station	Offset	
1	1796438.25	1073485.05	11+97.13	0.00	L
2	1796535.16	1073941.26	16+56.49	80.70	L
3	1796635.09	1073937.69	16+56.46	180.70	L
4	1796636.88	1073987.66	17+06.46	180.71	L
5	1796536.94	1073991.23	17+06.49	80.71	L
6	1796541.97	1074132.19	18+47.54	80.74	L
7	1796566.95	1074131.30	18+47.53	105.74	L
8	1796569.09	1074191.26	19+07.53	105.76	L
9	1796544.11	1074192.15	19+07.54	80.76	L
10	1796552.23	1074419.82	21+35.35	80.82	L
11	1796612.19	1074417.68	21+35.33	140.82	L
12	1796614.33	1074477.64	21+95.33	140.83	L
13	1796554.37	1074479.78	21+95.35	80.83	L
14	1796553.85	1074465.36	21+80.92	80.83	L
15	1796565.78	1074799.91	25+15.68	80.91	L
16	1796534.50	1074800.86	25+15.53	49.61	L
17	1796533.27	1074766.19	24+80.84	49.61	L
97	1796451.02	1073484.70	11+97.23	12.77	L
98	1796437.56	1073485.07	11+97.13	0.69	R

Bearings are referenced to the Illinois State Plane Coordinate Grid System, NAD83, East Zone, as provided by the Illinois Department of Transportation.

- ● IRON PIPE OR ROD FOUND ○ REPLACED AFTER CONSTRUCTION
- \+ CUT CROSS FOUND OR SET
- • T1 T2 T3 THESE STAKES REFERENCE FOUND OR SET MONUMENTATION. SET 5/8 INCH IRON ROD FLUSH WITH GROUND TO TIE FOUND IRON STAKE IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYORS REGISTRATION NUMBER.
- • BT1 BT2 BT3 THESE STAKES, IN CULTIVATED AREAS, REFERENCE FOUND OR SET MONUMENTATION. BURIED 5/8 INCH IRON ROD 20 INCHES BELOW GROUND TO TIE FOUND IRON STAKE. IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYORS REGISTRATION NUMBER.
- ■ STAKING OF PROPOSED RIGHT OF WAY. SET DIVISION OF HIGHWAYS SURVEY MARKER TO MONUMENT THE POSITION SHOWN. IDENTIFIED BY INSCRIPTION DATA AND SURVEYORS REGISTRATION NUMBER.
- ■ M STAKING OF PROPOSED RIGHT OF WAY IN CULTIVATED AREAS. BURIED 5/8 INCH METAL ROD 20 INCHES BELOW GROUND TO MARK FUTURE SURVEY MARKER POSITION IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYORS REGISTRATION NUMBER.
- ◕ PERMANENT SURVEY MARKER, I.D.O.T. STANDARD 2135 (TO BE SET BY OTHERS)
- □ RIGHT OF WAY STAKING PROPOSED TO BE SET

STATE OF ILLINOIS)
)SS
COUNTY OF COOK)

THIS IS TO CERTIFY THAT WE, SPACECO, INC. AN ILLINOIS PROFESSIONAL DESIGN FIRM LAND SURVEYING CORPORATION, NUMBER 184-001157, HAVE SURVEYED THE PLAT OF HIGHWAYS SHOWN HEREON IN SECTIONS 15, 16, 17, 20, 21 AND 22 TOWNSHIP 36 NORTH, RANGE 11 EAST OF THE THIRD PRINCIPAL MERIDIAN, WILL COUNTY, THAT THE SURVEY IS TRUE AND COMPLETE AS SHOWN TO THE BEST OF MY KNOWLEDGE AND BELIEF, THAT THE PLAT CORRECTLY REPRESENTS SAID SURVEY, THAT ALL MONUMENTS FOUND AND ESTABLISHED ARE OF PERMANENT QUALITY AND OCCUPY THE POSITIONS SHOWN THEREON AND THAT THE MONUMENTS ARE SUFFICIENT TO ENABLE THE SURVEY TO BE RETRACED, MADE FOR THE DEPARTMENT OF TRANSPORTATION, STATE OF ILLINOIS.

DATED THIS _____ DAY OF _____ 20____ A.D, AT ROSEMONT, ILLINOIS

RECEIVED
AUG 2 9 2013
PLATS & LEGALS

REBECCA Y. POPECK
ILLINOIS PROFESSIONAL LAND SURVEYOR NO. 035-003642
LICENSE EXPIRATION DATE: NOVEMBER 30, 2014

THIS PROFESSIONAL SERVICE CONFORMS TO THE CURRENT ILLINOIS MINIMUM STANDARDS FOR A BOUNDARY SURVEY.

REVISION: PARCEL 1JD0074 SPLIT TO 1JD0074A AND 1JD0074B — RYP
STATION/OFFSET TABLE — SDS
IDOT COMMENTS PER EMAIL ON 03/26/2012 — SDS
IDOT COMMENTS PER EMAIL ON 02/22/2012 — SDS
AREA FOR 1JD0001 — SDS
IDOT COMMENTS PER EMAIL ON 01/12/2012 — MADE BY: SDS

CONTRACT NO. 60X92 SHEET 118 OF 207

SPACECO INC.
CONSULTING ENGINEERS
SITE DEVELOPMENT ENGINEERS
LAND SURVEYORS
9575 W. Higgins Road, Suite 700,
Rosemont, Illinois 60018
Phone: (847) 696-4060 Fax: (847) 696-4065

PLAT OF HIGHWAYS

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION
US ROUTE 6/IL ROUTE 7 (159TH ST)

SECTION: GOUGAR RD TO W. PARKER RD COUNTY: WILL
PROJECT: I-355 EXT. TO WILL-COOK RD JOB NO.: R-91-023-97
STATION 11+97.13 TO STATION 25+15.68
SCALE: 1" = 50' SHEET 2 OF 54

BUREAU OF LAND ACQUISITION
201 WEST CENTER COURT
SCHAUMBURG, ILLINOIS 60196

PART OF THE EAST HALF OF THE SOUTHWEST QUARTER OF SECTION 17 TWP. 36 N., R. 11 E. OF THE 3RD. P.M., IN WILL COUNTY, ILLINOIS.

PARCEL NUMBER	OWNER	TOTAL HOLDINGS ACRES	PART TAKEN ACRES	AREA IN EXISTING R.O.W. ACRES	REMAINDER AREA ACRES	EASEMENT AREA ACRES	EASEMENT PURPOSE	PERMANENT INDEX NUMBER	PROPERTY ACQUIRED BY
1JD0002PE	FOREST PRESERVE DISTRICT OF WILL COUNTY	60.285	0.000	1.121	60.285	1.700	PERMANENT	16-05-17-300-016	
1JD0002TE						0.038	TEMPORARY	16-05-17-300-017	

LEGEND

- LIGHT
- FIRE HYDRANT
- AUXILIARY VALVE
- BUFFALO BOX
- WATER VALVE
- CATCH BASIN
- INLET
- STORM MANHOLE
- SANITARY MANHOLE
- UNIDENTIFIED MANHOLE
- FLARED END SECTION
- SIGN
- MAILBOX

BX BUILDING CORNER
CLF CHAIN LINK FENCE
CMP CORRUGATED METAL PIPE
CONC CONCRETE
CO CLEAN-OUT
ELEC ELECTRIC
GM GAS METER
IP IRON PIPE
IR IRON ROD
MON MONUMENT
RCP REINFORCED CONC PIPE

9 10 / 16 15 SECTION CORNER

16 / 15 QUARTER SECTION CORNER

- SECTION LINE
- QUARTER SECTION LINE
- QUARTER, QUARTER SECTION LINE
- PLATTED LOT LINES
- PROPERTY (DEED) LINE
- APPARENT PROPERTY LINE
- CENTERLINE
- EXISTING RIGHT OF WAY LINE
- PROPOSED RIGHT OF WAY LINE
- PROPOSED EASEMENT
- PROPOSED CENTERLINE
- 129.32' MEASURED DIMENSION
- 129.32' (COMP) COMPUTED DIMENSION
- (129.32') RECORDED DIMENSION
- EXISTING BUILDING

N

GRAPHIC SCALE FEET
0 50 100
SCALE: 1" = 50'

Bearings are referenced to the Illinois State Plane Coordinate Grid System, NAD83, East Zone, as provided by the Illinois Department of Transportation.

- ● IRON PIPE OR ROD FOUND ○ REPLACED AFTER CONSTRUCTION
- + CUT CROSS FOUND OR SET
- • T1 T2 T3 **THESE STAKES REFERENCE FOUND OR SET MONUMENTATION.** SET 5/8 INCH IRON ROD FLUSH WITH GROUND TO TIE FOUND IRON STAKE IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYORS REGISTRATION NUMBER.
- • BT1 BT2 BT3 **THESE STAKES, IN CULTIVATED AREAS, REFERENCE FOUND OR SET MONUMENTATION.** BURIED 5/8 INCH IRON ROD 20 INCHES BELOW GROUND TO TIE FOUND IRON STAKE. IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYORS REGISTRATION NUMBER.
- ■ **STAKING OF PROPOSED RIGHT OF WAY.** SET DIVISION OF HIGHWAYS SURVEY MARKER TO MONUMENT THE POSITION SHOWN. IDENTIFIED BY INSCRIPTION DATA AND SURVEYORS REGISTRATION NUMBER.
- ■ M **STAKING OF PROPOSED RIGHT OF WAY IN CULTIVATED AREAS.** BURIED 5/8 INCH METAL ROD 20 INCHES BELOW GROUND TO MARK FUTURE SURVEY MARKER POSITION IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYORS REGISTRATION NUMBER.
- ◉ PERMANENT SURVEY MARKER, I.D.O.T. STANDARD 2135 (TO BE SET BY OTHERS)
- □ RIGHT OF WAY STAKING PROPOSED TO BE SET

COORDINATE/STATION TABLE

Point	Northing	Easting	Station	Offset	
15	1796565.78	1074799.91	25+15.68	80.91	L
16	1796534.50	1074800.86	25+15.53	49.61	L
18	1796567.21	1074839.88	25+55.68	80.92	L
19	1796550.92	1074840.46	25+55.68	64.62	L
20	1796556.27	1074990.37	27+05.68	64.66	L
21	1796586.81	1075089.34	28+05.68	91.68	L
22	1796587.03	1075095.34	28+11.68	91.68	L
23	1796608.01	1075094.59	28+11.67	112.68	L
24	1796609.79	1075144.56	28+61.67	112.69	L
25	1796588.81	1075145.30	28+61.68	91.69	L
26	1796590.37	1075189.28	29+05.68	91.70	L
27	1796566.95	1075290.17	30+05.68	64.73	L
28	1796584.77	1075789.86	35+05.68	64.84	L
29	1796579.77	1075790.04	35+05.68	59.84	L
30	1796591.45	1076117.80	38+33.65	59.92	L
31	1796589.50	1076062.95	37+78.78	59.91	L
32	1796619.48	1076061.89	37+78.77	89.91	L
33	1796621.44	1076116.85	38+33.77	89.92	L
34	1796544.28	1076119.28	38+33.47	12.72	L



DETAIL 1 OF EXISTING IMPROVEMENTS
1" = 10'



DETAIL 2 OF EXISTING IMPROVEMENTS
1" = 10'

SEE SHEET 4 FOR TOTAL HOLDING



PROJECT COORDINATE VALUES AND BEARINGS ARE GROUND AND BASED ON ILLINOIS STATE PLANE, EAST ZONE. REFERENCE ELLIPSOID, WGS 1984 WITH A COMBINED SCALE FACTOR OF 0.9999544733.

NOTES:

1. ALL STATIONING SHOWN HEREON ARE GROUND DISTANCES IN FEET.
2. ALL OFFSETS ARE SHOWN HEREON ARE GROUND DISTANCES IN FEET.
3. ANY DISCREPANCY IN MEASUREMENT DISCOVERED UPON THE GROUND SHOULD BE PROMPTLY REPORTED TO THE SURVEYOR FOR EXPLANATION OR CORRECTION.
4. FOR BUILDING LINE AND OTHER RESTRICTIONS NOT SHOWN HEREON, REFER TO YOUR ABSTRACT, DEEDS, CONTRACTS AND ZONING ORDINANCES.

REVISION DATE:		MADE BY:
05/10/2012	STATION/OFFSET TABLE	SDS
02/29/2012	ADD FOREST PRESERVE SIGN	RYP
02/27/2012	IDOT COMMENTS PER EMAIL ON 02/22/2012	SDS
01/30/2012	IDOT COMMENTS PER EMAIL ON 01/26/2012	SDS
01/13/2012	IDOT COMMENTS PER EMAIL ON 01/12/2012	SDS

STATE OF ILLINOIS)
)SS
COUNTY OF COOK)

THIS IS TO CERTIFY THAT WE, SPACECO, INC. AN ILLINOIS PROFESSIONAL DESIGN FIRM LAND SURVEYING CORPORATION, NUMBER 184-001157, HAVE SURVEYED THE PLAT OF HIGHWAYS SHOWN HEREON IN SECTIONS 15, 16, 17, 20, 21 AND 22 TOWNSHIP 36 NORTH, RANGE 11 EAST OF THE THIRD PRINCIPAL MERIDIAN, WILL COUNTY, THAT THE SURVEY IS TRUE AND COMPLETE AS SHOWN TO THE BEST OF MY KNOWLEDGE AND BELIEF, THAT THE PLAT CORRECTLY REPRESENTS SAID SURVEY, THAT ALL MONUMENTS FOUND AND ESTABLISHED ARE OF PERMANENT QUALITY AND OCCUPY THE POSITIONS SHOWN THEREON AND THAT THE MONUMENTS ARE SUFFICIENT TO ENABLE THE SURVEY TO BE RETRACED, MADE FOR THE DEPARTMENT OF TRANSPORTATION, STATE OF ILLINOIS.

DATED THIS _____ DAY OF _____ 20____ A.D, AT ROSEMONT, ILLINOIS

RECEIVED
AUG 29 2013
PLATS & LEGALS

REBECCA Y. POPECK
ILLINOIS PROFESSIONAL LAND SURVEYOR NO. 035-003642
LICENSE EXPIRATION DATE: NOVEMBER 30, 2014

THIS PROFESSIONAL SERVICE CONFORMS TO THE CURRENT ILLINOIS MINIMUM STANDARDS FOR A BOUNDARY SURVEY.

CONTRACT NO. 60X92 SHEET 119 OF 207

SPACECO, INC.
CONSULTING ENGINEERS
SITE DEVELOPMENT ENGINEERS
LAND SURVEYORS
9575 W. Higgins Road, Suite 700,
Rosemont, Illinois 60018
Phone: (847) 696-4060 Fax: (847) 696-4065

PLAT OF HIGHWAYS

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION
US ROUTE 6/IL ROUTE 7 (159TH ST)

SECTION: GOUGAR RD TO W. PARKER RD COUNTY: WILL
PROJECT: I-355 EXT. TO WILL-COOK RD JOB NO.: R-91-023-97
STATION 25+15.68 TO STATION 38+33.77
SCALE: 1" = 50' SHEET 3 OF 54

BUREAU OF LAND ACQUISITION
201 WEST CENTER COURT
SCHAUMBURG, ILLINOIS 60196

SOUTHWEST QUARTER OF SECTION 17 TWP. 36 N., R. 11 E. OF THE 3RD. P.M., IN WILL COUNTY, ILLINOIS.



LEGEND

- SECTION CORNER
- QUARTER SECTION CORNER
- SECTION LINE
- QUARTER SECTION LINE
- QUARTER, QUARTER SECTION LINE
- PLATTED LOT LINES
- PROPERTY (DEED) LINE
- APPARENT PROPERTY LINE
- CENTERLINE
- EXISTING RIGHT OF WAY LINE
- PROPOSED RIGHT OF WAY LINE
- PROPOSED EASEMENT
- PROPOSED CENTERLINE
- 129.32' MEASURED DIMENSION
- 129.32' (COMP) COMPUTED DIMENSION
- (129.32') RECORDED DIMENSION
- EXISTING BUILDING

N

GRAPHIC SCALE FEET
0 200,400
SCALE: 1" = 200'

Bearings are referenced to the Illinois State Plane Coordinate Grid System, NAD83, East Zone, as provided by the Illinois Department of Transportation.

- ● IRON PIPE OR ROD FOUND ○ REPLACED AFTER CONSTRUCTION
- \+ CUT CROSS FOUND OR SET
- • T1 T2 T3 **THESE STAKES REFERENCE FOUND OR SET MONUMENTATION.** SET 5/8 INCH IRON ROD FLUSH WITH GROUND TO TIE FOUND IRON STAKE IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYORS REGISTRATION NUMBER.
- • BT1 BT2 BT3 **THESE STAKES, IN CULTIVATED AREAS, REFERENCE FOUND OR SET MONUMENTATION.** BURIED 5/8 INCH IRON ROD 20 INCHES BELOW GROUND TO TIE FOUND IRON STAKE. IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYORS REGISTRATION NUMBER.
- ■ **STAKING OF PROPOSED RIGHT OF WAY.** SET DIVISION OF HIGHWAYS SURVEY MARKER TO MONUMENT THE POSITION SHOWN. IDENTIFIED BY INSCRIPTION DATA AND SURVEYORS REGISTRATION NUMBER.
- ■ M **STAKING OF PROPOSED RIGHT OF WAY IN CULTIVATED AREAS.** BURIED 5/8 INCH METAL ROD 20 INCHES BELOW GROUND TO MARK FUTURE SURVEY MARKER POSITION IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYORS REGISTRATION NUMBER.
- ◔ PERMANENT SURVEY MARKER, I.D.O.T. STANDARD 2135 (TO BE SET BY OTHERS)
- □ RIGHT OF WAY STAKING PROPOSED TO BE SET

PROJECT COORDINATE VALUES AND BEARINGS ARE GROUND AND BASED ON ILLINOIS STATE PLANE, EAST ZONE. REFERENCE ELLIPSOID, WGS 1984 WITH A COMBINED SCALE FACTOR OF 0.9999544733.

NOTES:

1. ALL STATIONING SHOWN HEREON ARE GROUND DISTANCES IN FEET.
2. ALL OFFSETS ARE SHOWN HEREON ARE GROUND DISTANCES IN FEET.
3. ANY DISCREPANCY IN MEASUREMENT DISCOVERED UPON THE GROUND SHOULD BE PROMPTLY REPORTED TO THE SURVEYOR FOR EXPLANATION OR CORRECTION.
4. FOR BUILDING LINE AND OTHER RESTRICTIONS NOT SHOWN HEREON, REFER TO YOUR ABSTRACT, DEEDS, CONTRACTS AND ZONING ORDINANCES.

RECEIVED
AUG 29 2013
PLATS & LEGALS

STATE OF ILLINOIS)
)SS
COUNTY OF COOK)

THIS IS TO CERTIFY THAT WE, SPACECO, INC. AN ILLINOIS PROFESSIONAL DESIGN FIRM LAND SURVEYING CORPORATION, NUMBER 184-001157, HAVE SURVEYED THE PLAT OF HIGHWAYS SHOWN HEREON IN SECTIONS 15, 16, 17, 20, 21 AND 22 TOWNSHIP 36 NORTH, RANGE 11 EAST OF THE THIRD PRINCIPAL MERIDIAN, WILL COUNTY, THAT THE SURVEY IS TRUE AND COMPLETE AS SHOWN TO THE BEST OF MY KNOWLEDGE AND BELIEF, THAT THE PLAT CORRECTLY REPRESENTS SAID SURVEY, THAT ALL MONUMENTS FOUND AND ESTABLISHED ARE OF PERMANENT QUALITY AND OCCUPY THE POSITIONS SHOWN THEREON AND THAT THE MONUMENTS ARE SUFFICIENT TO ENABLE THE SURVEY TO BE RETRACED, MADE FOR THE DEPARTMENT OF TRANSPORTATION, STATE OF ILLINOIS.

DATED THIS _____ DAY OF _____ 20____ A.D. AT ROSEMONT, ILLINOIS

_____
REBECCA Y. POPECK
ILLINOIS PROFESSIONAL LAND SURVEYOR NO. 035-003642
LICENSE EXPIRATION DATE: NOVEMBER 30, 2014

THIS PROFESSIONAL SERVICE CONFORMS TO THE CURRENT ILLINOIS MINIMUM STANDARDS FOR A BOUNDARY SURVEY.

REVISION DATE:		MADE BY:
05/14/2012	ADDED CL STATION AT SECTION LINE	RYP
05/10/2012	REVISED PROPOSED ℄ STATIONING	SDS
02/27/2012	IDOT COMMENTS PER EMAIL ON 02/22/2012	SDS
01/13/2012	IDOT COMMENTS PER EMAIL ON 01/12/2012	SDS

CONTRACT NO. 60X92 SHEET 120 OF 207

CONSULTING ENGINEERS
SITE DEVELOPMENT ENGINEERS
LAND SURVEYORS
9575 W. Higgins Road, Suite 700,
Rosemont, Illinois 60018
Phone: (847) 696-4060 Fax: (847) 696-4065

PLAT OF HIGHWAYS

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION
US ROUTE 6/IL ROUTE 7 (159TH ST)

SECTION: GOUGAR RD TO W. PARKER RD COUNTY: WILL
PROJECT: I-355 EXT. TO WILL-COOK RD JOB NO.: R-91-023-97
STATION 11+97.13 TO STATION 38+33.77
SCALE: 1" = 200' SHEET 4 OF 54

BUREAU OF LAND ACQUISITION
201 WEST CENTER COURT
SCHAUMBURG, ILLINOIS 60196

PART OF THE SOUTHWEST QUARTER OF THE SOUTHEAST QUARTER OF SECTION 17 TWP. 36 N., R. 11 E. OF THE 3RD. P.M., IN WILL COUNTY, ILLINOIS.



COORDINATE/STATION TABLE

Point	Northing	Easting	Station	Offset	
30	1796591.45	1076117.80	38+33.65	59.92	L
34	1796544.28	1076119.28	38+33.47	12.72	L
35	1796606.45	1076117.32	38+33.71	74.92	L
36	1796611.79	1076267.23	39+83.71	74.95	L
37	1796549.57	1076269.19	39+83.47	12.70	L
38	1796607.77	1076154.35	38+70.76	74.93	L
39	1796647.74	1076152.92	38+70.75	114.93	L
40	1796649.52	1076202.89	39+20.75	114.93	L
41	1796609.54	1076204.32	39+20.76	74.93	L
42	1796618.09	1076444.42	41+61.01	74.98	L
43	1796555.82	1076446.37	41+60.76	12.67	L
44	1796615.27	1076365.21	40+81.76	74.97	L
45	1796680.23	1076362.90	40+81.75	139.97	L
46	1796681.83	1076407.87	41+26.75	139.98	L
47	1796616.88	1076410.19	41+26.76	74.98	L
48	1796623.08	1076584.33	43+01.01	75.01	L
49	1796648.06	1076583.44	43+01.01	100.01	L
50	1796648.96	1076608.53	43+26.12	100.01	L
51	1796623.97	1076609.31	43+26.01	75.01	L
52	1796561.63	1076611.26	43+25.76	12.65	L
53	1796621.67	1076544.81	42+61.46	75.00	L

COORDINATE/STATION TABLE

Point	Northing	Easting	Station	Offset	
54	1796726.60	1076541.07	42+61.44	180.00	L
55	1796728.92	1076606.03	43+26.44	180.01	L
56	1796629.84	1076774.21	44+91.01	75.05	L
57	1796567.45	1076776.16	44+90.76	12.62	L
58	1796627.23	1076701.00	44+17.76	75.03	L
59	1796652.22	1076700.11	44+17.75	100.03	L
60	1796653.64	1076740.09	44+57.75	100.04	L
61	1796628.66	1076740.98	44+57.76	75.04	L
62	1796635.24	1076925.86	46+42.76	75.08	L
63	1796620.25	1076926.39	46+42.76	60.08	L
64	1796623.17	1077008.34	47+24.76	60.09	L
65	1796635.16	1077007.91	47+24.76	72.09	L
66	1796642.31	1077208.79	49+25.76	72.13	L
67	1796650.31	1077208.50	49+25.76	80.13	L
68	1796658.23	1077430.94	51+48.34	80.17	L
69	1796590.62	1077433.05	51+48.05	12.53	L
70	1796638.83	1077110.85	48+27.76	72.11	L
71	1796711.78	1077108.25	48+27.75	145.11	L
72	1796715.27	1077206.19	49+25.75	145.13	L
73	1796628.24	1077431.87	51+48.21	50.17	L
118	1796531.48	1076119.64	38+33.38	0.08	R

LEGEND

- SECTION CORNER
- QUARTER SECTION CORNER
- SECTION LINE
- QUARTER SECTION LINE
- QUARTER, QUARTER SECTION LINE
- PLATTED LOT LINES
- PROPERTY (DEED) LINE
- APPARENT PROPERTY LINE
- CENTERLINE
- EXISTING RIGHT OF WAY LINE
- PROPOSED RIGHT OF WAY LINE
- PROPOSED EASEMENT
- PROPOSED CENTERLINE
- 129.32' MEASURED DIMENSION
- 129.32' (COMP) COMPUTED DIMENSION
- (129.32') RECORDED DIMENSION
- EXISTING BUILDING

GRAPHIC SCALE FEET 0 50,100
SCALE: 1" = 50'

Bearings are referenced to the Illinois State Plane Coordinate Grid System, NAD83, East Zone, as provided by the Illinois Department of Transportation.

- ● IRON PIPE OR ROD FOUND ○ REPLACED AFTER CONSTRUCTION
- \+ CUT CROSS FOUND OR SET
- • T1 T2 T3 **THESE STAKES REFERENCE FOUND OR SET MONUMENTATION.** SET 5/8 INCH IRON ROD FLUSH WITH GROUND TO TIE FOUND IRON STAKE IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYORS REGISTRATION NUMBER.
- • BT1 BT2 BT3 **THESE STAKES, IN CULTIVATED AREAS, REFERENCE FOUND OR SET MONUMENTATION.** BURIED 5/8 INCH IRON ROD 20 INCHES BELOW GROUND TO TIE FOUND IRON STAKE. IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYORS REGISTRATION NUMBER.
- ■ **STAKING OF PROPOSED RIGHT OF WAY.** SET DIVISION OF HIGHWAYS SURVEY MARKER TO MONUMENT THE POSITION SHOWN. IDENTIFIED BY INSCRIPTION DATA AND SURVEYORS REGISTRATION NUMBER.
- ■ M **STAKING OF PROPOSED RIGHT OF WAY IN CULTIVATED AREAS.** BURIED 5/8 INCH METAL ROD 20 INCHES BELOW GROUND TO MARK FUTURE SURVEY MARKER POSITION IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYORS REGISTRATION NUMBER.
- ◕ PERMANENT SURVEY MARKER, I.D.O.T. STANDARD 2135 (TO BE SET BY OTHERS)
- □ RIGHT OF WAY STAKING PROPOSED TO BE SET

PARCEL NUMBER	OWNER	TOTAL HOLDINGS ACRES	PART TAKEN ACRES	AREA IN EXISTING R.O.W. ACRES	REMAINDER AREA ACRES	EASEMENT AREA ACRES	EASEMENT PURPOSE	PERMANENT INDEX NUMBER	PROPERTY ACQUIRED BY
1JD0003	DOREEN M. SIKORA, AS TRUSTEE UNDER THE DOREEN M. SIKORA DECLARATION OF TRUST DATED APRIL 6, 1999	0.980	0.214	0.128	0.766			16-05-17-400-011	
1JD0003TE			0.000	0.000		0.046	TEMPORARY		
1JD0004	DOLORES J. LUNDE	3.121	0.253	0.152	2.868			16-05-17-400-014	
1JD0004TE			0.000	0.000		0.067	TEMPORARY	16-05-17-400-012	
1JD0005	ASIF YUSUF AND AZRA USUF, HUSBAND AND WIFE, AS TENANTS BY THE ENTIRETY	10.928	0.251	0.141	10.677			16-05-17-400-013	
1JD0005TE			0.000	0.000		0.142	TEMPORARY		
1JD0006	BMCS TRUST	5.037	0.236	0.142	4.801			16-05-17-400-007	
1JD0006TE			0.000	0.000		0.023	TEMPORARY		
1JD0007	BEVERLY BANK, AS TRUSTEE UNDER TRUST AGREEMENT DATED THE 22ND DAY OF DECEMBER, 1982 KNOWN AS TRUST NUMBER 8-7488	20.070	0.927	0.566	19.143			16-05-17-400-008	
1JD0007TE			0.000	0.000		0.164	TEMPORARY		

- ◁ FLARED END SECTION
- ⊸ SIGN
- BX BUILDING CORNER
- CLF CHAIN LINK FENCE
- CMP CORRUGATED METAL PIPE
- CONC CONCRETE
- ELEC ELECTRIC
- GM GAS METER
- IP IRON PIPE
- IR IRON ROD
- MON MONUMENT
- RCP REINFORCED CONC PIPE

REVISION DATE: 01/30/2012
06/24/2013
05/10/2012
03/05/2012
02/27/2012
02/24/2012

STATE OF ILLINOIS)
)SS
COUNTY OF COOK)

THIS IS TO CERTIFY THAT WE, SPACECO, INC. AN ILLINOIS PROFESSIONAL DESIGN FIRM LAND SURVEYING CORPORATION, NUMBER 184-001157, HAVE SURVEYED THE PLAT OF HIGHWAYS SHOWN HEREON IN SECTIONS 15, 16, 17, 20, 21 AND 22 TOWNSHIP 36 NORTH, RANGE 11 EAST OF THE THIRD PRINCIPAL MERIDIAN, WILL COUNTY, THAT THE SURVEY IS TRUE AND COMPLETE AS SHOWN TO THE BEST OF MY KNOWLEDGE AND BELIEF, THAT THE PLAT CORRECTLY REPRESENTS SAID SURVEY, THAT ALL MONUMENTS FOUND AND ESTABLISHED ARE OF PERMANENT QUALITY AND OCCUPY THE POSITIONS SHOWN THEREON AND THAT THE MONUMENTS ARE SUFFICIENT TO ENABLE THE SURVEY TO BE RETRACED, MADE FOR THE DEPARTMENT OF TRANSPORTATION, STATE OF ILLINOIS.

DATED THIS _____ DAY OF _____ 20____ A.D, AT ROSEMONT, ILLINOIS

REBECCA Y. POPECK
ILLINOIS PROFESSIONAL LAND SURVEYOR NO. 035-003642
LICENSE EXPIRATION DATE: NOVEMBER 30, 2014

THIS PROFESSIONAL SERVICE CONFORMS TO THE CURRENT ILLINOIS MINIMUM STANDARDS FOR A BOUNDARY SURVEY.

REVISION:		MADE BY:
	REVISE 1JD0007 & 1JD0007TE	SDS
	STATION/OFFSET TABLE	SDS
	TOTAL HOLDINGS 1JD0005	RYP
	IDOT COMMENTS PER EMAIL ON 02/22/2012	SDS
	EX. RIGHT OF WAY DOC. NUMBER	RYP
	IDOT COMMENTS PER EMAIL ON 01/26/2012	SDS

SPACECO INC.
CONSULTING ENGINEERS
SITE DEVELOPMENT ENGINEERS
LAND SURVEYORS
9575 W. Higgins Road, Suite 700
Rosemont, Illinois 60018
Phone: (847) 696-4060 Fax: (847) 696-4065

PLAT OF HIGHWAYS

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION
US ROUTE 6/IL ROUTE 7 (159TH ST)

SECTION: GOUGAR RD TO W. PARKER RD COUNTY: WILL
PROJECT: I-355 EXT. TO WILL-COOK RD JOB NO.: R-91-023-97
STATION 38+33.71 TO STATION 51+48.34
SCALE: 1" = 50' SHEET 5 OF 54

BUREAU OF LAND ACQUISITION
201 WEST CENTER COURT
SCHAUMBURG, ILLINOIS 60196

PART OF THE EAST HALF OF THE SOUTHEAST QUARTER OF SECTION 17 TWP. 36 N., R. 11 E. OF THE 3RD. P.M., IN WILL COUNTY, ILLINOIS.



COORDINATE/STATION TABLE

Point	Northing	Easting	Station	Offset	
68	1796658.23	1077430.94	51+48.34	80.17	L
69	1796590.62	1077433.05	51+48.05	12.53	L
73	1796628.24	1077431.87	51+48.21	50.17	L
74	1796666.15	1077653.40	53+70.94	80.22	L
75	1796651.16	1077653.86	53+70.87	65.22	L
76	1796636.17	1077654.33	53+70.80	50.22	L
77	1796666.46	1078083.48	58+00.76	65.30	L
78	1796676.45	1078083.13	58+00.76	75.30	L
79	1796676.63	1078087.98	58+05.62	75.30	L
80	1796651.64	1078088.76	58+05.51	50.30	L
81	1796671.15	1077653.25	53+70.96	85.22	L
82	1796673.64	1077723.20	54+40.96	85.23	L
83	1796653.65	1077723.91	54+40.96	65.23	L
84	1796661.58	1077946.57	56+63.76	65.27	L
85	1796671.58	1077946.21	56+63.76	75.27	L
86	1796673.36	1077996.18	57+13.76	75.28	L
87	1796663.36	1077996.54	57+13.76	65.28	L
88	1796692.47	1078532.84	62+50.76	75.39	L
89	1796697.46	1078532.66	62+50.76	80.39	L
90	1796705.02	1078744.72	64+62.95	80.43	L
91	1796636.95	1078746.81	64+62.63	12.33	L
92	1796613.78	1078089.93	58+05.34	12.43	L
93	1796701.59	1078648.59	63+66.76	80.41	L
94	1796716.58	1078648.05	63+66.76	95.41	L
95	1796718.01	1078688.03	64+06.76	95.42	L
96	1796703.02	1078688.56	64+06.76	80.42	L

SEE SHEET 7 FOR TOTAL HOLDING

LEGEND

- LIGHT
- FIRE HYDRANT
- AUXILIARY VALVE
- BUFFALO BOX
- WATER VALVE
- CATCH BASIN
- INLET
- STORM MANHOLE
- SANITARY MANHOLE
- UNIDENTIFIED MANHOLE
- FLARED END SECTION
- SIGN
- MAILBOX

BX BUILDING CORNER
CLF CHAIN LINK FENCE
CMP CORRUGATED METAL PIPE
CONC CONCRETE
CO CLEAN-OUT
ELEC ELECTRIC
GM GAS METER
IP IRON PIPE
IR IRON ROD
MON MONUMENT
RCP REINFORCED CONC PIPE

9 10 16 15 SECTION CORNER
16 15 QUARTER SECTION CORNER

- SECTION LINE
- QUARTER SECTION LINE
- QUARTER, QUARTER SECTION LINE
- PLATTED LOT LINES
- PROPERTY (DEED) LINE
- APPARENT PROPERTY LINE
- CENTERLINE
- EXISTING RIGHT OF WAY LINE
- PROPOSED RIGHT OF WAY LINE
- PROPOSED EASEMENT
- PROPOSED CENTERLINE

129.32' MEASURED DIMENSION
129.32' (COMP) COMPUTED DIMENSION
(129.32') RECORDED DIMENSION
EXISTING BUILDING

N

GRAPHIC SCALE FEET
0 50.100
SCALE: 1" = 50'

Bearings are referenced to the Illinois State Plane Coordinate Grid System, NAD83, East Zone, as provided by the Illinois Department of Transportation.

- ● IRON PIPE OR ROD FOUND ○ REPLACED AFTER CONSTRUCTION
- \+ CUT CROSS FOUND OR SET
- ● T1 T2 T3 THESE STAKES REFERENCE FOUND OR SET MONUMENTATION. SET 5/8 INCH IRON ROD FLUSH WITH GROUND TO TIE FOUND IRON STAKE IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYORS REGISTRATION NUMBER.
- ● BT1 BT2 BT3 THESE STAKES, IN CULTIVATED AREAS, REFERENCE FOUND OR SET MONUMENTATION. BURIED 5/8 INCH IRON ROD 20 INCHES BELOW GROUND TO TIE FOUND IRON STAKE. IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYORS REGISTRATION NUMBER.
- ■ STAKING OF PROPOSED RIGHT OF WAY. SET DIVISION OF HIGHWAYS SURVEY MARKER TO MONUMENT THE POSITION SHOWN. IDENTIFIED BY INSCRIPTION DATA AND SURVEYORS REGISTRATION NUMBER.
- ■ M STAKING OF PROPOSED RIGHT OF WAY IN CULTIVATED AREAS. BURIED 5/8 INCH METAL ROD 20 INCHES BELOW GROUND TO MARK FUTURE SURVEY MARKER POSITION IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYORS REGISTRATION NUMBER.
- ⊕ PERMANENT SURVEY MARKER, I.D.O.T. STANDARD 2135 (TO BE SET BY OTHERS)
- □ RIGHT OF WAY STAKING PROPOSED TO BE SET

PARCEL NUMBER	OWNER	TOTAL HOLDINGS ACRES	PART TAKEN ACRES	AREA IN EXISTING R.O.W. ACRES	REMAINDER AREA ACRES	EASEMENT AREA ACRES	EASEMENT PURPOSE	PERMANENT INDEX NUMBER	PROPERTY ACQUIRED BY
1JD0008	THE ARNOLD C. JENSEN SELF-DECLARATION OF TRUST DATED JULY 1, 2002, AS TO AN UNDIVIDED 1/2 INTEREST, AND THE ALICE M. JENSEN SELF-DECLARATION OF TRUST DATED JULY 1, 2002, AS TO AN UNDIVIDED 1/2 INTEREST	39.586	0.304	0.000	39.282			16-05-17-400-023	
1JD0008TE-A			0.000	0.000		0.032	TEMPORARY	16-05-17-400-024	
1JD0008TE-B			0.000	0.000		0.011	TEMPORARY		
1JD0009	FIRST MIDWEST BANK, AS SUCCESSOR TO FIRST NATIONAL BANK OF LOCKPORT, AS TRUSTEE UNDER TRUST AGREEMENT DATED THE 19TH DAY OF DECEMBER, 1991 KNOWN AS TRUST NUMBER 72-22390	60.271	0.975	0.573	59.296			16-05-17-400-022	
1JD0009TE			0.000	0.000		0.014	TEMPORARY	16-05-16-300-001	

REVISION DATE: 01/30/2012
05/10/2012
05/07/2012
03/09/2012

STATION/OFFSET TABLE SDS
UPDATE PART TAKEN ON PARCEL 1JD0008 RYP
IDOT COMMENTS PER EMAIL ON 02/22/2012 SDS/RYP
REVISION: IDOT COMMENTS PER EMAIL ON 01/26/2012 MADE BY: SDS

RECEIVED
AUG 29 2013
PLATS & LEGALS

STATE OF ILLINOIS)
)SS
COUNTY OF COOK)

THIS IS TO CERTIFY THAT WE, SPACECO, INC. AN ILLINOIS PROFESSIONAL DESIGN FIRM LAND SURVEYING CORPORATION, NUMBER 184-001157, HAVE SURVEYED THE PLAT OF HIGHWAYS SHOWN HEREON IN SECTIONS 15, 16, 17, 20, 21 AND 22 TOWNSHIP 36 NORTH, RANGE 11 EAST OF THE THIRD PRINCIPAL MERIDIAN, WILL COUNTY, THAT THE SURVEY IS TRUE AND COMPLETE AS SHOWN TO THE BEST OF MY KNOWLEDGE AND BELIEF, THAT THE PLAT CORRECTLY REPRESENTS SAID SURVEY, THAT ALL MONUMENTS FOUND AND ESTABLISHED ARE OF PERMANENT QUALITY AND OCCUPY THE POSITIONS SHOWN THEREON AND THAT THE MONUMENTS ARE SUFFICIENT TO ENABLE THE SURVEY TO BE RETRACED, MADE FOR THE DEPARTMENT OF TRANSPORTATION, STATE OF ILLINOIS.

DATED THIS _____ DAY OF _____ 20____ A.D. AT ROSEMONT, ILLINOIS

REBECCA Y. POPECK
ILLINOIS PROFESSIONAL LAND SURVEYOR NO. 035-003642
LICENSE EXPIRATION DATE: NOVEMBER 30, 2014

THIS PROFESSIONAL SERVICE CONFORMS TO THE CURRENT ILLINOIS MINIMUM STANDARDS FOR A BOUNDARY SURVEY.

CONTRACT NO. 60X92 SHEET 122 OF 207

SPACECO INC.
CONSULTING ENGINEERS
SITE DEVELOPMENT ENGINEERS
LAND SURVEYORS
9575 W. Higgins Road, Suite 700,
Rosemont, Illinois 60018
Phone: (847) 696-4060 Fax: (847) 696-4065

PLAT OF HIGHWAYS

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION
US ROUTE 6/IL ROUTE 7 (159TH ST)

SECTION: GOUGAR RD TO W. PARKER RD COUNTY: WILL
PROJECT: I-355 EXT. TO WILL-COOK RD JOB NO.: R-91-023-97
STATION 51+48.34 TO STATION 64+62.95
SCALE: 1" = 50' SHEET 6 OF 54

BUREAU OF LAND ACQUISITION
201 WEST CENTER COURT
SCHAUMBURG, ILLINOIS 60196

SOUTHEAST QUARTER OF SECTION 17 TWP. 44 N., R. 11 E. OF THE 3RD. P.M., IN WILL COUNTY, ILLINOIS.



LEGEND

- SECTION CORNER
- QUARTER SECTION CORNER
- SECTION LINE
- QUARTER SECTION LINE
- QUARTER, QUARTER SECTION LINE
- PLATTED LOT LINES
- PROPERTY (DEED) LINE
- APPARENT PROPERTY LINE
- CENTERLINE
- EXISTING RIGHT OF WAY LINE
- PROPOSED RIGHT OF WAY LINE
- PROPOSED EASEMENT
- PROPOSED CENTERLINE
- 129.32' MEASURED DIMENSION
- 129.32' (COMP) COMPUTED DIMENSION
- (129.32') RECORDED DIMENSION
- EXISTING BUILDING

GRAPHIC SCALE FEET 0 200,400
SCALE: 1" = 200'

Bearings are referenced to the Illinois State Plane Coordinate Grid System, NAD83, East Zone, as provided by the Illinois Department of Transportation.

- ● IRON PIPE OR ROD FOUND ○ REPLACED AFTER CONSTRUCTION
- \+ CUT CROSS FOUND OR SET
- ● T1 T2 T3 **THESE STAKES REFERENCE FOUND OR SET MONUMENTATION.** SET 5/8 INCH IRON ROD FLUSH WITH GROUND TO TIE FOUND IRON STAKE IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYORS REGISTRATION NUMBER.
- • BT1 BT2 BT3 **THESE STAKES, IN CULTIVATED AREAS, REFERENCE FOUND OR SET MONUMENTATION.** BURIED 5/8 INCH IRON ROD 20 INCHES BELOW GROUND TO TIE FOUND IRON STAKE. IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYORS REGISTRATION NUMBER.
- ■ **STAKING OF PROPOSED RIGHT OF WAY.** SET DIVISION OF HIGHWAYS SURVEY MARKER TO MONUMENT THE POSITION SHOWN. IDENTIFIED BY INSCRIPTION DATA AND SURVEYORS REGISTRATION NUMBER.
- ■ M **STAKING OF PROPOSED RIGHT OF WAY IN CULTIVATED AREAS.** BURIED 5/8 INCH METAL ROD 20 INCHES BELOW GROUND TO MARK FUTURE SURVEY MARKER POSITION IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYORS REGISTRATION NUMBER.
- PERMANENT SURVEY MARKER, I.D.O.T. STANDARD 2135 (TO BE SET BY OTHERS)
- □ RIGHT OF WAY STAKING PROPOSED TO BE SET

RECEIVED
AUG 29 2013
PLATS & LEGALS

STATE OF ILLINOIS)
)SS
COUNTY OF COOK)

THIS IS TO CERTIFY THAT WE, SPACECO, INC. AN ILLINOIS PROFESSIONAL DESIGN FIRM LAND SURVEYING CORPORATION, NUMBER 184-001157, HAVE SURVEYED THE PLAT OF HIGHWAYS SHOWN HEREON IN SECTIONS 15, 16, 17, 20, 21 AND 22 TOWNSHIP 36 NORTH, RANGE 11 EAST OF THE THIRD PRINCIPAL MERIDIAN, WILL COUNTY, THAT THE SURVEY IS TRUE AND COMPLETE AS SHOWN TO THE BEST OF MY KNOWLEDGE AND BELIEF, THAT THE PLAT CORRECTLY REPRESENTS SAID SURVEY, THAT ALL MONUMENTS FOUND AND ESTABLISHED ARE OF PERMANENT QUALITY AND OCCUPY THE POSITIONS SHOWN THEREON AND THAT THE MONUMENTS ARE SUFFICIENT TO ENABLE THE SURVEY TO BE RETRACED, MADE FOR THE DEPARTMENT OF TRANSPORTATION, STATE OF ILLINOIS.

DATED THIS _____ DAY OF _____ 20____ A.D, AT ROSEMONT, ILLINOIS

REBECCA Y. POPECK
ILLINOIS PROFESSIONAL LAND SURVEYOR NO. 035-003642
LICENSE EXPIRATION DATE: NOVEMBER 30, 2014

THIS PROFESSIONAL SERVICE CONFORMS TO THE CURRENT ILLINOIS MINIMUM STANDARDS FOR A BOUNDARY SURVEY.

06/24/2013
05/10/2012
REVISION DATE: 02/27/2012

REVISE 1JD0007 & 1JD0007TE SDS
REVISED PROPOSED ℄ STATIONING SDS
REVISION: IDOT COMMENTS PER EMAIL ON 02/22/2012 MADE BY: SDS

CONTRACT NO. 60X92 SHEET 123 OF 207

SPACECO INC.
CONSULTING ENGINEERS
SITE DEVELOPMENT ENGINEERS
LAND SURVEYORS
9575 W. Higgins Road, Suite 700,
Rosemont, Illinois 60018
Phone: (847) 696-4060 Fax: (847) 696-4065

PLAT OF HIGHWAYS

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION
US ROUTE 6/IL ROUTE 7 (159TH ST)

SECTION: GOUGAR RD TO W. PARKER RD COUNTY: WILL
PROJECT: I-355 EXT. TO WILL-COOK RD JOB NO.: R-91-023-97
STATION 38+33.71 TO STATION 64+62.95
SCALE: 1" = 200' SHEET 7 OF 54

BUREAU OF LAND ACQUISITION
201 WEST CENTER COURT
SCHAUMBURG, ILLINOIS 60196

PART OF THE WEST HALF OF THE SOUTHWEST QUARTER OF SECTION 16 TWP. 36 N., R. 11 E. OF THE 3RD. P.M., IN WILL COUNTY, ILLINOIS.



COORDINATE/STATION TABLE

Point	Northing	Easting	Station	Offset	
90	1796705.02	1078744.72	64+62.95	80.43	L
91	1796636.95	1078746.81	64+62.63	12.33	L
99	1796706.17	1078777.70	64+95.95	80.42	L
100	1796718.07	1079116.97	68+35.43	80.30	L
101	1796739.71	1079734.18	74+53.02	80.08	L
102	1796724.72	1079734.66	74+52.97	65.08	L

LEGEND

- LT LIGHT
- FH FIRE HYDRANT
- AV AUXILIARY VALVE
- BB BUFFALO BOX
- WV WATER VALVE
- CB CATCH BASIN
- INLET
- SM STORM MANHOLE
- SAN SANITARY MANHOLE
- UM UNIDENTIFIED MANHOLE
- FES FLARED END SECTION
- SIGN
- MB MAILBOX
- BX BUILDING CORNER
- CLF CHAIN LINK FENCE
- CMP CORRUGATED METAL PIPE
- CONC CONCRETE
- CO CLEAN-OUT
- ELEC ELECTRIC
- GM GAS METER
- IP IRON PIPE
- IR IRON ROD
- MON MONUMENT
- RCP REINFORCED CONC PIPE

9 | 10 / 16 | 15 SECTION CORNER

16 — 15 QUARTER SECTION CORNER

- SECTION LINE
- QUARTER SECTION LINE
- QUARTER, QUARTER SECTION LINE
- PLATTED LOT LINES
- PROPERTY (DEED) LINE
- APL APPARENT PROPERTY LINE
- CENTERLINE
- EXISTING RIGHT OF WAY LINE
- PROPOSED RIGHT OF WAY LINE
- PROPOSED EASEMENT
- PROPOSED CENTERLINE
- 129.32' MEASURED DIMENSION
- 129.32' (COMP) COMPUTED DIMENSION
- (129.32') RECORDED DIMENSION
- EXISTING BUILDING

N

GRAPHIC SCALE FEET
0 50 100
SCALE: 1" = 50'

Bearings are referenced to the Illinois State Plane Coordinate Grid System, NAD83, East Zone, as provided by the Illinois Department of Transportation.

- ● IRON PIPE OR ROD FOUND ○ REPLACED AFTER CONSTRUCTION
- \+ CUT CROSS FOUND OR SET
- ● T1 T2 T3 THESE STAKES REFERENCE FOUND OR SET MONUMENTATION. SET 5/8 INCH IRON ROD FLUSH WITH GROUND TO TIE FOUND IRON STAKE IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYORS REGISTRATION NUMBER.
- ● BT1 BT2 BT3 THESE STAKES, IN CULTIVATED AREAS, REFERENCE FOUND OR SET MONUMENTATION. BURIED 5/8 INCH IRON ROD 20 INCHES BELOW GROUND TO TIE FOUND IRON STAKE. IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYORS REGISTRATION NUMBER.
- ■ STAKING OF PROPOSED RIGHT OF WAY. SET DIVISION OF HIGHWAYS SURVEY MARKER TO MONUMENT THE POSITION SHOWN. IDENTIFIED BY INSCRIPTION DATA AND SURVEYORS REGISTRATION NUMBER.
- ■ M STAKING OF PROPOSED RIGHT OF WAY IN CULTIVATED AREAS. BURIED 5/8 INCH METAL ROD 20 INCHES BELOW GROUND TO MARK FUTURE SURVEY MARKER POSITION IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYORS REGISTRATION NUMBER.
- ◕ PERMANENT SURVEY MARKER, I.D.O.T. STANDARD 2135 (TO BE SET BY OTHERS)
- □ RIGHT OF WAY STAKING PROPOSED TO BE SET

STATE OF ILLINOIS)
)SS
COUNTY OF COOK)

THIS IS TO CERTIFY THAT WE, SPACECO, INC. AN ILLINOIS PROFESSIONAL DESIGN FIRM LAND SURVEYING CORPORATION, NUMBER 184-001157, HAVE SURVEYED THE PLAT OF HIGHWAYS SHOWN HEREON IN SECTIONS 15, 16, 17, 20, 21 & 22 TOWNSHIP 36 NORTH, RANGE 11 EAST OF THE THIRD PRINCIPAL MERIDIAN, WILL COUNTY, THAT THE SURVEY IS TRUE AND COMPLETE AS SHOWN TO THE BEST OF MY KNOWLEDGE AND BELIEF, THAT THE PLAT CORRECTLY REPRESENTS SAID SURVEY, THAT ALL MONUMENTS FOUND AND ESTABLISHED ARE OF PERMANENT QUALITY AND OCCUPY THE POSITIONS SHOWN THEREON AND THAT THE MONUMENTS ARE SUFFICIENT TO ENABLE THE SURVEY TO BE RETRACED, MADE FOR THE DEPARTMENT OF TRANSPORTATION, STATE OF ILLINOIS.

DATED THIS _____ DAY OF _____ 20 ____ A.D, AT ROSEMONT, ILLINOIS

REBECCA Y. POPECK
ILLINOIS PROFESSIONAL LAND SURVEYOR NO. 035-003642
LICENSE EXPIRATION DATE: NOVEMBER 30, 2014

THIS PROFESSIONAL SERVICE CONFORMS TO THE CURRENT ILLINOIS MINIMUM STANDARDS FOR A BOUNDARY SURVEY.

CONTRACT NO. 60X92 SHEET 124 OF 207

RECEIVED
AUG 29 2013
PLATS & LEGALS

SPACECO, INC.
CONSULTING ENGINEERS
SITE DEVELOPMENT ENGINEERS
LAND SURVEYORS
9575 W. Higgins Road, Suite 700,
Rosemont, Illinois 60018
Phone: (847) 696-4060 Fax: (847) 696-4065

PLAT OF HIGHWAYS

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION
US ROUTE 6/IL ROUTE 7 (159TH ST)

SECTION: COUGAR RD TO W. PARKER RD COUNTY: WILL
PROJECT: I-355 EXT. TO WILL-COOK RD JOB NO.: R-91-023-97
STATION 64+62.95 TO STATION 74+53.02
SCALE: 1" = 50' SHEET 8 OF 54

BUREAU OF LAND ACQUISITION
201 WEST CENTER COURT
SCHAUMBURG, ILLINOIS 60196

PARCEL NUMBER	OWNER	TOTAL HOLDINGS ACRES	PART TAKEN ACRES	AREA IN EXISTING R.O.W. ACRES	REMAINDER AREA ACRES	EASEMENT AREA ACRES	EASEMENT PURPOSE	PERMANENT INDEX NUMBER	PROPERTY ACQUIRED BY
1JD0010	DWAINE L. RODGERS AND LINDA L. RODGERS, AS JOINT TENANTS	0.584	0.052	0.029	0.532			16-05-16-300-028	
1JD0011	THE LOYAL ORDER OF MOOSE, LOCKPORT LODGE NO. 1557	6.000	0.530	0.297	5.470			16-05-16-300-015	
1JD0012	JOHN V. BAYS	10.881	0.964	0.538	9.917			16-05-16-300-014	

REVISION DATE:	REVISION:	MADE BY:
12/19/2012	UPDATE OWNER FOR PARCEL 1JD0010	SDS
11/29/2012	UPDATE OWNER FOR PARCEL 1JD0010	RYP
05/10/2012	STATION/OFFSET TABLE	SDS
02/27/2012	IDOT COMMENTS PER EMAIL ON 02/22/2012	SDS
01/30/2012	IDOT COMMENTS PER EMAIL ON 01/26/2012	SDS

PART OF THE SOUTHWEST QUARTER OF SECTION 16 TWP. 36 N., R. 11 E. OF THE 3RD. P.M., IN WILL COUNTY, ILLINOIS.



LEGEND

- SECTION CORNER (9 10 / 16 15)
- QUARTER SECTION CORNER (16 — 15)
- SECTION LINE
- QUARTER SECTION LINE
- QUARTER, QUARTER SECTION LINE
- PLATTED LOT LINES
- PROPERTY (DEED) LINE
- APPARENT PROPERTY LINE
- CENTERLINE
- EXISTING RIGHT OF WAY LINE
- PROPOSED RIGHT OF WAY LINE
- PROPOSED EASEMENT
- PROPOSED CENTERLINE
- 129.32' MEASURED DIMENSION
- 129.32' (COMP) COMPUTED DIMENSION
- (129.32') RECORDED DIMENSION
- EXISTING BUILDING

FLARED END SECTION, SIGN, BX BUILDING CORNER, CLF CHAIN LINK FENCE, CMP CORRUGATED METAL PIPE, CONC CONCRETE, ELEC ELECTRIC, GM GAS METER, IP IRON PIPE, IR IRON ROD, MON MONUMENT, RCP REINFORCED CONC PIPE

N

GRAPHIC SCALE FEET 0 50,100

SCALE: 1" = 50'

Bearings are referenced to the Illinois State Plane Coordinate Grid System, NAD83, East Zone, as provided by the Illinois Department of Transportation.

PROJECT COORDINATE VALUES AND BEARINGS ARE GROUND AND BASED ON ILLINOIS STATE PLANE, EAST ZONE. REFERENCE ELLIPSOID, WGS 1984 WITH A COMBINED SCALE FACTOR OF 0.9999544733.

NOTES:

1. ALL STATIONING SHOWN HEREON ARE GROUND DISTANCES IN FEET.
2. ALL OFFSETS ARE SHOWN HEREON ARE GROUND DISTANCES IN FEET.
3. ANY DISCREPANCY IN MEASUREMENT DISCOVERED UPON THE GROUND SHOULD BE PROMPTLY REPORTED TO THE SURVEYOR FOR EXPLANATION OR CORRECTION.
4. FOR BUILDING LINE AND OTHER RESTRICTIONS NOT SHOWN HEREON, REFER TO YOUR ABSTRACT, DEEDS, CONTRACTS AND ZONING ORDINANCES.

COORDINATE/STATION TABLE

Point	Northing	Easting	Station	Offset	
91	1796636.95	1078746.81	64+62.63	12.33	L
101	1796739.71	1079734.18	74+53.02	80.08	L
103	1796743.68	1079990.18	77+09.00	74.99	L
104	1796769.70	1079733.22	74+53.12	110.08	L
105	1796771.09	1079773.06	74+92.98	110.07	L
106	1796726.12	1079774.63	74+92.97	65.07	L
107	1796731.51	1079928.23	76+46.66	65.01	L
108	1796776.48	1079926.65	76+46.67	110.01	L
109	1796778.58	1079986.62	77+06.67	109.99	L
111	1796740.70	1080190.38	79+08.97	64.92	L
112	1796735.33	1080037.30	77+55.80	64.97	L
113	1796745.32	1080036.95	77+55.80	74.97	L
114	1796747.25	1080091.92	78+10.80	74.95	L
115	1796737.26	1080092.27	78+10.80	64.95	L
116	1796750.69	1080190.06	79+09.00	74.92	L
117	1796769.41	1080723.81	84+43.08	74.73	L
453	1796739.87	1079738.69	74+57.53	80.08	L
454	1796754.86	1079738.16	74+57.53	95.08	L
455	1796755.56	1079758.15	74+77.53	95.07	L
456	1796725.58	1079759.20	74+77.52	65.07	L
457	1796731.80	1079936.59	76+55.02	65.01	L
458	1796741.79	1079936.24	76+55.03	75.01	L
459	1796743.89	1079996.20	77+15.03	74.99	L
460	1796733.90	1079996.55	77+15.02	64.99	L
460	1796743.60	1079987.84	77+06.66	74.99	L

- ● IRON PIPE OR ROD FOUND ○ REPLACED AFTER CONSTRUCTION
- \+ CUT CROSS FOUND OR SET
- • T1 T2 T3 **THESE STAKES REFERENCE FOUND OR SET MONUMENTATION.** SET 5/8 INCH IRON ROD FLUSH WITH GROUND TO TIE FOUND IRON STAKE IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYORS REGISTRATION NUMBER.
- • BT1 BT2 BT3 **THESE STAKES, IN CULTIVATED AREAS, REFERENCE FOUND OR SET MONUMENTATION.** BURIED 5/8 INCH IRON ROD 20 INCHES BELOW GROUND TO TIE FOUND IRON STAKE. IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYORS REGISTRATION NUMBER.
- ■ **STAKING OF PROPOSED RIGHT OF WAY.** SET DIVISION OF HIGHWAYS SURVEY MARKER TO MONUMENT THE POSITION SHOWN. IDENTIFIED BY INSCRIPTION DATA AND SURVEYORS REGISTRATION NUMBER.
- ■ M **STAKING OF PROPOSED RIGHT OF WAY IN CULTIVATED AREAS.** BURIED 5/8 INCH METAL ROD 20 INCHES BELOW GROUND TO MARK FUTURE SURVEY MARKER POSITION IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYORS REGISTRATION NUMBER.
- ◒ PERMANENT SURVEY MARKER, I.D.O.T. STANDARD 2135 (TO BE SET BY OTHERS)
- □ RIGHT OF WAY STAKING PROPOSED TO BE SET

PARCEL NUMBER	OWNER	TOTAL HOLDINGS ACRES	PART TAKEN ACRES	AREA IN EXISTING R.O.W. ACRES	REMAINDER AREA ACRES	EASEMENT AREA ACRES	EASEMENT PURPOSE	PERMANENT INDEX NUMBER	PROPERTY ACQUIRED BY
1JD0013	DONALD A. DAHL, JR., AS SOLE TRUSTEE UNDER THE DONALD A. DAHL, JR. LIVING TRUST, DATED JULY 8, 2002	1.998	0.339	0.223	1.659			16-05-16-300-007	
1JD0013TE-A			0.000	0.000		0.026	TEMPORARY		
1JD0013TE-B			0.000	0.000		0.050	TEMPORARY		
1JD0014	FIRST MIDWEST BANK, AS SUCCESSOR TO HERITAGE FIRST NATIONAL BANK OF LOCKPORT, AS TRUSTEE UNDER TRUST AGREMENT DATED THE 9TH DAY OF MAY 1977, AND KNOWN AS TRUST NUMBER 72-13270	12.871	1.014	0.637	11.857			16-05-16-300-008	
1JD0014TE			0.000	0.000		0.013	TEMPORARY	16-05-16-300-012	

REVISION DATE: 01/30/2012
12/19/2012 REVISE PARCEL 1JD0013, 13TE-A, 13TE-B, 14, 14TE SDS
05/10/2012 STATION/OFFSET TABLE SDS
02/27/2012 IDOT COMMENTS PER EMAIL ON 02/22/2012 SDS
02/03/2012 IDOT COMMENTS PER EMAIL ON 02/02/2012 RYP
REVISION: IDOT COMMENTS PER EMAIL ON 01/26/2012 MADE BY: SDS

STATE OF ILLINOIS)
)SS
COUNTY OF COOK)

THIS IS TO CERTIFY THAT WE, SPACECO, INC. AN ILLINOIS PROFESSIONAL DESIGN FIRM LAND SURVEYING CORPORATION, NUMBER 184-001157, HAVE SURVEYED THE PLAT OF HIGHWAYS SHOWN HEREON IN SECTIONS 15, 16, 17, 20, 21 & 22 TOWNSHIP 36 NORTH, RANGE 11 EAST OF THE THIRD PRINCIPAL MERIDIAN, WILL COUNTY, THAT THE SURVEY IS TRUE AND COMPLETE AS SHOWN TO THE BEST OF MY KNOWLEDGE AND BELIEF, THAT THE PLAT CORRECTLY REPRESENTS SAID SURVEY, THAT ALL MONUMENTS FOUND AND ESTABLISHED ARE OF PERMANENT QUALITY AND OCCUPY THE POSITIONS SHOWN THEREON AND THAT THE MONUMENTS ARE SUFFICIENT TO ENABLE THE SURVEY TO BE RETRACED, MADE FOR THE DEPARTMENT OF TRANSPORTATION, STATE OF ILLINOIS.

DATED THIS _____ DAY OF _____ 20 ____ A.D, AT ROSEMONT, ILLINOIS

REBECCA Y. POPECK
ILLINOIS PROFESSIONAL LAND SURVEYOR NO. 035-003642
LICENSE EXPIRATION DATE: NOVEMBER 30, 2014

THIS PROFESSIONAL SERVICE CONFORMS TO THE CURRENT ILLINOIS MINIMUM STANDARDS FOR A BOUNDARY SURVEY. CONTRACT NO. 60X92 SHEET 125 OF 207

RECEIVED
AUG 29 2013
PLATS & LEGALS

SPACECO INC.
CONSULTING ENGINEERS
SITE DEVELOPMENT ENGINEERS
LAND SURVEYORS
9575 W. Higgins Road, Suite 700, Rosemont, Illinois 60018
Phone: (847) 696-4060 Fax: (847) 696-4065

PLAT OF HIGHWAYS

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION
US ROUTE 6/IL ROUTE 7 (159TH ST)

SECTION: COUGAR RD TO W. PARKER RD COUNTY: WILL
PROJECT: I-355 EXT. TO WILL-COOK RD JOB NO.: R-91-023-97
STATION 74+53.02 TO STATION 84+43.08
SCALE: 1" = 50' SHEET 9 OF 54

BUREAU OF LAND ACQUISITION
201 WEST CENTER COURT
SCHAUMBURG, ILLINOIS 60196

US ROUTE 6/IL ROUTE 7 (159TH STREET) SECTION: COUGAR ROAD TO W. PARKER ROAD WILL COUNTY JOB NO.: R-91-023-97 RECORDING: RECORDED ON

PART OF THE SOUTHWEST QUARTER OF SECTION 16
TWP. 36 N., R. 11 E. OF THE 3RD. P.M., IN WILL COUNTY, ILLINOIS.











COORDINATE/STATION TABLE

Point	Northing	Easting	Station	Offset	
117	1796769.41	1080723.81	84+43.08	74.73	L
119	1796783.95	1081138.61	88+58.13	74.58	L
120	1796789.50	1081296.89	90+16.51	74.53	L
121	1796810.20	1081316.82	90+37.16	94.51	L
122	1797315.51	1081299.74	35+99.98	65.49	L
123	1797316.05	1081315.73	35+99.98	49.49	L
124	1797390.17	1081313.22	36+74.15	49.52	L
125	1797487.92	1081309.92	37+71.95	49.56	L
126	1796803.94	1081137.93	88+58.16	94.58	L
127	1796806.74	1081217.88	89+38.16	94.56	L
128	1796786.76	1081218.58	89+38.16	74.56	L
129	1796836.78	1081315.92	31+20.98	65.29	L
130	1796836.10	1081295.93	31+20.97	85.29	L
131	1796900.07	1081293.77	31+84.97	85.31	L
132	1796900.74	1081313.76	31+84.98	65.31	L
133	1797315.03	1081285.75	35+99.97	79.49	L
134	1797368.00	1081283.95	36+52.97	79.51	L
135	1797369.02	1081313.94	36+52.98	49.51	L
136	1796729.94	1081385.57	91+03.03	11.87	L
137	1796937.50	1081312.52	32+21.75	65.33	L
263	1796933.05	1081292.66	32+17.97	85.33	L
264	1796936.79	1081292.53	32+21.71	85.33	L
265	1796977.02	1081291.17	32+61.97	85.35	L
266	1796977.70	1081311.16	32+61.98	65.35	L
267	1796933.73	1081312.64	32+17.98	65.33	L

LEGEND

- LIGHT
- FIRE HYDRANT
- AUXILIARY VALVE
- BUFFALO BOX
- WATER VALVE
- CATCH BASIN
- INLET
- STORM MANHOLE
- SANITARY MANHOLE
- UNIDENTIFIED MANHOLE
- FLARED END SECTION
- SIGN
- MAILBOX

BX BUILDING CORNER
CLF CHAIN LINK FENCE
CMP CORRUGATED METAL PIPE
CONC CONCRETE
CO CLEAN-OUT
ELEC ELECTRIC
GM GAS METER
IP IRON PIPE
IR IRON ROD
MON MONUMENT
RCP REINFORCED CONC PIPE

9 10 16 15 SECTION CORNER
16 15 21 QUARTER SECTION CORNER

- SECTION LINE
- QUARTER SECTION LINE
- QUARTER, QUARTER SECTION LINE
- PLATTED LOT LINES
- PROPERTY (DEED) LINE
- APPARENT PROPERTY LINE
- CENTERLINE
- EXISTING RIGHT OF WAY LINE
- PROPOSED RIGHT OF WAY LINE
- PROPOSED EASEMENT
- PROPOSED CENTERLINE
- 129.32' MEASURED DIMENSION
- 129.32' (COMP) COMPUTED DIMENSION
- (129.32') RECORDED DIMENSION
- EXISTING BUILDING

N

GRAPHIC SCALE FEET
0 50,100
SCALE: 1" = 50'

Bearings are referenced to the Illinois State Plane Coordinate Grid System, NAD83, East Zone, as provided by the Illinois Department of Transportation.

- ● IRON PIPE OR ROD FOUND ○ REPLACED AFTER CONSTRUCTION
- \+ CUT CROSS FOUND OR SET
- ● T1 T2 T3 **THESE STAKES REFERENCE FOUND OR SET MONUMENTATION.** SET 5/8 INCH IRON ROD FLUSH WITH GROUND TO TIE FOUND IRON STAKE IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYORS REGISTRATION NUMBER.
- ● BT1 BT2 BT3 **THESE STAKES, IN CULTIVATED AREAS, REFERENCE FOUND OR SET MONUMENTATION.** BURIED 5/8 INCH IRON ROD 20 INCHES BELOW GROUND TO TIE FOUND IRON STAKE. IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYORS REGISTRATION NUMBER.
- ■ **STAKING OF PROPOSED RIGHT OF WAY.** SET DIVISION OF HIGHWAYS SURVEY MARKER TO MONUMENT THE POSITION SHOWN. IDENTIFIED BY INSCRIPTION DATA AND SURVEYORS REGISTRATION NUMBER.
- ■ M **STAKING OF PROPOSED RIGHT OF WAY IN CULTIVATED AREAS.** BURIED 5/8 INCH METAL ROD 20 INCHES BELOW GROUND TO MARK FUTURE SURVEY MARKER POSITION IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYORS REGISTRATION NUMBER.
- ⊕ PERMANENT SURVEY MARKER, I.D.O.T. STANDARD 2135 (TO BE SET BY OTHERS)
- □ RIGHT OF WAY STAKING PROPOSED TO BE SET

PROJECT COORDINATE VALUES AND BEARINGS ARE GROUND AND BASED ON ILLINOIS STATE PLANE, EAST ZONE. REFERENCE ELLIPSOID, WGS 1984 WITH A COMBINED SCALE FACTOR OF 0.9999544733.

NOTES:

1. ALL STATIONING SHOWN HEREON ARE GROUND DISTANCES IN FEET.
2. ALL OFFSETS ARE SHOWN HEREON ARE GROUND DISTANCES IN FEET.
3. ANY DISCREPANCY IN MEASUREMENT DISCOVERED UPON THE GROUND SHOULD BE PROMPTLY REPORTED TO THE SURVEYOR FOR EXPLANATION OR CORRECTION.
4. FOR BUILDING LINE AND OTHER RESTRICTIONS NOT SHOWN HEREON, REFER TO YOUR ABSTRACT, DEEDS, CONTRACTS AND ZONING ORDINANCES.

PARCEL NUMBER	OWNER	TOTAL HOLDINGS ACRES	PART TAKEN ACRES	AREA IN EXISTING R.O.W. ACRES	REMAINDER AREA ACRES	EASEMENT AREA ACRES	EASEMENT AREA SF	EASEMENT PURPOSE	PERMANENT INDEX NUMBER	PROPERTY ACQUIRED BY
1JD0015-A	FIRST MIDWEST BANK, AS SUCCESSOR TO FIRST NATIONAL BANK OF LOCKPORT, AS TRUSTEE UNDER TRUST AGREEMENT DATED THE 15TH DAY OF JANUARY, 1993 AND KNOWN AS TRUST NUMBER 72-22820	8.729	0.598	0.359	7.473				16-05-16-300-025	
1JD0015-B			0.658	0.343						
1JD0015TE-A						0.018		TEMPORARY		
1JD0015TE-B						0.037		TEMPORARY		
1JD0016	TRUE NORTH ENERGY, LLC, A DELAWARE LIMITED LIABILITY COMPANY	1.181	0.580	0.342	0.601				16-05-16-300-026	
1JD0016TE-A						0.037		TEMPORARY		
1JD0016TE-B						0.029		TEMPORARY		
1JD0016TE-C						0.002	75	TEMPORARY		
1JD0017	KETELAAR BROTHERS PARTNERSHIP, AN ILLINOIS PARTNERSHIP	1.493	0.112	0.074	1.381				16-05-16-300-029	

RECEIVED
AUG 2 9 2013
PLATS & LEGALS

STATE OF ILLINOIS)
)SS
COUNTY OF COOK)

THIS IS TO CERTIFY THAT WE, SPACECO, INC. AN ILLINOIS PROFESSIONAL DESIGN FIRM LAND SURVEYING CORPORATION, NUMBER 184-001157, HAVE SURVEYED THE PLAT OF HIGHWAYS SHOWN HEREON IN SECTIONS 15, 16, 17, 20, 21 AND 22 TOWNSHIP 36 NORTH, RANGE 11 EAST OF THE THIRD PRINCIPAL MERIDIAN, WILL COUNTY, THAT THE SURVEY IS TRUE AND COMPLETE AS SHOWN TO THE BEST OF MY KNOWLEDGE AND BELIEF, THAT THE PLAT CORRECTLY REPRESENTS SAID SURVEY, THAT ALL MONUMENTS FOUND AND ESTABLISHED ARE OF PERMANENT QUALITY AND OCCUPY THE POSITIONS SHOWN THEREON AND THAT THE MONUMENTS ARE SUFFICIENT TO ENABLE THE SURVEY TO BE RETRACED, MADE FOR THE DEPARTMENT OF TRANSPORTATION, STATE OF ILLINOIS.

DATED THIS _____ DAY OF _____ 20____ A.D. AT ROSEMONT, ILLINOIS

_____
REBECCA Y. POPECK
ILLINOIS PROFESSIONAL LAND SURVEYOR NO. 035-003642
LICENSE EXPIRATION DATE: NOVEMBER 30, 2014

THIS PROFESSIONAL SERVICE CONFORMS TO THE CURRENT ILLINOIS MINIMUM STANDARDS FOR A BOUNDARY SURVEY.

05/14/2012 ADD "SEE SHEET 11" RYP
05/10/2012 STATION/OFFSET TABLE SDS
03/08/2012 ADDED PARCELS 1JD0015TE-A & 1JD0016TE-C SDS
REVISION DATE: 02/27/2012 REVISION: IDOT COMMENTS PER EMAIL ON 02/22/2012 MADE BY: SDS

CONTRACT NO. 60X92 SHEET 126 OF 207

TONI COSENTINO

CONSULTING ENGINEERS
SITE DEVELOPMENT ENGINEERS
LAND SURVEYORS
9575 W. Higgins Road, Suite 700.
Rosemont, Illinois 60018
Phone: (847) 696-4060 Fax: (847) 696-4065

PLAT OF HIGHWAYS

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION
US ROUTE 6/IL ROUTE 7 (159TH ST)

SECTION: GOUGAR RD TO W. PARKER RD COUNTY: WILL
PROJECT: I-355 EXT. TO WILL-COOK RD JOB NO.: R-91-023-97
STATION 84+43.08 TO STATION 91+03.03
SCALE: 1" = 50' SHEET 10 OF 54

BUREAU OF LAND ACQUISITION
201 WEST CENTER COURT
SCHAUMBURG, ILLINOIS 60196

US ROUTE 6 / ILLINOIS ROUTE 7 (159TH STREET) SECTION: COUGAR ROAD TO W. PARKER ROAD WILL COUNTY JOB NO.: R-91-023-97 RECORDING REQUESTED BY

PART OF THE SOUTHEAST QUARTER OF SECTION 16
TWP. 36 N., R. 11 E. OF THE 3RD. P.M., IN WILL COUNTY, ILLINOIS.



COORDINATE/STATION TABLE

Point	Northing	Easting	Station	Offset	
136	1796729.94	1081385.57	91+03.03	11.87	L
138	1798034.02	1081391.51	43+15.02	50.22	R
139	1797319.43	1081415.67	36+00.02	50.51	R
140	1797319.97	1081431.66	36+00.03	66.51	R
141	1796829.83	1081448.23	31+09.61	66.72	R
142	1796807.65	1081472.00	30+86.65	89.73	R
143	1796846.50	1082579.97	103+00.79	86.32	L
144	1796834.50	1082580.39	103+00.78	74.32	L
145	1796838.64	1082698.43	104+18.90	74.30	L

PARCEL NUMBER	OWNER	TOTAL HOLDINGS ACRES	PART TAKEN ACRES	AREA IN EXISTING R.O.W. ACRES	REMAINDER AREA ACRES	EASEMENT AREA ACRES	EASEMENT PURPOSE	PERMANENT INDEX NUMBER	PROPERTY ACQUIRED BY
1JD0018	STANDARD BANK AND TRUST CO., AS TRUSTEE UNDER TRUST AGREEMENT DATED THE 18TH DAY OF APRIL, 1966 AND KNOWN AS TRUST NUMBER 2860	80.088	3.934	2.202	76.154			16-05-16-400-009	

LEGEND

LIGHT
FIRE HYDRANT
AUXILIARY VALVE
BUFFALO BOX
WATER VALVE
CATCH BASIN
INLET
STORM MANHOLE
SANITARY MANHOLE
UNIDENTIFIED MANHOLE
FLARED END SECTION
SIGN
MAILBOX

BX BUILDING CORNER
CLF CHAIN LINK FENCE
CMP CORRUGATED METAL PIPE
CONC CONCRETE
CO CLEAN-OUT
ELEC ELECTRIC
GM GAS METER
IP IRON PIPE
IR IRON ROD
MON MONUMENT
RCP REINFORCED CONC PIPE

9 10 16 15 SECTION CORNER
16 15 QUARTER SECTION CORNER

SECTION LINE
QUARTER SECTION LINE
QUARTER, QUARTER SECTION LINE
PLATTED LOT LINES
PROPERTY (DEED) LINE
APPARENT PROPERTY LINE
CENTERLINE
EXISTING RIGHT OF WAY LINE
PROPOSED RIGHT OF WAY LINE
PROPOSED EASEMENT
PROPOSED CENTERLINE
129.32' MEASURED DIMENSION
129.32' (COMP) COMPUTED DIMENSION
(129.32') RECORDED DIMENSION
EXISTING BUILDING

N

GRAPHIC SCALE FEET
0 100 200
SCALE: 1" = 100'

Bearings are referenced to the Illinois State Plane Coordinate Grid System, NAD83, East Zone, as provided by the Illinois Department of Transportation.

● IRON PIPE OR ROD FOUND ○ REPLACED AFTER CONSTRUCTION
\+ CUT CROSS FOUND OR SET
● T1 T2 T3 THESE STAKES REFERENCE FOUND OR SET MONUMENTATION. SET 5/8 INCH IRON ROD FLUSH WITH GROUND TO TIE FOUND IRON STAKE IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYORS REGISTRATION NUMBER.
● BT1 BT2 BT3 THESE STAKES, IN CULTIVATED AREAS, REFERENCE FOUND OR SET MONUMENTATION. BURIED 5/8 INCH IRON ROD 20 INCHES BELOW GROUND TO TIE FOUND IRON STAKE. IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYORS REGISTRATION NUMBER.
■ STAKING OF PROPOSED RIGHT OF WAY. SET DIVISION OF HIGHWAYS SURVEY MARKER TO MONUMENT THE POSITION SHOWN. IDENTIFIED BY INSCRIPTION DATA AND SURVEYORS REGISTRATION NUMBER.
■ M STAKING OF PROPOSED RIGHT OF WAY IN CULTIVATED AREAS. BURIED 5/8 INCH METAL ROD 20 INCHES BELOW GROUND TO MARK FUTURE SURVEY MARKER POSITION IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYORS REGISTRATION NUMBER.
PERMANENT SURVEY MARKER, I.D.O.T. STANDARD 2135 (TO BE SET BY OTHERS)
□ RIGHT OF WAY STAKING PROPOSED TO BE SET

PROJECT COORDINATE VALUES AND BEARINGS ARE GROUND AND BASED ON ILLINOIS STATE PLANE, EAST ZONE. REFERENCE ELLIPSOID, WGS 1984 WITH A COMBINED SCALE FACTOR OF 0.9999544733.

NOTES:

1. ALL STATIONING SHOWN HEREON ARE GROUND DISTANCES IN FEET.
2. ALL OFFSETS ARE SHOWN HEREON ARE GROUND DISTANCES IN FEET.
3. ANY DISCREPANCY IN MEASUREMENT DISCOVERED UPON THE GROUND SHOULD BE PROMPTLY REPORTED TO THE SURVEYOR FOR EXPLANATION OR CORRECTION.
4. FOR BUILDING LINE AND OTHER RESTRICTIONS NOT SHOWN HEREON, REFER TO YOUR ABSTRACT, DEEDS, CONTRACTS AND ZONING ORDINANCES.

RECEIVED
AUG 2 9 2013
PLATS & LEGALS

STATE OF ILLINOIS)
)SS
COUNTY OF COOK)

THIS IS TO CERTIFY THAT WE, SPACECO, INC. AN ILLINOIS PROFESSIONAL DESIGN FIRM LAND SURVEYING CORPORATION, NUMBER 184-001157, HAVE SURVEYED THE PLAT OF HIGHWAYS SHOWN HEREON IN SECTIONS 15, 16, 17, 20, 21 AND 22 TOWNSHIP 36 NORTH, RANGE 11 EAST OF THE THIRD PRINCIPAL MERIDIAN, WILL COUNTY. THAT THE SURVEY IS TRUE AND COMPLETE AS SHOWN TO THE BEST OF MY KNOWLEDGE AND BELIEF, THAT THE PLAT CORRECTLY REPRESENTS SAID SURVEY, THAT ALL MONUMENTS FOUND AND ESTABLISHED ARE OF PERMANENT QUALITY AND OCCUPY THE POSITIONS SHOWN THEREON AND THAT THE MONUMENTS ARE SUFFICIENT TO ENABLE THE SURVEY TO BE RETRACED, MADE FOR THE DEPARTMENT OF TRANSPORTATION, STATE OF ILLINOIS.

DATED THIS _____ DAY OF _____ 20____ A.D, AT ROSEMONT, ILLINOIS

_____
REBECCA Y. POPECK
ILLINOIS PROFESSIONAL LAND SURVEYOR NO. 035-003642
LICENSE EXPIRATION DATE: NOVEMBER 30, 2014

THIS PROFESSIONAL SERVICE CONFORMS TO THE CURRENT ILLINOIS MINIMUM STANDARDS FOR A BOUNDARY SURVEY.

CONTRACT NO. 60X92 SHEET 127 OF 207

SPACECO INC.
CONSULTING ENGINEERS
SITE DEVELOPMENT ENGINEERS
LAND SURVEYORS
9575 W. Higgins Road, Suite 700, Rosemont, Illinois 60018
Phone: (847) 696-4060 Fax: (847) 696-4065

PLAT OF HIGHWAYS

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION
US ROUTE 6/IL ROUTE 7 (159TH ST)

SECTION: GOUGAR RD TO W. PARKER RD COUNTY: WILL
PROJECT: I-355 EXT. TO WILL-COOK RD JOB NO.: R-91-023-97
STATION 91+03.03 TO STATION 104+18.90
SCALE: 1" = 100' SHEET 11 OF 54

BUREAU OF LAND ACQUISITION
201 WEST CENTER COURT
SCHAUMBURG, ILLINOIS 60196

05/10/2012
REVISION DATE: 02/27/2012

STATION/OFFSET TABLE
REVISION: IDOT COMMENTS PER EMAIL ON 02/22/2012

SDS
MADE BY: SDS

US ROUTE 6/IL ROUTE 7 (159TH STREET) SECTION: GOUGAR ROAD TO W. PARKER ROAD WILL COUNTY JOB NO.: R-91-023-97 RECORDING REQUESTED BY

PART OF THE SOUTHEAST QUARTER OF SECTION 16
TWP. 36 N., R. 11 E. OF THE 3RD. P.M., IN WILL COUNTY, ILLINOIS.

PARCEL NUMBER	OWNER	TOTAL HOLDINGS ACRES	PART TAKEN ACRES	AREA IN EXISTING R.O.W. ACRES	REMAINDER AREA ACRES	EASEMENT AREA ACRES	EASEMENT PURPOSE	PERMANENT INDEX NUMBER	PROPERTY ACQUIRED BY
1JD0019	HERITAGE FIRST NATIONAL BANK OF LOCKPORT, OR ITS SUCCESSOR IN TRUST, AS TRUSTEE UNDER TRUST AGREEMENT, DATED THE 18TH DAY OF SEPTEMBER, 1987, AND KNOWN AS TRUST NUMBER 72-20270	52.500	2.353	1.451	50.147			16-05-16-400-003	



SEE SHEET 13 FOR TOTAL HOLDING

COORDINATE/STATION TABLE

Point	Northing	Easting	Station	Offset	
145	1796838.64	1082698.43	104+18.90	74.30	L
146	1796862.36	1083379.94	111+00.75	74.31	L
147	1796872.36	1083379.59	111+00.75	84.31	L
148	1796894.29	1084013.10	117+34.63	84.52	L
149	1796807.98	1084015.92	117+34.49	1.83	R
150	1796848.87	1082990.07	107+10.72	74.26	L

LEGEND

- LIGHT
- FIRE HYDRANT
- AUXILIARY VALVE
- BUFFALO BOX
- WATER VALVE
- CATCH BASIN
- INLET
- STORM MANHOLE
- SANITARY MANHOLE
- UNIDENTIFIED MANHOLE
- FLARED END SECTION
- SIGN
- MAILBOX

BX BUILDING CORNER
CLF CHAIN LINK FENCE
CMP CORRUGATED METAL PIPE
CONC CONCRETE
CO CLEAN-OUT
ELEC ELECTRIC
GM GAS METER
IP IRON PIPE
IR IRON ROD
MON MONUMENT
RCP REINFORCED CONC PIPE

9 10 / 16 15 SECTION CORNER

16 15 QUARTER SECTION CORNER

N

GRAPHIC SCALE FEET
0 50,100
SCALE: 1" = 50'

- SECTION LINE
- QUARTER SECTION LINE
- QUARTER, QUARTER SECTION LINE
- PLATTED LOT LINES
- IP PROPERTY (DEED) LINE
- APL APPARENT PROPERTY LINE
- CENTERLINE
- EXISTING RIGHT OF WAY LINE
- PROPOSED RIGHT OF WAY LINE
- PROPOSED EASEMENT
- PROPOSED CENTERLINE
- 129.32' MEASURED DIMENSION
- 129.32' (COMP) COMPUTED DIMENSION
- (129.32') RECORDED DIMENSION
- EXISTING BUILDING

Bearings are referenced to the Illinois State Plane Coordinate Grid System, NAD83, East Zone, as provided by the Illinois Department of Transportation.

- ● IRON PIPE OR ROD FOUND ○ REPLACED AFTER CONSTRUCTION
- \+ CUT CROSS FOUND OR SET
- ● T1 T2 T3 THESE STAKES REFERENCE FOUND OR SET MONUMENTATION. SET 5/8 INCH IRON ROD FLUSH WITH GROUND TO TIE FOUND IRON STAKE IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYORS REGISTRATION NUMBER.
- ● BT1 BT2 BT3 THESE STAKES, IN CULTIVATED AREAS, REFERENCE FOUND OR SET MONUMENTATION. BURIED 5/8 INCH IRON ROD 20 INCHES BELOW GROUND TO TIE FOUND IRON STAKE. IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYORS REGISTRATION NUMBER.
- ■ STAKING OF PROPOSED RIGHT OF WAY. SET DIVISION OF HIGHWAYS SURVEY MARKER TO MONUMENT THE POSITION SHOWN. IDENTIFIED BY INSCRIPTION DATA AND SURVEYORS REGISTRATION NUMBER.
- ■ M STAKING OF PROPOSED RIGHT OF WAY IN CULTIVATED AREAS. BURIED 5/8 INCH METAL ROD 20 INCHES BELOW GROUND TO MARK FUTURE SURVEY MARKER POSITION IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYORS REGISTRATION NUMBER.
- ⊕ PERMANENT SURVEY MARKER, I.D.O.T. STANDARD 2135 (TO BE SET BY OTHERS)
- □ RIGHT OF WAY STAKING PROPOSED TO BE SET

PROJECT COORDINATE VALUES AND BEARINGS ARE GROUND AND BASED ON ILLINOIS STATE PLANE, EAST ZONE. REFERENCE ELLIPSOID, WGS 1984 WITH A COMBINED SCALE FACTOR OF 0.9999544733.

NOTES:

1. ALL STATIONING SHOWN HEREON ARE GROUND DISTANCES IN FEET.
2. ALL OFFSETS ARE SHOWN HEREON ARE GROUND DISTANCES IN FEET.
3. ANY DISCREPANCY IN MEASUREMENT DISCOVERED UPON THE GROUND SHOULD BE PROMPTLY REPORTED TO THE SURVEYOR FOR EXPLANATION OR CORRECTION.
4. FOR BUILDING LINE AND OTHER RESTRICTIONS NOT SHOWN HEREON, REFER TO YOUR ABSTRACT, DEEDS, CONTRACTS AND ZONING ORDINANCES.

05/10/2012
REVISION DATE: 02/27/2012

STATION/OFFSET TABLE
REVISION: IDOT COMMENTS PER EMAIL ON 02/22/2012

MADE BY: SDS
SDS

STATE OF ILLINOIS)
)SS
COUNTY OF COOK)

THIS IS TO CERTIFY THAT WE, SPACECO, INC. AN ILLINOIS PROFESSIONAL DESIGN FIRM LAND SURVEYING CORPORATION, NUMBER 184-001157, HAVE SURVEYED THE PLAT OF HIGHWAYS SHOWN HEREON IN SECTIONS 15, 16, 17, 20, 21 AND 22 TOWNSHIP 36 NORTH, RANGE 11 EAST OF THE THIRD PRINCIPAL MERIDIAN, WILL COUNTY, THAT THE SURVEY IS TRUE AND COMPLETE AS SHOWN TO THE BEST OF MY KNOWLEDGE AND BELIEF, THAT THE PLAT CORRECTLY REPRESENTS SAID SURVEY, THAT ALL MONUMENTS FOUND AND ESTABLISHED ARE OF PERMANENT QUALITY AND OCCUPY THE POSITIONS SHOWN THEREON AND THAT THE MONUMENTS ARE SUFFICIENT TO ENABLE THE SURVEY TO BE RETRACED, MADE FOR THE DEPARTMENT OF TRANSPORTATION, STATE OF ILLINOIS.

DATED THIS _____ DAY OF _____ 20____ A.D, AT ROSEMONT, ILLINOIS

_____
REBECCA Y. POPECK
ILLINOIS PROFESSIONAL LAND SURVEYOR NO. 035-003642
LICENSE EXPIRATION DATE: NOVEMBER 30, 2014

THIS PROFESSIONAL SERVICE CONFORMS TO THE CURRENT ILLINOIS MINIMUM STANDARDS FOR A BOUNDARY SURVEY.

RECEIVED
AUG 29 2013
PLATS & LEGALS

CONTRACT NO. 60X92 SHEET 128 OF 207

SPACECO INC.
CONSULTING ENGINEERS
SITE DEVELOPMENT ENGINEERS
LAND SURVEYORS
9575 W. Higgins Road, Suite 700,
Rosemont, Illinois 60018
Phone: (847) 696-4060 Fax: (847) 696-4065

PLAT OF HIGHWAYS

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION
US ROUTE 6/IL ROUTE 7 (159TH ST)

SECTION: GOUGAR RD TO W. PARKER RD COUNTY: WILL
PROJECT: I-355 EXT. TO WILL-COOK RD JOB NO.: R-91-023-97
STATION 104+18.90 TO STATION 117+34.63
SCALE: 1" = 50' SHEET 12 OF 54

BUREAU OF LAND ACQUISITION
201 WEST CENTER COURT
SCHAUMBURG, ILLINOIS 60196

US ROUTE 6/IL ROUTE 7 (159TH STREET) SECTION: COUGAR ROAD TO W. PARKER ROAD WILL COUNTY JOB NO.: R-91-023-97 RECORDING: RECORDED ON

SOUTHEAST QUARTER OF SECTION 16 TWP. 44 N., R. 11 E. OF THE 3RD. P.M., IN WILL COUNTY, ILLINOIS.



LEGEND

SECTION CORNER (9 10 / 16 15)

QUARTER SECTION CORNER (15 — 15)

GRAPHIC SCALE
FEET
0 200 400
SCALE: 1" = 200'

N

———	SECTION LINE
— - —	QUARTER SECTION LINE
— - —	QUARTER, QUARTER SECTION LINE
———	PLATTED LOT LINES
——℄——	PROPERTY (DEED) LINE
——APL——	APPARENT PROPERTY LINE
— - —	CENTERLINE
——— ———	EXISTING RIGHT OF WAY LINE
——— ———	PROPOSED RIGHT OF WAY LINE
— — — —	PROPOSED EASEMENT
——— - ———	PROPOSED CENTERLINE
129.32'	MEASURED DIMENSION
129.32' (COMP)	COMPUTED DIMENSION
(129.32')	RECORDED DIMENSION
▨	EXISTING BUILDING

Bearings are referenced to the Illinois State Plane Coordinate Grid System, NAD83, East Zone, as provided by the Illinois Department of Transportation.

- ● IRON PIPE OR ROD FOUND ○ REPLACED AFTER CONSTRUCTION
- \+ CUT CROSS FOUND OR SET
- ● T1 T2 T3 **THESE STAKES REFERENCE FOUND OR SET MONUMENTATION.** SET 5/8 INCH IRON ROD FLUSH WITH GROUND TO TIE FOUND IRON STAKE IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYORS REGISTRATION NUMBER.
- ● BT1 BT2 BT3 **THESE STAKES, IN CULTIVATED AREAS, REFERENCE FOUND OR SET MONUMENTATION.** BURIED 5/8 INCH IRON ROD 20 INCHES BELOW GROUND TO TIE FOUND IRON STAKE. IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYORS REGISTRATION NUMBER.
- ■ **STAKING OF PROPOSED RIGHT OF WAY.** SET DIVISION OF HIGHWAYS SURVEY MARKER TO MONUMENT THE POSITION SHOWN. IDENTIFIED BY INSCRIPTION DATA AND SURVEYORS REGISTRATION NUMBER.
- ■ M **STAKING OF PROPOSED RIGHT OF WAY IN CULTIVATED AREAS.** BURIED 5/8 INCH METAL ROD 20 INCHES BELOW GROUND TO MARK FUTURE SURVEY MARKER POSITION IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYORS REGISTRATION NUMBER.
- ◒ PERMANENT SURVEY MARKER, I.D.O.T. STANDARD 2135 (TO BE SET BY OTHERS)
- □ RIGHT OF WAY STAKING PROPOSED TO BE SET

RECEIVED
AUG 2 9 2013
PLATS & LEGALS

STATE OF ILLINOIS)
)SS
COUNTY OF COOK)

THIS IS TO CERTIFY THAT WE, SPACECO, INC. AN ILLINOIS PROFESSIONAL DESIGN FIRM LAND SURVEYING CORPORATION, NUMBER 184-001157, HAVE SURVEYED THE PLAT OF HIGHWAYS SHOWN HEREON IN SECTIONS 15, 16, 17, 20, 21 AND 22 TOWNSHIP 36 NORTH, RANGE 11 EAST OF THE THIRD PRINCIPAL MERIDIAN, WILL COUNTY, THAT THE SURVEY IS TRUE AND COMPLETE AS SHOWN TO THE BEST OF MY KNOWLEDGE AND BELIEF, THAT THE PLAT CORRECTLY REPRESENTS SAID SURVEY, THAT ALL MONUMENTS FOUND AND ESTABLISHED ARE OF PERMANENT QUALITY AND OCCUPY THE POSITIONS SHOWN THEREON AND THAT THE MONUMENTS ARE SUFFICIENT TO ENABLE THE SURVEY TO BE RETRACED, MADE FOR THE DEPARTMENT OF TRANSPORTATION, STATE OF ILLINOIS.

DATED THIS _____ DAY OF _____ 20____ A.D, AT ROSEMONT, ILLINOIS

_____
REBECCA Y. POPECK
ILLINOIS PROFESSIONAL LAND SURVEYOR NO. 035-003642
LICENSE EXPIRATION DATE: NOVEMBER 30, 2014

THIS PROFESSIONAL SERVICE CONFORMS TO THE CURRENT ILLINOIS MINIMUM STANDARDS FOR A BOUNDARY SURVEY.

05/10/2012
REVISION DATE: 02/27/2012

REVISED PROPOSED ℄ STATIONING
REVISION: IDOT COMMENTS PER EMAIL ON 02/22/2012

SDS
MADE BY: SDS

CONTRACT NO. 60X92 SHEET 129 OF 207

SPACECO INC.
CONSULTING ENGINEERS
SITE DEVELOPMENT ENGINEERS
LAND SURVEYORS
9575 W. Higgins Road, Suite 700,
Rosemont, Illinois 60018
Phone: (847) 696-4060 Fax: (847) 696-4065

PLAT OF HIGHWAYS

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION
US ROUTE 6/IL ROUTE 7 (159TH ST)

SECTION: GOUGAR RD TO W. PARKER RD COUNTY: WILL
PROJECT: I-355 EXT. TO WILL-COOK RD JOB NO.: R-91-023-97
STATION 91+03.03 TO STATION 117+34.63
SCALE: 1" - 200' SHEET 13 OF 54

BUREAU OF LAND ACQUISITION
201 WEST CENTER COURT
SCHAUMBURG, ILLINOIS 60196

US ROUTE 6/IL ROUTE 7 (159TH STREET) SECTION: GOUGAR ROAD TO W. PARKER ROAD WILL COUNTY JOB NO. R-91-023-97 RECORDING RECORDED ON

PART OF THE WEST HALF OF THE SOUTHWEST QUARTER OF SECTION 15 TWP. 36 N., R. 11 E. OF THE 3RD. P.M., IN WILL COUNTY, ILLINOIS.

PARCEL NUMBER	OWNER	TOTAL HOLDINGS ACRES	PART TAKEN ACRES	AREA IN EXISTING R.O.W. ACRES	REMAINDER AREA ACRES	EASEMENT AREA ACRES	EASEMENT PURPOSE	PERMANENT INDEX NUMBER	PROPERTY ACQUIRED BY
1JD0020	EARL R. HILLER AND MERNA MAE HILLER, HUSBAND AND WIFE, AS JOINT TENANTS	20.342	0.638	0.393	19.704			16-05-15-300-003	
1JD0020TE						0.059	TEMPORARY	16-05-15-300-016	

COORDINATE/STATION TABLE

Point	Northing	Easting	Station	Offset	
149	1796807.98	1084015.92	117+34.49	1.83	R
154	1796925.75	1085008.73	127+30.76	81.84	L
155	1796937.30	1085342.62	130+64.85	81.95	L
171	1796932.98	1085217.69	129+39.84	81.91	L
172	1796975.96	1085216.32	129+39.94	124.91	L
173	1796978.03	1085276.28	129+99.94	124.93	L
174	1796935.06	1085277.77	129+99.96	81.93	L
186	1796854.18	1085345.33	130+64.70	1.22	R



DETAIL
1" = 50'

- ● IRON PIPE OR ROD FOUND ○ REPLACED AFTER CONSTRUCTION
- \+ CUT CROSS FOUND OR SET
- ● T1 T2 T3 THESE STAKES REFERENCE FOUND OR SET MONUMENTATION. SET 5/8 INCH IRON ROD FLUSH WITH GROUND TO TIE FOUND IRON STAKE IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYORS REGISTRATION NUMBER.
- • BT1 BT2 BT3 THESE STAKES, IN CULTIVATED AREAS, REFERENCE FOUND OR SET MONUMENTATION. BURIED 5/8 INCH IRON ROD 20 INCHES BELOW GROUND TO TIE FOUND IRON STAKE. IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYORS REGISTRATION NUMBER.
- ■ STAKING OF PROPOSED RIGHT OF WAY. SET DIVISION OF HIGHWAYS SURVEY MARKER TO MONUMENT THE POSITION SHOWN. IDENTIFIED BY INSCRIPTION DATA AND SURVEYORS REGISTRATION NUMBER.
- ■ M STAKING OF PROPOSED RIGHT OF WAY IN CULTIVATED AREAS. BURIED 5/8 INCH METAL ROD 20 INCHES BELOW GROUND TO MARK FUTURE SURVEY MARKER POSITION IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYORS REGISTRATION NUMBER.
- ◓ PERMANENT SURVEY MARKER, I.D.O.T. STANDARD 2135 (TO BE SET BY OTHERS)
- □ RIGHT OF WAY STAKING PROPOSED TO BE SET

LEGEND

- LIGHT
- FIRE HYDRANT
- AUXILIARY VALVE
- BUFFALO BOX
- WATER VALVE
- CATCH BASIN
- INLET
- STORM MANHOLE
- SANITARY MANHOLE
- UNIDENTIFIED MANHOLE
- FLARED END SECTION
- SIGN
- MAILBOX

BX BUILDING CORNER
CLF CHAIN LINK FENCE
CMP CORRUGATED METAL PIPE
CONC CONCRETE
CO CLEAN-OUT
ELEC ELECTRIC
GM GAS METER
IP IRON PIPE
IR IRON ROD
MON MONUMENT
RCP REINFORCED CONC PIPE

SECTION CORNER (9 10 / 16 15) — QUARTER SECTION CORNER (16 — 15)

- SECTION LINE
- QUARTER SECTION LINE
- QUARTER, QUARTER SECTION LINE
- PLATTED LOT LINES
- PROPERTY (DEED) LINE
- APPARENT PROPERTY LINE
- CENTERLINE
- EXISTING RIGHT OF WAY LINE
- PROPOSED RIGHT OF WAY LINE
- PROPOSED EASEMENT
- PROPOSED CENTERLINE
- 129.32' MEASURED DIMENSION
- 129.32' (COMP) COMPUTED DIMENSION
- (129.32') RECORDED DIMENSION
- EXISTING BUILDING

N

GRAPHIC SCALE FEET
0 50 100
SCALE: 1" = 50'

Bearings are referenced to the Illinois State Plane Coordinate Grid System, NAD83, East Zone, as provided by the Illinois Department of Transportation.



PROJECT COORDINATE VALUES AND BEARINGS ARE GROUND AND BASED ON ILLINOIS STATE PLANE, EAST ZONE. REFERENCE ELLIPSOID, WGS 1984 WITH A COMBINED SCALE FACTOR OF 0.9999544733.

NOTES:

1. ALL STATIONING SHOWN HEREON ARE GROUND DISTANCES IN FEET.
2. ALL OFFSETS ARE SHOWN HEREON ARE GROUND DISTANCES IN FEET.
3. ANY DISCREPANCY IN MEASUREMENT DISCOVERED UPON THE GROUND SHOULD BE PROMPTLY REPORTED TO THE SURVEYOR FOR EXPLANATION OR CORRECTION.
4. FOR BUILDING LINE AND OTHER RESTRICTIONS NOT SHOWN HEREON, REFER TO YOUR ABSTRACT, DEEDS, CONTRACTS AND ZONING ORDINANCES.

05/10/2012
REVISION DATE: 02/27/2012

STATION/OFFSET TABLE
REVISION: IDOT COMMENTS PER EMAIL ON 02/22/2012

SDS
MADE BY: SDS

RECEIVED
AUG 2 9 2013

PLATS & LEGALS

STATE OF ILLINOIS)
)SS
COUNTY OF COOK)

THIS IS TO CERTIFY THAT WE, SPACECO, INC. AN ILLINOIS PROFESSIONAL DESIGN FIRM LAND SURVEYING CORPORATION, NUMBER 184-001157, HAVE SURVEYED THE PLAT OF HIGHWAYS SHOWN HEREON IN SECTIONS 15, 16, 17, 20, 21 AND 22 TOWNSHIP 36 NORTH, RANGE 11 EAST OF THE THIRD PRINCIPAL MERIDIAN, WILL COUNTY, THAT THE SURVEY IS TRUE AND COMPLETE AS SHOWN TO THE BEST OF MY KNOWLEDGE AND BELIEF, THAT THE PLAT CORRECTLY REPRESENTS SAID SURVEY, THAT ALL MONUMENTS FOUND AND ESTABLISHED ARE OF PERMANENT QUALITY AND OCCUPY THE POSITIONS SHOWN THEREON AND THAT THE MONUMENTS ARE SUFFICIENT TO ENABLE THE SURVEY TO BE RETRACED, MADE FOR THE DEPARTMENT OF TRANSPORTATION, STATE OF ILLINOIS.

DATED THIS _____ DAY OF _____ 20____ A.D. AT ROSEMONT, ILLINOIS

_____
REBECCA Y. POPECK
ILLINOIS PROFESSIONAL LAND SURVEYOR NO. 035-003642
LICENSE EXPIRATION DATE: NOVEMBER 30, 2014

THIS PROFESSIONAL SERVICE CONFORMS TO THE CURRENT ILLINOIS MINIMUM STANDARDS FOR A BOUNDARY SURVEY.

CONTRACT NO. 60X92 SHEET 130 OF 207

SPACECO INC.
CONSULTING ENGINEERS
SITE DEVELOPMENT ENGINEERS
LAND SURVEYORS
9575 W. Higgins Road, Suite 700, Rosemont, Illinois 60018
Phone: (847) 696-4060 Fax: (847) 696-4065

PLAT OF HIGHWAYS

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION
US ROUTE 6/IL ROUTE 7 (159TH ST)

SECTION: COUGAR RD TO W. PARKER RD COUNTY: WILL
PROJECT: I-355 EXT. TO WILL-COOK RD JOB NO.: R-91-023-97
STATION 117+34.49 TO STATION 130+64.85
SCALE: 1" = 50' SHEET 14 OF 54

BUREAU OF LAND ACQUISITION
201 WEST CENTER COURT
SCHAUMBURG, ILLINOIS 60196

US ROUTE 6/IL ROUTE 7 (159TH STREET) SECTION: COUGAR ROAD TO W. PARKER ROAD WILL COUNTY JOB NO.: R-91-023-97 DESIGNED - DESIGNED BY

PART OF THE EAST HALF OF THE SOUTHWEST QUARTER OF SECTION 15 TWP. 36 N., R. 11 E. OF THE 3RD. P.M., IN WILL COUNTY, ILLINOIS.

PARCEL NUMBER	OWNER	TOTAL HOLDINGS ACRES	PART TAKEN ACRES	AREA IN EXISTING R.O.W. ACRES	REMAINDER AREA ACRES	EASEMENT AREA ACRES	EASEMENT PURPOSE	PERMANENT INDEX NUMBER	PROPERTY ACQUIRED BY
1JD0021	SALVATORE HENRY CASSELLO, AS TRUSTEE OF THE SALVATORE	18.000	0.451	0.255	17.549			16-05-15-300-010	
1JD0021TE	HENRY CASSELLO DECLARATION OF TRUST DATED MARCH 12, 1999 AS TO AN UNDIVIDED 50% INTEREST AND BRIDGET MARY CASSELLO, AS TRUSTEE OF THE BRIDGET MARY CASSELLO DECLARATION OF TRUST DATED MARCH 12, 1999 AS TO AN UNDIVIDED 50% INTEREST					0.107	TEMPORARY	16-05-15-300-011	
1JD0022	DONALD JUNGLES	2.007	0.162	0.000	1.845			16-05-15-300-013 16-05-15-300-006	
1JD0023	STANDARD BANK AND TRUST COMPANY, AS TRUSTEE UNDER TRUST	42.635	0.779	0.535	41.856			16-05-15-300-007	
1JD0023TE	AGREEMENT DATED THE 18TH DAY OF APRIL, 1966 AND KNOWN AS TRUST NUMBER 2860					0.021	TEMPORARY	16-05-15-300-012	
1JD0024	FIRST NATIONAL BANK OF LOCKPORT, AS TRUSTEE UNDER TRUST	17.000	0.198	0.153	16.802			16-05-15-300-008	
1JD0024TE	AGREEMENT DATED THE 25TH DAY OF OCTOBER, 1988 AND KNOWN AS TRUST NUMBER 72-20940					0.011	TEMPORARY		
1JD0025	WILLIAM DAVIS AND SANDRA DAVIS, HUSBAND AND WIFE, AS JOINT TENANTS	1.000	0.250	0.193	0.750			16-05-15-300-009	

PROJECT COORDINATE VALUES AND BEARINGS ARE GROUND AND BASED ON ILLINOIS STATE PLANE, EAST ZONE. REFERENCE ELLIPSOID, WGS 1984 WITH A COMBINED SCALE FACTOR OF 0.9999544733.

NOTES:

1. ALL STATIONING SHOWN HEREON ARE GROUND DISTANCES IN FEET.
2. ALL OFFSETS ARE SHOWN HEREON ARE GROUND DISTANCES IN FEET.
3. ANY DISCREPANCY IN MEASUREMENT DISCOVERED UPON THE GROUND SHOULD BE PROMPTLY REPORTED TO THE SURVEYOR FOR EXPLANATION OR CORRECTION.
4. FOR BUILDING LINE AND OTHER RESTRICTIONS NOT SHOWN HEREON, REFER TO YOUR ABSTRACT, DEEDS, CONTRACTS AND ZONING ORDINANCES.





DETAIL
1" = 50'



DETAIL
1" = 50'

● IRON PIPE OR ROD FOUND ○ REPLACED AFTER CONSTRUCTION
\+ CUT CROSS FOUND OR SET
● T1, T2, T3 THESE STAKES REFERENCE FOUND OR SET MONUMENTATION. SET 5/8 INCH IRON ROD FLUSH WITH GROUND TO TIE FOUND IRON STAKE IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYORS REGISTRATION NUMBER.
● BT1, BT2, BT3 THESE STAKES, IN CULTIVATED AREAS, REFERENCE FOUND OR SET MONUMENTATION. BURIED 5/8 INCH IRON ROD 20 INCHES BELOW GROUND TO THE FOUND IRON STAKE. IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYORS REGISTRATION NUMBER.
■ STAKING OF PROPOSED RIGHT OF WAY. SET DIVISION OF HIGHWAYS SURVEY MARKER TO MONUMENT THE POSITION SHOWN. IDENTIFIED BY INSCRIPTION DATA AND SURVEYORS REGISTRATION NUMBER.
■ M STAKING OF PROPOSED RIGHT OF WAY IN CULTIVATED AREAS. BURIED 5/8 INCH METAL ROD 20 INCHES BELOW GROUND TO MARK FUTURE SURVEY MARKER POSITION IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYORS REGISTRATION NUMBER.
PERMANENT SURVEY MARKER, I.D.O.T. STANDARD 2135 (TO BE SET BY OTHERS)
□ RIGHT OF WAY STAKING PROPOSED TO BE SET

COORDINATE/STATION TABLE

Point	Northing	Easting	Station	Offset	
155	1796937.30	1085342.62	130+64.85	81.95	L
156	1796938.99	1085391.49	131+13.75	81.96	L
157	1796922.00	1085392.08	131+13.75	64.96	L
158	1796923.91	1085447.05	131+68.75	64.98	L
159	1796913.91	1085447.39	131+68.76	54.98	L
160	1796916.85	1085532.34	132+53.76	55.01	L
161	1796926.85	1085532.00	132+53.75	65.01	L
162	1796930.20	1085528.94	133+50.75	65.04	L
163	1796940.20	1085528.59	133+50.75	75.04	L
164	1796940.53	1085538.28	133+60.44	75.04	L
165	1796950.33	1085521.47	136+43.80	75.13	L
166	1796963.41	1086299.35	140+21.91	75.26	L
167	1796953.42	1086299.69	140+21.91	65.26	L
168	1796956.13	1086378.03	141+00.29	65.28	L
169	1796960.65	1086508.52	142+30.87	65.32	L
170	1796966.36	1086573.42	143+95.87	65.37	L
175	1796941.99	1085391.39	131+13.75	84.96	L
176	1796948.56	1085581.27	133+03.75	85.02	L
177	1796928.58	1085581.97	133+03.75	65.02	L
178	1796956.25	1086092.31	138+14.75	75.19	L
179	1796971.24	1086091.79	138+14.75	90.19	L
180	1796973.31	1086151.76	138+74.75	90.21	L
181	1796958.32	1086152.28	138+74.75	75.21	L
182	1796956.46	1086387.48	141+09.75	65.28	L
183	1796966.45	1086387.14	141+09.75	75.28	L
184	1796968.18	1086437.11	141+59.75	75.30	L
185	1796958.19	1086437.45	141+59.75	65.30	L
186	1796854.18	1085345.33	130+64.70	1.22	R
187	1796900.40	1086575.61	143+95.79	0.62	R

◁ FLARED END SECTION
SIGN
BX BUILDING CORNER
CLF CHAIN LINK FENCE
CMP CORRUGATED METAL PIPE
CONC CONCRETE
ELEC ELECTRIC
GM GAS METER
IP IRON PIPE
IR IRON ROD
MON MONUMENT
RCP REINFORCED CONC PIPE

05/10/2012
REVISION DATE: 02/27/2012

STATION/OFFSET TABLE
REVISION: IDOT COMMENTS PER EMAIL ON 02/22/2012
MADE BY: SDS SDS

LEGEND

SECTION CORNER
QUARTER SECTION CORNER
SECTION LINE
QUARTER SECTION LINE
QUARTER, QUARTER SECTION LINE
PLATTED LOT LINES
PROPERTY (DEED) LINE
APPARENT PROPERTY LINE
CENTERLINE
EXISTING RIGHT OF WAY LINE
PROPOSED RIGHT OF WAY LINE
PROPOSED EASEMENT
PROPOSED CENTERLINE
129.32' MEASURED DIMENSION
129.32' (COMP) COMPUTED DIMENSION
(129.32') RECORDED DIMENSION
EXISTING BUILDING

Bearings are referenced to the Illinois State Plane Coordinate Grid System, NAD83, East Zone, as provided by the Illinois Department of Transportation.

N

GRAPHIC SCALE FEET
0 50.100
SCALE: 1" = 50'

RECEIVED
AUG 2 9 2013

STATE OF ILLINOIS)
)SS
COUNTY OF COOK)

PLATS & LEGALS

THIS IS TO CERTIFY THAT WE, SPACECO, INC. AN ILLINOIS PROFESSIONAL DESIGN FIRM LAND SURVEYING CORPORATION, NUMBER 184-001157, HAVE SURVEYED THE PLAT OF HIGHWAYS SHOWN HEREON IN SECTIONS 15, 16, 17, 20, 21 AND 22 TOWNSHIP 36 NORTH, RANGE 11 EAST OF THE THIRD PRINCIPAL MERIDIAN, WILL COUNTY, THAT THE SURVEY IS TRUE AND COMPLETE AS SHOWN TO THE BEST OF MY KNOWLEDGE AND BELIEF, THAT THE PLAT CORRECTLY REPRESENTS SAID SURVEY, THAT ALL MONUMENTS FOUND AND ESTABLISHED ARE OF PERMANENT QUALITY AND OCCUPY THE POSITIONS SHOWN THEREON AND THAT THE MONUMENTS ARE SUFFICIENT TO ENABLE THE SURVEY TO BE RETRACED, MADE FOR THE DEPARTMENT OF TRANSPORTATION, STATE OF ILLINOIS.

DATED THIS _____ DAY OF _____ 20____ A.D, AT ROSEMONT, ILLINOIS

_____
REBECCA Y. POPECK
ILLINOIS PROFESSIONAL LAND SURVEYOR NO. 035-003642
LICENSE EXPIRATION DATE: NOVEMBER 30, 2014

THIS PROFESSIONAL SERVICE CONFORMS TO THE CURRENT ILLINOIS MINIMUM STANDARDS FOR A BOUNDARY SURVEY.

CONTRACT NO. 60X92 SHEET 131 OF 207

SPACECO INC.
CONSULTING ENGINEERS
SITE DEVELOPMENT ENGINEERS
LAND SURVEYORS
9575 W. Higgins Road, Suite 700, Rosemont, Illinois 60018
Phone: (847) 696-4060 Fax: (847) 696-4065

PLAT OF HIGHWAYS

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION
US ROUTE 6/IL ROUTE 7 (159TH ST)

SECTION: GOUGAR RD TO W. PARKER RD COUNTY: WILL
PROJECT: I-355 EXT. TO WILL-COOK RD JOB NO.: R-91-023-97
STATION 130+64.85 TO STATION 143+95.87
SCALE: 1" = 50' SHEET 15 OF 54

BUREAU OF LAND ACQUISITION
201 WEST CENTER COURT
SCHAUMBURG, ILLINOIS 60196

US ROUTE 6/ILL. ROUTE 7 (159TH STREET) SECTION COUGAR ROAD TO W. PARKER ROAD WILL COUNTY JOB NO. R-91-023-97 RECORDING REQUESTED BY

SOUTHWEST QUARTER OF SECTION 15 TWP. 36 N., R. 11 E. OF THE 3RD. P.M., IN WILL COUNTY, ILLINOIS.



LEGEND

SECTION CORNER

QUARTER SECTION CORNER

- SECTION LINE
- QUARTER SECTION LINE
- QUARTER, QUARTER SECTION LINE
- PLATTED LOT LINES
- PROPERTY (DEED) LINE
- APPARENT PROPERTY LINE
- CENTERLINE
- EXISTING RIGHT OF WAY LINE
- PROPOSED RIGHT OF WAY LINE
- PROPOSED EASEMENT
- PROPOSED CENTERLINE
- 129.32' MEASURED DIMENSION
- 129.32' (COMP) COMPUTED DIMENSION
- (129.32') RECORDED DIMENSION
- EXISTING BUILDING

GRAPHIC SCALE FEET
0 200,400
SCALE: 1" = 200'

Bearings are referenced to the Illinois State Plane Coordinate Grid System, NAD83, East Zone, as provided by the Illinois Department of Transportation.

- ● IRON PIPE OR ROD FOUND ○ REPLACED AFTER CONSTRUCTION
- \+ CUT CROSS FOUND OR SET
- • TI, T2, T3 **THESE STAKES REFERENCE FOUND OR SET MONUMENTATION.** SET 5/8 INCH IRON ROD FLUSH WITH GROUND TO TIE FOUND IRON STAKE IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYORS REGISTRATION NUMBER.
- • BT1, BT2, BT3 **THESE STAKES, IN CULTIVATED AREAS, REFERENCE FOUND OR SET MONUMENTATION.** BURIED 5/8 INCH IRON ROD 20 INCHES BELOW GROUND TO TIE FOUND IRON STAKE. IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYORS REGISTRATION NUMBER.
- ■ **STAKING OF PROPOSED RIGHT OF WAY.** SET DIVISION OF HIGHWAYS SURVEY MARKER TO MONUMENT THE POSITION SHOWN. IDENTIFIED BY INSCRIPTION DATA AND SURVEYORS REGISTRATION NUMBER.
- ■ M **STAKING OF PROPOSED RIGHT OF WAY IN CULTIVATED AREAS.** BURIED 5/8 INCH METAL ROD 20 INCHES BELOW GROUND TO MARK FUTURE SURVEY MARKER POSITION IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYORS REGISTRATION NUMBER.
- ◒ PERMANENT SURVEY MARKER, I.D.O.T. STANDARD 2135 (TO BE SET BY OTHERS)
- □ RIGHT OF WAY STAKING PROPOSED TO BE SET

05/10/2012 SDS
03/08/2012 RYP
REVISION DATE: 02/27/2012

REVISED PROPOSED ℄ STATIONING SDS
IDOT COMMENTS PER PHONE CALL ON 03/08/2012 RYP
REVISION: IDOT COMMENTS PER EMAIL ON 02/22/2012 MADE BY: SDS

RECEIVED
AUG 2 9 2013
PLATS & LEGALS

STATE OF ILLINOIS)
)SS
COUNTY OF COOK)

THIS IS TO CERTIFY THAT WE, SPACECO, INC. AN ILLINOIS PROFESSIONAL DESIGN FIRM LAND SURVEYING CORPORATION, NUMBER 184-001157, HAVE SURVEYED THE PLAT OF HIGHWAYS SHOWN HEREON IN SECTIONS 15, 16, 17, 20, 21 AND 22 TOWNSHIP 36 NORTH, RANGE 11 EAST OF THE THIRD PRINCIPAL MERIDIAN, WILL COUNTY, THAT THE SURVEY IS TRUE AND COMPLETE AS SHOWN TO THE BEST OF MY KNOWLEDGE AND BELIEF, THAT THE PLAT CORRECTLY REPRESENTS SAID SURVEY, THAT ALL MONUMENTS FOUND AND ESTABLISHED ARE OF PERMANENT QUALITY AND OCCUPY THE POSITIONS SHOWN THEREON AND THAT THE MONUMENTS ARE SUFFICIENT TO ENABLE THE SURVEY TO BE RETRACED, MADE FOR THE DEPARTMENT OF TRANSPORTATION, STATE OF ILLINOIS.

DATED THIS _____ DAY OF _____ 20____ A.D, AT ROSEMONT, ILLINOIS

REBECCA Y. POPECK
ILLINOIS PROFESSIONAL LAND SURVEYOR NO. 035-003642
LICENSE EXPIRATION DATE: NOVEMBER 30, 2014

THIS PROFESSIONAL SERVICE CONFORMS TO THE CURRENT ILLINOIS MINIMUM STANDARDS FOR A BOUNDARY SURVEY.

CONTRACT NO. 60X92 SHEET 132 OF 207

SPACECO INC.
CONSULTING ENGINEERS
SITE DEVELOPMENT ENGINEERS
LAND SURVEYORS
9575 W. Higgins Road, Suite 700,
Rosemont, Illinois 60018
Phone: (847) 696-4060 Fax: (847) 696-4065

PLAT OF HIGHWAYS

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION
US ROUTE 6/IL ROUTE 7 (159TH ST)

SECTION: GOUGAR RD TO W. PARKER RD COUNTY: WILL
PROJECT: I-355 EXT. TO WILL-COOK RD JOB NO.: R-91-023-97
STATION 117+34.49 TO STATION 143+95.87
SCALE: 1" = 200' SHEET 16 OF 54

BUREAU OF LAND ACQUISITION
201 WEST CENTER COURT
SCHAUMBURG, ILLINOIS 60196

US ROUTE 6/IL ROUTE 7 (159TH STREET) SECTION: COUGAR ROAD TO W. PARKER ROAD WILL COUNTY JOB NO.: R-91-023-97 RECORDING REQUESTED BY

PART OF THE WEST HALF OF THE SOUTHEAST QUARTER OF SECTION 15 TWP. 36 N., R. 11 E. OF THE 3RD. P.M., IN WILL COUNTY, ILLINOIS.

PARCEL NUMBER	OWNER	TOTAL HOLDINGS ACRES	PART TAKEN ACRES	AREA IN EXISTING R.O.W. ACRES	REMAINDER AREA ACRES	EASEMENT AREA ACRES	EASEMENT PURPOSE	PERMANENT INDEX NUMBER	PROPERTY ACQUIRED BY
1JD0026	FRANCISCAN SISTERS OF CHICAGO, INC., AN ILLINOIS	81.218	2.295	1.529	78.923			16-05-15-401-003	
1JD0026TE	NOT-FOR-PROFIT CORPORATION					0.040	TEMPORARY		

COORDINATE/STATION TABLE

Point	Northing	Easting	Station	Offset	
170	1796966.36	1086673.42	143+95.87	65.37	L
187	1796900.40	1086675.61	143+95.79	0.62	R
188	1796976.35	1086673.09	143+95.88	75.37	L
189	1797021.65	1088007.08	157+30.64	74.89	L
199	1796947.89	1088009.58	157+30.60	1.09	L
200	1797010.29	1087672.79	153+96.15	75.01	L
201	1797035.28	1087671.94	153+96.16	100.01	L
202	1797037.66	1087741.90	154+66.16	99.99	L
203	1797012.67	1087742.74	154+66.15	74.99	L

LEGEND

- LIGHT
- FIRE HYDRANT
- AUXILIARY VALVE
- BUFFALO BOX
- WATER VALVE
- CATCH BASIN
- INLET
- STORM MANHOLE
- SANITARY MANHOLE
- UNIDENTIFIED MANHOLE
- FLARED END SECTION
- SIGN
- MAILBOX

BX BUILDING CORNER
CLF CHAIN LINK FENCE
CMP CORRUGATED METAL PIPE
CONC CONCRETE
CO CLEAN-OUT
ELEC ELECTRIC
GM GAS METER
IP IRON PIPE
IR IRON ROD
MON MONUMENT
RCP REINFORCED CONC PIPE

SECTION CORNER (9 10 16 15) — QUARTER SECTION CORNER (16 — 15)

- SECTION LINE
- QUARTER SECTION LINE
- QUARTER, QUARTER SECTION LINE
- PLATTED LOT LINES
- P — PROPERTY (DEED) LINE
- APL — APPARENT PROPERTY LINE
- CENTERLINE
- EXISTING RIGHT OF WAY LINE
- PROPOSED RIGHT OF WAY LINE
- PROPOSED EASEMENT
- PROPOSED CENTERLINE
- 129.32' MEASURED DIMENSION
- 129.32' (COMP) COMPUTED DIMENSION
- (129.32') RECORDED DIMENSION
- EXISTING BUILDING

N

GRAPHIC SCALE FEET 0 50 100

SCALE: 1" = 50'

Bearings are referenced to the Illinois State Plane Coordinate Grid System, NAD83, East Zone, as provided by the Illinois Department of Transportation.

- ● IRON PIPE OR ROD FOUND ○ REPLACED AFTER CONSTRUCTION
- \+ CUT CROSS FOUND OR SET
- ● T1 T2 T3 **THESE STAKES REFERENCE FOUND OR SET MONUMENTATION.** SET 5/8 INCH IRON ROD FLUSH WITH GROUND TO TIE FOUND IRON STAKE IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYORS REGISTRATION NUMBER.
- • BT1 BT2 BT3 **THESE STAKES, IN CULTIVATED AREAS, REFERENCE FOUND OR SET MONUMENTATION.** BURIED 5/8 INCH IRON ROD 20 INCHES BELOW GROUND TO TIE FOUND IRON STAKE. IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYORS REGISTRATION NUMBER.
- ■ **STAKING OF PROPOSED RIGHT OF WAY.** SET DIVISION OF HIGHWAYS SURVEY MARKER TO MONUMENT THE POSITION SHOWN. IDENTIFIED BY INSCRIPTION DATA AND SURVEYORS REGISTRATION NUMBER.
- ■ M **STAKING OF PROPOSED RIGHT OF WAY IN CULTIVATED AREAS.** BURIED 5/8 INCH METAL ROD 20 INCHES BELOW GROUND TO MARK FUTURE SURVEY MARKER POSITION IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYORS REGISTRATION NUMBER.
- ◔ PERMANENT SURVEY MARKER, I.D.O.T. STANDARD 2135 (TO BE SET BY OTHERS)
- □ RIGHT OF WAY STAKING PROPOSED TO BE SET



PROJECT COORDINATE VALUES AND BEARINGS ARE GROUND AND BASED ON ILLINOIS STATE PLANE, EAST ZONE. REFERENCE ELLIPSOID, WGS 1984 WITH A COMBINED SCALE FACTOR OF 0.9999544733.

NOTES:

1. ALL STATIONING SHOWN HEREON ARE GROUND DISTANCES IN FEET.
2. ALL OFFSETS ARE SHOWN HEREON ARE GROUND DISTANCES IN FEET.
3. ANY DISCREPANCY IN MEASUREMENT DISCOVERED UPON THE GROUND SHOULD BE PROMPTLY REPORTED TO THE SURVEYOR FOR EXPLANATION OR CORRECTION.
4. FOR BUILDING LINE AND OTHER RESTRICTIONS NOT SHOWN HEREON, REFER TO YOUR ABSTRACT, DEEDS, CONTRACTS AND ZONING ORDINANCES.

REVISION DATE: 05/10/2012 REVISION: STATION/OFFSET TABLE MADE BY: SDS

STATE OF ILLINOIS)
)SS
COUNTY OF COOK)

PLATS & LEGALS

THIS IS TO CERTIFY THAT WE, SPACECO, INC. AN ILLINOIS PROFESSIONAL DESIGN FIRM LAND SURVEYING CORPORATION, NUMBER 184-001157, HAVE SURVEYED THE PLAT OF HIGHWAYS SHOWN HEREON IN SECTIONS 15, 16, 17, 20, 21 AND 22 TOWNSHIP 36 NORTH, RANGE 11 EAST OF THE THIRD PRINCIPAL MERIDIAN, WILL COUNTY, THAT THE SURVEY IS TRUE AND COMPLETE AS SHOWN TO THE BEST OF MY KNOWLEDGE AND BELIEF, THAT THE PLAT CORRECTLY REPRESENTS SAID SURVEY, THAT ALL MONUMENTS FOUND AND ESTABLISHED ARE OF PERMANENT QUALITY AND OCCUPY THE POSITIONS SHOWN THEREON AND THAT THE MONUMENTS ARE SUFFICIENT TO ENABLE THE SURVEY TO BE RETRACED, MADE FOR THE DEPARTMENT OF TRANSPORTATION, STATE OF ILLINOIS.

DATED THIS _____ DAY OF _____ 20____ A.D, AT ROSEMONT, ILLINOIS

_____
REBECCA Y. POPECK
ILLINOIS PROFESSIONAL LAND SURVEYOR NO. 035-003642
LICENSE EXPIRATION DATE: NOVEMBER 30, 2014

THIS PROFESSIONAL SERVICE CONFORMS TO THE CURRENT ILLINOIS MINIMUM STANDARDS FOR A BOUNDARY SURVEY.

RECEIVED
AUG 29 2013

CONTRACT NO. 60X92 SHEET 133 OF 207

CONSULTING ENGINEERS
SITE DEVELOPMENT ENGINEERS
LAND SURVEYORS
9575 W. Higgins Road, Suite 700,
Rosemont, Illinois 60018
Phone: (847) 696-4060 Fax: (847) 696-4065

PLAT OF HIGHWAYS

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION
US ROUTE 6/IL ROUTE 7 (159TH ST)

SECTION: GOUGAR RD TO W. PARKER RD COUNTY: WILL
PROJECT: I-355 EXT. TO WILL-COOK RD JOB NO.: R-91-023-97
STATION 143+95.87 TO STATION 157+30.64
SCALE: 1" = 50' SHEET 17 OF 54

BUREAU OF LAND ACQUISITION
201 WEST CENTER COURT
SCHAUMBURG, ILLINOIS 60196

PART OF THE EAST HALF OF THE SOUTHEAST QUARTER OF SECTION 15 TWP. 36 N., R. 11 E. OF THE 3RD. P.M., IN WILL COUNTY, ILLINOIS.



LEGEND

- LIGHT
- FIRE HYDRANT
- AUXILIARY VALVE
- BUFFALO BOX
- WATER VALVE
- CATCH BASIN
- INLET
- STORM MANHOLE
- SANITARY MANHOLE
- UNIDENTIFIED MANHOLE
- FLARED END SECTION
- SIGN
- MAILBOX

BX BUILDING CORNER
CLF CHAIN LINK FENCE
CMP CORRUGATED METAL PIPE
CONC CONCRETE
CO CLEAN-OUT
ELEC ELECTRIC
GM GAS METER
IP IRON PIPE
IR IRON ROD
MON MONUMENT
RCP REINFORCED CONC PIPE

9 10 16 15 SECTION CORNER

16 15 QUARTER SECTION CORNER

- SECTION LINE
- QUARTER SECTION LINE
- QUARTER, QUARTER SECTION LINE
- PLATTED LOT LINES
- PROPERTY (DEED) LINE
- APL APPARENT PROPERTY LINE
- CENTERLINE
- EXISTING RIGHT OF WAY LINE
- PROPOSED RIGHT OF WAY LINE
- PROPOSED EASEMENT
- PROPOSED CENTERLINE
- 129.32' MEASURED DIMENSION
- 129.32' (COMP) COMPUTED DIMENSION
- (129.32') RECORDED DIMENSION
- EXISTING BUILDING

N

GRAPHIC SCALE FEET
0 50,100
SCALE: 1" = 50'

Bearings are referenced to the Illinois State Plane Coordinate Grid System, NAD83, East Zone, as provided by the Illinois Department of Transportation.

- ● IRON PIPE OR ROD FOUND ○ REPLACED AFTER CONSTRUCTION
- \+ CUT CROSS FOUND OR SET
- ● TI, T2, T3 **THESE STAKES REFERENCE FOUND OR SET MONUMENTATION.** SET 5/8 INCH IRON ROD FLUSH WITH GROUND TO TIE FOUND IRON STAKE IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYORS REGISTRATION NUMBER.
- ● BT1, BT2, BT3 **THESE STAKES, IN CULTIVATED AREAS, REFERENCE FOUND OR SET MONUMENTATION.** BURIED 5/8 INCH IRON ROD 20 INCHES BELOW GROUND TO TIE FOUND IRON STAKE. IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYORS REGISTRATION NUMBER.
- ■ **STAKING OF PROPOSED RIGHT OF WAY.** SET DIVISION OF HIGHWAYS SURVEY MARKER TO MONUMENT THE POSITION SHOWN. IDENTIFIED BY INSCRIPTION DATA AND SURVEYORS REGISTRATION NUMBER.
- ■ M **STAKING OF PROPOSED RIGHT OF WAY IN CULTIVATED AREAS.** BURIED 5/8 INCH METAL ROD 20 INCHES BELOW GROUND TO MARK FUTURE SURVEY MARKER POSITION IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYORS REGISTRATION NUMBER.
- ◔ PERMANENT SURVEY MARKER, I.D.O.T. STANDARD 2135 (TO BE SET BY OTHERS)
- □ RIGHT OF WAY STAKING PROPOSED TO BE SET

COORDINATE/STATION TABLE

Point	Northing	Easting	Station	Offset	
189	1797021.65	1088007.08	157+30.64	74.89	L
190	1797032.84	1088336.89	160+60.64	74.77	L
191	1797038.44	1088501.80	162+25.64	74.71	L
192	1797044.04	1088666.70	163+90.64	74.66	L
199	1796947.89	1088009.58	157+30.60	1.09	L
204	1797027.47	1088178.63	159+02.28	74.83	L
205	1797037.46	1088178.29	159+02.29	84.83	L
206	1797039.84	1088248.25	159+72.29	84.81	L
207	1797029.85	1088248.59	159+72.28	74.81	L
208	1797036.66	1088449.40	161+73.21	74.73	L
209	1797046.66	1088449.06	161+73.21	84.73	L
210	1797048.36	1088499.03	162+23.21	84.72	L
211	1797038.36	1088499.37	162+23.21	74.72	L
212	1797041.87	1088602.76	163+26.66	74.68	L
213	1797051.87	1088602.42	163+26.66	84.68	L
214	1797053.56	1088652.39	163+76.66	84.66	L
215	1797043.57	1088652.73	163+76.66	74.66	L

1JD0027TE



DETAIL
1" = 50'

1JD0028TE



DETAIL
1" = 50'

1JD0029TE



DETAIL
1" = 50'

PROJECT COORDINATE VALUES AND BEARINGS ARE GROUND AND BASED ON ILLINOIS STATE PLANE, EAST ZONE. REFERENCE ELLIPSOID, WGS 1984 WITH A COMBINED SCALE FACTOR OF 0.9999544733.

NOTES:

1. ALL STATIONING SHOWN HEREON ARE GROUND DISTANCES IN FEET.
2. ALL OFFSETS ARE SHOWN HEREON ARE GROUND DISTANCES IN FEET.
3. ANY DISCREPANCY IN MEASUREMENT DISCOVERED UPON THE GROUND SHOULD BE PROMPTLY REPORTED TO THE SURVEYOR FOR EXPLANATION OR CORRECTION.
4. FOR BUILDING LINE AND OTHER RESTRICTIONS NOT SHOWN HEREON, REFER TO YOUR ABSTRACT, DEEDS, CONTRACTS AND ZONING ORDINANCES.

PARCEL NUMBER	OWNER	TOTAL HOLDINGS ACRES	PART TAKEN ACRES	AREA IN EXISTING R.O.W. ACRES	REMAINDER AREA ACRES	EASEMENT AREA ACRES	EASEMENT PURPOSE	PERMANENT INDEX NUMBER	PROPERTY ACQUIRED BY
1JD0027	GREAT LAKES TRUST COMPANY, N.A. TRUST NO. 05028 DATED	10.045	0.557	0.368	9.488			16-05-15-400-005	
1JD0027TE	APRIL 25, 2005					0.016	TEMPORARY		
1JD0028	GEORGE D. IHRKE AND ANN G. IHRKE, HUSBAND AND WIFE,	2.500	0.277	0.182	2.223			16-05-15-400-015	
1JD0028TE	AS JOINT TENANTS					0.011	TEMPORARY		
1JD0029	SUBURBAN BANK AND TRUST COMPANY, AS SUCCESSOR TO	2.500	0.276	0.181	2.224			16-05-15-400-016	
1JD0029TE	BEVERLY TRUST COMPANY, AS TRUSTEE UNDER TRUST AGREEMENT DATED THE 7TH DAY OF DECEMBER, 1987, KNOWN AS TRUST NUMBER 8-8571					0.011	TEMPORARY		

05/10/2012
REVISION DATE: 03/09/2012

STATION/OFFSET TABLE
REVISION: IDOT COMMENTS PER EMAIL ON 03/02/2012

SDS
MADE BY: SDS

1JD0028TE

1JD0029TE

RECEIVED
AUG 29 2013
PLATS & LEGALS

STATE OF ILLINOIS)
)SS
COUNTY OF COOK)

THIS IS TO CERTIFY THAT WE, SPACECO, INC. AN ILLINOIS PROFESSIONAL DESIGN FIRM LAND SURVEYING CORPORATION, NUMBER 184-001157, HAVE SURVEYED THE PLAT OF HIGHWAYS SHOWN HEREON IN SECTIONS 15, 16, 17, 20, 21 AND 22 TOWNSHIP 36 NORTH, RANGE 11 EAST OF THE THIRD PRINCIPAL MERIDIAN, WILL COUNTY, THAT THE SURVEY IS TRUE AND COMPLETE AS SHOWN TO THE BEST OF MY KNOWLEDGE AND BELIEF, THAT THE PLAT CORRECTLY REPRESENTS SAID SURVEY, THAT ALL MONUMENTS FOUND AND ESTABLISHED ARE OF PERMANENT QUALITY AND OCCUPY THE POSITIONS SHOWN THEREON AND THAT THE MONUMENTS ARE SUFFICIENT TO ENABLE THE SURVEY TO BE RETRACED, MADE FOR THE DEPARTMENT OF TRANSPORTATION, STATE OF ILLINOIS.

DATED THIS _____ DAY OF _____ 20____ A.D, AT ROSEMONT, ILLINOIS

REBECCA Y. POPECK
ILLINOIS PROFESSIONAL LAND SURVEYOR NO. 035-003642
LICENSE EXPIRATION DATE: NOVEMBER 30, 2014

THIS PROFESSIONAL SERVICE CONFORMS TO THE CURRENT ILLINOIS MINIMUM STANDARDS FOR A BOUNDARY SURVEY.

CONTRACT NO. 60X92 SHEET 134 OF 207

CONSULTING ENGINEERS
SITE DEVELOPMENT ENGINEERS
LAND SURVEYORS
9575 W. Higgins Road, Suite 700,
Rosemont, Illinois 60018
Phone: (847) 696-4060 Fax: (847) 696-4065

PLAT OF HIGHWAYS

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION
US ROUTE 6/IL ROUTE 7 (159TH ST)

SECTION: GOUGAR RD TO W. PARKER RD COUNTY: WILL
PROJECT: I-355 EXT. TO WILL-COOK RD JOB NO.: R-91-023-97
STATION 157+30.64 TO STATION 163+90.64
SCALE: 1" = 50' SHEET 18 OF 54

BUREAU OF LAND ACQUISITION
201 WEST CENTER COURT
SCHAUMBURG, ILLINOIS 60196

PART OF THE EAST HALF OF THE SOUTHEAST QUARTER OF SECTION 15 TWP. 36 N., R. 11 E. OF THE 3RD. P.M., IN WILL COUNTY, ILLINOIS.



PARCEL NUMBER	OWNER	TOTAL HOLDINGS ACRES	PART TAKEN ACRES	AREA IN EXISTING R.O.W. ACRES	REMAINDER AREA ACRES	EASEMENT AREA ACRES	EASEMENT PURPOSE	PERMANENT INDEX NUMBER	PROPERTY ACQUIRED BY
1JD0030	PARKER RIDGE, LLC	10.221	1.814	1.195	8.407			16-05-15-400-025	
1JD0030TE						0.011	TEMPORARY	16-05-15-400-026	
1JD0031	FOUNDERS BANK, AS TRUSTEE UNDER TRUST NUMBER 6277 DATED JUNE 3, 2003	10.276	0.363	0.338	9.913			16-05-15-400-011 16-05-15-400-014	

REVISION DATE: 05/10/2012
05/08/2012

COORDINATE/STATION TABLE

Point	Northing	Easting	Station	Offset	
192	1797044.04	1088666.70	163+90.64	74.66	L
193	1797063.79	1089248.13	169+72.40	74.45	L
194	1797108.22	1089289.62	21+17.28	47.74	L
195	1797653.20	1089270.83	26+62.58	49.58	L
196	1797718.41	1089268.58	27+27.83	49.80	L
197	1797719.00	1089285.57	27+27.89	32.80	L
198	1796995.37	1089343.55	20+02.81	2.64	R
198	1796995.37	1089343.55	170+65.41	2.80	L
216	1797048.36	1088793.72	165+17.73	74.61	L
217	1797058.35	1088793.38	165+17.74	84.61	L
218	1797060.05	1088843.36	165+67.74	84.59	L
219	1797050.05	1088843.70	165+67.73	74.59	L



DETAIL
1" = 50'

LEGEND

- LIGHT
- FIRE HYDRANT
- AUXILIARY VALVE
- BUFFALO BOX
- WATER VALVE
- CATCH BASIN
- INLET
- STORM MANHOLE
- SANITARY MANHOLE
- UNIDENTIFIED MANHOLE
- FLARED END SECTION
- SIGN
- MAILBOX

BX BUILDING CORNER
CLF CHAIN LINK FENCE
CMP CORRUGATED METAL PIPE
CONC CONCRETE
CO CLEAN-OUT
ELEC ELECTRIC
GM GAS METER
IP IRON PIPE
IR IRON ROD
MON MONUMENT
RCP REINFORCED CONC PIPE

9 10 16 15 SECTION CORNER
16 15 21 22 QUARTER SECTION CORNER

- SECTION LINE
- QUARTER SECTION LINE
- QUARTER, QUARTER SECTION LINE
- PLATTED LOT LINES
- PROPERTY (DEED) LINE
- APPARENT PROPERTY LINE
- CENTERLINE
- EXISTING RIGHT OF WAY LINE
- PROPOSED RIGHT OF WAY LINE
- PROPOSED EASEMENT
- PROPOSED CENTERLINE

129.32' MEASURED DIMENSION
129.32' (COMP) COMPUTED DIMENSION
(129.32') RECORDED DIMENSION
EXISTING BUILDING

GRAPHIC SCALE FEET 0 50.100
SCALE: 1" = 50'

Bearings are referenced to the Illinois State Plane Coordinate Grid System, NAD83, East Zone, as provided by the Illinois Department of Transportation.

- ● IRON PIPE OR ROD FOUND ○ REPLACED AFTER CONSTRUCTION
- + CUT CROSS FOUND OR SET
- • TI, T2, T3 **THESE STAKES REFERENCE FOUND OR SET MONUMENTATION.** SET 5/8 INCH IRON ROD FLUSH WITH GROUND TO TIE FOUND IRON STAKE IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYORS REGISTRATION NUMBER.
- • BTI, BT2, BT3 **THESE STAKES, IN CULTIVATED AREAS, REFERENCE FOUND OR SET MONUMENTATION.** BURIED 5/8 INCH IRON ROD 20 INCHES BELOW GROUND TO TIE FOUND IRON STAKE. IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYORS REGISTRATION NUMBER.
- ■ **STAKING OF PROPOSED RIGHT OF WAY.** SET DIVISION OF HIGHWAYS SURVEY MARKER TO MONUMENT THE POSITION SHOWN. IDENTIFIED BY INSCRIPTION DATA AND SURVEYORS REGISTRATION NUMBER.
- ■ M **STAKING OF PROPOSED RIGHT OF WAY IN CULTIVATED AREAS.** BURIED 5/8 INCH METAL ROD 20 INCHES BELOW GROUND TO MARK FUTURE SURVEY MARKER POSITION IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYORS REGISTRATION NUMBER.
- ⊕ PERMANENT SURVEY MARKER, I.D.O.T. STANDARD 2135 (TO BE SET BY OTHERS)
- □ RIGHT OF WAY STAKING PROPOSED TO BE SET

PROJECT COORDINATE VALUES AND BEARINGS ARE GROUND AND BASED ON ILLINOIS STATE PLANE, EAST ZONE. REFERENCE ELLIPSOID, WGS 1984 WITH A COMBINED SCALE FACTOR OF 0.9999544733.

NOTES:

1. ALL STATIONING SHOWN HEREON ARE GROUND DISTANCES IN FEET.
2. ALL OFFSETS ARE SHOWN HEREON ARE GROUND DISTANCES IN FEET.
3. ANY DISCREPANCY IN MEASUREMENT DISCOVERED UPON THE GROUND SHOULD BE PROMPTLY REPORTED TO THE SURVEYOR FOR EXPLANATION OR CORRECTION.
4. FOR BUILDING LINE AND OTHER RESTRICTIONS NOT SHOWN HEREON, REFER TO YOUR ABSTRACT, DEEDS, CONTRACTS AND ZONING ORDINANCES.

RECEIVED
AUG 2 9 2013
PLATS & LEGALS

STATE OF ILLINOIS)
)SS
COUNTY OF COOK)

THIS IS TO CERTIFY THAT WE, SPACECO, INC. AN ILLINOIS PROFESSIONAL DESIGN FIRM LAND SURVEYING CORPORATION, NUMBER 184-001157, HAVE SURVEYED THE PLAT OF HIGHWAYS SHOWN HEREON IN SECTIONS 15, 16, 17, 20, 21 AND 22 TOWNSHIP 36 NORTH, RANGE 11 EAST OF THE THIRD PRINCIPAL MERIDIAN, WILL COUNTY, THAT THE SURVEY IS TRUE AND COMPLETE AS SHOWN TO THE BEST OF MY KNOWLEDGE AND BELIEF, THAT THE PLAT CORRECTLY REPRESENTS SAID SURVEY, THAT ALL MONUMENTS FOUND AND ESTABLISHED ARE OF PERMANENT QUALITY AND OCCUPY THE POSITIONS SHOWN THEREON AND THAT THE MONUMENTS ARE SUFFICIENT TO ENABLE THE SURVEY TO BE RETRACED, MADE FOR THE DEPARTMENT OF TRANSPORTATION, STATE OF ILLINOIS.

DATED THIS _____ DAY OF _____ 20____ A.D, AT ROSEMONT, ILLINOIS

REBECCA Y. POPECK
ILLINOIS PROFESSIONAL LAND SURVEYOR NO. 035-003642
LICENSE EXPIRATION DATE: NOVEMBER 30, 2014

THIS PROFESSIONAL SERVICE CONFORMS TO THE CURRENT ILLINOIS MINIMUM STANDARDS FOR A BOUNDARY SURVEY.

STATION/OFFSET TABLE
REVISION: REVISED PARCEL 1JD0031 TAKE PER IDOT REVIEW MADE BY: SDS RYP

CONTRACT NO. 60X92 SHEET 135 OF 207

SPACECO INC.
CONSULTING ENGINEERS
SITE DEVELOPMENT ENGINEERS
LAND SURVEYORS
9575 W. Higgins Road, Suite 700, Rosemont, Illinois 60018
Phone: (847) 696-4060 Fax: (847) 696-4065

PLAT OF HIGHWAYS

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION
US ROUTE 6/IL ROUTE 7 (159TH ST)

SECTION: GOUGAR RD TO W. PARKER RD COUNTY: WILL
PROJECT: I-355 EXT. TO WILL-COOK RD JOB NO.: R-91-023-97
STATION 163+90.64 TO STATION 170+65.41
SCALE: 1" = 50' SHEET 19 OF 54

BUREAU OF LAND ACQUISITION
201 WEST CENTER COURT
SCHAUMBURG, ILLINOIS 60196

SOUTHEAST QUARTER OF SECTION 15 TWP. 36 N., R. 11 E. OF THE 3RD. P.M., IN WILL COUNTY, ILLINOIS.



LEGEND

IP IRON PIPE
IR IRON ROD
MON MONUMENT
RCP REINFORCED CONC PIPE

SECTION CORNER

QUARTER SECTION CORNER

SECTION LINE
QUARTER SECTION LINE
QUARTER, QUARTER SECTION LINE
PLATTED LOT LINES
PROPERTY (DEED) LINE
APPARENT PROPERTY LINE
CENTERLINE
EXISTING RIGHT OF WAY LINE
PROPOSED RIGHT OF WAY LINE
PROPOSED EASEMENT
PROPOSED CENTERLINE
129.32' MEASURED DIMENSION
129.32' (COMP) COMPUTED DIMENSION
(129.32') RECORDED DIMENSION
EXISTING BUILDING

N

GRAPHIC SCALE FEET
0 200 400
SCALE: 1" = 200'

Bearings are referenced to the Illinois State Plane Coordinate Grid System, NAD83, East Zone, as provided by the Illinois Department of Transportation.

● IRON PIPE OR ROD FOUND ○ REPLACED AFTER CONSTRUCTION

\+ CUT CROSS FOUND OR SET

• T1 T2 T3 THESE STAKES REFERENCE FOUND OR SET MONUMENTATION. SET 5/8 INCH IRON ROD FLUSH WITH GROUND TO TIE FOUND IRON STAKE IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYORS REGISTRATION NUMBER.

• BT1 BT2 BT3 THESE STAKES, IN CULTIVATED AREAS, REFERENCE FOUND OR SET MONUMENTATION. BURIED 5/8 INCH IRON ROD 20 INCHES BELOW GROUND TO TIE FOUND IRON STAKE. IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYORS REGISTRATION NUMBER.

■ STAKING OF PROPOSED RIGHT OF WAY. SET DIVISION OF HIGHWAYS SURVEY MARKER TO MONUMENT THE POSITION SHOWN. IDENTIFIED BY INSCRIPTION DATA AND SURVEYORS REGISTRATION NUMBER.

■ M STAKING OF PROPOSED RIGHT OF WAY IN CULTIVATED AREAS. BURIED 5/8 INCH METAL ROD 20 INCHES BELOW GROUND TO MARK FUTURE SURVEY MARKER POSITION IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYORS REGISTRATION NUMBER.

◒ PERMANENT SURVEY MARKER, I.D.O.T. STANDARD 2135 (TO BE SET BY OTHERS)

□ RIGHT OF WAY STAKING PROPOSED TO BE SET

RECEIVED
AUG 2 9 2013
PLATS & LEGALS

STATE OF ILLINOIS)
)SS
COUNTY OF COOK)

THIS IS TO CERTIFY THAT WE, SPACECO, INC. AN ILLINOIS PROFESSIONAL DESIGN FIRM LAND SURVEYING CORPORATION, NUMBER 184-001157, HAVE SURVEYED THE PLAT OF HIGHWAYS SHOWN HEREON IN SECTIONS 15, 16, 17, 20, 21 AND 22 TOWNSHIP 36 NORTH, RANGE 11 EAST OF THE THIRD PRINCIPAL MERIDIAN, WILL COUNTY, THAT THE SURVEY IS TRUE AND COMPLETE AS SHOWN TO THE BEST OF MY KNOWLEDGE AND BELIEF, THAT THE PLAT CORRECTLY REPRESENTS SAID SURVEY, THAT ALL MONUMENTS FOUND AND ESTABLISHED ARE OF PERMANENT QUALITY AND OCCUPY THE POSITIONS SHOWN THEREON AND THAT THE MONUMENTS ARE SUFFICIENT TO ENABLE THE SURVEY TO BE RETRACED, MADE FOR THE DEPARTMENT OF TRANSPORTATION, STATE OF ILLINOIS.

DATED THIS _____ DAY OF _____ 20____ A.D, AT ROSEMONT, ILLINOIS

REBECCA Y. POPECK
ILLINOIS PROFESSIONAL LAND SURVEYOR NO. 035-003642
LICENSE EXPIRATION DATE: NOVEMBER 30, 2014

THIS PROFESSIONAL SERVICE CONFORMS TO THE CURRENT ILLINOIS MINIMUM STANDARDS FOR A BOUNDARY SURVEY.

05/10/2012 REVISED PROPOSED ℄ STATIONING SDS
05/08/2012 REVISED PARCEL 1JD0031 TAKE PER IDOT REVIEW RYP
03/09/2012 IDOT COMMENTS PER EMAIL ON 03/02/2012 SDS
REVISION DATE: 03/08/2012 REVISION: IDOT COMMENTS PER PHONE CALL ON 03/08/2012 MADE BY: RYP

CONTRACT NO. 60X92 SHEET 136 OF 207

SPACECO, INC.
CONSULTING ENGINEERS
SITE DEVELOPMENT ENGINEERS
LAND SURVEYORS
9575 W. Higgins Road, Suite 700, Rosemont, Illinois 60018
Phone: (847) 696-4060 Fax: (847) 696-4065

PLAT OF HIGHWAYS

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION
US ROUTE 6/IL ROUTE 7 (159TH ST)

SECTION: GOUGAR RD TO W. PARKER RD COUNTY: WILL
PROJECT: I-355 EXT. TO WILL-COOK RD JOB NO.: R-91-023-97
STATION 143+95.87 TO STATION 170+65.41
SCALE: 1" = 200' SHEET 20 OF 54

BUREAU OF LAND ACQUISITION
201 WEST CENTER COURT
SCHAUMBURG, ILLINOIS 60196

PART OF THE NORTHEAST QUARTER OF THE NORTHEAST QUARTER OF THE NORTHEAST QUARTER OF SECTION 22 TWP. 36 N., R. 11 E. OF THE 3RD. P.M., IN WILL COUNTY, ILLINOIS.



COORDINATE/STATION TABLE

Point	Northing	Easting	Station	Offset	
198	1796995.37	1089343.55	170+65.41	2.80	L
235	1796894.37	1088678.85	163+97.64	75.35	R
236	1796900.72	1088865.84	165+84.75	75.41	R
237	1796890.72	1088866.18	165+84.74	85.41	R
238	1796901.92	1089195.99	169+14.74	85.53	R
239	1796854.04	1089288.67	18+63.19	56.46	L
240	1796824.64	1089298.42	18+33.52	47.61	L
241	1796891.37	1088885.17	166+03.74	85.42	R
242	1796866.38	1088886.02	166+03.73	110.42	R
243	1796868.08	1088935.99	166+53.73	110.44	R
244	1796893.07	1088935.14	166+53.74	85.44	R
245	1796896.44	1089034.66	167+53.32	85.47	R
246	1796876.46	1089035.34	167+53.31	105.47	R
247	1796878.15	1089085.31	168+03.31	105.49	R
248	1796898.14	1089084.63	168+03.32	85.49	R
249	1796895.70	1089012.61	167+31.25	85.47	R
250	1796895.82	1089016.25	167+34.90	85.47	R

SEE SHEET 25 FOR TOTAL HOLDING



DETAIL "E"
NOT TO SCALE



DETAIL
1" = 50'



DETAIL
1" = 50'

PARCEL NUMBER	OWNER	TOTAL HOLDINGS ACRES	PART TAKEN ACRES	AREA IN EXISTING R.O.W. ACRES	AREA IN EXISTING R.O.W. SQ. FT.	REMAINDER AREA ACRES	EASEMENT AREA ACRES	EASEMENT PURPOSE	PERMANENT INDEX NUMBER	PROPERTY ACQUIRED BY
1JD0032	ASHTON DRIVE, LLC	2.512	0.037	0.004	194	2.475			16-05-22-211-001	
1JD0032TE							0.023	TEMPORARY		
1JD0033	RODNEY C. BERGANSKE, A MARRIED PERSON	10.242	0.635	0.407		9.607			16-05-22-200-004	
1JD0033TE							0.029	TEMPORARY	16-05-22-200-006	

REVISION DATE: 05/10/2012
REVISION DATE: 03/09/2012

LEGEND

- LIGHT
- FIRE HYDRANT
- AUXILIARY VALVE
- BUFFALO BOX
- WATER VALVE
- CATCH BASIN
- INLET
- STORM MANHOLE
- SANITARY MANHOLE
- UNIDENTIFIED MANHOLE
- FLARED END SECTION
- SIGN
- MAILBOX

BX BUILDING CORNER
CLF CHAIN LINK FENCE
CMP CORRUGATED METAL PIPE
CONC CONCRETE
CO CLEAN-OUT
ELEC ELECTRIC
GM GAS METER
IP IRON PIPE
IR IRON ROD
MON MONUMENT
RCP REINFORCED CONC PIPE

SECTION CORNER (9 10 / 16 15)
QUARTER SECTION CORNER (15 — 15)

- SECTION LINE
- QUARTER SECTION LINE
- QUARTER, QUARTER SECTION LINE
- PLATTED LOT LINES
- PROPERTY (DEED) LINE
- APPARENT PROPERTY LINE
- CENTERLINE
- EXISTING RIGHT OF WAY LINE
- PROPOSED RIGHT OF WAY LINE
- PROPOSED EASEMENT
- PROPOSED CENTERLINE
- 129.32' MEASURED DIMENSION
- 129.32' (COMP) COMPUTED DIMENSION
- (129.32') RECORDED DIMENSION
- EXISTING BUILDING

N

GRAPHIC SCALE FEET
0 50,100
SCALE: 1" = 50'

Bearings are referenced to the Illinois State Plane Coordinate Grid System, NAD83, East Zone, as provided by the Illinois Department of Transportation.

- ● IRON PIPE OR ROD FOUND ○ REPLACED AFTER CONSTRUCTION
- \+ CUT CROSS FOUND OR SET
- • TI, T2, T3 **THESE STAKES REFERENCE FOUND OR SET MONUMENTATION.** SET 5/8 INCH IRON ROD FLUSH WITH GROUND TO TIE FOUND IRON STAKE IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYORS REGISTRATION NUMBER.
- • BT1, BT2, BT3 **THESE STAKES, IN CULTIVATED AREAS, REFERENCE FOUND OR SET MONUMENTATION.** BURIED 5/8 INCH IRON ROD 20 INCHES BELOW GROUND TO TIE FOUND IRON STAKE. IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYORS REGISTRATION NUMBER.
- ■ **STAKING OF PROPOSED RIGHT OF WAY.** SET DIVISION OF HIGHWAYS SURVEY MARKER TO MONUMENT THE POSITION SHOWN. IDENTIFIED BY INSCRIPTION DATA AND SURVEYORS REGISTRATION NUMBER.
- ■ M **STAKING OF PROPOSED RIGHT OF WAY IN CULTIVATED AREAS.** BURIED 5/8 INCH METAL ROD 20 INCHES BELOW GROUND TO MARK FUTURE SURVEY MARKER POSITION IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYORS REGISTRATION NUMBER.
- ⊕ PERMANENT SURVEY MARKER, I.D.O.T. STANDARD 2135 (TO BE SET BY OTHERS)
- □ RIGHT OF WAY STAKING PROPOSED TO BE SET

PROJECT COORDINATE VALUES AND BEARINGS ARE GROUND AND BASED ON ILLINOIS STATE PLANE, EAST ZONE. REFERENCE ELLIPSOID, WGS 1984 WITH A COMBINED SCALE FACTOR OF 0.9999544733.

NOTES:

1. ALL STATIONING SHOWN HEREON ARE GROUND DISTANCES IN FEET.
2. ALL OFFSETS ARE SHOWN HEREON ARE GROUND DISTANCES IN FEET.
3. ANY DISCREPANCY IN MEASUREMENT DISCOVERED UPON THE GROUND SHOULD BE PROMPTLY REPORTED TO THE SURVEYOR FOR EXPLANATION OR CORRECTION.
4. FOR BUILDING LINE AND OTHER RESTRICTIONS NOT SHOWN HEREON, REFER TO YOUR ABSTRACT, DEEDS, CONTRACTS AND ZONING ORDINANCES.

RECEIVED
AUG 29 2013
PLATS & LEGALS

STATE OF ILLINOIS)
)SS
COUNTY OF COOK)

THIS IS TO CERTIFY THAT WE, SPACECO, INC. AN ILLINOIS PROFESSIONAL DESIGN FIRM LAND SURVEYING CORPORATION, NUMBER 184-001157, HAVE SURVEYED THE PLAT OF HIGHWAYS SHOWN HEREON IN SECTIONS 15, 16, 17, 20, 21 AND 22 TOWNSHIP 36 NORTH, RANGE 11 EAST OF THE THIRD PRINCIPAL MERIDIAN, WILL COUNTY, THAT THE SURVEY IS TRUE AND COMPLETE AS SHOWN TO THE BEST OF MY KNOWLEDGE AND BELIEF, THAT THE PLAT CORRECTLY REPRESENTS SAID SURVEY, THAT ALL MONUMENTS FOUND AND ESTABLISHED ARE OF PERMANENT QUALITY AND OCCUPY THE POSITIONS SHOWN THEREON AND THAT THE MONUMENTS ARE SUFFICIENT TO ENABLE THE SURVEY TO BE RETRACED, MADE FOR THE DEPARTMENT OF TRANSPORTATION, STATE OF ILLINOIS.

DATED THIS _____ DAY OF _____ 20____ A.D, AT ROSEMONT, ILLINOIS

REBECCA Y. POPECK
ILLINOIS PROFESSIONAL LAND SURVEYOR NO. 035-003642
LICENSE EXPIRATION DATE: NOVEMBER 30, 2014

THIS PROFESSIONAL SERVICE CONFORMS TO THE CURRENT ILLINOIS MINIMUM STANDARDS FOR A BOUNDARY SURVEY.

STATION/OFFSET TABLE REVISION: IDOT COMMENTS PER EMAIL ON 03/02/2012
MADE BY: SDS

CONTRACT NO. 60X92 SHEET 137 OF 207

SPACECO INC.
CONSULTING ENGINEERS
SITE DEVELOPMENT ENGINEERS
LAND SURVEYORS
9575 W. Higgins Road, Suite 700
Rosemont, Illinois 60018
Phone: (847) 696-4060 Fax: (847) 696-4065

PLAT OF HIGHWAYS

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION
US ROUTE 6/IL ROUTE 7 (159TH ST)

SECTION: GOUGAR RD TO W. PARKER RD COUNTY: WILL
PROJECT: I-355 EXT. TO WILL-COOK RD JOB NO.: R-91-023-97
STATION 163+97.64 TO STATION 170+65.41
SCALE: 1" = 50' SHEET 21 OF 54

BUREAU OF LAND ACQUISITION
201 WEST CENTER COURT
SCHAUMBURG, ILLINOIS 60196

RECORDING: RECORDED ON

PART OF THE NORTHWEST QUARTER OF THE NORTHEAST QUARTER OF THE NORTHEAST QUARTER OF SECTION 22 TWP. 36 N., R. 11 E. OF THE 3RD. P.M., IN WILL COUNTY, ILLINOIS.



LEGEND

- LIGHT
- FIRE HYDRANT
- AUXILIARY VALVE
- BUFFALO BOX
- WATER VALVE
- CATCH BASIN
- INLET
- STORM MANHOLE
- SANITARY MANHOLE
- UNIDENTIFIED MANHOLE
- FLARED END SECTION
- SIGN
- MAILBOX

BX BUILDING CORNER
CLF CHAIN LINK FENCE
CMP CORRUGATED METAL PIPE
CONC CONCRETE
CO CLEAN-OUT
ELEC ELECTRIC
GM GAS METER
IP IRON PIPE
IR IRON ROD
MON MONUMENT
RCP REINFORCED CONC PIPE

9 10 / 16 15 SECTION CORNER
15 15 QUARTER SECTION CORNER

- SECTION LINE
- QUARTER SECTION LINE
- QUARTER, QUARTER SECTION LINE
- PLATTED LOT LINES
- PROPERTY (DEED) LINE
- APPARENT PROPERTY LINE
- CENTERLINE
- EXISTING RIGHT OF WAY LINE
- PROPOSED RIGHT OF WAY LINE
- PROPOSED EASEMENT
- PROPOSED CENTERLINE

129.32' MEASURED DIMENSION
129.32' (COMP) COMPUTED DIMENSION
(129.32') RECORDED DIMENSION
EXISTING BUILDING

N

GRAPHIC SCALE FEET
0 50,100
SCALE: 1" = 50'

Bearings are referenced to the Illinois State Plane Coordinate Grid System, NAD83, East Zone, as provided by the Illinois Department of Transportation.

- ● IRON PIPE OR ROD FOUND ○ REPLACED AFTER CONSTRUCTION
- \+ CUT CROSS FOUND OR SET
- • TI, T2, T3 **THESE STAKES REFERENCE FOUND OR SET MONUMENTATION.** SET 5/8 INCH IRON ROD FLUSH WITH GROUND TO TIE FOUND IRON STAKE IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYORS REGISTRATION NUMBER.
- • BT1, BT2, BT3 **THESE STAKES, IN CULTIVATED AREAS, REFERENCE FOUND OR SET MONUMENTATION.** BURIED 5/8 INCH IRON ROD 20 INCHES BELOW GROUND TO TIE FOUND IRON STAKE. IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYORS REGISTRATION NUMBER.
- ■ **STAKING OF PROPOSED RIGHT OF WAY.** SET DIVISION OF HIGHWAYS SURVEY MARKER TO MONUMENT THE POSITION SHOWN. IDENTIFIED BY INSCRIPTION DATA AND SURVEYORS REGISTRATION NUMBER.
- ■ M **STAKING OF PROPOSED RIGHT OF WAY IN CULTIVATED AREAS.** BURIED 5/8 INCH METAL ROD 20 INCHES BELOW GROUND TO MARK FUTURE SURVEY MARKER POSITION IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYORS REGISTRATION NUMBER.
- ◕ PERMANENT SURVEY MARKER, I.D.O.T. STANDARD 2135 (TO BE SET BY OTHERS)
- □ RIGHT OF WAY STAKING PROPOSED TO BE SET

COORDINATE/STATION TABLE

Point	Northing	Easting	Station	Offset	
199	1796947.89	1088009.58	157+30.60	1.09	L
226	1796871.72	1088011.90	157+30.31	75.11	R
231	1796887.58	1088478.96	161+97.64	75.28	R
232	1796861.73	1088012.20	157+30.27	85.11	R
233	1796863.42	1088062.17	157+80.27	85.13	R
234	1796873.42	1088061.83	157+80.27	75.13	R
235	1796894.37	1088678.85	163+97.64	75.35	R
444	1796882.54	1088330.38	160+48.97	75.22	R
445	1796817.57	1088332.59	160+48.95	140.22	R
446	1796815.20	1088262.63	159+78.95	140.20	R
447	1796880.16	1088260.42	159+78.97	75.20	R



DETAIL
1" = 50'

PARCEL NUMBER	OWNER	TOTAL HOLDINGS ACRES	PART TAKEN ACRES	AREA IN EXISTING R.O.W. ACRES	REMAINDER AREA ACRES	EASEMENT AREA ACRES	EASEMENT PURPOSE	PERMANENT INDEX NUMBER	PROPERTY ACQUIRED BY
1JD0034	STANDARD BANK AND TRUST COMPANY AS TRUSTEE UNDER TRUST AGREEMENT DATED MARCH 11, 1996 KNOWN AS TRUST NO. 15176	1.332	0.354	0.239	0.978			16-05-22-200-017	
1JD0035	CHICAGO TITLE LAND TRUST COMPANY AS SUCCESSOR TO FIRST OF AMERICA TRUST COMPANY AS TRUSTEE UNDER TRUST AGREEMENT DATED MARCH 29, 1994 KNOWN AS TRUST NO. 36-7007	18.985	0.822	0.553	18.163			16-05-22-200-018	
1JD0035TE-A						0.011	TEMPORARY		
1JD0035TE-B						0.104	TEMPORARY		

05/14/2012
05/10/2012
REVISION DATE: 03/08/2012

PROJECT COORDINATE VALUES AND BEARINGS ARE GROUND AND BASED ON ILLINOIS STATE PLANE, EAST ZONE. REFERENCE ELLIPSOID, WGS 1984 WITH A COMBINED SCALE FACTOR OF 0.9999544733.

NOTES:

1. ALL STATIONING SHOWN HEREON ARE GROUND DISTANCES IN FEET.
2. ALL OFFSETS ARE SHOWN HEREON ARE GROUND DISTANCES IN FEET.
3. ANY DISCREPANCY IN MEASUREMENT DISCOVERED UPON THE GROUND SHOULD BE PROMPTLY REPORTED TO THE SURVEYOR FOR EXPLANATION OR CORRECTION.
4. FOR BUILDING LINE AND OTHER RESTRICTIONS NOT SHOWN HEREON, REFER TO YOUR ABSTRACT, DEEDS, CONTRACTS AND ZONING ORDINANCES.

RECEIVED
AUG 29 2013
PLATS & LEGALS

STATE OF ILLINOIS)
)SS
COUNTY OF COOK)

THIS IS TO CERTIFY THAT WE, SPACECO, INC. AN ILLINOIS PROFESSIONAL DESIGN FIRM LAND SURVEYING CORPORATION, NUMBER 184-001157, HAVE SURVEYED THE PLAT OF HIGHWAYS SHOWN HEREON IN SECTIONS 15, 16, 17, 20, 21 AND 22 TOWNSHIP 36 NORTH, RANGE 11 EAST OF THE THIRD PRINCIPAL MERIDIAN, WILL COUNTY, THAT THE SURVEY IS TRUE AND COMPLETE AS SHOWN TO THE BEST OF MY KNOWLEDGE AND BELIEF, THAT THE PLAT CORRECTLY REPRESENTS SAID SURVEY, THAT ALL MONUMENTS FOUND AND ESTABLISHED ARE OF PERMANENT QUALITY AND OCCUPY THE POSITIONS SHOWN THEREON AND THAT THE MONUMENTS ARE SUFFICIENT TO ENABLE THE SURVEY TO BE RETRACED, MADE FOR THE DEPARTMENT OF TRANSPORTATION, STATE OF ILLINOIS.

DATED THIS _____ DAY OF _____ 20____ A.D, AT ROSEMONT, ILLINOIS

REBECCA Y. POPECK
ILLINOIS PROFESSIONAL LAND SURVEYOR NO. 035-003642
LICENSE EXPIRATION DATE: NOVEMBER 30, 2014

THIS PROFESSIONAL SERVICE CONFORMS TO THE CURRENT ILLINOIS MINIMUM STANDARDS FOR A BOUNDARY SURVEY.

1JD0035TE-B STATION/OFFSET TABLE SDS
REVISION: IDOT COMMENTS PER EMAIL ON 03/02/2012 SDS
MADE BY: SDS

CONTRACT NO. 60X92 SHEET 138 OF 207

CONSULTING ENGINEERS
SITE DEVELOPMENT ENGINEERS
LAND SURVEYORS
9575 W. Higgins Road, Suite 700,
Rosemont, Illinois 60018
Phone: (847) 696-4060 Fax: (847) 696-4065

PLAT OF HIGHWAYS

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION
US ROUTE 6/IL ROUTE 7 (159TH ST)

SECTION: GOUGAR RD TO W. PARKER RD COUNTY: WILL
PROJECT: I-355 EXT. TO WILL-COOK RD JOB NO.: R-91-023-97
STATION 157+30.31 TO STATION 163+97.64
SCALE: 1" = 50' SHEET 22 OF 54

BUREAU OF LAND ACQUISITION
201 WEST CENTER COURT
SCHAUMBURG, ILLINOIS 60196

PART OF THE WEST HALF OF THE NORTHEAST QUARTER OF SECTION 22 TWP. 36 N., R. 11 E. OF THE 3RD. P.M., IN WILL COUNTY, ILLINOIS.



LEGEND

- LIGHT
- FIRE HYDRANT
- AUXILIARY VALVE
- BUFFALO BOX
- WATER VALVE
- CATCH BASIN
- INLET
- STORM MANHOLE
- SANITARY MANHOLE
- UNIDENTIFIED MANHOLE
- FLARED END SECTION
- SIGN
- MAILBOX

BX BUILDING CORNER
CLF CHAIN LINK FENCE
CMP CORRUGATED METAL PIPE
CONC CONCRETE
CO CLEAN-OUT
ELEC ELECTRIC
GM GAS METER
IP IRON PIPE
IR IRON ROD
MON MONUMENT
RCP REINFORCED CONC PIPE

9 10 16 15 SECTION CORNER

16 15 QUARTER SECTION CORNER

N

GRAPHIC SCALE FEET
0 50 100
SCALE: 1" = 50'

- SECTION LINE
- QUARTER SECTION LINE
- QUARTER, QUARTER SECTION LINE
- PLATTED LOT LINES
- PROPERTY (DEED) LINE
- APPARENT PROPERTY LINE
- CENTERLINE
- EXISTING RIGHT OF WAY LINE
- PROPOSED RIGHT OF WAY LINE
- PROPOSED EASEMENT
- PROPOSED CENTERLINE
- 129.32' MEASURED DIMENSION
- 129.32' (COMP) COMPUTED DIMENSION
- (129.32') RECORDED DIMENSION
- EXISTING BUILDING

Bearings are referenced to the Illinois State Plane Coordinate Grid System, NAD83, East Zone, as provided by the Illinois Department of Transportation.

- ● IRON PIPE OR ROD FOUND ○ REPLACED AFTER CONSTRUCTION
- \+ CUT CROSS FOUND OR SET
- ● TI, T2, T3 **THESE STAKES REFERENCE FOUND OR SET MONUMENTATION.** SET 5/8 INCH IRON ROD FLUSH WITH GROUND TO TIE FOUND IRON STAKE IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYORS REGISTRATION NUMBER.
- ● BT1, BT2, BT3 **THESE STAKES, IN CULTIVATED AREAS, REFERENCE FOUND OR SET MONUMENTATION.** BURIED 5/8 INCH IRON ROD 20 INCHES BELOW GROUND TO TIE FOUND IRON STAKE. IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYORS REGISTRATION NUMBER.
- ■ **STAKING OF PROPOSED RIGHT OF WAY.** SET DIVISION OF HIGHWAYS SURVEY MARKER TO MONUMENT THE POSITION SHOWN. IDENTIFIED BY INSCRIPTION DATA AND SURVEYORS REGISTRATION NUMBER.
- ■ M **STAKING OF PROPOSED RIGHT OF WAY IN CULTIVATED AREAS.** BURIED 5/8 INCH METAL ROD 20 INCHES BELOW GROUND TO MARK FUTURE SURVEY MARKER POSITION IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYORS REGISTRATION NUMBER.
- ⊕ PERMANENT SURVEY MARKER, I.D.O.T. STANDARD 2135 (TO BE SET BY OTHERS)
- □ RIGHT OF WAY STAKING PROPOSED TO BE SET

PROJECT COORDINATE VALUES AND BEARINGS ARE GROUND AND BASED ON ILLINOIS STATE PLANE, EAST ZONE. REFERENCE ELLIPSOID, WGS 1984 WITH A COMBINED SCALE FACTOR OF 0.9999544733.

NOTES:

1. ALL STATIONING SHOWN HEREON ARE GROUND DISTANCES IN FEET.
2. ALL OFFSETS ARE SHOWN HEREON ARE GROUND DISTANCES IN FEET.
3. ANY DISCREPANCY IN MEASUREMENT DISCOVERED UPON THE GROUND SHOULD BE PROMPTLY REPORTED TO THE SURVEYOR FOR EXPLANATION OR CORRECTION.
4. FOR BUILDING LINE AND OTHER RESTRICTIONS NOT SHOWN HEREON, REFER TO YOUR ABSTRACT, DEEDS, CONTRACTS AND ZONING ORDINANCES.



DETAIL
1" = 50'

COORDINATE/STATION TABLE

Point	Northing	Easting	Station	Offset	
225	1796842.72	1087157.86	148+75.78	74.80	R
226	1796871.72	1088011.90	157+30.31	75.11	R
227	1796848.57	1087329.91	150+47.93	74.86	R
228	1796833.57	1087330.42	150+47.92	89.86	R
229	1796835.27	1087380.39	150+97.92	89.88	R
230	1796850.26	1087379.88	150+97.93	74.88	R

PARCEL NUMBER	OWNER	TOTAL HOLDINGS ACRES	PART TAKEN ACRES	AREA IN EXISTING R.O.W. ACRES	REMAINDER AREA ACRES	EASEMENT AREA ACRES	EASEMENT PURPOSE	PERMANENT INDEX NUMBER	PROPERTY ACQUIRED BY
1JD0036	STONEBRIDGE WOODS DEVELOPMENT LLC	9.763	0.069	0.000	9.694			16-05-22-202-001	
1JD0036TE						0.017	TEMPORARY		

RECEIVED
AUG 2 9 2013
PLATS & LEGALS

STATE OF ILLINOIS)
)SS
COUNTY OF COOK)

THIS IS TO CERTIFY THAT WE, SPACECO, INC. AN ILLINOIS PROFESSIONAL DESIGN FIRM LAND SURVEYING CORPORATION, NUMBER 184-001157, HAVE SURVEYED THE PLAT OF HIGHWAYS SHOWN HEREON IN SECTIONS 15, 16, 17, 20, 21 AND 22 TOWNSHIP 36 NORTH, RANGE 11 EAST OF THE THIRD PRINCIPAL MERIDIAN, WILL COUNTY, THAT THE SURVEY IS TRUE AND COMPLETE AS SHOWN TO THE BEST OF MY KNOWLEDGE AND BELIEF, THAT THE PLAT CORRECTLY REPRESENTS SAID SURVEY, THAT ALL MONUMENTS FOUND AND ESTABLISHED ARE OF PERMANENT QUALITY AND OCCUPY THE POSITIONS SHOWN THEREON AND THAT THE MONUMENTS ARE SUFFICIENT TO ENABLE THE SURVEY TO BE RETRACED, MADE FOR THE DEPARTMENT OF TRANSPORTATION, STATE OF ILLINOIS.

DATED THIS _____ DAY OF _____ 20____ A.D, AT ROSEMONT, ILLINOIS

REBECCA Y. POPECK
ILLINOIS PROFESSIONAL LAND SURVEYOR NO. 035-003642
LICENSE EXPIRATION DATE: NOVEMBER 30, 2014

THIS PROFESSIONAL SERVICE CONFORMS TO THE CURRENT ILLINOIS MINIMUM STANDARDS FOR A BOUNDARY SURVEY.

CONTRACT NO. 60X92 SHEET 139 OF 207

SPACECO INC.
CONSULTING ENGINEERS
SITE DEVELOPMENT ENGINEERS
LAND SURVEYORS
9575 W. Higgins Road, Suite 700,
Rosemont, Illinois 60018
Phone: (847) 696-4060 Fax: (847) 696-4065

PLAT OF HIGHWAYS

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION
US ROUTE 6/IL ROUTE 7 (159TH ST)

SECTION: GOUGAR RD TO W. PARKER RD COUNTY: WILL
PROJECT: I-355 EXT. TO WILL-COOK RD JOB NO.: R-91-023-97
STATION 148+00.00 TO STATION 157+30.31
SCALE: 1" = 50' SHEET 23 OF 54

BUREAU OF LAND ACQUISITION
201 WEST CENTER COURT
SCHAUMBURG, ILLINOIS 60196

05/10/2012
REVISION DATE: 03/09/2012

STATION/OFFSET TABLE
REVISION: IDOT COMMENTS PER EMAIL ON 03/02/2012

SDS
MADE BY: SDS

US ROUTE 6/IL ROUTE 7 (159TH STREET) SECTION: GOUGAR ROAD TO W. PARKER ROAD WILL COUNTY JOB NO.: R-91-023-97 RECORDING: RECORDED ON

PART OF THE WEST HALF OF THE NORTHEAST QUARTER OF SECTION 22
TWP. 36 N., R. 11 E. OF THE 3RD. P.M., IN WILL COUNTY, ILLINOIS.



PARCEL NUMBER	OWNER	TOTAL HOLDINGS ACRES	PART TAKEN ACRES	AREA IN EXISTING R.O.W. ACRES	REMAINDER AREA ACRES	EASEMENT AREA ACRES	EASEMENT PURPOSE	PERMANENT INDEX NUMBER	PROPERTY ACQUIRED BY
1JD0037	STONEBRIDGE WOODS DEVELOPMENT LLC	4.914	0.351	0.226	4.563			16-05-22-200-019 16-05-22-201-001	

LEGEND

- LIGHT
- FIRE HYDRANT
- AUXILIARY VALVE
- BUFFALO BOX
- WATER VALVE
- CATCH BASIN
- INLET
- STORM MANHOLE
- SANITARY MANHOLE
- UNIDENTIFIED MANHOLE
- FLARED END SECTION
- SIGN
- MAILBOX

BX BUILDING CORNER
CLF CHAIN LINK FENCE
CMP CORRUGATED METAL PIPE
CONC CONCRETE
CO CLEAN-OUT
ELEC ELECTRIC
GM GAS METER
IP IRON PIPE
IR IRON ROD
MON MONUMENT
RCP REINFORCED CONC PIPE

9 10 16 15 SECTION CORNER
16 15 QUARTER SECTION CORNER

- SECTION LINE
- QUARTER SECTION LINE
- QUARTER, QUARTER SECTION LINE
- PLATTED LOT LINES
- PROPERTY (DEED) LINE
- APL APPARENT PROPERTY LINE
- CENTERLINE
- EXISTING RIGHT OF WAY LINE
- PROPOSED RIGHT OF WAY LINE
- PROPOSED EASEMENT
- PROPOSED CENTERLINE
- 129.32' MEASURED DIMENSION
- 129.32' (COMP) COMPUTED DIMENSION
- (129.32') RECORDED DIMENSION
- EXISTING BUILDING

N

GRAPHIC SCALE FEET
0 50 100
SCALE: 1" = 50'

Bearings are referenced to the Illinois State Plane Coordinate Grid System, NAD83, East Zone, as provided by the Illinois Department of Transportation.

- ● IRON PIPE OR ROD FOUND ○ REPLACED AFTER CONSTRUCTION
- \+ CUT CROSS FOUND OR SET
- TI, T2, T3 THESE STAKES REFERENCE FOUND OR SET MONUMENTATION. SET 5/8 INCH IRON ROD FLUSH WITH GROUND TO TIE FOUND IRON STAKE IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYORS REGISTRATION NUMBER.
- BT1, BT2, BT3 THESE STAKES, IN CULTIVATED AREAS, REFERENCE FOUND OR SET MONUMENTATION. BURIED 5/8 INCH IRON ROD 20 INCHES BELOW GROUND TO TIE FOUND IRON STAKE. IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYORS REGISTRATION NUMBER.
- ■ STAKING OF PROPOSED RIGHT OF WAY. SET DIVISION OF HIGHWAYS SURVEY MARKER TO MONUMENT THE POSITION SHOWN. IDENTIFIED BY INSCRIPTION DATA AND SURVEYORS REGISTRATION NUMBER.
- ■ M STAKING OF PROPOSED RIGHT OF WAY IN CULTIVATED AREAS. BURIED 5/8 INCH METAL ROD 20 INCHES BELOW GROUND TO MARK FUTURE SURVEY MARKER POSITION IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYORS REGISTRATION NUMBER.
- PERMANENT SURVEY MARKER, I.D.O.T. STANDARD 2135 (TO BE SET BY OTHERS)
- □ RIGHT OF WAY STAKING PROPOSED TO BE SET

COORDINATE/STATION TABLE

Point	Northing	Easting	Station	Offset	
187	1796900.40	1086675.61	143+95.79	0.62	R
223	1796826.43	1086677.99	143+95.63	74.63	R
224	1796839.33	1087057.93	147+75.79	74.77	R

PROJECT COORDINATE VALUES AND BEARINGS ARE GROUND AND BASED ON ILLINOIS STATE PLANE, EAST ZONE. REFERENCE ELLIPSOID, WGS 1984 WITH A COMBINED SCALE FACTOR OF 0.9999544733.

NOTES:

1. ALL STATIONING SHOWN HEREON ARE GROUND DISTANCES IN FEET.
2. ALL OFFSETS ARE SHOWN HEREON ARE GROUND DISTANCES IN FEET.
3. ANY DISCREPANCY IN MEASUREMENT DISCOVERED UPON THE GROUND SHOULD BE PROMPTLY REPORTED TO THE SURVEYOR FOR EXPLANATION OR CORRECTION.
4. FOR BUILDING LINE AND OTHER RESTRICTIONS NOT SHOWN HEREON, REFER TO YOUR ABSTRACT, DEEDS, CONTRACTS AND ZONING ORDINANCES.

RECEIVED
AUG 2 9 2013
PLATS & LEGALS

STATE OF ILLINOIS)
)SS
COUNTY OF COOK)

THIS IS TO CERTIFY THAT WE, SPACECO, INC. AN ILLINOIS PROFESSIONAL DESIGN FIRM LAND SURVEYING CORPORATION, NUMBER 184-001157, HAVE SURVEYED THE PLAT OF HIGHWAYS SHOWN HEREON IN SECTIONS 15, 16, 17, 20, 21 AND 22 TOWNSHIP 36 NORTH, RANGE 11 EAST OF THE THIRD PRINCIPAL MERIDIAN, WILL COUNTY, THAT THE SURVEY IS TRUE AND COMPLETE AS SHOWN TO THE BEST OF MY KNOWLEDGE AND BELIEF, THAT THE PLAT CORRECTLY REPRESENTS SAID SURVEY, THAT ALL MONUMENTS FOUND AND ESTABLISHED ARE OF PERMANENT QUALITY AND OCCUPY THE POSITIONS SHOWN THEREON AND THAT THE MONUMENTS ARE SUFFICIENT TO ENABLE THE SURVEY TO BE RETRACED, MADE FOR THE DEPARTMENT OF TRANSPORTATION, STATE OF ILLINOIS.

DATED THIS _____ DAY OF _____ 20____ A.D, AT ROSEMONT, ILLINOIS

_____
REBECCA Y. POPECK
ILLINOIS PROFESSIONAL LAND SURVEYOR NO. 035-003642
LICENSE EXPIRATION DATE: NOVEMBER 30, 2014

THIS PROFESSIONAL SERVICE CONFORMS TO THE CURRENT ILLINOIS MINIMUM STANDARDS FOR A BOUNDARY SURVEY.

CONTRACT NO. 60X92 SHEET 140 OF 207

CONSULTING ENGINEERS
SITE DEVELOPMENT ENGINEERS
LAND SURVEYORS
9575 W. Higgins Road, Suite 700,
Rosemont, Illinois 60018
Phone: (847) 696-4060 Fax: (847) 696-4065

PLAT OF HIGHWAYS

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION
US ROUTE 6/IL ROUTE 7 (159TH ST)

SECTION: GOUGAR RD TO W. PARKER RD COUNTY: WILL
PROJECT: I-355 EXT. TO WILL-COOK RD JOB NO.: R-91-023-97
STATION 143+95.63 TO STATION 148+00.00
SCALE: 1" = 50' SHEET 24 OF 54

BUREAU OF LAND ACQUISITION
201 WEST CENTER COURT
SCHAUMBURG, ILLINOIS 60196

REVISION DATE: 05/10/2012 REVISION: STATION/OFFSET TABLE MADE BY: SDS

NORTHEAST QUARTER OF SECTION 22 TWP. 36 N., R. 11 E. OF THE 3RD. P.M., IN WILL COUNTY, ILLINOIS.



LEGEND

SECTION CORNER (9 10 / 16 15)

QUARTER SECTION CORNER (16 — 15)

N

GRAPHIC SCALE FEET

0 200,400

SCALE: 1" = 200'

	SECTION LINE
	QUARTER SECTION LINE
	QUARTER, QUARTER SECTION LINE
	PLATTED LOT LINES
℄	PROPERTY (DEED) LINE
APL	APPARENT PROPERTY LINE
	CENTERLINE
	EXISTING RIGHT OF WAY LINE
	PROPOSED RIGHT OF WAY LINE
	PROPOSED EASEMENT
	PROPOSED CENTERLINE
129.32'	MEASURED DIMENSION
129.32' (COMP)	COMPUTED DIMENSION
(129.32')	RECORDED DIMENSION
	EXISTING BUILDING

Bearings are referenced to the Illinois State Plane Coordinate Grid System, NAD83, East Zone, as provided by the Illinois Department of Transportation.

- ● IRON PIPE OR ROD FOUND ○ REPLACED AFTER CONSTRUCTION
- \+ CUT CROSS FOUND OR SET
- ● TI, T2, T3 — **THESE STAKES REFERENCE FOUND OR SET MONUMENTATION.** SET 5/8 INCH IRON ROD FLUSH WITH GROUND TO TIE FOUND IRON STAKE IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYORS REGISTRATION NUMBER.
- ● BT1, BT2, BT3 — **THESE STAKES, IN CULTIVATED AREAS, REFERENCE FOUND OR SET MONUMENTATION.** BURIED 5/8 INCH IRON ROD 20 INCHES BELOW GROUND TO TIE FOUND IRON STAKE. IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYORS REGISTRATION NUMBER.
- ■ **STAKING OF PROPOSED RIGHT OF WAY.** SET DIVISION OF HIGHWAYS SURVEY MARKER TO MONUMENT THE POSITION SHOWN. IDENTIFIED BY INSCRIPTION DATA AND SURVEYORS REGISTRATION NUMBER.
- ■ M — **STAKING OF PROPOSED RIGHT OF WAY IN CULTIVATED AREAS.** BURIED 5/8 INCH METAL ROD 20 INCHES BELOW GROUND TO MARK FUTURE SURVEY MARKER POSITION IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYORS REGISTRATION NUMBER.
- ⊕ PERMANENT SURVEY MARKER, I.D.O.T. STANDARD 2135 (TO BE SET BY OTHERS)
- □ RIGHT OF WAY STAKING PROPOSED TO BE SET

REVISION DATE: 05/10/2012 — REVISION: REVISED PROPOSED ℄ STATIONING — MADE BY: SDS

RECEIVED
AUG 2 9 2013
PLATS & LEGALS

STATE OF ILLINOIS)
)SS
COUNTY OF COOK)

THIS IS TO CERTIFY THAT WE, SPACECO, INC. AN ILLINOIS PROFESSIONAL DESIGN FIRM LAND SURVEYING CORPORATION, NUMBER 184-001157, HAVE SURVEYED THE PLAT OF HIGHWAYS SHOWN HEREON IN SECTIONS 15, 16, 17, 20, 21 AND 22 TOWNSHIP 36 NORTH, RANGE 11 EAST OF THE THIRD PRINCIPAL MERIDIAN, WILL COUNTY, THAT THE SURVEY IS TRUE AND COMPLETE AS SHOWN TO THE BEST OF MY KNOWLEDGE AND BELIEF, THAT THE PLAT CORRECTLY REPRESENTS SAID SURVEY, THAT ALL MONUMENTS FOUND AND ESTABLISHED ARE OF PERMANENT QUALITY AND OCCUPY THE POSITIONS SHOWN THEREON AND THAT THE MONUMENTS ARE SUFFICIENT TO ENABLE THE SURVEY TO BE RETRACED, MADE FOR THE DEPARTMENT OF TRANSPORTATION, STATE OF ILLINOIS.

DATED THIS _____ DAY OF _____ 20____ A.D, AT ROSEMONT, ILLINOIS

_____
REBECCA Y. POPECK
ILLINOIS PROFESSIONAL LAND SURVEYOR NO. 035-003642
LICENSE EXPIRATION DATE: NOVEMBER 30, 2014

THIS PROFESSIONAL SERVICE CONFORMS TO THE CURRENT ILLINOIS MINIMUM STANDARDS FOR A BOUNDARY SURVEY.

CONTRACT NO. 60X92 — SHEET 141 OF 207

SPACECO INC.
CONSULTING ENGINEERS
SITE DEVELOPMENT ENGINEERS
LAND SURVEYORS
9575 W. Higgins Road, Suite 700,
Rosemont, Illinois 60018
Phone: (847) 696-4060 Fax: (847) 696-4065

PLAT OF HIGHWAYS

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION
US ROUTE 6/IL ROUTE 7 (159TH ST)

SECTION: GOUGAR RD TO W. PARKER RD COUNTY: WILL
PROJECT: I-355 EXT. TO WILL-COOK RD JOB NO.: R-91-023-97
STATION 143+95.63 TO STATION 170+65.41
SCALE: 1" = 200' SHEET 25 OF 54

BUREAU OF LAND ACQUISITION
201 WEST CENTER COURT
SCHAUMBURG, ILLINOIS 60196

US ROUTE 6/IL ROUTE 7 (159TH STREET) — SECTION: GOUGAR ROAD TO W. PARKER ROAD — WILL COUNTY — JOB NO.: R-91-023-97 — RECORDING: RECORDED ON

PART OF THE EAST HALF OF THE NORTHWEST QUARTER OF SECTION 22 TWP. 36 N., R. 11 E. OF THE 3RD. P.M., IN WILL COUNTY, ILLINOIS.

PROJECT COORDINATE VALUES AND BEARINGS ARE GROUND AND BASED ON ILLINOIS STATE PLANE, EAST ZONE. REFERENCE ELLIPSOID, WGS 1984 WITH A COMBINED SCALE FACTOR OF 0.9999544733.

NOTES:

1. ALL STATIONING SHOWN HEREON ARE GROUND DISTANCES IN FEET.

2. ALL OFFSETS ARE SHOWN HEREON ARE GROUND DISTANCES IN FEET.

3. ANY DISCREPANCY IN MEASUREMENT DISCOVERED UPON THE GROUND SHOULD BE PROMPTLY REPORTED TO THE SURVEYOR FOR EXPLANATION OR CORRECTION.

4. FOR BUILDING LINE AND OTHER RESTRICTIONS NOT SHOWN HEREON, REFER TO YOUR ABSTRACT, DEEDS, CONTRACTS AND ZONING ORDINANCES.

PARCEL NUMBER	OWNER	TOTAL HOLDINGS ACRES	PART TAKEN ACRES	AREA IN EXISTING R.O.W. ACRES	REMAINDER AREA ACRES	EASEMENT AREA ACRES	EASEMENT PURPOSE	PERMANENT INDEX NUMBER	PROPERTY ACQUIRED BY
1JD0038	FJCHG, LLC, AN ILLINOIS LIMITED LIABILITY COMPANY	139.562	5.573	2.536	133.989			16-05-22-100-003	
1JD0038TE						0.014	TEMPORARY		

COORDINATE/STATION TABLE

Point	Northing	Easting	Station	Offset	
186	1796854.18	1085345.33	130+64.70	1.22	R
187	1796900.40	1086675.61	143+95.79	0.62	R
223	1796826.43	1086677.99	143+95.63	74.63	R
251	1796780.60	1085353.95	130+70.80	75.05	R
252	1796625.69	1085359.31	130+70.85	230.05	R
259	1796805.29	1086067.20	137+84.48	74.82	R
260	1796790.30	1086067.72	137+84.49	89.82	R
261	1796791.68	1086107.70	138+24.49	89.81	R
262	1796806.67	1086107.18	138+24.48	74.81	R

LEGEND

- LIGHT
- FIRE HYDRANT
- AUXILIARY VALVE
- BUFFALO BOX
- WATER VALVE
- CATCH BASIN
- INLET
- STORM MANHOLE
- SANITARY MANHOLE
- UNIDENTIFIED MANHOLE
- FLARED END SECTION
- SIGN
- MAILBOX

BX BUILDING CORNER
CLF CHAIN LINK FENCE
CMP CORRUGATED METAL PIPE
CONC CONCRETE
CO CLEAN-OUT
ELEC ELECTRIC
GM GAS METER
IP IRON PIPE
IR IRON ROD
MON MONUMENT
RCP REINFORCED CONC PIPE

SECTION CORNER (9 10 16 15) — QUARTER SECTION CORNER (16 — 15)

- SECTION LINE
- QUARTER SECTION LINE
- QUARTER, QUARTER SECTION LINE
- PLATTED LOT LINES
- PROPERTY (DEED) LINE
- APPARENT PROPERTY LINE
- CENTERLINE
- EXISTING RIGHT OF WAY LINE
- PROPOSED RIGHT OF WAY LINE
- PROPOSED EASEMENT
- PROPOSED CENTERLINE
- 129.32' MEASURED DIMENSION
- 129.32' (COMP) COMPUTED DIMENSION
- (129.32') RECORDED DIMENSION
- EXISTING BUILDING

N

GRAPHIC SCALE FEET
0 — 50.100
SCALE: 1" = 50'

Bearings are referenced to the Illinois State Plane Coordinate Grid System, NAD83, East Zone, as provided by the Illinois Department of Transportation.

- ● IRON PIPE OR ROD FOUND ○ REPLACED AFTER CONSTRUCTION
- \+ CUT CROSS FOUND OR SET
- ● T1 T2 T3 THESE STAKES REFERENCE FOUND OR SET MONUMENTATION. SET 5/8 INCH IRON ROD FLUSH WITH GROUND TO TIE FOUND IRON STAKE IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYORS REGISTRATION NUMBER.
- • BT1 BT2 BT3 THESE STAKES, IN CULTIVATED AREAS, REFERENCE FOUND OR SET MONUMENTATION. BURIED 5/8 INCH IRON ROD 20 INCHES BELOW GROUND TO TIE FOUND IRON STAKE. IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYORS REGISTRATION NUMBER.
- ■ STAKING OF PROPOSED RIGHT OF WAY. SET DIVISION OF HIGHWAYS SURVEY MARKER TO MONUMENT THE POSITION SHOWN. IDENTIFIED BY INSCRIPTION DATA AND SURVEYORS REGISTRATION NUMBER.
- ■ M STAKING OF PROPOSED RIGHT OF WAY IN CULTIVATED AREAS. BURIED 5/8 INCH METAL ROD 20 INCHES BELOW GROUND TO MARK FUTURE SURVEY MARKER POSITION IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYORS REGISTRATION NUMBER.
- ◔ PERMANENT SURVEY MARKER, I.D.O.T. STANDARD 2135 (TO BE SET BY OTHERS)
- □ RIGHT OF WAY STAKING PROPOSED TO BE SET



SEE SHEET 28 FOR TOTAL HOLDING

STATE OF ILLINOIS)
)SS
COUNTY OF COOK)

THIS IS TO CERTIFY THAT WE, SPACECO, INC. AN ILLINOIS PROFESSIONAL DESIGN FIRM LAND SURVEYING CORPORATION, NUMBER 184-001157, HAVE SURVEYED THE PLAT OF HIGHWAYS SHOWN HEREON IN SECTIONS 15, 16, 17, 20, 21 AND 22 TOWNSHIP 36 NORTH, RANGE 11 EAST OF THE THIRD PRINCIPAL MERIDIAN, WILL COUNTY, THAT THE SURVEY IS TRUE AND COMPLETE AS SHOWN TO THE BEST OF MY KNOWLEDGE AND BELIEF, THAT THE PLAT CORRECTLY REPRESENTS SAID SURVEY, THAT ALL MONUMENTS FOUND AND ESTABLISHED ARE OF PERMANENT QUALITY AND OCCUPY THE POSITIONS SHOWN THEREON AND THAT THE MONUMENTS ARE SUFFICIENT TO ENABLE THE SURVEY TO BE RETRACED, MADE FOR THE DEPARTMENT OF TRANSPORTATION, STATE OF ILLINOIS.

DATED THIS _____ DAY OF _____ 20____ A.D. AT ROSEMONT, ILLINOIS

_____
REBECCA Y. POPECK
ILLINOIS PROFESSIONAL LAND SURVEYOR NO. 035-003642
LICENSE EXPIRATION DATE: NOVEMBER 30, 2014

THIS PROFESSIONAL SERVICE CONFORMS TO THE CURRENT ILLINOIS MINIMUM STANDARDS FOR A BOUNDARY SURVEY.

REVISION DATE: 10/04/2013 05/10/2012
REVISION: UPDATE OWNER FOR PARCEL 1JD0038 STATION/OFFSET TABLE
MADE BY: RYP SDS

CONTRACT NO. 60X92 SHEET 142 OF 207

SPACECO INC.
CONSULTING ENGINEERS
SITE DEVELOPMENT ENGINEERS
LAND SURVEYORS
9575 W. Higgins Road, Suite 700,
Rosemont, Illinois 60018
Phone: (847) 696-4060 Fax: (847) 696-4065

PLAT OF HIGHWAYS

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION
US ROUTE 6/IL ROUTE 7 (159TH ST)

SECTION: GOUGAR RD TO W. PARKER RD COUNTY: WILL
PROJECT: I-355 EXT. TO WILL-COOK RD JOB NO.: R-91-023-97
STATION 130+64.70 TO STATION 143+95.63
SCALE: 1" = 50' SHEET 26 OF 54

BUREAU OF LAND ACQUISITION
201 WEST CENTER COURT
SCHAUMBURG, ILLINOIS 60196

PART OF THE WEST HALF OF THE NORTHWEST QUARTER OF SECTION 22 TWP. 36 N., R. 11 E. OF THE 3RD. P.M., IN WILL COUNTY, ILLINOIS.

PARCEL NUMBER	OWNER	TOTAL HOLDINGS ACRES	PART TAKEN ACRES	AREA IN EXISTING R.O.W. ACRES	REMAINDER AREA ACRES	EASEMENT AREA ACRES	EASEMENT PURPOSE	PERMANENT INDEX NUMBER	PROPERTY ACQUIRED BY
1JD0038 1JD0038TE	FJCHG, LLC, AN ILLINOIS LIMITED LIABILITY COMPANY	139.562	5.573	2.536	133.989	 0.014	 TEMPORARY	16-05-22-100-003	
1JD0039	EAGLE ROCK COMMUNITY CHURCH, AN ILLINOIS RELIGIOUS CORPORATION	11.417	0.642	0.447	10.775			16-05-22-100-004	

COORDINATE/STATION TABLE

Point	Northing	Easting	Station	Offset	
149	1796807.98	1084015.92	117+34.49	1.83	R
186	1796854.18	1085345.33	130+64.70	1.22	R
251	1796780.60	1085353.95	130+70.80	75.05	R
252	1796625.69	1085359.31	130+70.85	230.05	R
253	1796610.13	1084909.58	126+20.85	230.20	R
254	1796715.06	1084905.95	126+20.81	125.20	R
255	1796710.91	1084786.02	125+00.81	125.23	R
256	1796760.88	1084784.29	125+00.80	75.23	R
257	1796748.21	1084418.13	121+34.42	75.35	R
258	1796736.45	1084078.34	117+94.42	75.46	R

LEGEND

- LIGHT
- FIRE HYDRANT
- AUXILIARY VALVE
- BUFFALO BOX
- WATER VALVE
- CATCH BASIN
- INLET
- STORM MANHOLE
- SANITARY MANHOLE
- UNIDENTIFIED MANHOLE
- FLARED END SECTION
- SIGN
- MAILBOX

BX BUILDING CORNER
CLF CHAIN LINK FENCE
CMP CORRUGATED METAL PIPE
CONC CONCRETE
CO CLEAN-OUT
ELEC ELECTRIC
GM GAS METER
IP IRON PIPE
IR IRON ROD
MON MONUMENT
RCP REINFORCED CONC PIPE

SECTION CORNER (9 | 10 / 16 | 15) — QUARTER SECTION CORNER (16 — 15)

- SECTION LINE
- QUARTER SECTION LINE
- QUARTER, QUARTER SECTION LINE
- PLATTED LOT LINES
- PROPERTY (DEED) LINE
- APPARENT PROPERTY LINE
- CENTERLINE
- EXISTING RIGHT OF WAY LINE
- PROPOSED RIGHT OF WAY LINE
- PROPOSED EASEMENT
- PROPOSED CENTERLINE
- 129.32' MEASURED DIMENSION
- 129.32' (COMP) COMPUTED DIMENSION
- (129.32') RECORDED DIMENSION
- EXISTING BUILDING

GRAPHIC SCALE FEET 0 50,100
SCALE: 1" = 50'

- ● IRON PIPE OR ROD FOUND ○ REPLACED AFTER CONSTRUCTION
- \+ CUT CROSS FOUND OR SET
- ● T1 T2 T3 **THESE STAKES REFERENCE FOUND OR SET MONUMENTATION.** SET 5/8 INCH IRON ROD FLUSH WITH GROUND TO TIE FOUND IRON STAKE IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYORS REGISTRATION NUMBER.
- • BT1 BT2 BT3 **THESE STAKES, IN CULTIVATED AREAS, REFERENCE FOUND OR SET MONUMENTATION.** BURIED 5/8 INCH IRON ROD 20 INCHES BELOW GROUND TO TIE FOUND IRON STAKE. IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYORS REGISTRATION NUMBER.
- ■ **STAKING OF PROPOSED RIGHT OF WAY.** SET DIVISION OF HIGHWAYS SURVEY MARKER TO MONUMENT THE POSITION SHOWN. IDENTIFIED BY INSCRIPTION DATA AND SURVEYORS REGISTRATION NUMBER.
- ■ M **STAKING OF PROPOSED RIGHT OF WAY IN CULTIVATED AREAS.** BURIED 5/8 INCH METAL ROD 20 INCHES BELOW GROUND TO MARK FUTURE SURVEY MARKER POSITION IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYORS REGISTRATION NUMBER.
- ◒ PERMANENT SURVEY MARKER, I.D.O.T. STANDARD 2135 (TO BE SET BY OTHERS)
- □ RIGHT OF WAY STAKING PROPOSED TO BE SET

Bearings are referenced to the Illinois State Plane Coordinate Grid System, NAD83, East Zone, as provided by the Illinois Department of Transportation.



PROJECT COORDINATE VALUES AND BEARINGS ARE GROUND AND BASED ON ILLINOIS STATE PLANE, EAST ZONE. REFERENCE ELLIPSOID, WGS 1984 WITH A COMBINED SCALE FACTOR OF 0.999954733.

NOTES:

1. ALL STATIONING SHOWN HEREON ARE GROUND DISTANCES IN FEET.
2. ALL OFFSETS ARE SHOWN HEREON ARE GROUND DISTANCES IN FEET.
3. ANY DISCREPANCY IN MEASUREMENT DISCOVERED UPON THE GROUND SHOULD BE PROMPTLY REPORTED TO THE SURVEYOR FOR EXPLANATION OR CORRECTION.
4. FOR BUILDING LINE AND OTHER RESTRICTIONS NOT SHOWN HEREON, REFER TO YOUR ABSTRACT, DEEDS, CONTRACTS AND ZONING ORDINANCES.

10/04/2013
05/10/2012
REVISION DATE: 03/14/2012

UPDATE OWNER FOR PARCEL 1JD0038 — RYP
STATION/OFFSET TABLE — SDS
REVISION: IDOT COMMENTS PER EMAIL ON 03/13/2012 — MADE BY: SDS

STATE OF ILLINOIS)
)SS
COUNTY OF COOK)

THIS IS TO CERTIFY THAT WE, SPACECO, INC. AN ILLINOIS PROFESSIONAL DESIGN FIRM LAND SURVEYING CORPORATION, NUMBER 184-001157, HAVE SURVEYED THE PLAT OF HIGHWAYS SHOWN HEREON IN SECTIONS 15, 16, 17, 20, 21 AND 22 TOWNSHIP 36 NORTH, RANGE 11 EAST OF THE THIRD PRINCIPAL MERIDIAN, WILL COUNTY, THAT THE SURVEY IS TRUE AND COMPLETE AS SHOWN TO THE BEST OF MY KNOWLEDGE AND BELIEF, THAT THE PLAT CORRECTLY REPRESENTS SAID SURVEY, THAT ALL MONUMENTS FOUND AND ESTABLISHED ARE OF PERMANENT QUALITY AND OCCUPY THE POSITIONS SHOWN THEREON AND THAT THE MONUMENTS ARE SUFFICIENT TO ENABLE THE SURVEY TO BE RETRACED, MADE FOR THE DEPARTMENT OF TRANSPORTATION, STATE OF ILLINOIS.

DATED THIS _____ DAY OF _____ 20____ A.D. AT ROSEMONT, ILLINOIS

REBECCA Y. POPECK
ILLINOIS PROFESSIONAL LAND SURVEYOR NO. 035-003642
LICENSE EXPIRATION DATE: NOVEMBER 30, 2014

THIS PROFESSIONAL SERVICE CONFORMS TO THE CURRENT ILLINOIS MINIMUM STANDARDS FOR A BOUNDARY SURVEY.

CONTRACT NO. 60X92 SHEET 143 OF 207

SPACECO INC.
CONSULTING ENGINEERS
SITE DEVELOPMENT ENGINEERS
LAND SURVEYORS
9575 W. Higgins Road, Suite 700, Rosemont, Illinois 60018
Phone: (847) 696-4060 Fax: (847) 696-4065

PLAT OF HIGHWAYS

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION
US ROUTE 6/IL ROUTE 7 (159TH ST)

SECTION: GOUGAR RD TO W. PARKER RD COUNTY: WILL
PROJECT: I-355 EXT. TO WILL-COOK RD JOB NO.: R-91-023-97
STATION 117+34.49 TO STATION 130+64.70
SCALE: 1" = 50' SHEET 27 OF 54

BUREAU OF LAND ACQUISITION
201 WEST CENTER COURT
SCHAUMBURG, ILLINOIS 60196

NORTHWEST QUARTER OF SECTION 22 TWP. 36 N., R. 11 E. OF THE 3RD. P.M., IN WILL COUNTY, ILLINOIS.



LEGEND

SECTION CORNER (9 10 16 15) — QUARTER SECTION CORNER (16 — 15)

N

GRAPHIC SCALE FEET
0 — 200 — 400
SCALE: 1" = 200'

———	SECTION LINE
— — —	QUARTER SECTION LINE
— — —	QUARTER, QUARTER SECTION LINE
———	PLATTED LOT LINES
——P——	PROPERTY (DEED) LINE
——APL——	APPARENT PROPERTY LINE
— — —	CENTERLINE
— — —	EXISTING RIGHT OF WAY LINE
———	PROPOSED RIGHT OF WAY LINE
— — —	PROPOSED EASEMENT
— — —	PROPOSED CENTERLINE
129.32'	MEASURED DIMENSION
129.32' (COMP)	COMPUTED DIMENSION
(129.32')	RECORDED DIMENSION
▨	EXISTING BUILDING

Bearings are referenced to the Illinois State Plane Coordinate Grid System, NAD83, East Zone, as provided by the Illinois Department of Transportation.

- ● IRON PIPE OR ROD FOUND O REPLACED AFTER CONSTRUCTION
- \+ CUT CROSS FOUND OR SET
- • TI, T2, T3 — **THESE STAKES REFERENCE FOUND OR SET MONUMENTATION.** SET 5/8 INCH IRON ROD FLUSH WITH GROUND TO TIE FOUND IRON STAKE IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYORS REGISTRATION NUMBER.
- • BT1, BT2, BT3 — **THESE STAKES, IN CULTIVATED AREAS, REFERENCE FOUND OR SET MONUMENTATION.** BURIED 5/8 INCH IRON ROD 20 INCHES BELOW GROUND TO TIE FOUND IRON STAKE. IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYORS REGISTRATION NUMBER.
- ■ **STAKING OF PROPOSED RIGHT OF WAY.** SET DIVISION OF HIGHWAYS SURVEY MARKER TO MONUMENT THE POSITION SHOWN. IDENTIFIED BY INSCRIPTION DATA AND SURVEYORS REGISTRATION NUMBER.
- ■ M — **STAKING OF PROPOSED RIGHT OF WAY IN CULTIVATED AREAS.** BURIED 5/8 INCH METAL ROD 20 INCHES BELOW GROUND TO MARK FUTURE SURVEY MARKER POSITION IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYORS REGISTRATION NUMBER.
- ◒ PERMANENT SURVEY MARKER, I.D.O.T. STANDARD 2135 (TO BE SET BY OTHERS)
- □ RIGHT OF WAY STAKING PROPOSED TO BE SET

RECEIVED
AUG 29 2013
PLATS & LEGALS

STATE OF ILLINOIS)
)SS
COUNTY OF COOK)

THIS IS TO CERTIFY THAT WE, SPACECO, INC. AN ILLINOIS PROFESSIONAL DESIGN FIRM LAND SURVEYING CORPORATION, NUMBER 184-001157, HAVE SURVEYED THE PLAT OF HIGHWAYS SHOWN HEREON IN SECTIONS 15, 16, 17, 20, 21 AND 22 TOWNSHIP 36 NORTH, RANGE 11 EAST OF THE THIRD PRINCIPAL MERIDIAN, WILL COUNTY, THAT THE SURVEY IS TRUE AND COMPLETE AS SHOWN TO THE BEST OF MY KNOWLEDGE AND BELIEF, THAT THE PLAT CORRECTLY REPRESENTS SAID SURVEY, THAT ALL MONUMENTS FOUND AND ESTABLISHED ARE OF PERMANENT QUALITY AND OCCUPY THE POSITIONS SHOWN THEREON AND THAT THE MONUMENTS ARE SUFFICIENT TO ENABLE THE SURVEY TO BE RETRACED, MADE FOR THE DEPARTMENT OF TRANSPORTATION, STATE OF ILLINOIS.

DATED THIS _____ DAY OF _____ 20____ A.D, AT ROSEMONT, ILLINOIS

REBECCA Y. POPECK
ILLINOIS PROFESSIONAL LAND SURVEYOR NO. 035-003642
LICENSE EXPIRATION DATE: NOVEMBER 30, 2014

THIS PROFESSIONAL SERVICE CONFORMS TO THE CURRENT ILLINOIS MINIMUM STANDARDS FOR A BOUNDARY SURVEY.

REVISION DATE: 05/10/2012 — REVISION: REVISED PROPOSED ℄ STATIONING — MADE BY: SDS

CONTRACT NO. 60X92 — SHEET 144 OF 207

SPACECO INC.
CONSULTING ENGINEERS
SITE DEVELOPMENT ENGINEERS
LAND SURVEYORS
9575 W. Higgins Road, Suite 700,
Rosemont, Illinois 60018
Phone: (847) 696-4060 Fax: (847) 696-4065

PLAT OF HIGHWAYS

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION
US ROUTE 6/IL ROUTE 7 (159TH ST)

SECTION: GOUGAR RD TO W. PARKER RD COUNTY: WILL
PROJECT: I-355 EXT. TO WILL-COOK RD JOB NO.: R-91-023-97
STATION 117+34.49 TO STATION 143+95.63
SCALE: 1" = 200' SHEET 28 OF 54

BUREAU OF LAND ACQUISITION
201 WEST CENTER COURT
SCHAUMBURG, ILLINOIS 60196

PART OF THE EAST HALF OF THE NORTHEAST QUARTER OF SECTION 21 TWP. 36 N., R. 11 E. OF THE 3RD. P.M., IN WILL COUNTY, ILLINOIS.

PARCEL NUMBER	OWNER	TOTAL HOLDINGS ACRES	PART TAKEN ACRES	AREA IN EXISTING R.O.W. ACRES	REMAINDER AREA ACRES	EASEMENT AREA ACRES	EASEMENT AREA SF	EASEMENT PURPOSE	PERMANENT INDEX NUMBER	PROPERTY ACQUIRED BY
1JD0040TE	GREAT LAKES TRUST COMPANY, N.A., AS TRUSTEE UNDER TRUST AGREEMENT DATED JUNE 14, 2004 AND KNOWN AS TRUST NO. 04047	8.511	0.000	0.000	8.511	0.007	300	TEMPORARY	16-05-21-204-006 16-05-21-204-001	



LEGEND

- LIGHT
- FIRE HYDRANT
- AUXILIARY VALVE
- BUFFALO BOX
- WATER VALVE
- CATCH BASIN
- INLET
- STORM MANHOLE
- SANITARY MANHOLE
- UNIDENTIFIED MANHOLE
- FLARED END SECTION
- SIGN
- MAILBOX

BX BUILDING CORNER
CLF CHAIN LINK FENCE
CMP CORRUGATED METAL PIPE
CONC CONCRETE
CO CLEAN-OUT
ELEC ELECTRIC
GM GAS METER
IP IRON PIPE
IR IRON ROD
MON MONUMENT
RCP REINFORCED CONC PIPE

CORNER RE-ESTABLISHED PER EXISTING MONUMENTATION & RECORD DOCUMENTS M-6, SEE SHEET --- (149)

9 10 16 15 SECTION CORNER
16 15 21 22 QUARTER SECTION CORNER

- SECTION LINE
- QUARTER SECTION LINE
- QUARTER, QUARTER SECTION LINE
- PLATTED LOT LINES
- PROPERTY (DEED) LINE
- APPARENT PROPERTY LINE
- CENTERLINE
- EXISTING RIGHT OF WAY LINE
- PROPOSED RIGHT OF WAY LINE
- PROPOSED EASEMENT
- PROPOSED CENTERLINE
- 129.32' MEASURED DIMENSION
- 129.32' (COMP) COMPUTED DIMENSION
- (129.32') RECORDED DIMENSION
- EXISTING BUILDING

GRAPHIC SCALE FEET 0 50,100
SCALE: 1" = 50'

Bearings are referenced to the Illinois State Plane Coordinate Grid System, NAD83, East Zone, as provided by the Illinois Department of Transportation.

- ● IRON PIPE OR ROD FOUND ○ REPLACED AFTER CONSTRUCTION
- \+ CUT CROSS FOUND OR SET
- ● T1 T2 T3 **THESE STAKES REFERENCE FOUND OR SET MONUMENTATION.** SET 5/8 INCH IRON ROD FLUSH WITH GROUND TO TIE FOUND IRON STAKE IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYORS REGISTRATION NUMBER.
- ● BT1 BT2 BT3 **THESE STAKES, IN CULTIVATED AREAS, REFERENCE FOUND OR SET MONUMENTATION.** BURIED 5/8 INCH IRON ROD 20 INCHES BELOW GROUND TO TIE FOUND IRON STAKE. IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYORS REGISTRATION NUMBER.
- ■ **STAKING OF PROPOSED RIGHT OF WAY.** SET DIVISION OF HIGHWAYS SURVEY MARKER TO MONUMENT THE POSITION SHOWN. IDENTIFIED BY INSCRIPTION DATA AND SURVEYORS REGISTRATION NUMBER.
- ■ M **STAKING OF PROPOSED RIGHT OF WAY IN CULTIVATED AREAS.** BURIED 5/8 INCH METAL ROD 20 INCHES BELOW GROUND TO MARK FUTURE SURVEY MARKER POSITION IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYORS REGISTRATION NUMBER.
- ⊕ PERMANENT SURVEY MARKER, I.D.O.T. STANDARD 2135 (TO BE SET BY OTHERS)
- □ RIGHT OF WAY STAKING PROPOSED TO BE SET

COORDINATE/STATION TABLE

Point	Northing	Easting	Station	Offset	
149	1796807.98	1084015.92	117+34.49	1.83	R
268	1796706.96	1083395.29	111+10.77	81.52	R
269	1796701.97	1083395.47	111+10.78	86.52	R
270	1796699.87	1083335.51	110+50.78	86.56	R
271	1796704.87	1083335.33	110+50.77	81.56	R

PROJECT COORDINATE VALUES AND BEARINGS ARE GROUND AND BASED ON ILLINOIS STATE PLANE, EAST ZONE. REFERENCE ELLIPSOID, WGS 1984 WITH A COMBINED SCALE FACTOR OF 0.9999544733.

NOTES:

1. ALL STATIONING SHOWN HEREON ARE GROUND DISTANCES IN FEET.
2. ALL OFFSETS ARE SHOWN HEREON ARE GROUND DISTANCES IN FEET.
3. ANY DISCREPANCY IN MEASUREMENT DISCOVERED UPON THE GROUND SHOULD BE PROMPTLY REPORTED TO THE SURVEYOR FOR EXPLANATION OR CORRECTION.
4. FOR BUILDING LINE AND OTHER RESTRICTIONS NOT SHOWN HEREON, REFER TO YOUR ABSTRACT, DEEDS, CONTRACTS AND ZONING ORDINANCES.

STATE OF ILLINOIS)
)SS
COUNTY OF COOK)

THIS IS TO CERTIFY THAT WE, SPACECO, INC. AN ILLINOIS PROFESSIONAL DESIGN FIRM LAND SURVEYING CORPORATION, NUMBER 184-001157, HAVE SURVEYED THE PLAT OF HIGHWAYS SHOWN HEREON IN SECTIONS 15, 16, 17, 20, 21 AND 22 TOWNSHIP 36 NORTH, RANGE 11 EAST OF THE THIRD PRINCIPAL MERIDIAN, WILL COUNTY, THAT THE SURVEY IS TRUE AND COMPLETE AS SHOWN TO THE BEST OF MY KNOWLEDGE AND BELIEF, THAT THE PLAT CORRECTLY REPRESENTS SAID SURVEY, THAT ALL MONUMENTS FOUND AND ESTABLISHED ARE OF PERMANENT QUALITY AND OCCUPY THE POSITIONS SHOWN THEREON AND THAT THE MONUMENTS ARE SUFFICIENT TO ENABLE THE SURVEY TO BE RETRACED, MADE FOR THE DEPARTMENT OF TRANSPORTATION, STATE OF ILLINOIS.

DATED THIS _____ DAY OF _____ 20____ A.D. AT ROSEMONT, ILLINOIS

REBECCA Y. POPECK
ILLINOIS PROFESSIONAL LAND SURVEYOR NO. 035-003642
LICENSE EXPIRATION DATE: NOVEMBER 30, 2012

THIS PROFESSIONAL SERVICE CONFORMS TO THE CURRENT ILLINOIS MINIMUM STANDARDS FOR A BOUNDARY SURVEY.

CONTRACT NO. 60X92 SHEET 145 OF 207

RECEIVED
AUG 29 2013
PLATS & LEGALS

TOM CROSIER
CONSULTING ENGINEERS
SITE DEVELOPMENT ENGINEERS
LAND SURVEYORS
9575 W. Higgins Road, Suite 700, Rosemont, Illinois 60018
Phone: (847) 696-4060 Fax: (847) 696-4065

PLAT OF HIGHWAYS

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION
US ROUTE 6/IL ROUTE 7 (159TH ST)
SECTION: GOUGAR RD TO W. PARKER RD COUNTY: WILL
PROJECT: I-355 EXT. TO WILL-COOK RD JOB NO.: R-91-023-97
STATION 107+49.99 TO STATION 117+34.49
SCALE: 1" = 50' SHEET 29 OF 54

BUREAU OF LAND ACQUISITION
201 WEST CENTER COURT
SCHAUMBURG, ILLINOIS 60196

REVISION DATE: 05/10/2012 REVISION: STATION/OFFSET TABLE MADE BY: SDS

US ROUTE 6/IL ROUTE 7 (159TH STREET) SECTION: COUGAR ROAD TO W. PARKER ROAD WILL COUNTY JOB NO.: R-91-023-97 RECORDING: RECORDED ON

PART OF THE NORTH HALF OF THE NORTHEAST QUARTER OF SECTION 21 TWP. 36 N., R. 11 E. OF THE 3RD. P.M., IN WILL COUNTY, ILLINOIS.



DETAIL
1" = 50'

PROJECT COORDINATE VALUES AND BEARINGS ARE GROUND AND BASED ON ILLINOIS STATE PLANE, EAST ZONE. REFERENCE ELLIPSOID, WGS 1984 WITH A COMBINED SCALE FACTOR OF 0.9999544733.

NOTES:

1. ALL STATIONING SHOWN HEREON ARE GROUND DISTANCES IN FEET.
2. ALL OFFSETS ARE SHOWN HEREON ARE GROUND DISTANCES IN FEET.
3. ANY DISCREPANCY IN MEASUREMENT DISCOVERED UPON THE GROUND SHOULD BE PROMPTLY REPORTED TO THE SURVEYOR FOR EXPLANATION OR CORRECTION.
4. FOR BUILDING LINE AND OTHER RESTRICTIONS NOT SHOWN HEREON, REFER TO YOUR ABSTRACT, DEEDS, CONTRACTS AND ZONING ORDINANCES.

● IRON PIPE OR ROD FOUND ○ REPLACED AFTER CONSTRUCTION

\+ CUT CROSS FOUND OR SET

● TI, T2, T3 **THESE STAKES REFERENCE FOUND OR SET MONUMENTATION.** SET 5/8 INCH IRON ROD FLUSH WITH GROUND TO TIE FOUND IRON STAKE IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYORS REGISTRATION NUMBER.

● BT1, BT2, BT3 **THESE STAKES IN CULTIVATED AREAS, REFERENCE FOUND OR SET MONUMENTATION.** BURIED 5/8 INCH IRON ROD 20 INCHES BELOW GROUND TO TIE FOUND IRON STAKE. IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYORS REGISTRATION NUMBER.

■ **STAKING OF PROPOSED RIGHT OF WAY.** SET DIVISION OF HIGHWAYS SURVEY MARKER TO MONUMENT THE POSITION SHOWN. IDENTIFIED BY INSCRIPTION DATA AND SURVEYORS REGISTRATION NUMBER.

■ M **STAKING OF PROPOSED RIGHT OF WAY IN CULTIVATED AREAS.** BURIED 5/8 INCH METAL ROD 20 INCHES BELOW GROUND TO MARK FUTURE SURVEY MARKER POSITION IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYORS REGISTRATION NUMBER.

◕ PERMANENT SURVEY MARKER, I.D.O.T. STANDARD 2135 (TO BE SET BY OTHERS)

□ RIGHT OF WAY STAKING PROPOSED TO BE SET

LEGEND

- LT LIGHT
- FH FIRE HYDRANT
- AV AUXILIARY VALVE
- BB BUFFALO BOX
- WV WATER VALVE
- CB CATCH BASIN
- IN INLET
- SM STORM MANHOLE
- SAN SANITARY MANHOLE
- UNID UNIDENTIFIED MANHOLE
- FES FLARED END SECTION
- SN SIGN
- MB MAILBOX
- BX BUILDING CORNER
- CLF CHAIN LINK FENCE
- CMP CORRUGATED METAL PIPE
- CONC CONCRETE
- CO CLEAN-OUT
- ELEC ELECTRIC
- GM GAS METER
- IP IRON PIPE
- IR IRON ROD
- MON MONUMENT
- RCP REINFORCED CONC PIPE

9 | 10 / 16 | 15 SECTION CORNER

16 — 15 QUARTER SECTION CORNER

- SECTION LINE
- QUARTER SECTION LINE
- QUARTER, QUARTER SECTION LINE
- PLATTED LOT LINES
- ℄ PROPERTY (DEED) LINE
- APL APPARENT PROPERTY LINE
- CENTERLINE
- EXISTING RIGHT OF WAY LINE
- PROPOSED RIGHT OF WAY LINE
- PROPOSED EASEMENT
- PROPOSED CENTERLINE
- 129.32' MEASURED DIMENSION
- 129.32' (COMP) COMPUTED DIMENSION
- (129.32') RECORDED DIMENSION
- EXISTING BUILDING

N

GRAPHIC SCALE FEET
0 50 100
SCALE: 1" = 50'

Bearings are referenced to the Illinois State Plane Coordinate Grid System, NAD83, East Zone, as provided by the Illinois Department of Transportation.



COORDINATE/STATION TABLE

Point	Northing	Easting	Station	Offset	
272	1796665.13	1081887.69	96+02.56	70.58	R
355	1796695.34	1083034.77	107+49.99	80.74	R
356	1796682.32	1082663.25	103+78.24	80.69	R
357	1796682.29	1082662.47	103+77.46	80.69	R
358	1796669.26	1082291.00	100+05.76	80.64	R
359	1796655.13	1081887.99	96+02.50	80.58	R
360	1796688.50	1082839.53	105+54.62	80.72	R
361	1796678.50	1082839.88	105+54.62	90.72	R
362	1796676.75	1082789.91	105+04.62	90.71	R
363	1796686.74	1082789.56	105+04.62	80.71	R
364	1796668.49	1082269.02	99+83.76	80.63	R
365	1796648.50	1082269.72	99+83.76	100.63	R
366	1796647.10	1082229.74	99+43.76	100.63	R
367	1796667.09	1082229.04	99+43.76	80.63	R
368	1796656.18	1081917.85	96+32.38	80.58	R
369	1796636.19	1081918.55	96+32.38	100.58	R
370	1796635.14	1081888.57	96+02.38	100.58	R

PARCEL NUMBER	OWNER	TOTAL HOLDINGS ACRES	PART TAKEN ACRES	AREA IN EXISTING R.O.W. ACRES	REMAINDER AREA ACRES	EASEMENT AREA ACRES	EASEMENT PURPOSE	PERMANENT INDEX NUMBER	PROPERTY ACQUIRED BY
1JD0041	ROGER YANGAS	4.802	0.723	0.466	4.079			16-05-21-200-023	
1JD0041TE						0.011	TEMPORARY		
1JD0042	JOANNE YANGAS	4.802	0.740	0.483	4.062			16-05-21-200-024	
1JD0043	LOIS E. SANDVIK	4.260	0.278	0.000	3.982			16-05-21-200-021 (PART OF)	
1JD0043TE-A						0.014	TEMPORARY		
1JD0043TE-B						0.018	TEMPORARY		

STATE OF ILLINOIS)
) SS
COUNTY OF COOK)

THIS IS TO CERTIFY THAT WE, SPACECO, INC. AN ILLINOIS PROFESSIONAL DESIGN FIRM LAND SURVEYING CORPORATION, NUMBER 184-001157, HAVE SURVEYED THE PLAT OF HIGHWAYS SHOWN HEREON IN SECTIONS 15, 16, 17, 20, 21 AND 22 TOWNSHIP 36 NORTH, RANGE 11 EAST OF THE THIRD PRINCIPAL MERIDIAN, WILL COUNTY, THAT THE SURVEY IS TRUE AND COMPLETE AS SHOWN TO THE BEST OF MY KNOWLEDGE AND BELIEF, THAT THE PLAT CORRECTLY REPRESENTS SAID SURVEY, THAT ALL MONUMENTS FOUND AND ESTABLISHED ARE OF PERMANENT QUALITY AND OCCUPY THE POSITIONS SHOWN THEREON AND THAT THE MONUMENTS ARE SUFFICIENT TO ENABLE THE SURVEY TO BE RETRACED, MADE FOR THE DEPARTMENT OF TRANSPORTATION, STATE OF ILLINOIS.

DATED THIS _____ DAY OF _____ 20____ A.D. AT ROSEMONT, ILLINOIS

_____
REBECCA Y. POPECK
ILLINOIS PROFESSIONAL LAND SURVEYOR NO. 035-0C3642
LICENSE EXPIRATION DATE: NOVEMBER 30, 2014

THIS PROFESSIONAL SERVICE CONFORMS TO THE CURRENT ILLINOIS MINIMUM STANDARDS FOR A BOUNDARY SURVEY.

CONTRACT NO. 60X92 SHEET 146 OF 207

RECEIVED
AUG 29 2013
PLATS & LEGALS

SPACECO
CONSULTING ENGINEERS
SITE DEVELOPMENT ENGINEERS
LAND SURVEYORS
9575 W. Higgins Road, Suite 700, Rosemont, Illinois 60018
Phone: (847) 696-4060 Fax: (847) 696-4065

PLAT OF HIGHWAYS

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION
US ROUTE 6/IL ROUTE 7 (159TH ST)

SECTION: GOUGAR RD TO W. PARKER RD COUNTY: WILL
PROJECT: I-355 EXT. TO WILL-COOK RD JOB NO.: R-91-023-97
STATION 96+02.50 TO STATION 107+49.99
SCALE: 1" = 50' SHEET 30 OF 54

BUREAU OF LAND ACQUISITION
201 WEST CENTER COURT
SCHAUMBURG, ILLINOIS 60196

08/30/2012
REVISION DATE: 05/10/2012
PIN NUMBERS
REVISION: STATION/OFFSET TABLE
RYP
MADE BY: SDS

PART OF THE WEST HALF OF THE NORTHEAST QUARTER OF SECTION 21 TWP. 36 N., R. 11 E. OF THE 3RD. P.M., IN WILL COUNTY, ILLINOIS.



PROJECT COORDINATE VALUES AND BEARINGS ARE GROUND AND BASED ON ILLINOIS STATE PLANE, EAST ZONE. REFERENCE ELLIPSOID, WGS 1984 WITH A COMBINED SCALE FACTOR OF 0.9999544733.

NOTES:

1. ALL STATIONING SHOWN HEREON ARE GROUND DISTANCES IN FEET.

2. ALL OFFSETS ARE SHOWN HEREON ARE GROUND DISTANCES IN FEET.

3. ANY DISCREPANCY IN MEASUREMENT DISCOVERED UPON THE GROUND SHOULD BE PROMPTLY REPORTED TO THE SURVEYOR FOR EXPLANATION OR CORRECTION.

4. FOR BUILDING LINE AND OTHER RESTRICTIONS NOT SHOWN HEREON, REFER TO YOUR ABSTRACT, DEEDS, CONTRACTS AND ZONING ORDINANCES.

LIGHT
FIRE HYDRANT
AUXILIARY VALVE
BUFFALO BOX
WATER VALVE
CATCH BASIN
INLET
STORM MANHOLE
SANITARY MANHOLE
UNIDENTIFIED MANHOLE
FLARED END SECTION
SIGN
MAILBOX
BX BUILDING CORNER
CLF CHAIN LINK FENCE
CMP CORRUGATED METAL PIPE
CONC CONCRETE
CO CLEAN-OUT
ELEC ELECTRIC
GM GASMETER & UTILITY
IP IRON PIPE
IR IRON ROD
MON MONUMENT
RCP REINFORCED CONC PIPE



DETAIL OF EXISTING IMPROVEMENTS
1" = 50'

LEGEND

SECTION CORNER (9 10 / 16 15)
QUARTER SECTION CORNER (16 — 15)

SECTION LINE
QUARTER SECTION LINE
QUARTER, QUARTER SECTION LINE
PLATTED LOT LINES
PROPERTY (DEED) LINE
APPARENT PROPERTY LINE
CENTERLINE
EXISTING RIGHT OF WAY LINE
PROPOSED RIGHT OF WAY LINE
PROPOSED EASEMENT
PROPOSED CENTERLINE
129.32' MEASURED DIMENSION
129.32' (COMP) COMPUTED DIMENSION
(129.32') RECORDED DIMENSION
EXISTING BUILDING

N

GRAPHIC SCALE FEET
0 50 100
SCALE: 1" = 50'

Bearings are referenced to the Illinois State Plane Coordinate Grid System, NAD83, East Zone, as provided by the Illinois Department of Transportation.

● IRON PIPE OR ROD FOUND ○ REPLACED AFTER CONSTRUCTION
\+ CUT CROSS FOUND OR SET
● TI, T2, T3 THESE STAKES REFERENCE FOUND OR SET MONUMENTATION. SET 5/8 INCH IRON ROD FLUSH WITH GROUND TO TIE FOUND IRON STAKE IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYORS REGISTRATION NUMBER.
• BT1, BT2, BT3 THESE STAKES, IN CULTIVATED AREAS, REFERENCE FOUND OR SET MONUMENTATION. BURIED 5/8 INCH IRON ROD 20 INCHES BELOW GROUND TO TIE FOUND IRON STAKE. IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYORS REGISTRATION NUMBER.
■ STAKING OF PROPOSED RIGHT OF WAY. SET DIVISION OF HIGHWAYS SURVEY MARKER TO MONUMENT THE POSITION SHOWN. IDENTIFIED BY INSCRIPTION DATA AND SURVEYORS REGISTRATION NUMBER.
■ M STAKING OF PROPOSED RIGHT OF WAY IN CULTIVATED AREAS. BURIED 5/8 INCH METAL ROD 20 INCHES BELOW GROUND TO MARK FUTURE SURVEY MARKER POSITION IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYORS REGISTRATION NUMBER.
PERMANENT SURVEY MARKER, I.D.O.T. STANDARD 2135 (TO BE SET BY OTHERS)
□ RIGHT OF WAY STAKING PROPOSED TO BE SET

COORDINATE/STATION TABLE

Point	Northing	Easting	Station	Offset	
136	1796729.94	1081385.57	30+11.87	0.76	R
136	1796729.94	1081385.57	91+03.03	11.87	L
272	1796665.13	1081887.69	96+02.56	70.58	R
273	1796657.01	1081656.18	93+70.91	70.54	R
274	1796667.00	1081655.86	93+70.94	60.54	R
275	1796662.13	1081516.95	92+31.94	60.52	R
276	1796649.46	1081469.36	91+83.94	71.51	R
277	1796622.37	1081438.75	91+52.39	97.51	R
278	1796637.02	1081656.82	93+70.84	90.54	R
279	1796630.42	1081468.53	91+82.43	90.51	R
279	1796630.42	1081468.53	29+09.84	80.57	R
280	1796525.46	1081471.61	28+04.84	80.42	R
281	1796524.58	1081441.63	28+04.88	50.42	R
282	1796459.70	1081443.53	27+39.97	50.32	R
283	1796460.28	1081463.52	27+39.94	70.32	R
284	1796407.31	1081465.08	26+86.94	70.24	R
285	1796406.72	1081445.09	26+86.97	50.24	R

RECEIVED
AUG 29 2013
PLATS & LEGALS

PARCEL NUMBER	OWNER	TOTAL HOLDINGS ACRES	PART TAKEN ACRES	AREA IN EXISTING R.O.W. ACRES	REMAINDER AREA ACRES	EASEMENT AREA ACRES	EASEMENT PURPOSE	PERMANENT INDEX NUMBER	PROPERTY ACQUIRED BY
1JD0044 1JD0044TE	PALOS BANK AND TRUST COMPANY, AS TRUSTEE UNDER TRUST AGREEMENT DATED THE 8TH DAY OF AUGUST, 2003 AND KNOWN AS TRUST NUMBER 1-5799	3.571	0.106	0.000	3.465	0.024	TEMPORARY	16-05-21-201-002	
1JD0045 1JD0045TE	GAS MART USA, INC., AN ILLINOIS CORPORATION	1.000	0.073	0.000	0.927	0.199	TEMPORARY	16-05-21-201-001	

STATE OF ILLINOIS)
)SS
COUNTY OF COOK)

THIS IS TO CERTIFY THAT WE, SPACECO, INC. AN ILLINOIS PROFESSIONAL DESIGN FIRM LAND SURVEYING CORPORATION, NUMBER 184-001157, HAVE SURVEYED THE PLAT OF HIGHWAYS SHOWN HEREON IN SECTIONS 15, 16, 17, 20, 21 AND 22 TOWNSHIP 36 NORTH, RANGE 11 EAST OF THE THIRD PRINCIPAL MERIDIAN, WILL COUNTY, THAT THE SURVEY IS TRUE AND COMPLETE AS SHOWN TO THE BEST OF MY KNOWLEDGE AND BELIEF, THAT THE PLAT CORRECTLY REPRESENTS SAID SURVEY, THAT ALL MONUMENTS FOUND AND ESTABLISHED ARE OF PERMANENT QUALITY AND OCCUPY THE POSITIONS SHOWN THEREON AND THAT THE MONUMENTS ARE SUFFICIENT TO ENABLE THE SURVEY TO BE RETRACED, MADE FOR THE DEPARTMENT OF TRANSPORTATION, STATE OF ILLINOIS.

DATED THIS _____ DAY OF _____ 20____ A.D. AT ROSEMONT, ILLINOIS

REBECCA Y. POPECK
ILLINOIS PROFESSIONAL LAND SURVEYOR NO. 035-003642
LICENSE EXPIRATION DATE: NOVEMBER 30, 2014

THIS PROFESSIONAL SERVICE CONFORMS TO THE CURRENT ILLINOIS MINIMUM STANDARDS FOR A BOUNDARY SURVEY.

SPACECO INC.
CONSULTING ENGINEERS
SITE DEVELOPMENT ENGINEERS
LAND SURVEYORS
9575 W. Higgins Road, Suite 700, Rosemont, Illinois 60018
Phone: (847) 696-4060 Fax: (847) 696-4065

PLAT OF HIGHWAYS

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION
US ROUTE 6/IL ROUTE 7 (159TH ST)

SECTION: GOUGAR RD TO W. PARKER RD COUNTY: WILL
PROJECT: I-355 EXT. TO WILL-COOK RD JOB NO.: R-91-023-97
STATION 91+03.03 TO STATION 96+02.50
SCALE: 1" = 50' SHEET 31 OF 54

BUREAU OF LAND ACQUISITION
201 WEST CENTER COURT
SCHAUMBURG, ILLINOIS 60196

CONTRACT NO. 60X92 SHEET 147 OF 207

REVISION DATE: 05/10/2012 REVISION: STATION/OFFSET TABLE MADE BY: SDS

US ROUTE 6/IL ROUTE 7 (159TH STREET) SECTION: GOUGAR ROAD TO W. PARKER ROAD WILL COUNTY JOB NO. R-91-023-97 RECORDING REQUESTED BY

PART OF THE WEST HALF OF THE NORTHEAST QUARTER OF SECTION 21 TWP. 36 N., R. 11 E. OF THE 3RD. P.M., IN WILL COUNTY, ILLINOIS.

PARCEL NUMBER	OWNER	TOTAL HOLDINGS ACRES	PART TAKEN ACRES	AREA IN EXISTING R.O.W. ACRES	REMAINDER AREA ACRES	EASEMENT AREA ACRES	EASEMENT PURPOSE	PERMANENT INDEX NUMBER	PROPERTY ACQUIRED BY
1JD0046TE-A	COUNTY BOARD OF SCHOOL TRUSTEES, WILL COUNTY, ILLINOIS, A BODY POLITIC AND CORPORATE, AS TRUSTEE FOR THE BENEFIT OF HOMER CONSOLIDATED SCHOOL DISTRICT 33-C	13.215	0.000	0.000	13.215	0.065	TEMPORARY	16-05-21-200-002	
1JD0046TE-B						0.064	TEMPORARY	16-05-21-200-004 16-05-21-200-008	
1JD0047TE	AMOS SAVAGH, SUPERVISOR OR HIS SUCCESSOR IN OFFICE FOR THE USE OF THE TOWN OF HOMER N/K/A HOMER TOWNSHIP	0.999	0.000	0.180	0.999	0.245	TEMPORARY	16-05-21-200-003	


POINT OF COMMENCEMENT 1JD0046TE-A & 1JD0046TE-B NORTHWEST CORNER OF THE NORTHEAST QUARTER OF SECTION 21-36-11
POINT OF BEGINNING 1JD0046TE-A
SEE SHEET 31
SEE SHEET 33
SEE SHEET 33
1JD0046TE-A
1JD0046TE-B
1JD0047TE
CEDAR ROAD
PROPOSED ℄ OF PAVEMENT CEDAR DRIVE N01°46'09"W
EXISTING ℄ OF ROW N01°41'42"W
N88°17'17"E 736.82'
NORTH LINE OF THE SOUTH 823.32' OF THE NORTH HALF OF THE NORTHEAST QUARTER OF SECTION 21-36-11
FOUND IR 0.01' S & 0.07' W
S88°17'17"W 261.00'
NORTH LINE OF THE SOUTH 660' OF THE WEST 660' OF THE SOUTH 823.32' OF THE WEST 796.82' OF THE NORTH HALF OF THE NORTHEAST QUARTER OF SECTION 21-36-11
ONE STORY CONC BLOCK & BRICK BUILDING (SCHOOL)
EAST LINE OF THE NORTHWEST QUARTER OF SECTION 21-36-11
WEST LINE OF THE NORTHEAST QUARTER OF SECTION 21-36-11
EAST RIGHT OF WAY LINE AS DEDICATED BY DOCUMENT R2011-018025
S01°40'58"E 354.28'
796.82'
660'
660'
396'
823.32'
187.44'
796.82' S88°17'17"W
SOUTH LINE OF THE NORTHWEST QUARTER OF SECTION 21-36-11
FOUND IR W/CAP 0.08' S & 0.13' E
FOUND IR 0.54' S & 0.10' E
132.82'
POINT OF BEGINNING 1JD0046TE-B
N88°19'02"E 40.00'
S88°19'02"W 40.00'
ASPHALT
70.00' S01°40'58"E
ASPHALT
N01°40'58"W 70.00'
N01°40'58"W 614.65'
N01°40'58"W 611.76'
(N01°41'28"W)
(N88°19'02"E)
N88°17'17"E 60.00'
36.00'
36.00' S88°19'02"W
N01°40'58"W 78.98'
S01°40'58"E 75.05'
BX 4.14' S
ONE STORY CONC BLOCK & METAL BUILDING
ONE STORY METAL BARN
ASPHALT
GUARDRAIL
TEMPORARY CONSTRUCTION EASEMENT PER DOCUMENT R2011-042278
FOUND 5/8" IR 0.99' S & 0.88' E
N88°17'17"E 53.00'
148.56'
208.56' S88°17'17"W (3 CHAINS 16 LINKS)
208.56' N01°40'58"W (3 CHAINS 16 LINKS)
208.56' (3 CHAINS 16 LINKS)
FOUND ROW MON IN CONC 0.23' S & 2.10' E
POINT OF COMMENCEMENT 1JD0047TE SOUTHWEST CORNER OF THE NORTHWEST QUARTER OF THE NORTHEAST QUARTER OF SECTION 21-36-11
POINT OF BEGINNING 1JD0047TE
(3 CHAINS 16 LINKS) 208.56' N01°40'58"W
201.12'
EAST RIGHT OF WAY LINE AS DEDICATED BY DOCUMENT R2011-018025
S01°40'58"E 201.14'
S88°19'02"W 53.00'
N88°19'02"E 40.00'
S88°19'02"W 40.00'
N01°40'58"W 70.00'
S01°40'58"E 70.00'
ASPHALT
ASPHALT
N01°40'58"W 614.65'
N01°40'58"W 611.76'
(N01°41'28"W)
(N88°19'02"E)
N88°17'17"E 60.00'
36.00'
S01°40'58"E 75.05'
36.00' S88°19'02"W
BX 4.14' S
ONE STORY CONC BLOCK & BRICK BUILDING (SCHOOL)

PART OF THE EAST HALF OF THE NORTHWEST QUARTER OF SECTION 21 TWP. 36 N., R. 11 E. OF THE 3RD. P.M., IN WILL COUNTY, ILLINOIS.



COORDINATE/STATION TABLE

Point	Northing	Easting	Station	Offset	
298	1795116.13	1081366.42	13+99.43	68.24	L
299	1795401.56	1081357.57	16+84.99	68.28	L
300	1795441.64	1081356.38	17+25.09	68.22	L
330	1795441.91	1081365.38	17+25.08	59.22	L
331	1795731.71	1081356.80	20+15.01	58.85	L
332	1795731.42	1081347.81	20+14.99	67.85	L
333	1795811.48	1081345.44	20+95.09	67.75	L
334	1795810.89	1081325.44	20+95.11	87.75	L
335	1795870.86	1081323.67	21+55.11	87.67	L
452	1795871.45	1081343.66	21+55.09	67.67	L

PARCEL NUMBER	OWNER	TOTAL HOLDINGS ACRES	PART TAKEN ACRES	AREA IN EXISTING R.O.W. ACRES	REMAINDER AREA ACRES	EASEMENT AREA ACRES	EASEMENT AREA SF	EASEMENT PURPOSE	PERMANENT INDEX NUMBER	PROPERTY ACQUIRED BY
1JD0048A	THE BOARD OF EDUCATION OF HOMER COMMUNITY CONSOLIDATED SCHOOL DISTRICT NO. 33-C WHICH ACQUIRED TITLE AS THE REGIONAL BOARD OF SCHOOL TRUSTEES OF WILL COUNTY, ILLINOIS	39.979	0.438	0.267	39.236				16-05-21-100-015 16-05-21-100-033 16-05-21-100-039 16-05-21-100-042-0004(LEASE)	
1JD0048B			0.305	0.187						
1JD0048TE						0.028		TEMPORARY		
1JD0049	HOMER FIRE PROTECTION DISTRICT, AN ILLINOIS MUNICIPAL CORPORATION	3.000	0.448	0.311	2.552				16-05-21-100-037	

LEGEND

- LIGHT
- FIRE HYDRANT
- AUXILIARY VALVE
- BUFFALO BOX
- WATER VALVE
- CATCH BASIN
- INLET
- STORM MANHOLE
- SANITARY MANHOLE
- UNIDENTIFIED MANHOLE
- FLARED END SECTION
- SIGN
- MAILBOX

BX BUILDING CORNER
CLF CHAIN LINK FENCE
CMP CORRUGATED METAL PIPE
CONC CONCRETE
CO CLEAN-OUT
ELEC ELECTRIC
GM GAS METER
IP IRON PIPE
IR IRON ROD
MON MONUMENT
RCP REINFORCED CONC PIPE

SECTION CORNER (9 10 16 15) — QUARTER SECTION CORNER (16 — 15)

- SECTION LINE
- QUARTER SECTION LINE
- QUARTER, QUARTER SECTION LINE
- PLATTED LOT LINES
- PROPERTY (DEED) LINE
- APPARENT PROPERTY LINE
- CENTERLINE
- EXISTING RIGHT OF WAY LINE
- PROPOSED RIGHT OF WAY LINE
- PROPOSED EASEMENT
- PROPOSED CENTERLINE
- 129.32' MEASURED DIMENSION
- 129.32' (COMP) COMPUTED DIMENSION
- (129.32') RECORDED DIMENSION
- EXISTING BUILDING

N

GRAPHIC SCALE FEET 0 50.100

SCALE: 1" = 50'

Bearings are referenced to the Illinois State Plane Coordinate Grid System, NAD83, East Zone, as provided by the Illinois Department of Transportation.

- ● IRON PIPE OR ROD FOUND ○ REPLACED AFTER CONSTRUCTION
- \+ CUT CROSS FOUND OR SET
- ● TI, T2, T3 THESE STAKES REFERENCE FOUND OR SET MONUMENTATION. SET 5/8 INCH IRON ROD FLUSH WITH GROUND TO TIE FOUND IRON STAKE IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYORS REGISTRATION NUMBER.
- ● BT1, BT2, BT3 THESE STAKES, IN CULTIVATED AREAS, REFERENCE FOUND OR SET MONUMENTATION. BURIED 5/8 INCH IRON ROD 20 INCHES BELOW GROUND TO TIE FOUND IRON STAKE. IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYORS REGISTRATION NUMBER.
- ■ STAKING OF PROPOSED RIGHT OF WAY. SET DIVISION OF HIGHWAYS SURVEY MARKER TO MONUMENT THE POSITION SHOWN. IDENTIFIED BY INSCRIPTION DATA AND SURVEYORS REGISTRATION NUMBER.
- ■ M STAKING OF PROPOSED RIGHT OF WAY IN CULTIVATED AREAS. BURIED 5/8 INCH METAL ROD 20 INCHES BELOW GROUND TO MARK FUTURE SURVEY MARKER POSITION IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYORS REGISTRATION NUMBER.
- ⊕ PERMANENT SURVEY MARKER, I.D.O.T. STANDARD 2135 (TO BE SET BY OTHERS)
- □ RIGHT OF WAY STAKING PROPOSED TO BE SET

PROJECT COORDINATE VALUES AND BEARINGS ARE GROUND AND BASED ON ILLINOIS STATE PLANE, EAST ZONE. REFERENCE ELLIPSOID, WGS 1984 WITH A COMBINED SCALE FACTOR OF 0.9999544733.

NOTES:

1. ALL STATIONING SHOWN HEREON ARE GROUND DISTANCES IN FEET.
2. ALL OFFSETS ARE SHOWN HEREON ARE GROUND DISTANCES IN FEET.
3. ANY DISCREPANCY IN MEASUREMENT DISCOVERED UPON THE GROUND SHOULD BE PROMPTLY REPORTED TO THE SURVEYOR FOR EXPLANATION OR CORRECTION.
4. FOR BUILDING LINE AND OTHER RESTRICTIONS NOT SHOWN HEREON, REFER TO YOUR ABSTRACT, DEEDS, CONTRACTS AND ZONING ORDINANCES.

RECEIVED
AUG 2 9 2013
PLATS & LEGALS

STATE OF ILLINOIS)
)SS
COUNTY OF COOK)

THIS IS TO CERTIFY THAT WE, SPACECO, INC. AN ILLINOIS PROFESSIONAL DESIGN FIRM LAND SURVEYING CORPORATION, NUMBER 184-001157, HAVE SURVEYED THE PLAT OF HIGHWAYS SHOWN HEREON IN SECTIONS 15, 16, 17, 20, 21 AND 22 TOWNSHIP 36 NORTH, RANGE 11 EAST OF THE THIRD PRINCIPAL MERIDIAN, WILL COUNTY, THAT THE SURVEY IS TRUE AND COMPLETE AS SHOWN TO THE BEST OF MY KNOWLEDGE AND BELIEF, THAT THE PLAT CORRECTLY REPRESENTS SAID SURVEY, THAT ALL MONUMENTS FOUND AND ESTABLISHED ARE OF PERMANENT QUALITY AND OCCUPY THE POSITIONS SHOWN THEREON AND THAT THE MONUMENTS ARE SUFFICIENT TO ENABLE THE SURVEY TO BE RETRACED, MADE FOR THE DEPARTMENT OF TRANSPORTATION, STATE OF ILLINOIS.

DATED THIS _____ DAY OF _____ 20____ A.D, AT ROSEMONT, ILLINOIS

REBECCA Y. POPECK
ILLINOIS PROFESSIONAL LAND SURVEYOR NO. 035-003642
LICENSE EXPIRATION DATE: NOVEMBER 30, 2014

THIS PROFESSIONAL SERVICE CONFORMS TO THE CURRENT ILLINOIS MINIMUM STANDARDS FOR A BOUNDARY SURVEY.

REVISION DATE:	REVISION:	MADE BY:
12/19/2012	REVISE PARCEL 1JD0048TE & 49	SDS
05/14/2012	ADD START STATION	RYP
04/11/2012	IDOT COMMENTS PER EMAIL ON 04/10/20:2	SDS

CONTRACT NO. 60X92 SHEET 149 OF 207

CONSULTING ENGINEERS
SITE DEVELOPMENT ENGINEERS
LAND SURVEYORS
9575 W. Higgins Road, Suite 700.
Rosemont, Illinois 60018
Phone: (847) 696-4060 Fax: (847) 696-4065

PLAT OF HIGHWAYS

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION
US ROUTE 6/IL ROUTE 7 (159TH ST)

SECTION: GOUGAR RD TO W. PARKER RD COUNTY: WILL
PROJECT: I-355 EXT. TO WILL-COOK RD JOB NO.: R-91-023-97

STATION 13+99.43 TO STATION 22+12.99
SCALE: 1" = 50' SHEET 33 OF 54

BUREAU OF LAND ACQUISITION
201 WEST CENTER COURT
SCHAUMBURG, ILLINOIS 60196

PART OF THE NORTHEAST QUARTER OF THE NORTHWEST QUARTER OF SECTION 21
TWP. 36 N., R. 11 E. OF THE 3RD. P.M., IN WILL COUNTY, ILLINOIS.



COORDINATE/STATION TABLE

Point	Northing	Easting	Station	Offset	
136	1796729.94	1081385.57	30+11.87	0.76	R
301	1795929.34	1081341.95	22+12.99	67.59	L
302	1796373.72	1081328.80	26+57.58	67.02	L
308	1796619.48	1080728.53	84+42.49	75.27	R
309	1796607.50	1080387.00	81+00.75	75.15	R
311	1796586.35	1080069.06	77+82.26	85.04	R
336	1796337.74	1081329.86	26+21.58	67.06	L
337	1796336.73	1081295.88	26+21.62	101.06	L
338	1796372.53	1081294.82	26+57.43	101.02	L



DETAIL
1" = 20'

LEGEND

- LIGHT
- FIRE HYDRANT
- AUXILIARY VALVE
- BUFFALO BOX
- WATER VALVE
- CATCH BASIN
- INLET
- STORM MANHOLE
- SANITARY MANHOLE
- UNIDENTIFIED MANHOLE
- FLARED END SECTION
- SIGN
- MAILBOX

BX BUILDING CORNER
CLF CHAIN LINK FENCE
CMP CORRUGATED METAL PIPE
CONC CONCRETE
CO CLEAN-OUT
ELEC ELECTRIC
GM GAS METER
IP IRON PIPE
IR IRON ROD
MON MONUMENT
RCP REINFORCED CONC PIPE

9 10 16 15 SECTION CORNER
16 15 QUARTER SECTION CORNER

- SECTION LINE
- QUARTER SECTION LINE
- QUARTER, QUARTER SECTION LINE
- PLATTED LOT LINES
- PROPERTY (DEED) LINE
- APPARENT PROPERTY LINE
- CENTERLINE
- EXISTING RIGHT OF WAY LINE
- PROPOSED RIGHT OF WAY LINE
- PROPOSED EASEMENT
- PROPOSED CENTERLINE

129.32' MEASURED DIMENSION
129.32' (COMP) COMPUTED DIMENSION
(129.32') RECORDED DIMENSION
EXISTING BUILDING

N

GRAPHIC SCALE FEET
0 100 200
SCALE: 1" = 100'

Bearings are referenced to the Illinois State Plane Coordinate Grid System, NAD83, East Zone, as provided by the Illinois Department of Transportation.

- ● IRON PIPE OR ROD FOUND ○ REPLACED AFTER CONSTRUCTION
- \+ CUT CROSS FOUND OR SET
- • TI, T2, T3 **THESE STAKES REFERENCE FOUND OR SET MONUMENTATION.** SET 5/8 INCH IRON ROD FLUSH WITH GROUND TO TIE FOUND IRON STAKE IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYORS REGISTRATION NUMBER.
- • BT1, BT2, BT3 **THESE STAKES, IN CULTIVATED AREAS, REFERENCE FOUND OR SET MONUMENTATION.** BURIED 5/8 INCH IRON ROD 20 INCHES BELOW GROUND TO TIE FOUND IRON STAKE. IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYORS REGISTRATION NUMBER.
- ■ **STAKING OF PROPOSED RIGHT OF WAY.** SET DIVISION OF HIGHWAYS SURVEY MARKER TO MONUMENT THE POSITION SHOWN. IDENTIFIED BY INSCRIPTION DATA AND SURVEYORS REGISTRATION NUMBER.
- ■ M **STAKING OF PROPOSED RIGHT OF WAY IN CULTIVATED AREAS.** BURIED 5/8 INCH METAL ROD 20 INCHES BELOW GROUND TO MARK FUTURE SURVEY MARKER POSITION IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYORS REGISTRATION NUMBER.
- ◒ PERMANENT SURVEY MARKER, I.D.O.T. STANDARD 2135 (TO BE SET BY OTHERS)
- □ RIGHT OF WAY STAKING PROPOSED TO BE SET

PROJECT COORDINATE VALUES AND BEARINGS ARE GROUND AND BASED ON ILLINOIS STATE PLANE, EAST ZONE, REFERENCE ELLIPSOID, WGS 1984 WITH A COMBINED SCALE FACTOR OF 0.9999544733.

NOTES:

1. ALL STATIONING SHOWN HEREON ARE GROUND DISTANCES IN FEET.
2. ALL OFFSETS ARE SHOWN HEREON ARE GROUND DISTANCES IN FEET.
3. ANY DISCREPANCY IN MEASUREMENT DISCOVERED UPON THE GROUND SHOULD BE PROMPTLY REPORTED TO THE SURVEYOR FOR EXPLANATION OR CORRECTION.
4. FOR BUILDING LINE AND OTHER RESTRICTIONS NOT SHOWN HEREON, REFER TO YOUR ABSTRACT, DEEDS, CONTRACTS AND ZONING ORDINANCES.

PARCEL NUMBER	OWNER	TOTAL HOLDINGS ACRES	PART TAKEN ACRES	AREA IN EXISTING R.O.W. ACRES	REMAINDER AREA ACRES	EASEMENT AREA ACRES	EASEMENT PURPOSE	PERMANENT INDEX NUMBER	PROPERTY ACQUIRED BY
1JD0050A	WORTH BANK AND TRUST, AS TRUSTEE UNDER TRUST AGREEMENT DATED THE 1ST DAY OF SEPTEMBER, 1987, KNOWN AS TRUST NUMBER 4209	27.467	0.686	0.420	25.386			16-05-21-100-032	
1JD0050B			1.395	0.943					
1JD0050TE						0.028	TEMPORARY		

05/10/2012
REVISION DATE: 04/11/2012

STATION/OFFSET TABLE
REVISION: IDOT COMMENTS PER EMAIL ON 04/10/2012

SDS
MADE BY: SDS

RECEIVED
AUG 2 9 2013
PLATS & LEGALS

STATE OF ILLINOIS)
)SS
COUNTY OF COOK)

THIS IS TO CERTIFY THAT WE, SPACECO, INC. AN ILLINOIS PROFESSIONAL DESIGN FIRM LAND SURVEYING CORPORATION, NUMBER 184-001157, HAVE SURVEYED THE PLAT OF HIGHWAYS SHOWN HEREON IN SECTIONS 15, 16, 17, 20, 21 AND 22 TOWNSHIP 36 NORTH, RANGE 11 EAST OF THE THIRD PRINCIPAL MERIDIAN, WILL COUNTY, THAT THE SURVEY IS TRUE AND COMPLETE AS SHOWN TO THE BEST OF MY KNOWLEDGE AND BELIEF, THAT THE PLAT CORRECTLY REPRESENTS SAID SURVEY, THAT ALL MONUMENTS FOUND AND ESTABLISHED ARE OF PERMANENT QUALITY AND OCCUPY THE POSITIONS SHOWN THEREON AND THAT THE MONUMENTS ARE SUFFICIENT TO ENABLE THE SURVEY TO BE RETRACED, MADE FOR THE DEPARTMENT OF TRANSPORTATION, STATE OF ILLINOIS.

DATED THIS _____ DAY OF _____ 20____ A.D, AT ROSEMONT, ILLINOIS

REBECCA Y. POPECK
ILLINOIS PROFESSIONAL LAND SURVEYOR NO. 035-003642
LICENSE EXPIRATION DATE: NOVEMBER 30, 2014

THIS PROFESSIONAL SERVICE CONFORMS TO THE CURRENT ILLINOIS MINIMUM STANDARDS FOR A BOUNDARY SURVEY.

CONTRACT NO. 60X92 SHEET 150 OF 207

SPACECO INC.
CONSULTING ENGINEERS
SITE DEVELOPMENT ENGINEERS
LAND SURVEYORS
9575 W. Higgins Road, Suite 700,
Rosemont, Illinois 60018
Phone: (847) 696-4060 Fax: (847) 696-4065

PLAT OF HIGHWAYS

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION
US ROUTE 6/IL ROUTE 7 (159TH ST)

SECTION: GOUGAR RD TO W. PARKER RD COUNTY: WILL
PROJECT: I-355 EXT. TO WILL-COOK RD JOB NO.: R-91-023-97
STATION 22+12.99 TO STATION 30+11.87
STATION 77+82.26 TO STATION 91+03.03
SCALE: 1" = 100' SHEET 34 OF 54

BUREAU OF LAND ACQUISITION
201 WEST CENTER COURT
SCHAUMBURG, ILLINOIS 60196

PART OF THE NORTHEAST QUARTER OF THE NORTHWEST QUARTER OF SECTION 21 TWP. 36 N., R. 11 E. OF THE 3RD. P.M., IN WILL COUNTY, ILLINOIS.



LEGEND

- LIGHT
- FIRE HYDRANT
- AUXILIARY VALVE
- BUFFALO BOX
- WATER VALVE
- CATCH BASIN
- INLET
- STORM MANHOLE
- SANITARY MANHOLE
- UNIDENTIFIED MANHOLE
- FLARED END SECTION
- SIGN
- MAILBOX

BX BUILDING CORNER
CLF CHAIN LINK FENCE
CMP CORRUGATED METAL PIPE
CONC CONCRETE
CO CLEAN-OUT
ELEC ELECTRIC
GM GAS METER
IP IRON PIPE
IR IRON ROD
MON MONUMENT
RCP REINFORCED CONC PIPE

9 | 10 / 16 | 15 SECTION CORNER

16 — 15 QUARTER SECTION CORNER

N

GRAPHIC SCALE FEET
0 — 50.100
SCALE: 1" = 50'

- SECTION LINE
- QUARTER SECTION LINE
- QUARTER, QUARTER SECTION LINE
- PLATTED LOT LINES
- PROPERTY (DEED) LINE
- APPARENT PROPERTY LINE
- CENTERLINE
- EXISTING RIGHT OF WAY LINE
- PROPOSED RIGHT OF WAY LINE
- PROPOSED EASEMENT
- PROPOSED CENTERLINE
- 129.32' MEASURED DIMENSION
- 129.32' (COMP) COMPUTED DIMENSION
- (129.32') RECORDED DIMENSION
- EXISTING BUILDING

Bearings are referenced to the Illinois State Plane Coordinate Grid System, NAD83, East Zone, as provided by the Illinois Department of Transportation.

- ● IRON PIPE OR ROD FOUND ○ REPLACED AFTER CONSTRUCTION
- \+ CUT CROSS FOUND OR SET
- ● TI, T2, T3 **THESE STAKES REFERENCE FOUND OR SET MONUMENTATION.** SET 5/8 INCH IRON ROD FLUSH WITH GROUND TO TIE FOUND IRON STAKE IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYORS REGISTRATION NUMBER.
- • BT1, BT2, BT3 **THESE STAKES, IN CULTIVATED AREAS, REFERENCE FOUND OR SET MONUMENTATION.** BURIED 5/8 INCH IRON ROD 20 INCHES BELOW GROUND TO TIE FOUND IRON STAKE. IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYORS REGISTRATION NUMBER.
- ■ **STAKING OF PROPOSED RIGHT OF WAY.** SET DIVISION OF HIGHWAYS SURVEY MARKER TO MONUMENT THE POSITION SHOWN. IDENTIFIED BY INSCRIPTION DATA AND SURVEYORS REGISTRATION NUMBER.
- ■ M **STAKING OF PROPOSED RIGHT OF WAY IN CULTIVATED AREAS.** BURIED 5/8 INCH METAL ROD 20 INCHES BELOW GROUND TO MARK FUTURE SURVEY MARKER POSITION IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYORS REGISTRATION NUMBER.
- ⊕ PERMANENT SURVEY MARKER, I.D.O.T. STANDARD 2135 (TO BE SET BY OTHERS)
- □ RIGHT OF WAY STAKING PROPOSED TO BE SET

COORDINATE/STATION TABLE

Point	Northing	Easting	Station	Offset	
136	1796729.94	1081385.57	30+11.87	0.76	R
303	1796374.36	1081346.79	26+57.66	49.02	L
304	1796464.32	1081344.12	27+47.66	48.90	L
305	1796550.92	1081341.56	28+34.30	48.79	L
306	1796639.23	1081291.93	90+06.23	75.47	R
307	1796625.26	1080893.43	86+07.50	75.33	R
308	1796619.48	1080728.53	84+42.49	75.27	R
338	1796372.53	1081294.82	26+57.43	101.02	L
339	1796401.70	1081293.95	26+86.62	100.98	L
340	1796403.01	1081337.93	26+86.56	56.98	L
341	1796464.04	1081336.13	27+47.62	56.90	L
342	1796462.84	1081302.15	27+47.47	90.90	L
343	1796561.80	1081299.22	28+46.48	90.77	L
344	1796563.05	1081334.74	28+46.63	55.23	L
345	1796635.50	1081185.45	88+99.69	75.43	R
346	1796626.51	1081185.76	88+99.68	84.43	R
347	1796623.00	1081085.82	87+99.68	84.40	R
348	1796612.01	1081086.21	87+99.68	95.40	R
349	1796606.23	1080921.31	86+34.68	95.34	R
350	1796626.22	1080920.61	86+34.69	75.34	R

PARCEL NUMBER	OWNER	TOTAL HOLDINGS ACRES	PART TAKEN ACRES	AREA IN EXISTING R.O.W. ACRES	REMAINDER AREA ACRES	EASEMENT AREA ACRES	EASEMENT PURPOSE	PERMANENT INDEX NUMBER	PROPERTY ACQUIRED BY
1JD0051	CONSTANCE G. BLASING, BONNIFER SHAVER, AND DONALD B. BLASING, EACH TO A 1/3 INTEREST	0.682	0.102	0.085	0.580			16-05-21-100-013	
1JD0051TE						0.046	TEMPORARY		
1JD0052	THE BANK OF LOCKPORT, AN ILLINOIS BANKING CORPORATION	3.000	1.241	0.984	1.759			16-05-21-100-038	
1JD0052TE-A						0.095	TEMPORARY	16-05-21-100-011	
1JD0052TE-B						0.090	TEMPORARY		
1JD0053	888 LIMITED PARTNERSHIP, AN ILLINOIS LIMITED PARTNERSHIP	1.000	0.331	0.236	0.669			16-05-21-100-008	



DETAIL OF EXISTING IMPROVEMENTS & RIGHT OF WAY INFORMATION
1" = 50'



DETAIL
NOT TO SCALE

REVISION DATE:	
05/10/2012	STATION/OFFSET TABLE SDS
04/11/2012	IDOT COMMENTS PER EMAIL ON 04/10/2012 SDS
04/09/2012	REVISION: LIMITS OF 1JD0052TE-B MADE BY: SDS

PROJECT COORDINATE VALUES AND BEARINGS ARE GROUND AND BASED ON ILLINOIS STATE PLANE, EAST ZONE. REFERENCE ELLIPSOID, WGS 1984 WITH A COMBINED SCALE FACTOR OF 0.9999544733.

NOTES:

1. ALL STATIONING SHOWN HEREON ARE GROUND DISTANCES IN FEET.
2. ALL OFFSETS ARE SHOWN HEREON ARE GROUND DISTANCES IN FEET.
3. ANY DISCREPANCY IN MEASUREMENT DISCOVERED UPON THE GROUND SHOULD BE PROMPTLY REPORTED TO THE SURVEYOR FOR EXPLANATION OR CORRECTION.
4. FOR BUILDING LINE AND OTHER RESTRICTIONS NOT SHOWN HEREON, REFER TO YOUR ABSTRACT, DEEDS, CONTRACTS AND ZONING ORDINANCES.

RECEIVED
AUG 2 9 2013
PLATS & LEGALS

STATE OF ILLINOIS)
)SS
COUNTY OF COOK)

THIS IS TO CERTIFY THAT WE, SPACECO, INC. AN ILLINOIS PROFESSIONAL DESIGN FIRM LAND SURVEYING CORPORATION, NUMBER 184-001157, HAVE SURVEYED THE PLAT OF HIGHWAYS SHOWN HEREON IN SECTIONS 15, 16, 17, 20, 21 AND 22 TOWNSHIP 36 NORTH, RANGE 11 EAST OF THE THIRD PRINCIPAL MERIDIAN, WILL COUNTY, THAT THE SURVEY IS TRUE AND COMPLETE AS SHOWN TO THE BEST OF MY KNOWLEDGE AND BELIEF, THAT THE PLAT CORRECTLY REPRESENTS SAID SURVEY, THAT ALL MONUMENTS FOUND AND ESTABLISHED ARE OF PERMANENT QUALITY AND OCCUPY THE POSITIONS SHOWN THEREON AND THAT THE MONUMENTS ARE SUFFICIENT TO ENABLE THE SURVEY TO BE RETRACED, MADE FOR THE DEPARTMENT OF TRANSPORTATION, STATE OF ILLINOIS.

DATED THIS _____ DAY OF _____ 20____ A.D. AT ROSEMONT, ILLINOIS

REBECCA Y. POPECK
ILLINOIS PROFESSIONAL LAND SURVEYOR NO. 035-003642
LICENSE EXPIRATION DATE: NOVEMBER 30, 2014

THIS PROFESSIONAL SERVICE CONFORMS TO THE CURRENT ILLINOIS MINIMUM STANDARDS FOR A BOUNDARY SURVEY.

CONTRACT NO. 60X92 SHEET 151 OF 207

TOM OSBORNE
CONSULTING ENGINEERS
SITE DEVELOPMENT ENGINEERS
LAND SURVEYORS
9575 W. Higgins Road, Suite 700,
Rosemont, Illinois 60018
Phone: (847) 696-4060 Fax: (847) 696-4065

PLAT OF HIGHWAYS

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION
US ROUTE 6/IL ROUTE 7 (159TH ST)

SECTION: GOUGAR RD TO W. PARKER RD COUNTY: WILL
PROJECT: I-355 EXT. TO WILL-COOK RD JOB NO.: R-91-023-97
STATION 22+12.99 TO STATION 26+57.66
STATION 84+42.49 TO STATION 91+03.03
SCALE: 1" = 50' SHEET 35 OF 54

BUREAU OF LAND ACQUISITION
201 WEST CENTER COURT
SCHAUMBURG, ILLINOIS 60196

US ROUTE 6/IL ROUTE 7 (159TH STREET) SECTION COUGAR ROAD TO W. PARKER ROAD WILL COUNTY JOB NO. R-91-023-97

RECORDING REQUESTED BY

PART OF THE EAST HALF OF THE WEST HALF OF THE NORTHWEST QUARTER OF SECTION 21 TWP. 36 N., R. 11 E. OF THE 3RD. P.M., IN WILL COUNTY, ILLINOIS.



LEGEND

- LIGHT
- FIRE HYDRANT
- AUXILIARY VALVE
- BUFFALO BOX
- WATER VALVE
- CATCH BASIN
- INLET
- STORM MANHOLE
- SANITARY MANHOLE
- UNIDENTIFIED MANHOLE
- FLARED END SECTION
- SIGN
- MAILBOX

BX BUILDING CORNER
CLF CHAIN LINK FENCE
CMP CORRUGATED METAL PIPE
CONC CONCRETE
CO CLEAN-OUT
ELEC ELECTRIC
GM GAS METER
IP IRON PIPE
IR IRON ROD
MON MONUMENT
RCP REINFORCED CONC PIPE

9 10 16 15 SECTION CORNER

16 15 QUARTER SECTION CORNER

- SECTION LINE
- QUARTER SECTION LINE
- QUARTER, QUARTER SECTION LINE
- PLATTED LOT LINES
- PROPERTY (DEED) LINE
- APPARENT PROPERTY LINE
- CENTERLINE
- EXISTING RIGHT OF WAY LINE
- PROPOSED RIGHT OF WAY LINE
- PROPOSED EASEMENT
- PROPOSED CENTERLINE
- 129.32' MEASURED DIMENSION
- 129.32' (COMP) COMPUTED DIMENSION
- (129.32') RECORDED DIMENSION
- EXISTING BUILDING

N

GRAPHIC SCALE FEET
0 50,100
SCALE: 1" = 50'

Bearings are referenced to the Illinois State Plane Coordinate Grid System, NAD83, East Zone, as provided by the Illinois Department of Transportation.

- ● IRON PIPE OR ROD FOUND ○ REPLACED AFTER CONSTRUCTION
- \+ CUT CROSS FOUND OR SET
- ● TI, T2, T3 **THESE STAKES REFERENCE FOUND OR SET MONUMENTATION.** SET 5/8 INCH IRON ROD FLUSH WITH GROUND TO TIE FOUND IRON STAKE IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYORS REGISTRATION NUMBER.
- ● BT1, BT2, BT3 **THESE STAKES, IN CULTIVATED AREAS, REFERENCE FOUND OR SET MONUMENTATION.** BURIED 5/8 INCH IRON ROD 20 INCHES BELOW GROUND TO TIE FOUND IRON STAKE. IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYORS REGISTRATION NUMBER.
- ■ **STAKING OF PROPOSED RIGHT OF WAY.** SET DIVISION OF HIGHWAYS SURVEY MARKER TO MONUMENT THE POSITION SHOWN. IDENTIFIED BY INSCRIPTION DATA AND SURVEYORS REGISTRATION NUMBER.
- ■ M **STAKING OF PROPOSED RIGHT OF WAY IN CULTIVATED AREAS.** BURIED 5/8 INCH METAL ROD 20 INCHES BELOW GROUND TO MARK FUTURE SURVEY MARKER POSITION IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYORS REGISTRATION NUMBER.
- ◕ PERMANENT SURVEY MARKER, I.D.O.T. STANDARD 2135 (TO BE SET BY OTHERS)
- □ RIGHT OF WAY STAKING PROPOSED TO BE SET

COORDINATE/STATION TABLE

Point	Northing	Easting	Station	Offset	
311	1796586.35	1080069.06	77+82.26	85.04	R
312	1796564.77	1079453.49	71+66.32	84.82	R
313	1796519.79	1079454.81	71+66.04	129.82	R
314	1796519.26	1079439.82	71+51.04	129.81	R
315	1796518.21	1079409.84	71+21.04	129.80	R
351	1796579.48	1079873.10	75+86.19	84.97	R
352	1796569.49	1079873.46	75+86.18	94.97	R
353	1796567.73	1079823.49	75+36.18	94.95	R
354	1796577.73	1079823.14	75+36.19	84.95	R

PROJECT COORDINATE VALUES AND BEARINGS ARE GROUND AND BASED ON ILLINOIS STATE PLANE, EAST ZONE. REFERENCE ELLIPSOID, WGS 1984 WITH A COMBINED SCALE FACTOR OF 0.9999544733.

NOTES:

1. ALL STATIONING SHOWN HEREON ARE GROUND DISTANCES IN FEET.
2. ALL OFFSETS ARE SHOWN HEREON ARE GROUND DISTANCES IN FEET.
3. ANY DISCREPANCY IN MEASUREMENT DISCOVERED UPON THE GROUND SHOULD BE PROMPTLY REPORTED TO THE SURVEYOR FOR EXPLANATION OR CORRECTION.
4. FOR BUILDING LINE AND OTHER RESTRICTIONS NOT SHOWN HEREON, REFER TO YOUR ABSTRACT, DEEDS, CONTRACTS AND ZONING ORDINANCES.

PARCEL NUMBER	OWNER	TOTAL HOLDINGS ACRES	PART TAKEN ACRES	AREA IN EXISTING R.O.W. ACRES	REMAINDER AREA ACRES	EASEMENT AREA ACRES	EASEMENT PURPOSE	PERMANENT INDEX NUMBER	PROPERTY ACQUIRED BY
1JD0054	BRIAN K. BEARY	34.588	1.422	0.899	33.166			16-05-21-100-034	
1JD0054TE						0.011	TEMPORARY	16-05-21-100-043	
1JD0055	THE TOWNSHIP OF HOMER, AN ILLINOIS TOWNSHIP	1.372	0.055	0.000	1.317			16-05-21-100-035	

05/10/2012
REVISION DATE: 04/11/2012

STATION/OFFSET TABLE
REVISION: IDOT COMMENTS PER EMAIL ON 04/10/2012

SDS
MADE BY: SDS

RECEIVED
AUG 2 9 2013
PLATS & LEGALS

STATE OF ILLINOIS)
)SS
COUNTY OF COOK)

THIS IS TO CERTIFY THAT WE, SPACECO, INC. AN ILLINOIS PROFESSIONAL DESIGN FIRM LAND SURVEYING CORPORATION, NUMBER 184-001157, HAVE SURVEYED THE PLAT OF HIGHWAYS SHOWN HEREON IN SECTIONS 15, 16, 17, 20, 21 AND 22 TOWNSHIP 36 NORTH, RANGE 11 EAST OF THE THIRD PRINCIPAL MERIDIAN, WILL COUNTY, THAT THE SURVEY IS TRUE AND COMPLETE AS SHOWN TO THE BEST OF MY KNOWLEDGE AND BELIEF, THAT THE PLAT CORRECTLY REPRESENTS SAID SURVEY, THAT ALL MONUMENTS FOUND AND ESTABLISHED ARE OF PERMANENT QUALITY AND OCCUPY THE POSITIONS SHOWN THEREON AND THAT THE MONUMENTS ARE SUFFICIENT TO ENABLE THE SURVEY TO BE RETRACED, MADE FOR THE DEPARTMENT OF TRANSPORTATION, STATE OF ILLINOIS.

DATED THIS _____ DAY OF _____ 20____ A.D. AT ROSEMONT, ILLINOIS

REBECCA Y. POPECK
ILLINOIS PROFESSIONAL LAND SURVEYOR NO. 035-003642
LICENSE EXPIRATION DATE: NOVEMBER 30, 2014

THIS PROFESSIONAL SERVICE CONFORMS TO THE CURRENT ILLINOIS MINIMUM STANDARDS FOR A BOUNDARY SURVEY.

CONTRACT NO. 60X92 SHEET 152 OF 207

SPACECO INC.
CONSULTING ENGINEERS
SITE DEVELOPMENT ENGINEERS
LAND SURVEYORS
9575 W. Higgins Road, Suite 700,
Rosemont, Illinois 60018
Phone: (847) 696-4060 Fax: (847) 696-4065

PLAT OF HIGHWAYS

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION
US ROUTE 6/IL ROUTE 7 (159TH ST)

SECTION: GOUGAR RD TO W. PARKER RD COUNTY: WILL
PROJECT: I-355 EXT. TO WILL-COOK RD JOB NO.: R-91-023-97
STATION 71+21.04 TO STATION 77+82.26
SCALE: 1" = 50' SHEET 36 OF 54

BUREAU OF LAND ACQUISITION
201 WEST CENTER COURT
SCHAUMBURG, ILLINOIS 60196

PART OF THE WEST HALF OF THE NORTHWEST QUARTER OF SECTION 21 TWP. 36 N., R. 11 E. OF THE 3RD. P.M., IN WILL COUNTY, ILLINOIS.

PROJECT COORDINATE VALUES AND BEARINGS ARE GROUND AND BASED ON ILLINOIS STATE PLANE, EAST ZONE. REFERENCE ELLIPSOID, WGS 1984 WITH A COMBINED SCALE FACTOR OF 0.9999544733.

NOTES:

1. ALL STATIONING SHOWN HEREON ARE GROUND DISTANCES IN FEET.

2. ALL OFFSETS ARE SHOWN HEREON ARE GROUND DISTANCES IN FEET.

3. ANY DISCREPANCY IN MEASUREMENT DISCOVERED UPON THE GROUND SHOULD BE PROMPTLY REPORTED TO THE SURVEYOR FOR EXPLANATION OR CORRECTION.

4. FOR BUILDING LINE AND OTHER RESTRICTIONS NOT SHOWN HEREON, REFER TO YOUR ABSTRACT, DEEDS, CONTRACTS AND ZONING ORDINANCES.

BSL = BUILDING SETBACK LINE
DE = DRAINAGE EASEMENT
UE = UTILITY EASEMENT

LIGHT
FIRE HYDRANT
AUXILIARY VALVE
BUFFALO BOX
WATER VALVE
CATCH BASIN
INLET
STORM MANHOLE
SANITARY MANHOLE
UNIDENTIFIED MANHOLE
FLARED END SECTION
SIGN
MAILBOX
BX BUILDING CORNER
CLF CHAIN LINK FENCE
CMP CORRUGATED METAL PIPE
CONC CONCRETE
CO CLEAN-OUT
ELEC ELECTRIC
GM GAS METER
IP IRON PIPE
IR IRON ROD
MON MONUMENT
RCP REINFORCED CONC PIPE



LEGEND

SECTION CORNER (9 10 / 16 15)
QUARTER SECTION CORNER (16 — 15)

SECTION LINE
QUARTER SECTION LINE
QUARTER, QUARTER SECTION LINE
PLATTED LOT LINES
PROPERTY (DEED) LINE
APL APPARENT PROPERTY LINE
CENTERLINE
EXISTING RIGHT OF WAY LINE
PROPOSED RIGHT OF WAY LINE
PROPOSED EASEMENT
PROPOSED CENTERLINE
129.32' MEASURED DIMENSION
129.32' (COMP) COMPUTED DIMENSION
(129.32') RECORDED DIMENSION
EXISTING BUILDING

N

GRAPHIC SCALE FEET
0 30 60
SCALE: 1" = 30'

Bearings are referenced to the Illinois State Plane Coordinate Grid System, NAD83, East Zone, as provided by the Illinois Department of Transportation.

● IRON PIPE OR ROD FOUND ○ REPLACED AFTER CONSTRUCTION
\+ CUT CROSS FOUND OR SET

• TI, T2, T3 **THESE STAKES REFERENCE FOUND OR SET MONUMENTATION.** SET 5/8 INCH IRON ROD FLUSH WITH GROUND TO TIE FOUND IRON STAKE IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYORS REGISTRATION NUMBER.

• BT1, BT2, BT3 **THESE STAKES, IN CULTIVATED AREAS, REFERENCE FOUND OR SET MONUMENTATION.** BURIED 5/8 INCH IRON ROD 20 INCHES BELOW GROUND TO TIE FOUND IRON STAKE. IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYORS REGISTRATION NUMBER.

■ **STAKING OF PROPOSED RIGHT OF WAY.** SET DIVISION OF HIGHWAYS SURVEY MARKER TO MONUMENT THE POSITION SHOWN. IDENTIFIED BY INSCRIPTION DATA AND SURVEYORS REGISTRATION NUMBER.

■ M **STAKING OF PROPOSED RIGHT OF WAY IN CULTIVATED AREAS.** BURIED 5/8 INCH METAL ROD 20 INCHES BELOW GROUND TO MARK FUTURE SURVEY MARKER POSITION IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYORS REGISTRATION NUMBER.

PERMANENT SURVEY MARKER, I.D.O.T. STANDARD 2135 (TO BE SET BY OTHERS)

□ RIGHT OF WAY STAKING PROPOSED TO BE SET

COORDINATE/STATION TABLE

Point	Northing	Easting	Station	Offset	
91	1796636.95	1078746.81	64+62.63	12.33	L
316	1796589.18	1079407.76	71+21.48	58.80	R
317	1796583.80	1079254.33	69+57.95	58.75	R
318	1796551.73	1079224.25	69+36.75	89.74	R
319	1796545.42	1079158.40	68+70.72	93.71	R
320	1796579.17	1079122.41	68+35.95	58.70	R
321	1796575.85	1079027.67	67+41.16	58.67	R
322	1796564.86	1079028.06	67+41.15	69.67	R
323	1796563.46	1078988.08	67+01.15	69.65	R
324	1796488.49	1078990.28	67+00.69	144.65	R
325	1796487.96	1078975.28	66+85.69	144.65	R
326	1796487.44	1078960.29	66+70.69	144.64	R
327	1796562.41	1078958.10	66+71.15	69.64	R
328	1796557.92	1078830.10	65+43.07	69.60	R
329	1796520.50	1078790.15	65+01.82	105.58	R

RECEIVED
AUG 29 2013
PLATS & LEGALS

PARCEL NUMBER	OWNER	TOTAL HOLDINGS ACRES	PART TAKEN ACRES	AREA IN EXISTING R.O.W. ACRES	REMAINDER AREA ACRES	EASEMENT AREA ACRES	EASEMENT PURPOSE	PERMANENT INDEX NUMBER	PROPERTY ACQUIRED BY
1JD0056	NAYMA, INC.	0.456	0.049	0.000	0.407			16-05-21-103-001	
1JD0057	FRED P. BALAS	0.456	0.092	0.000	0.364			16-05-21-101-001	
1JD0058	JOHN SYNOWIEC AND REBECCA SYNOWIEC, HUSBAND AND WIFE, AS TENANTS BY THE ENTIRETY	0.612	0.127	0.000	0.485			16-05-21-101-005	

08/08/2013
05/10/2012
04/30/2012
REVISION DATE: 04/11/2012

STATE OF ILLINOIS)
)SS
COUNTY OF COOK)

THIS IS TO CERTIFY THAT WE, SPACECO, INC. AN ILLINOIS PROFESSIONAL DESIGN FIRM LAND SURVEYING CORPORATION, NUMBER 184-001157, HAVE SURVEYED THE PLAT OF HIGHWAYS SHOWN HEREON IN SECTIONS 15, 16, 17, 20, 21 AND 22 TOWNSHIP 36 NORTH, RANGE 11 EAST OF THE THIRD PRINCIPAL MERIDIAN, WILL COUNTY, THAT THE SURVEY IS TRUE AND COMPLETE AS SHOWN TO THE BEST OF MY KNOWLEDGE AND BELIEF, THAT THE PLAT CORRECTLY REPRESENTS SAID SURVEY, THAT ALL MONUMENTS FOUND AND ESTABLISHED ARE OF PERMANENT QUALITY AND OCCUPY THE POSITIONS SHOWN THEREON AND THAT THE MONUMENTS ARE SUFFICIENT TO ENABLE THE SURVEY TO BE RETRACED, MADE FOR THE DEPARTMENT OF TRANSPORTATION, STATE OF ILLINOIS.

DATED THIS _____ DAY OF _____ 20____ A.D. AT ROSEMONT, ILLINOIS

REBECCA Y. POPECK
ILLINOIS PROFESSIONAL LAND SURVEYOR NO. 035-003642
LICENSE EXPIRATION DATE: NOVEMBER 30, 2014

THIS PROFESSIONAL SERVICE CONFORMS TO THE CURRENT ILLINOIS MINIMUM STANDARDS FOR A BOUNDARY SURVEY.

UPDATED OWNER OF PARCEL 1JD0056	RYP
STATION/OFFSET TABLE	SDS
SEE SHEET 37 UPDATED TO SEE SHEET 35	RYP
REVISION: IDOT COMMENTS PER EMAIL ON 04/10/2012	MADE BY: SDS

SPACECO, INC.
CONSULTING ENGINEERS
SITE DEVELOPMENT ENGINEERS
LAND SURVEYORS
9575 W. Higgins Road, Suite 700.
Rosemont, Illinois 60018
Phone: (847) 696-4060 Fax: (847) 696-4065

PLAT OF HIGHWAYS

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION
US ROUTE 6/IL ROUTE 7 (159TH ST)

SECTION: GOUGAR RD TO W. PARKER RD COUNTY: WILL
PROJECT: I-355 EXT. TO WILL-COOK RD JOB NO.: R-91-023-97
STATION 64+62.63 TO STATION 71+21.48
SCALE: 1" = 30' SHEET 37 OF 54

BUREAU OF LAND ACQUISITION
201 WEST CENTER COURT
SCHAUMBURG, ILLINOIS 60196

NORTHWEST QUARTER OF SECTION 21 TWP. 36 N., R. 11 E. OF THE 3RD. P.M., IN WILL COUNTY, ILLINOIS.



LEGEND

SECTION CORNER (9 10 / 16 15) — QUARTER SECTION CORNER (16 — 15)

N

GRAPHIC SCALE FEET
0 200 400
SCALE: 1" = 200'

	SECTION LINE
	QUARTER SECTION LINE
	QUARTER, QUARTER SECTION LINE
	PLATTED LOT LINES
℄ APL	PROPERTY (DEED) LINE / APPARENT PROPERTY LINE
	CENTERLINE
	EXISTING RIGHT OF WAY LINE
	PROPOSED RIGHT OF WAY LINE
	PROPOSED EASEMENT
	PROPOSED CENTERLINE
129.32'	MEASURED DIMENSION
129.32' (COMP)	COMPUTED DIMENSION
(129.32')	RECORDED DIMENSION
	EXISTING BUILDING

Bearings are referenced to the Illinois State Plane Coordinate Grid System, NAD83, East Zone, as provided by the Illinois Department of Transportation.

- ● IRON PIPE OR ROD FOUND ○ REPLACED AFTER CONSTRUCTION
- \+ CUT CROSS FOUND OR SET
- ● TI, T2, T3 — **THESE STAKES REFERENCE FOUND OR SET MONUMENTATION.** SET 5/8 INCH IRON ROD FLUSH WITH GROUND TO TIE FOUND IRON STAKE IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYORS REGISTRATION NUMBER.
- • BT1, BT2, BT3 — **THESE STAKES, IN CULTIVATED AREAS, REFERENCE FOUND OR SET MONUMENTATION.** BURIED 5/8 INCH IRON ROD 20 INCHES BELOW GROUND TO TIE FOUND IRON STAKE. IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYORS REGISTRATION NUMBER.
- ■ **STAKING OF PROPOSED RIGHT OF WAY.** SET DIVISION OF HIGHWAYS SURVEY MARKER TO MONUMENT THE POSITION SHOWN. IDENTIFIED BY INSCRIPTION DATA AND SURVEYORS REGISTRATION NUMBER.
- ■ M — **STAKING OF PROPOSED RIGHT OF WAY IN CULTIVATED AREAS.** BURIED 5/8 INCH METAL ROD 20 INCHES BELOW GROUND TO MARK FUTURE SURVEY MARKER POSITION IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYORS REGISTRATION NUMBER.
- ⊕ PERMANENT SURVEY MARKER, I.D.O.T. STANDARD 2135 (TO BE SET BY OTHERS)
- □ RIGHT OF WAY STAKING PROPOSED TO BE SET

RECEIVED
AUG 2 9 2013
PLATS & LEGALS

STATE OF ILLINOIS)
)SS
COUNTY OF COOK)

THIS IS TO CERTIFY THAT WE, SPACECO, INC. AN ILLINOIS PROFESSIONAL DESIGN FIRM LAND SURVEYING CORPORATION, NUMBER 184-001157, HAVE SURVEYED THE PLAT OF HIGHWAYS SHOWN HEREON IN SECTIONS 15, 16, 17, 20, 21 AND 22 TOWNSHIP 36 NORTH, RANGE 11 EAST OF THE THIRD PRINCIPAL MERIDIAN, WILL COUNTY, THAT THE SURVEY IS TRUE AND COMPLETE AS SHOWN TO THE BEST OF MY KNOWLEDGE AND BELIEF, THAT THE PLAT CORRECTLY REPRESENTS SAID SURVEY, THAT ALL MONUMENTS FOUND AND ESTABLISHED ARE OF PERMANENT QUALITY AND OCCUPY THE POSITIONS SHOWN THEREON AND THAT THE MONUMENTS ARE SUFFICIENT TO ENABLE THE SURVEY TO BE RETRACED, MADE FOR THE DEPARTMENT OF TRANSPORTATION, STATE OF ILLINOIS.

DATED THIS _____ DAY OF _____ 20____ A.D. AT ROSEMONT, ILLINOIS

REBECCA Y. POPECK
ILLINOIS PROFESSIONAL LAND SURVEYOR NO. 035-003642
LICENSE EXPIRATION DATE: NOVEMBER 30, 2014

THIS PROFESSIONAL SERVICE CONFORMS TO THE CURRENT ILLINOIS MINIMUM STANDARDS FOR A BOUNDARY SURVEY.

REVISION DATE: 12/19/2012 REVISE PARCEL 1JD0048TE & 49 RYP
06/29/2012 ADDED BUILDING TO PARCEL 1JD0048 RYP
05/10/2012 REVISED PROPOSED ℄ STATIONING MADE BY: SDS

CONTRACT NO. 60X92 SHEET 154 OF 207

SPACECO INC.
CONSULTING ENGINEERS
SITE DEVELOPMENT ENGINEERS
LAND SURVEYORS
9575 W. Higgins Road, Suite 700, Rosemont, Illinois 60018
Phone: (847) 696-4060 Fax: (847) 696-4065

PLAT OF HIGHWAYS

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION
US ROUTE 6/IL ROUTE 7 (159TH ST)

SECTION: GOUGAR RD TO W. PARKER RD COUNTY: WILL
PROJECT: I-355 EXT. TO WILL-COOK RD JOB NO.: R-91-023-97
STATION 64+62.63 TO STATION 91+03.03
SCALE: 1" = 200' SHEET 38 OF 54

BUREAU OF LAND ACQUISITION
201 WEST CENTER COURT
SCHAUMBURG, ILLINOIS 60196

US ROUTE 6/IL ROUTE 7 (159TH STREET) SECTION: GOUGAR ROAD TO W. PARKER ROAD WILL COUNTY JOB NO.: R-91-023-97 RECORDING: RECORDED ON

PART OF THE EAST HALF OF THE NORTHEAST QUARTER OF SECTION 20 TWP. 36 N., R. 11 E. OF THE 3RD. P.M., IN WILL COUNTY, ILLINOIS.

PARCEL NUMBER	OWNER	TOTAL HOLDINGS ACRES	PART TAKEN ACRES	AREA IN EXISTING R.O.W. ACRES	REMAINDER AREA ACRES	EASEMENT AREA ACRES	EASEMENT PURPOSE	PERMANENT INDEX NUMBER	PROPERTY ACQUIRED BY
1JD0009	GEORGE S. GATSES AND TED GATSES	5.214	0.275	0.000	4.939			16-05-20-202-008	
1JD0009TE-A						0.011	TEMPORARY	16-05-20-202-009	
1JD0009TE-B						0.023	TEMPORARY		
1JD0060	ST. GEORGE PLAZA, INC.	5.933	1.217	0.918	4.716			16-05-20-200-020	



LIGHT
FIRE HYDRANT
AUXILIARY VALVE
BUFFALO BOX
WATER VALVE
CATCH BASIN
INLET
STORM MANHOLE
SANITARY MANHOLE
FLARED END SECTION
SIGN
MAILBOX
PUD & CATV = PUBLIC UTILITY, DRAINAGE AND CABLE TV EASEMENT

BX BUILDING CORNER
CLF CHAIN LINK FENCE
CMP CORRUGATED METAL PIPE
CONC CONCRETE
CO CLEAN-OUT
ELEC ELECTRIC
GM GAS METER
IP IRON PIPE
IR IRON ROD
MON MONUMENT
RCP REINFORCED CONC PIPE

PROJECT COORDINATE VALUES AND BEARINGS ARE GROUND AND BASED ON ILLINOIS STATE PLANE, EAST ZONE. REFERENCE ELLIPSOID, WGS 1984 WITH A COMBINED SCALE FACTOR OF 0.9999544733.

NOTES:

1. ALL STATIONING SHOWN HEREON ARE GROUND DISTANCES IN FEET.
2. ALL OFFSETS ARE SHOWN HEREON ARE GROUND DISTANCES IN FEET.
3. ANY DISCREPANCY IN MEASUREMENT DISCOVERED UPON THE GROUND SHOULD BE PROMPTLY REPORTED TO THE SURVEYOR FOR EXPLANATION OR CORRECTION.
4. FOR BUILDING LINE AND OTHER RESTRICTIONS NOT SHOWN HEREON, REFER TO YOUR ABSTRACT, DEEDS, CONTRACTS AND ZONING ORDINANCES.

CONTRACT NO. 60X92 SHEET 155 OF 207

LEGEND

SECTION CORNER
QUARTER SECTION CORNER
SECTION LINE
QUARTER SECTION LINE
QUARTER, QUARTER SECTION LINE
PLATTED LOT LINES
PROPERTY (DEED) LINE
APPARENT PROPERTY LINE
CENTERLINE
EXISTING RIGHT OF WAY LINE
PROPOSED RIGHT OF WAY LINE
PROPOSED EASEMENT
PROPOSED CENTERLINE
129.32' MEASURED DIMENSION
129.32' (COMP) COMPUTED DIMENSION
(129.32') RECORDED DIMENSION
EXISTING BUILDING

IRON PIPE OR ROD FOUND ○ REPLACED AFTER CONSTRUCTION
CUT CROSS FOUND OR SET

THESE STAKES REFERENCE FOUND OR SET MONUMENTATION. SET 5/8 INCH IRON ROD FLUSH WITH GROUND TO TIE FOUND IRON STAKE IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYORS REGISTRATION NUMBER.

THESE STAKES, IN CULTIVATED AREAS, REFERENCE FOUND OR SET MONUMENTATION. BURIED 5/8 INCH IRON ROD 20 INCHES BELOW GROUND TO TIE FOUND IRON STAKE. IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYORS REGISTRATION NUMBER.

STAKING OF PROPOSED RIGHT OF WAY. SET DIVISION OF HIGHWAYS SURVEY MARKER TO MONUMENT THE POSITION SHOWN. IDENTIFIED BY INSCRIPTION DATA AND SURVEYORS REGISTRATION NUMBER.

STAKING OF PROPOSED RIGHT OF WAY IN CULTIVATED AREAS. BURIED 5/8 INCH METAL ROD 20 INCHES BELOW GROUND TO MARK FUTURE SURVEY MARKER POSITION IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYORS REGISTRATION NUMBER.

PERMANENT SURVEY MARKER, I.D.O.T. STANDARD 2135 (TO BE SET BY OTHERS)

RIGHT OF WAY STAKING PROPOSED TO BE SET

Bearings are referenced to the Illinois State Plane Coordinate Grid System, NAD83, East Zone, as provided by the Illinois Department of Transportation.

COORDINATE/STATION TABLE

Point	Northing	Easting	Station	Offset	
91	1796636.95	1078746.81	64+62.63	12.33	L
371	1796533.16	1078723.76	64+35.92	90.57	R
372	1796553.29	1078698.90	64+11.79	69.58	R
373	1796533.28	1078136.95	58+49.48	69.69	R
374	1796542.68	1078400.95	61+13.65	69.64	R
375	1796517.69	1078401.84	61+13.65	94.64	R
376	1796516.27	1078361.86	60+73.65	94.65	R
377	1796541.26	1078360.97	60+73.65	69.65	R
378	1796534.17	1078161.93	58+74.48	69.68	R
379	1796514.17	1078162.50	58+74.34	89.68	R
380	1796513.29	1078137.52	58+49.34	89.69	R
381	1796511.97	1077538.63	52+50.79	69.81	R
382	1796506.97	1077538.81	52+50.79	74.81	R
383	1796505.42	1077495.15	52+07.10	74.81	R

RECEIVED
AUG 2 9 2013
PLATS & LEGALS

STATE OF ILLINOIS)
)SS
COUNTY OF COOK)

THIS IS TO CERTIFY THAT WE, SPACECO, INC. AN ILLINOIS PROFESSIONAL DESIGN FIRM LAND SURVEYING CORPORATION, NUMBER 184-001157, HAVE SURVEYED THE PLAT OF HIGHWAYS SHOWN HEREON IN SECTIONS 15, 16, 17, 20, 21 AND 22 TOWNSHIP 36 NORTH, RANGE 11 EAST OF THE THIRD PRINCIPAL MERIDIAN, WILL COUNTY, THAT THE SURVEY IS TRUE AND COMPLETE AS SHOWN TO THE BEST OF MY KNOWLEDGE AND BELIEF, THAT THE PLAT CORRECTLY REPRESENTS SAID SURVEY, THAT ALL MONUMENTS FOUND AND ESTABLISHED ARE OF PERMANENT QUALITY AND OCCUPY THE POSITIONS SHOWN THEREON AND THAT THE MONUMENTS ARE SUFFICIENT TO ENABLE THE SURVEY TO BE RETRACED, MADE FOR THE DEPARTMENT OF TRANSPORTATION, STATE OF ILLINOIS.

DATED THIS _____ DAY OF _____ 20____ A.D, AT ROSEMONT, ILLINOIS

REBECCA Y. POPECK
ILLINOIS PROFESSIONAL LAND SURVEYOR NO. 035-003642
LICENSE EXPIRATION DATE: NOVEMBER 30, 2014

THIS PROFESSIONAL SERVICE CONFORMS TO THE CURRENT ILLINOIS MINIMUM STANDARDS FOR A BOUNDARY SURVEY.

CONSULTING ENGINEERS
SITE DEVELOPMENT ENGINEERS
LAND SURVEYORS
9575 W. Higgins Road, Suite 700,
Rosemont, Illinois 60018
Phone: (847) 696-4060 Fax: (847) 696-4065

PLAT OF HIGHWAYS

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION
US ROUTE 6/IL ROUTE 7 (159TH ST)

SECTION: COUGAR RD TO W. PARKER RD COUNTY: WILL
PROJECT: I-355 EXT. TO WILL-COOK RD JOB NO.: R-91-023-97
STATION 52+07.10 TO STATION 64+62.63
SCALE: 1" = 50' SHEET 39 OF 54

BUREAU OF LAND ACQUISITION
201 WEST CENTER COURT
SCHAUMBURG, ILLINOIS 60196

REVISION DATE: 05/10/2012 REVISION: STATION/OFFSET TABLE MADE BY: SDS

US ROUTE 6/IL ROUTE 7 (159TH STREET) SECTION: COUGAR ROAD TO W. PARKER ROAD WILL COUNTY JOB NO.: R-91-023-97 RECORDING: RECORDED ON

PART OF THE NORTHEAST QUARTER OF SECTION 20
TWP. 36 N., R. 11 E. OF THE 3RD. P.M., IN WILL COUNTY, ILLINOIS.



LEGEND

- LIGHT
- FIRE HYDRANT
- AUXILIARY VALVE
- BUFFALO BOX
- WATER VALVE
- CATCH BASIN
- INLET
- STORM MANHOLE
- SANITARY MANHOLE
- UNIDENTIFIED MANHOLE
- FLARED END SECTION
- SIGN
- MAILBOX

BX BUILDING CORNER
CLF CHAIN LINK FENCE
CMP CORRUGATED METAL PIPE
CONC CONCRETE
CO CLEAN-OUT
ELEC ELECTRIC
GM GAS METER
IP IRON PIPE
IR IRON ROD
MON MONUMENT
RCP REINFORCED CONC PIPE

9 10 16 15 SECTION CORNER
16 15 QUARTER SECTION CORNER

- SECTION LINE
- QUARTER SECTION LINE
- QUARTER, QUARTER SECTION LINE
- PLATTED LOT LINES
- PROPERTY (DEED) LINE
- APPARENT PROPERTY LINE
- CENTERLINE
- EXISTING RIGHT OF WAY LINE
- PROPOSED RIGHT OF WAY LINE
- PROPOSED EASEMENT
- PROPOSED CENTERLINE
- 129.32' MEASURED DIMENSION
- 129.32' (COMP) COMPUTED DIMENSION
- (129.32') RECORDED DIMENSION
- EXISTING BUILDING

PUD & CATV = PUBLIC UTILITY, DRAINAGE AND CABLE TV EASEMENT PER DOCUMENT R88-58240

N

GRAPHIC SCALE FEET
0 30 60
SCALE: 1" = 30'

Bearings are referenced to the Illinois State Plane Coordinate Grid System, NAD83, East Zone, as provided by the Illinois Department of Transportation.

- ● IRON PIPE OR ROD FOUND ○ REPLACED AFTER CONSTRUCTION
- + CUT CROSS FOUND OR SET
- ● TI, T2, T3 **THESE STAKES REFERENCE FOUND OR SET MONUMENTATION.** SET 5/8 INCH IRON ROD FLUSH WITH GROUND TO TIE FOUND IRON STAKE IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYORS REGISTRATION NUMBER.
- ● BT1, BT2, BT3 **THESE STAKES, IN CULTIVATED AREAS, REFERENCE FOUND OR SET MONUMENTATION.** BURIED 5/8 INCH IRON ROD 20 INCHES BELOW GROUND TO TIE FOUND IRON STAKE. IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYORS REGISTRATION NUMBER.
- ■ **STAKING OF PROPOSED RIGHT OF WAY.** SET DIVISION OF HIGHWAYS SURVEY MARKER TO MONUMENT THE POSITION SHOWN. IDENTIFIED BY INSCRIPTION DATA AND SURVEYORS REGISTRATION NUMBER.
- ■ M **STAKING OF PROPOSED RIGHT OF WAY IN CULTIVATED AREAS.** BURIED 5/8 INCH METAL ROD 20 INCHES BELOW GROUND TO MARK FUTURE SURVEY MARKER POSITION IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYORS REGISTRATION NUMBER.
- ⊕ PERMANENT SURVEY MARKER, I.D.O.T. STANDARD 2135 (TO BE SET BY OTHERS)
- □ RIGHT OF WAY STAKING PROPOSED TO BE SET

COORDINATE/STATION TABLE

Point	Northing	Easting	Station	Offset	
383	1796505.42	1077495.15	52+07.10	74.81	R
384	1796496.77	1077252.42	49+64.21	74.86	R
385	1796464.68	1077222.32	49+32.99	105.87	R
386	1796452.34	1077156.63	48+66.92	115.88	R
387	1796482.22	1077124.78	48+36.14	84.89	R
388	1796474.72	1076914.17	46+25.40	84.93	R

PROJECT COORDINATE VALUES AND BEARINGS ARE GROUND AND BASED ON ILLINOIS STATE PLANE, EAST ZONE. REFERENCE ELLIPSOID, WGS 1984 WITH A COMBINED SCALE FACTOR OF 0.9999544733.

NOTES:

1. ALL STATIONING SHOWN HEREON ARE GROUND DISTANCES IN FEET.
2. ALL OFFSETS ARE SHOWN HEREON ARE GROUND DISTANCES IN FEET.
3. ANY DISCREPANCY IN MEASUREMENT DISCOVERED UPON THE GROUND SHOULD BE PROMPTLY REPORTED TO THE SURVEYOR FOR EXPLANATION OR CORRECTION.
4. FOR BUILDING LINE AND OTHER RESTRICTIONS NOT SHOWN HEREON, REFER TO YOUR ABSTRACT, DEEDS, CONTRACTS AND ZONING ORDINANCES.

CONTRACT NO. 60X92 SHEET 156 OF 207

PARCEL NUMBER	OWNER	TOTAL HOLDINGS ACRES	PART TAKEN ACRES	AREA IN EXISTING R.O.W. ACRES	REMAINDER AREA ACRES	EASEMENT AREA ACRES	EASEMENT PURPOSE	PERMANENT INDEX NUMBER	PROPERTY ACQUIRED BY
1JD0061	MARQUETTE BANK, F/K/A MARQUETTE NATIONAL BANK, AS TRUSTEE UNDER TRUST AGREEMENT DATED THE 24TH DAY OF MAY, 2002, AND KNOWN AS TRUST NUMBER 16325	1.132	0.168	0.000	0.964			16-05-20-202-001	
1JD0062	BEATA K. DRWAL	0.999	0.205	0.000	0.794			16-05-20-201-001	

REVISION DATE: 05/10/2012

RECEIVED
AUG 2 9 2013
PLATS & LEGALS

STATE OF ILLINOIS)
)SS
COUNTY OF COOK)

THIS IS TO CERTIFY THAT WE, SPACECO, INC. AN ILLINOIS PROFESSIONAL DESIGN FIRM LAND SURVEYING CORPORATION, NUMBER 184-001157, HAVE SURVEYED THE PLAT OF HIGHWAYS SHOWN HEREON IN SECTIONS 15, 16, 17, 20, 21 AND 22 TOWNSHIP 36 NORTH, RANGE 11 EAST OF THE THIRD PRINCIPAL MERIDIAN, WILL COUNTY, THAT THE SURVEY IS TRUE AND COMPLETE AS SHOWN TO THE BEST OF MY KNOWLEDGE AND BELIEF, THAT THE PLAT CORRECTLY REPRESENTS SAID SURVEY, THAT ALL MONUMENTS FOUND AND ESTABLISHED ARE OF PERMANENT QUALITY AND OCCUPY THE POSITIONS SHOWN THEREON AND THAT THE MONUMENTS ARE SUFFICIENT TO ENABLE THE SURVEY TO BE RETRACED, MADE FOR THE DEPARTMENT OF TRANSPORTATION, STATE OF ILLINOIS.

DATED THIS _____ DAY OF _____ 20____ A.D, AT ROSEMONT, ILLINOIS

REBECCA Y. POPECK
ILLINOIS PROFESSIONAL LAND SURVEYOR NO. 035-003642
LICENSE EXPIRATION DATE: NOVEMBER 30, 2014

THIS PROFESSIONAL SERVICE CONFORMS TO THE CURRENT ILLINOIS MINIMUM STANDARDS FOR A BOUNDARY SURVEY.

REVISION: STATION/OFFSET TABLE MADE BY: SDS

SPACECO INC.
CONSULTING ENGINEERS
SITE DEVELOPMENT ENGINEERS
LAND SURVEYORS
9575 W. Higgins Road, Suite 700,
Rosemont, Illinois 60018
Phone: (847) 696-4060 Fax: (847) 696-4065

PLAT OF HIGHWAYS

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION
US ROUTE 6/IL ROUTE 7 (159TH ST)

SECTION: GOUGAR RD TO W. PARKER RD COUNTY: WILL
PROJECT: I-355 EXT. TO WILL-COOK RD JOB NO.: R-91-023-97
STATION 46+25.40 TO STATION 52+07.10
SCALE: 1" = 30' SHEET 40 OF 54

BUREAU OF LAND ACQUISITION
201 WEST CENTER COURT
SCHAUMBURG, ILLINOIS 60196

US ROUTE 6/IL ROUTE 7 (159TH STREET) SECTION: COUGAR ROAD TO W. PARKER ROAD WILL COUNTY JOB NO.: R-91-023-97 RECORDING: RECORDED ON

PART OF THE WEST HALF OF THE NORTHEAST QUARTER OF SECTION 20 TWP. 36 N., R. 11 E. OF THE 3RD. P.M., IN WILL COUNTY, ILLINOIS.



LEGEND

- LIGHT
- FIRE HYDRANT
- AUXILIARY VALVE
- BUFFALO BOX
- WATER VALVE
- CATCH BASIN
- INLET
- STORM MANHOLE
- SANITARY MANHOLE
- UNIDENTIFIED MANHOLE
- FLARED END SECTION
- SIGN
- MAILBOX

BX	BUILDING CORNER
CLF	CHAIN LINK FENCE
CMP	CORRUGATED METAL PIPE
CONC	CONCRETE
CO	CLEAN-OUT
ELEC	ELECTRIC
GM	GAS METER
IP	IRON PIPE
IR	IRON ROD
MON	MONUMENT
RCP	REINFORCED CONC PIPE

9 10 16 15 SECTION CORNER

16 15 QUARTER SECTION CORNER

- SECTION LINE
- QUARTER SECTION LINE
- QUARTER, QUARTER SECTION LINE
- PLATTED LOT LINES
- PROPERTY (DEED) LINE
- APL APPARENT PROPERTY LINE
- CENTERLINE
- EXISTING RIGHT OF WAY LINE
- PROPOSED RIGHT OF WAY LINE
- PROPOSED EASEMENT
- PROPOSED CENTERLINE
- 129.32' MEASURED DIMENSION
- 129.32' (COMP) COMPUTED DIMENSION
- (129.32') RECORDED DIMENSION
- EXISTING BUILDING

N

1

GRAPHIC SCALE FEET

0 50,100

SCALE: 1" = 50'

Bearings are referenced to the Illinois State Plane Coordinate Grid System, NAD83, East Zone, as provided by the Illinois Department of Transportation.

- ● IRON PIPE OR ROD FOUND ℄ REPLACED AFTER CONSTRUCTION
- + CUT CROSS FOUND OR SET
- • TI T2 T3 **THESE STAKES REFERENCE FOUND OR SET MONUMENTATION.** SET 5/8 INCH IRON ROD FLUSH WITH GROUND TO TIE FOUND IRON STAKE IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYORS REGISTRATION NUMBER.
- • BT1 BT2 BT3 **THESE STAKES, IN CULTIVATED AREAS, REFERENCE FOUND OR SET MONUMENTATION.** BURIED 5/8 INCH IRON ROD 20 INCHES BELOW GROUND TO TIE FOUND IRON STAKE. IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYORS REGISTRATION NUMBER.
- ■ **STAKING OF PROPOSED RIGHT OF WAY.** SET DIVISION OF HIGHWAYS SURVEY MARKER TO MONUMENT THE POSITION SHOWN. IDENTIFIED BY INSCRIPTION DATA AND SURVEYORS REGISTRATION NUMBER.
- ■ M **STAKING OF PROPOSED RIGHT OF WAY IN CULTIVATED AREAS.** BURIED 5/8 INCH METAL ROD 20 INCHES BELOW GROUND TO MARK FUTURE SURVEY MARKER POSITION IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYORS REGISTRATION NUMBER.
- ◒ PERMANENT SURVEY MARKER, I.D.O.T. STANDARD 2135 (TO BE SET BY OTHERS)
- □ RIGHT OF WAY STAKING PROPOSED TO BE SET

COORDINATE/STATION TABLE

Point	Northing	Easting	Station	Offset	
34	1796544.28	1076119.28	38+33.47	12.72	L
388	1796474.72	1076914.17	46+25.40	84.93	R
389	1796466.02	1076669.72	43+80.79	84.98	R
390	1796451.03	1076670.25	43+80.79	99.98	R
391	1796449.53	1076628.17	43+38.69	99.98	R
392	1796449.51	1076627.56	43+38.07	99.98	R
393	1796447.47	1076570.32	42+80.79	99.99	R
394	1796469.26	1076339.38	40+50.77	70.04	R
395	1796461.51	1076121.62	38+32.88	70.08	R
396	1796468.02	1076304.40	40+15.77	70.05	R
397	1796438.04	1076305.47	40+15.78	100.05	R
398	1796435.41	1076231.80	39+42.06	100.06	R
399	1796465.40	1076230.95	39+42.28	70.06	R
400	1796434.83	1076215.53	39+25.78	100.06	R
401	1796464.81	1076214.46	39+25.77	70.06	R



DETAIL
1" = 50'

PROJECT COORDINATE VALUES AND BEARINGS ARE GROUND AND BASED ON ILLINOIS STATE PLANE, EAST ZONE. REFERENCE ELLIPSOID, WGS 1984 WITH A COMBINED SCALE FACTOR OF 0.9999544733.

NOTES:

1. ALL STATIONING SHOWN HEREON ARE GROUND DISTANCES IN FEET.
2. ALL OFFSETS ARE SHOWN HEREON ARE GROUND DISTANCES IN FEET.
3. ANY DISCREPANCY IN MEASUREMENT DISCOVERED UPON THE GROUND SHOULD BE PROMPTLY REPORTED TO THE SURVEYOR FOR EXPLANATION OR CORRECTION.
4. FOR BUILDING LINE AND OTHER RESTRICTIONS NOT SHOWN HEREON, REFER TO YOUR ABSTRACT, DEEDS, CONTRACTS AND ZONING ORDINANCES.

PARCEL NUMBER	OWNER	TOTAL HOLDINGS ACRES	PART TAKEN ACRES	AREA IN EXISTING R.O.W. ACRES	REMAINDER AREA ACRES	EASEMENT AREA ACRES	EASEMENT PURPOSE	PERMANENT INDEX NUMBER	PROPERTY ACQUIRED BY
1JD0063	EDWARD W. FRAYNE AND JENNIFER L. FRAYNE, IN JOINT TENANCY	3.882	0.658	0.413	3.224			16-05-20-200-003	
1JD0064	A LIFE ESTATE IN BERNICE KOKOSZ, AN UNMARRIED PERSON, REMAINDER INTEREST IN ROBERT J. KOKOSZ	5.360	0.872	0.571	4.488			16-05-20-200-002	
1JD0064TE						0.051	TEMPORARY		
1JD0065	SEAN C. BESSETTE AND TRACY M. BESSETTE, HUSBAND AND WIFE, AS TENANTS IN COMMON	1.479	0.208	0.158	1.271			16-05-20-200-001	
1JD0065TE						0.011	TEMPORARY		

STATE OF ILLINOIS)
)SS
COUNTY OF COOK)

THIS IS TO CERTIFY THAT WE, SPACECO, INC. AN ILLINOIS PROFESSIONAL DESIGN FIRM LAND SURVEYING CORPORATION, NUMBER 184-001157, HAVE SURVEYED THE PLAT OF HIGHWAYS SHOWN HEREON IN SECTIONS 15, 16, 17, 20, 21 AND 22 TOWNSHIP 36 NORTH, RANGE 11 EAST OF THE THIRD PRINCIPAL MERIDIAN, WILL COUNTY, THAT THE SURVEY IS TRUE AND COMPLETE AS SHOWN TO THE BEST OF MY KNOWLEDGE AND BELIEF, THAT THE PLAT CORRECTLY REPRESENTS SAID SURVEY, THAT ALL MONUMENTS FOUND AND ESTABLISHED ARE OF PERMANENT QUALITY AND OCCUPY THE POSITIONS SHOWN THEREON AND THAT THE MONUMENTS ARE SUFFICIENT TO ENABLE THE SURVEY TO BE RETRACED, MADE FOR THE DEPARTMENT OF TRANSPORTATION, STATE OF ILLINOIS.

DATED THIS _____ DAY OF _____ 20____ A.D. AT ROSEMONT, ILLINOIS

REBECCA Y. POPECK
ILLINOIS PROFESSIONAL LAND SURVEYOR NO. 035-003642
LICENSE EXPIRATION DATE: NOVEMBER 30, 2014

THIS PROFESSIONAL SERVICE CONFORMS TO THE CURRENT ILLINOIS MINIMUM STANDARDS FOR A BOUNDARY SURVEY.

RECEIVED
AUG 2 9 2013
PLATS & LEGALS

CONTRACT NO. 60X92 SHEET 157 OF 207

TOM CORSER & ASSOCIATES
CONSULTING ENGINEERS
SITE DEVELOPMENT ENGINEERS
LAND SURVEYORS
9575 W. Higgins Road, Suite 700, Rosemont, Illinois 60018
Phone: (847) 696-4060 Fax: (847) 696-4065

PLAT OF HIGHWAYS

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION
US ROUTE 6/IL ROUTE 7 (159TH ST)

SECTION: GOUGAR RD TO W. PARKER RD COUNTY: WILL
PROJECT: I-355 EXT. TO WILL-COOK RD JOB NO.: R-91-023-97
STATION 38+32.88 TO STATION 46+25.40
SCALE: 1" = 50' SHEET 41 OF 54

BUREAU OF LAND ACQUISITION
201 WEST CENTER COURT
SCHAUMBURG, ILLINOIS 60196

05/10/2012
REVISION DATE: 04/24/2012

STATION/OFFSET TABLE
REVISION: UPDATE MATCH LINE LABEL

SDS
MADE BY: RYP

PART OF THE EAST HALF OF THE NORTHWEST QUARTER OF SECTION 20 TWP. 36 N., R. 11 E. OF THE 3RD. P.M., IN WILL COUNTY, ILLINOIS.





LEGEND

- SECTION CORNER
- QUARTER SECTION CORNER
- SECTION LINE
- QUARTER SECTION LINE
- QUARTER, QUARTER SECTION LINE
- PLATTED LOT LINES
- PROPERTY (DEED) LINE
- APPARENT PROPERTY LINE
- CENTERLINE
- EXISTING RIGHT OF WAY LINE
- PROPOSED RIGHT OF WAY LINE
- PROPOSED EASEMENT
- PROPOSED CENTERLINE
- 129.32' MEASURED DIMENSION
- 129.32' (COMP) COMPUTED DIMENSION
- (129.32') RECORDED DIMENSION
- EXISTING BUILDING

- ● IRON PIPE OR ROD FOUND ○ REPLACED AFTER CONSTRUCTION
- \+ CUT CROSS FOUND OR SET
- ● TI, T2, T3 **THESE STAKES REFERENCE FOUND OR SET MONUMENTATION.** SET 5/8 INCH IRON ROD FLUSH WITH GROUND TO TIE FOUND IRON STAKE IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYORS REGISTRATION NUMBER.
- ● BTI, BT2, BT3 **THESE STAKES, IN CULTIVATED AREAS, REFERENCE FOUND OR SET MONUMENTATION.** BURIED 5/8 INCH IRON ROD 20 INCHES BELOW GROUND TO TIE FOUND IRON STAKE. IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYORS REGISTRATION NUMBER.
- ■ **STAKING OF PROPOSED RIGHT OF WAY.** SET DIVISION OF HIGHWAYS SURVEY MARKER TO MONUMENT THE POSITION SHOWN. IDENTIFIED BY INSCRIPTION DATA AND SURVEYORS REGISTRATION NUMBER.
- ■ M **STAKING OF PROPOSED RIGHT OF WAY IN CULTIVATED AREAS.** BURIED 5/8 INCH METAL ROD 20 INCHES BELOW GROUND TO MARK FUTURE SURVEY MARKER POSITION IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYORS REGISTRATION NUMBER.
- ◍ PERMANENT SURVEY MARKER, I.D.O.T. STANDARD 2135 (TO BE SET BY OTHERS)
- □ RIGHT OF WAY STAKING PROPOSED TO BE SET

Bearings are referenced to the Illinois State Plane Coordinate Grid System, NAD83, East Zone, as provided by the Illinois Department of Transportation.

COORDINATE/STATION TABLE

Point	Northing	Easting	Station	Offset	
34	1796544.28	1076119.28	38+33.47	12.72	L
395	1796461.51	1076121.62	38+32.88	70.08	R
402	1796461.11	1076110.53	38+21.78	70.08	R
403	1796469.11	1076110.24	38+21.77	62.08	R
404	1796468.33	1076088.41	37+99.93	62.09	R
405	1796446.51	1076122.04	38+32.77	85.08	R
406	1796445.34	1076089.06	37+99.77	85.09	R
407	1796463.88	1075963.60	36+75.04	62.12	R
408	1796440.89	1075964.24	36+74.87	85.12	R
409	1796455.88	1075963.83	36+74.98	70.12	R
410	1796451.42	1075838.65	35+49.73	70.15	R
411	1796435.89	1075964.38	36+74.83	90.12	R
412	1796434.57	1075927.41	36+37.83	90.13	R
413	1796454.56	1075926.69	36+37.83	70.13	R
414	1796451.74	1075847.71	35+58.79	70.15	R
415	1796431.76	1075848.42	35+58.79	90.15	R
416	1796431.43	1075839.21	35+49.58	90.15	R
417	1796446.96	1075713.48	34+24.47	70.18	R
418	1796430.33	1075808.45	35+18.79	90.15	R
419	1796450.32	1075807.73	35+18.79	70.15	R
420	1796443.62	1075619.84	33+30.77	70.20	R
421	1796428.63	1075620.37	33+30.78	85.20	R
422	1796427.50	1075588.72	32+99.11	85.21	R

GRAPHIC SCALE FEET
0 30 60
SCALE: 1" = 30'

PARCEL NUMBER	OWNER	TOTAL HOLDINGS ACRES	PART TAKEN ACRES	AREA IN EXISTING R.O.W. ACRES	REMAINDER AREA ACRES	EASEMENT AREA SF	EASEMENT AREA ACRES	EASEMENT PURPOSE	PERMANENT INDEX NUMBER	PROPERTY ACQUIRED BY
1JD0066A 1JD0066B 1JD0066TE	LOCKPORT SITE 5, LLC	54.464	0.059 0.074	0.048 0.048	54.331				16-05-20-100-034	
							0.015	TEMPORARY		
1JD0067 1JD0067TE	THE FIRST APOSTOLIC CHURCH OF LOCKPORT	1.485	0.215	0.180	1.270				16-05-20-100-012	
							0.066	TEMPORARY	16-05-20-100-035	
1JD0068 1JD0068TE-A 1JD0068TE-B	HAROLD P. BUMBER AND WINIFRED D. BUMBER, HIS WIFE, IN JOINT TENANCY	1.489	0.238	0.181	1.251				16-05-20-100-011	
							0.017	TEMPORARY	16-05-20-100-018	
						183	0.004	TEMPORARY		
1JD0069 1JD0069TE	DOLORES K. SPANGLER, AS TRUSTEE OF THE DOLORES K. SPANGLER 2011 LIVING TRUST DATED SEPTEMBER 26, 2011	1.489	0.238	0.181	1.251				16-05-20-100-010	
							0.014	TEMPORARY	16-05-20-100-019	
1JD0070	SHERRY L. LOY AND LISA M. STEVENS, IN JOINT TENANCY	1.489	0.249	0.181	1.240				16-05-20-100-009 16-05-20-100-020	

CONTRACT NO. 60X92 SHEET 158 OF 207

STATE OF ILLINOIS)
)SS
COUNTY OF COOK)

RECEIVED
AUG 20 2013

THIS IS TO CERTIFY THAT WE, SPACECO, INC. AN ILLINOIS PROFESSIONAL LAND SURVEYING FIRM LAND SURVEYING CORPORATION, NUMBER 184-001157, HAVE SURVEYED THE PLAT OF HIGHWAYS SHOWN HEREON IN SECTIONS 15, 16, 17, 20, 21 AND 22 TOWNSHIP 36 NORTH, RANGE 11 EAST OF THE THIRD PRINCIPAL MERIDIAN, WILL COUNTY, THAT THE SURVEY IS TRUE AND COMPLETE AS SHOWN TO THE BEST OF MY KNOWLEDGE AND BELIEF, THAT THE PLAT CORRECTLY REPRESENTS SAID SURVEY, THAT ALL MONUMENTS FOUND AND ESTABLISHED ARE OF PERMANENT QUALITY AND OCCUPY THE POSITIONS SHOWN THEREON AND THAT THE MONUMENTS ARE SUFFICIENT TO ENABLE THE SURVEY TO BE RETRACED, MADE FOR THE DEPARTMENT OF TRANSPORTATION, STATE OF ILLINOIS.

DATED THIS _____ DAY OF _____ 20____ A.D. AT ROSEMONT, ILLINOIS

REBECCA Y. POPECK
ILLINOIS PROFESSIONAL LAND SURVEYOR NO. 035-003642
LICENSE EXPIRATION DATE: NOVEMBER 30, 2014

THIS PROFESSIONAL SERVICE CONFORMS TO THE CURRENT ILLINOIS MINIMUM STANDARDS FOR A BOUNDARY SURVEY.

12/19/2012
REVISION DATE: 05/10/2012
UPDATE OWNER FOR PARCEL 1JD0069 & 69TE SDS
REVISION: STATION/OFFSET TABLE MADE BY: SDS

SPACECO, INC.
CONSULTING ENGINEERS
SITE DEVELOPMENT ENGINEERS
LAND SURVEYORS
9575 W. Higgins Road, Suite 700, Rosemont, Illinois 60018
Phone: (847) 696-4060 Fax: (847) 696-4065

PLAT OF HIGHWAYS

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION
US ROUTE 6/IL ROUTE 7 (159TH ST)

SECTION: GOUGAR RD TO W. PARKER RD COUNTY: WILL
PROJECT: I-355 EXT. TO WILL-COOK RD JOB NO.: R-91-023-97
STATION 32+99.11 TO STATION 38+32.88
SCALE: 1" = 30' SHEET 42 OF 54

BUREAU OF LAND ACQUISITION
201 WEST CENTER COURT
SCHAUMBURG, ILLINOIS 60196

PART OF THE EAST HALF OF THE NORTHWEST QUARTER OF SECTION 20 TWP. 36 N., R. 11 E. OF THE 3RD. P.M., IN WILL COUNTY, ILLINOIS.



LEGEND

- LIGHT
- FIRE HYDRANT
- AUXILIARY VALVE
- BUFFALO BOX
- WATER VALVE
- CATCH BASIN
- INLET
- STORM MANHOLE
- SANITARY MANHOLE
- UNIDENTIFIED MANHOLE
- FLARED END SECTION
- SIGN
- MAILBOX

BX BUILDING CORNER
CLF CHAIN LINK FENCE
CMP CORRUGATED METAL PIPE
CONC CONCRETE
CO CLEAN-OUT
ELEC ELECTRIC
GM GAS METER
IP IRON PIPE
IR IRON ROD
MON MONUMENT
RCP REINFORCED CONC PIPE

9 10 16 15 SECTION CORNER

16 15 QUARTER SECTION CORNER

- SECTION LINE
- QUARTER SECTION LINE
- QUARTER, QUARTER SECTION LINE
- PLATTED LOT LINES
- PROPERTY (DEED) LINE
- APPARENT PROPERTY LINE
- CENTERLINE
- EXISTING RIGHT OF WAY LINE
- PROPOSED RIGHT OF WAY LINE
- PROPOSED EASEMENT
- PROPOSED CENTERLINE
- 129.32' MEASURED DIMENSION
- 129.32' (COMP) COMPUTED DIMENSION
- (129.32') RECORDED DIMENSION
- EXISTING BUILDING

N

GRAPHIC SCALE FEET 0 30 60

SCALE: 1" = 30'

COORDINATE/STATION TABLE

Point	Northing	Easting	Station	Offset	
422	1796427.50	1075588.72	32+99.11	85.21	R
423	1796418.58	1075338.37	30+48.60	85.26	R
424	1796409.65	1075088.02	27+98.09	85.32	R
425	1796418.33	1075331.32	30+41.54	85.26	R
426	1796408.33	1075331.68	30+41.54	95.26	R
427	1796407.08	1075296.70	30+06.54	95.27	R
428	1796417.08	1075296.34	30+06.54	85.27	R

Bearings are referenced to the Illinois State Plane Coordinate Grid System, NAD83, East Zone, as provided by the Illinois Department of Transportation.

- ● IRON PIPE OR ROD FOUND ○ REPLACED AFTER CONSTRUCTION
- \+ CUT CROSS FOUND OR SET
- ● TI, T2, T3 **THESE STAKES REFERENCE FOUND OR SET MONUMENTATION.** SET 5/8 INCH IRON ROD FLUSH WITH GROUND TO TIE FOUND IRON STAKE IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYORS REGISTRATION NUMBER.
- ● BT1, BT2, BT3 **THESE STAKES, IN CULTIVATED AREAS, REFERENCE FOUND OR SET MONUMENTATION.** BURIED 5/8 INCH IRON ROD 20 INCHES BELOW GROUND TO TIE FOUND IRON STAKE. IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYORS REGISTRATION NUMBER.
- ■ **STAKING OF PROPOSED RIGHT OF WAY.** SET DIVISION OF HIGHWAYS SURVEY MARKER TO MONUMENT THE POSITION SHOWN. IDENTIFIED BY INSCRIPTION DATA AND SURVEYORS REGISTRATION NUMBER.
- ■ M **STAKING OF PROPOSED RIGHT OF WAY IN CULTIVATED AREAS.** BURIED 5/8 INCH METAL ROD 20 INCHES BELOW GROUND TO MARK FUTURE SURVEY MARKER POSITION IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYORS REGISTRATION NUMBER.
- ⊕ PERMANENT SURVEY MARKER, I.D.O.T. STANDARD 2135 (TO BE SET BY OTHERS)
- □ RIGHT OF WAY STAKING PROPOSED TO BE SET

PROJECT COORDINATE VALUES AND BEARINGS ARE GROUND AND BASED ON ILLINOIS STATE PLANE, EAST ZONE. REFERENCE ELLIPSOID, WGS 1984 WITH A COMBINED SCALE FACTOR OF 0.9999544733.

NOTES:

1. ALL STATIONING SHOWN HEREON ARE GROUND DISTANCES IN FEET.
2. ALL OFFSETS ARE SHOWN HEREON ARE GROUND DISTANCES IN FEET.
3. ANY DISCREPANCY IN MEASUREMENT DISCOVERED UPON THE GROUND SHOULD BE PROMPTLY REPORTED TO THE SURVEYOR FOR EXPLANATION OR CORRECTION.
4. FOR BUILDING LINE AND OTHER RESTRICTIONS NOT SHOWN HEREON, REFER TO YOUR ABSTRACT, DEEDS, CONTRACTS AND ZONING ORDINANCES.

PARCEL NUMBER	OWNER	TOTAL HOLDINGS ACRES	PART TAKEN ACRES	AREA IN EXISTING R.O.W. ACRES	REMAINDER AREA ACRES	EASEMENT AREA SF	EASEMENT AREA ACRES	EASEMENT PURPOSE	PERMANENT INDEX NUMBER	PROPERTY ACQUIRED BY
1JD0071	CHARLES K. CONROY, AS TRUSTEE OF THE CHARLES K. CONROY DECLARATION OF TRUST	2.978	0.563	0.362	2.415				16-05-20-100-029	
1JD0072	THE ESTATE OF ETHEL E. PASDERTZ, DECEASED	2.978	0.564	0.362	2.414				16-05-20-100-006	
1JD0072TE						350	0.008	TEMPORARY	16-05-20-100-007 16-05-20-100-022	

STATE OF ILLINOIS)
)SS
COUNTY OF COOK)

THIS IS TO CERTIFY THAT WE, SPACECO, INC. AN ILLINOIS PROFESSIONAL DESIGN FIRM LAND SURVEYING CORPORATION, NUMBER 184-001157, HAVE SURVEYED THE PLAT OF HIGHWAYS SHOWN HEREON IN SECTIONS 15, 16, 17, 20, 21 AND 22 TOWNSHIP 36 NORTH, RANGE 11 EAST OF THE THIRD PRINCIPAL MERIDIAN, WILL COUNTY, THAT THE SURVEY IS TRUE AND COMPLETE AS SHOWN TO THE BEST OF MY KNOWLEDGE AND BELIEF, THAT THE PLAT CORRECTLY REPRESENTS SAID SURVEY, THAT ALL MONUMENTS FOUND AND ESTABLISHED ARE OF PERMANENT QUALITY AND OCCUPY THE POSITIONS SHOWN THEREON AND THAT THE MONUMENTS ARE SUFFICIENT TO ENABLE THE SURVEY TO BE RETRACED, MADE FOR THE DEPARTMENT OF TRANSPORTATION, STATE OF ILLINOIS.

DATED THIS _____ DAY OF _____ 20____ A.D, AT ROSEMONT, ILLINOIS

REBECCA Y. POPECK
ILLINOIS PROFESSIONAL LAND SURVEYOR NO. 035-003642
LICENSE EXPIRATION DATE: NOVEMBER 30, 2014

THIS PROFESSIONAL SERVICE CONFORMS TO THE CURRENT ILLINOIS MINIMUM STANDARDS FOR A BOUNDARY SURVEY.

RECEIVED
AUG 29 2013
PLATS & LEGALS

CONTRACT NO. 60X92 SHEET 159 OF 207

TOM CROPPER

CONSULTING ENGINEERS
SITE DEVELOPMENT ENGINEERS
LAND SURVEYORS

9575 W. Higgins Road, Suite 700.
Rosemont, Illinois 60018
Phone: (847) 696-4060 Fax: (847) 696-4065

PLAT OF HIGHWAYS

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION
US ROUTE 6/IL ROUTE 7 (159TH ST)

SECTION: GOUGAR RD TO W. PARKER RD COUNTY: WILL
PROJECT: I-355 EXT. TO WILL-COOK RD JOB NO.: R-91-023-97
STATION 27+98.09 TO STATION 32+99.11
SCALE: 1" = 30' SHEET 43 OF 54

BUREAU OF LAND ACQUISITION
201 WEST CENTER COURT
SCHAUMBURG, ILLINOIS 60196

02/07/2013
REVISION DATE: 05/10/2012

UPDATE OWNER FOR PARCEL 1JD0072 RYP
REVISION: STATION/OFFSET TABLE MADE BY: SDS

US ROUTE 6/IL ROUTE 7 (159TH STREET) SECTION: COUGAR ROAD TO W. PARKER ROAD WILL COUNTY JOB NO.: R-91-023-97 RECORDING: RECORDED ON

PART OF THE EAST HALF OF THE NORTHWEST QUARTER OF SECTION 20 TWP. 36 N., R. 11 E. OF THE 3RD. P.M., IN WILL COUNTY, ILLINOIS.



PROJECT COORDINATE VALUES AND BEARINGS ARE GROUND AND BASED ON ILLINOIS STATE PLANE, EAST ZONE. REFERENCE ELLIPSOID, WGS 1984 WITH A COMBINED SCALE FACTOR OF 0.9999544733.

NOTES:

1. ALL STATIONING SHOWN HEREON ARE GROUND DISTANCES IN FEET.

2. ALL OFFSETS ARE SHOWN HEREON ARE GROUND DISTANCES IN FEET.

3. ANY DISCREPANCY IN MEASUREMENT DISCOVERED UPON THE GROUND SHOULD BE PROMPTLY REPORTED TO THE SURVEYOR FOR EXPLANATION OR CORRECTION.

4. FOR BUILDING LINE AND OTHER RESTRICTIONS NOT SHOWN HEREON, REFER TO YOUR ABSTRACT, DEEDS, CONTRACTS AND ZONING ORDINANCES.

LIGHT
FIRE HYDRANT
AUXILIARY VALVE
BUFFALO BOX
WATER VALVE
CATCH BASIN
INLET
STORM MANHOLE
SANITARY MANHOLE
UNIDENTIFIED MANHOLE
FLARED END SECTION
SIGN
MAILBOX
BX BUILDING CORNER
CLF CHAIN LINK FENCE
CMP CORRUGATED METAL PIPE
CONC CONCRETE
CO CLEAN-OUT
ELEC ELECTRIC
GM GAS METER
IP IRON PIPE
IR IRON ROD
MON MONUMENT
RCP REINFORCED CONC PIPE

LEGEND

9 10 / 16 15 SECTION CORNER
16 — 15 QUARTER SECTION CORNER

SECTION LINE
QUARTER SECTION LINE
QUARTER, QUARTER SECTION LINE
PLATTED LOT LINES
PROPERTY (DEED) LINE
APPARENT PROPERTY LINE
CENTERLINE
EXISTING RIGHT OF WAY LINE
PROPOSED RIGHT OF WAY LINE
PROPOSED EASEMENT
PROPOSED CENTERLINE
129.32' MEASURED DIMENSION
129.32' (COMP) COMPUTED DIMENSION
(129.32') RECORDED DIMENSION
EXISTING BUILDING

N

GRAPHIC SCALE FEET
0 30,60
SCALE: 1" = 30'

Bearings are referenced to the Illinois State Plane Coordinate Grid System, NAD83, East Zone, as provided by the Illinois Department of Transportation.

● IRON PIPE OR ROD FOUND ○ REPLACED AFTER CONSTRUCTION
\+ CUT CROSS FOUND OR SET
● TI, T2, T3 THESE STAKES REFERENCE FOUND OR SET MONUMENTATION. SET 5/8 INCH IRON ROD FLUSH WITH GROUND TO TIE FOUND IRON STAKE IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYORS REGISTRATION NUMBER.
● BT1, BT2, BT3 THESE STAKES, IN CULTIVATED AREAS, REFERENCE FOUND OR SET MONUMENTATION. BURIED 5/8 INCH IRON ROD 20 INCHES BELOW GROUND TO TIE FOUND IRON STAKE. IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYORS REGISTRATION NUMBER.
■ STAKING OF PROPOSED RIGHT OF WAY. SET DIVISION OF HIGHWAYS SURVEY MARKER TO MONUMENT THE POSITION SHOWN. IDENTIFIED BY INSCRIPTION DATA AND SURVEYORS REGISTRATION NUMBER.
■ M STAKING OF PROPOSED RIGHT OF WAY IN CULTIVATED AREAS. BURIED 5/8 INCH METAL ROD 20 INCHES BELOW GROUND TO MARK FUTURE SURVEY MARKER POSITION IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYORS REGISTRATION NUMBER.
PERMANENT SURVEY MARKER, I.D.O.T. STANDARD 2135 (TO BE SET BY OTHERS)
□ RIGHT OF WAY STAKING PROPOSED TO BE SET

COORDINATE/STATION TABLE

Point	Northing	Easting	Station	Offset	
424	1796409.65	1075088.02	27+98.09	85.32	R
429	1796400.73	1074837.68	25+47.59	85.38	R
431	1796396.44	1074998.11	27+07.76	95.34	R
432	1796395.19	1074963.13	26+72.76	95.35	R
433	1796405.19	1074962.85	26+72.84	85.35	R
434	1796399.55	1074804.70	25+14.58	85.39	R

PARCEL NUMBER	OWNER	TOTAL HOLDINGS ACRES	PART TAKEN ACRES	AREA IN EXISTING R.O.W. ACRES	REMAINDER AREA ACRES	EASEMENT AREA SF	EASEMENT AREA ACRES	EASEMENT PURPOSE	PERMANENT INDEX NUMBER	PROPERTY ACQUIRED BY
1JD0066A 1JD0066B	LOCKPORT SITE 5, LLC	54.464	0.059 0.074	0.048 0.048	54.331				16-05-20-100-034	
1JD0066TE							0.015	TEMPORARY		
1JD0073	CHARIS M. ALLGAIER	2.978	0.564	0.363	2.414				16-05-20-100-004	
1JD0073TE						350	0.008	TEMPORARY	16-05-20-100-005 16-05-20-100-017 16-05-20-100-021	

RECEIVED
AUG 2 9 2013

STATE OF ILLINOIS)
)SS
COUNTY OF COOK)

PLATS & LEGALS

THIS IS TO CERTIFY THAT WE, SPACECO, INC. AN ILLINOIS PROFESSIONAL DESIGN FIRM LAND SURVEYING CORPORATION, NUMBER 184-001157, HAVE SURVEYED THE PLAT OF HIGHWAYS SHOWN HEREON IN SECTIONS 15, 16, 17, 20, 21 AND 22 TOWNSHIP 36 NORTH, RANGE 11 EAST OF THE THIRD PRINCIPAL MERIDIAN, WILL COUNTY, THAT THE SURVEY IS TRUE AND COMPLETE AS SHOWN TO THE BEST OF MY KNOWLEDGE AND BELIEF, THAT THE PLAT CORRECTLY REPRESENTS SAID SURVEY, THAT ALL MONUMENTS FOUND AND ESTABLISHED ARE OF PERMANENT QUALITY AND OCCUPY THE POSITIONS SHOWN THEREON AND THAT THE MONUMENTS ARE SUFFICIENT TO ENABLE THE SURVEY TO BE RETRACED, MADE FOR THE DEPARTMENT OF TRANSPORTATION, STATE OF ILLINOIS.

DATED THIS _____ DAY OF _____ 20____ A.D. AT ROSEMONT, ILLINOIS

REBECCA Y. POPECK
ILLINOIS PROFESSIONAL LAND SURVEYOR NO. 035-003642
LICENSE EXPIRATION DATE: NOVEMBER 30, 2014

THIS PROFESSIONAL SERVICE CONFORMS TO THE CURRENT ILLINOIS MINIMUM STANDARDS FOR A BOUNDARY SURVEY.

CONTRACT NO. 60X92 SHEET 160 OF 207

SPACECO INC.
CONSULTING ENGINEERS
SITE DEVELOPMENT ENGINEERS
LAND SURVEYORS
9575 W. Higgins Road, Suite 700, Rosemont, Illinois 60018
Phone: (847) 696-4060 Fax: (847) 696-4065

PLAT OF HIGHWAYS

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION
US ROUTE 6/IL ROUTE 7 (159TH ST)

SECTION: GOUGAR RD TO W. PARKER RD COUNTY: WILL
PROJECT: I-355 EXT. TO WILL-COOK RD JOB NO.: R-91-023-97
STATION 25+14.58 TO STATION 27+98.09
SCALE: 1" = 30' SHEET 44 OF 54

BUREAU OF LAND ACQUISITION
201 WEST CENTER COURT
SCHAUMBURG, ILLINOIS 60196

REVISION DATE: 05/10/2012 REVISION: STATION/OFFSET TABLE MADE BY: SDS

US ROUTE 6/IL ROUTE 7 (159TH STREET) SECTION: COUGAR ROAD TO W. PARKER ROAD WILL COUNTY JOB NO.: R-91-023-97 RECORDING: RECORDED ON

PART OF THE WEST HALF OF THE NORTHWEST QUARTER OF SECTION 20 TWP. 36 N., R. 11 E. OF THE 3RD. P.M., IN WILL COUNTY, ILLINOIS.

PARCEL NUMBER	OWNER	TOTAL HOLDINGS ACRES	PART TAKEN ACRES	AREA IN EXISTING R.O.W. ACRES	REMAINDER AREA ACRES	EASEMENT AREA SF	EASEMENT AREA ACRES	EASEMENT PURPOSE	PERMANENT INDEX NUMBER	PROPERTY ACQUIRED BY
1JD0074A	SUSAN KRAUSE AND KAREN MICHAELSEN	23.706	0.033	0.000	23.182				16-05-20-100-003	
1JD0074B			0.491	0.194						
1JD0074TE						350	0.008	TEMPORARY		
1JD0075	HARRIS BANK NAPERVILLE, AS TRUSTEE UNDER TRUST AGREEMENT DATED THE 20TH DAY OF NOVEMBER, 2000, AND KNOWN AS TRUST NUMBER 5979	3.513	0.093	0.000	3.420				16-05-20-100-001	

STATE OF ILLINOIS)
)SS
COUNTY OF COOK)

THIS IS TO CERTIFY THAT WE, SPACECO, INC. AN ILLINOIS PROFESSIONAL DESIGN FIRM LAND SURVEYING CORPORATION, NUMBER 184-001157, HAVE SURVEYED THE PLAT OF HIGHWAYS SHOWN HEREON IN SECTIONS 15, 16, 17, 20, 21 AND 22 TOWNSHIP 36 NORTH, RANGE 11 EAST OF THE THIRD PRINCIPAL MERIDIAN, WILL COUNTY, THAT THE SURVEY IS TRUE AND COMPLETE AS SHOWN TO THE BEST OF MY KNOWLEDGE AND BELIEF, THAT THE PLAT CORRECTLY REPRESENTS SAID SURVEY, THAT ALL MONUMENTS FOUND AND ESTABLISHED ARE OF PERMANENT QUALITY AND OCCUPY THE POSITIONS SHOWN THEREON AND THAT THE MONUMENTS ARE SUFFICIENT TO ENABLE THE SURVEY TO BE RETRACED, MADE FOR THE DEPARTMENT OF TRANSPORTATION, STATE OF ILLINOIS.

DATED THIS _____ DAY OF _____ 20____ A.D, AT ROSEMONT, ILLINOIS

REBECCA Y. POPECK
ILLINOIS PROFESSIONAL LAND SURVEYOR NO. 035-003642
LICENSE EXPIRATION DATE: NOVEMBER 30, 2014

THIS PROFESSIONAL SERVICE CONFORMS TO THE CURRENT ILLINOIS MINIMUM STANDARDS FOR A BOUNDARY SURVEY.

● IRON PIPE OR ROD FOUND ○ REPLACED AFTER CONSTRUCTION
\+ CUT CROSS FOUND OR SET

● TI, T2, T3 **THESE STAKES REFERENCE FOUND OR SET MONUMENTATION.** SET 5/8 INCH IRON ROD FLUSH WITH GROUND TO TIE FOUND IRON STAKE IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYORS REGISTRATION NUMBER.

● BT1, BT2, BT3 **THESE STAKES, IN CULTIVATED AREAS, REFERENCE FOUND OR SET MONUMENTATION.** BURIED 5/8 INCH IRON ROD 20 INCHES BELOW GROUND TO TIE FOUND IRON STAKE. IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYORS REGISTRATION NUMBER.

■ **STAKING OF PROPOSED RIGHT OF WAY.** SET DIVISION OF HIGHWAYS SURVEY MARKER TO MONUMENT THE POSITION SHOWN. IDENTIFIED BY INSCRIPTION DATA AND SURVEYORS REGISTRATION NUMBER.

■ M **STAKING OF PROPOSED RIGHT OF WAY IN CULTIVATED AREAS.** BURIED 5/8 INCH METAL ROD 20 INCHES BELOW GROUND TO MARK FUTURE SURVEY MARKER POSITION IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYORS REGISTRATION NUMBER.

◔ PERMANENT SURVEY MARKER, I.D.O.T. STANDARD 2135 (TO BE SET BY OTHERS)

□ RIGHT OF WAY STAKING PROPOSED TO BE SET

PROJECT COORDINATE VALUES AND BEARINGS ARE GROUND AND BASED ON ILLINOIS STATE PLANE, EAST ZONE. REFERENCE ELLIPSOID, WGS 1984 WITH A COMBINED SCALE FACTOR OF 0.9999544733.

NOTES:

1. ALL STATIONING SHOWN HEREON ARE GROUND DISTANCES IN FEET.

2. ALL OFFSETS ARE SHOWN HEREON ARE GROUND DISTANCES IN FEET.

3. ANY DISCREPANCY IN MEASUREMENT DISCOVERED UPON THE GROUND SHOULD BE PROMPTLY REPORTED TO THE SURVEYOR FOR EXPLANATION OR CORRECTION.

4. FOR BUILDING LINE AND OTHER RESTRICTIONS NOT SHOWN HEREON, REFER TO YOUR ABSTRACT, DEEDS, CONTRACTS AND ZONING ORDINANCES.

LIGHT
FIRE HYDRANT
AUXILIARY VALVE
BUFFALO BOX
WATER VALVE
CATCH BASIN
INLET
STORM MANHOLE
SANITARY MANHOLE
UNIDENTIFIED MANHOLE
FLARED END SECTION
SIGN
MAILBOX

BX BUILDING CORNER
CLF CHAIN LINK FENCE
CMP CORRUGATED METAL PIPE
CONC CONCRETE
CO CLEAN-OUT
ELEC ELECTRIC
GM GAS METER
IP IRON PIPE
IR IRON ROD
MON MONUMENT
RCP REINFORCED CONC PIPE

LEGEND

SECTION CORNER (9 10 / 16 15) — QUARTER SECTION CORNER (16 — 15)

- SECTION LINE
- QUARTER SECTION LINE
- QUARTER, QUARTER SECTION LINE
- PLATTED LOT LINES
- PROPERTY (DEED) LINE
- APPARENT PROPERTY LINE
- CENTERLINE
- EXISTING RIGHT OF WAY LINE
- PROPOSED RIGHT OF WAY LINE
- PROPOSED EASEMENT
- PROPOSED CENTERLINE
- 129.32' MEASURED DIMENSION
- 129.32' (COMP) COMPUTED DIMENSION
- (129.32') RECORDED DIMENSION
- EXISTING BUILDING

Bearings are referenced to the Illinois State Plane Coordinate Grid System, NAD83, East Zone, as provided by the Illinois Department of Transportation.

N

GRAPHIC SCALE FEET
0 50 100
SCALE: 1" = 50'



COORDINATE/STATION TABLE

Point	Northing	Easting	Station	Offset	
434	1796399.55	1074804.70	25+14.58	85.39	R
435	1796370.17	1073980.60	16+89.96	85.58	R
436	1796370.16	1073980.19	16+89.56	85.58	R
437	1796373.35	1074069.79	17+79.21	85.56	R
438	1796363.36	1074070.14	17+79.21	95.56	R
439	1796362.11	1074035.16	17+44.21	95.56	R
440	1796372.11	1074034.81	17+44.21	85.56	R
441	1796354.84	1073550.36	12+59.45	85.68	R
448	1796373.41	1074071.48	17+80.90	85.56	R
449	1796384.12	1074071.10	17+80.90	74.84	R
450	1796392.70	1074240.02	19+50.02	72.25	R
451	1796379.44	107240.49	19+50.02	85.52	R

RECEIVED
AUG 2 9 2013
PLATS & LEGALS

06/24/2013 SDS
11/09/2012 RYP
11/08/2012 RYP
REVISION DATE: 05/10/2012
OWNER 1JD0074 SDS
REVISION PER REVIEW RYP
PARCEL 1JD0074 SPLIT TO 1JD0074A AND 1JD0074B RYP
REVISION: STATION/OFFSET TABLE MADE BY: SDS

CONTRACT NO. 60X92 SHEET 161 OF 207

SPACECO, INC.
CONSULTING ENGINEERS
SITE DEVELOPMENT ENGINEERS
LAND SURVEYORS
9575 W. Higgins Road, Suite 700,
Rosemont, Illinois 60018
Phone: (847) 696-4060 Fax: (847) 696-4065

PLAT OF HIGHWAYS

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION
US ROUTE 6/IL ROUTE 7 (159TH ST)
SECTION: GOUGAR RD TO W. PARKER RD COUNTY: WILL
PROJECT: I-355 EXT. TO WILL-COOK RD JOB NO.: R-91-023-97
STATION 11+97.13 TO STATION 25+14.58
SCALE: 1" = 50' SHEET 45 OF 54

BUREAU OF LAND ACQUISITION
201 WEST CENTER COURT
SCHAUMBURG, ILLINOIS 60196

NORTHWEST QUARTER OF SECTION 20 TWP. 36 N., R. 11 E. OF THE 3RD. P.M., IN WILL COUNTY, ILLINOIS.



LEGEND

SECTION CORNER

QUARTER SECTION CORNER

GRAPHIC SCALE FEET 0 200 400

SCALE: 1" = 200'

	SECTION LINE
	QUARTER SECTION LINE
	QUARTER, QUARTER SECTION LINE
	PLATTED LOT LINES
P	PROPERTY (DEED) LINE
APL	APPARENT PROPERTY LINE
	CENTERLINE
	EXISTING RIGHT OF WAY LINE
	PROPOSED RIGHT OF WAY LINE
	PROPOSED EASEMENT
	PROPOSED CENTERLINE
129.32'	MEASURED DIMENSION
129.32' (COMP)	COMPUTED DIMENSION
(129.32')	RECORDED DIMENSION
	EXISTING BUILDING

Bearings are referenced to the Illinois State Plane Coordinate Grid System, NAD83, East Zone, as provided by the Illinois Department of Transportation.

● IRON PIPE OR ROD FOUND ○ REPLACED AFTER CONSTRUCTION

\+ CUT CROSS FOUND OR SET

● TI, T2, T3 — THESE STAKES REFERENCE FOUND OR SET MONUMENTATION. SET 5/8 INCH IRON ROD FLUSH WITH GROUND TO TIE FOUND IRON STAKE IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYORS REGISTRATION NUMBER.

● BT1, BT2, BT3 — THESE STAKES, IN CULTIVATED AREAS, REFERENCE FOUND OR SET MONUMENTATION. BURIED 5/8 INCH IRON ROD 20 INCHES BELOW GROUND TO TIE FOUND IRON STAKE. IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYORS REGISTRATION NUMBER.

■ STAKING OF PROPOSED RIGHT OF WAY. SET DIVISION OF HIGHWAYS SURVEY MARKER TO MONUMENT THE POSITION SHOWN. IDENTIFIED BY INSCRIPTION DATA AND SURVEYORS REGISTRATION NUMBER.

■ M STAKING OF PROPOSED RIGHT OF WAY IN CULTIVATED AREAS. BURIED 5/8 INCH METAL ROD 20 INCHES BELOW GROUND TO MARK FUTURE SURVEY MARKER POSITION IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYORS REGISTRATION NUMBER.

⊕ PERMANENT SURVEY MARKER, I.D.O.T. STANDARD 2135 (TO BE SET BY OTHERS)

□ RIGHT OF WAY STAKING PROPOSED TO BE SET

PROJECT COORDINATE VALUES AND BEARINGS ARE GROUND AND BASED ON ILLINOIS STATE PLANE, EAST ZONE. REFERENCE ELLIPSOID, WGS 1984 WITH A COMBINED SCALE FACTOR OF 0.9999544733.

NOTES:

1. ALL STATIONING SHOWN HEREON ARE GROUND DISTANCES IN FEET.
2. ALL OFFSETS ARE SHOWN HEREON ARE GROUND DISTANCES IN FEET.
3. ANY DISCREPANCY IN MEASUREMENT DISCOVERED UPON THE GROUND SHOULD BE PROMPTLY REPORTED TO THE SURVEYOR FOR EXPLANATION OR CORRECTION.
4. FOR BUILDING LINE AND OTHER RESTRICTIONS NOT SHOWN HEREON, REFER TO YOUR ABSTRACT, DEEDS, CONTRACTS AND ZONING ORDINANCES.

STATE OF ILLINOIS)
)SS
COUNTY OF COOK)

THIS IS TO CERTIFY THAT WE, SPACECO, INC. AN ILLINOIS PROFESSIONAL DESIGN FIRM LAND SURVEYING CORPORATION, NUMBER 184-001157, HAVE SURVEYED THE PLAT OF HIGHWAYS SHOWN HEREON IN SECTIONS 15, 16, 17, 20, 21 AND 22 TOWNSHIP 36 NORTH, RANGE 11 EAST OF THE THIRD PRINCIPAL MERIDIAN, WILL COUNTY, THAT THE SURVEY IS TRUE AND COMPLETE AS SHOWN TO THE BEST OF MY KNOWLEDGE AND BELIEF, THAT THE PLAT CORRECTLY REPRESENTS SAID SURVEY, THAT ALL MONUMENTS FOUND AND ESTABLISHED ARE OF PERMANENT QUALITY AND OCCUPY THE POSITIONS SHOWN THEREON AND THAT THE MONUMENTS ARE SUFFICIENT TO ENABLE THE SURVEY TO BE RETRACED, MADE FOR THE DEPARTMENT OF TRANSPORTATION, STATE OF ILLINOIS.

DATED THIS _____ DAY OF _____ 20____ A.D. AT ROSEMONT, ILLINOIS

REBECCA Y. POPECK
ILLINOIS PROFESSIONAL LAND SURVEYOR NO. 035-003642
LICENSE EXPIRATION DATE: NOVEMBER 30, 2014

THIS PROFESSIONAL SERVICE CONFORMS TO THE CURRENT ILLINOIS MINIMUM STANDARDS FOR A BOUNDARY SURVEY.

RECEIVED
AUG 29 2013
PLATS & LEGALS

CONTRACT NO. 60X92 SHEET 162 OF 207

SPACECO INC.
CONSULTING ENGINEERS
SITE DEVELOPMENT ENGINEERS
LAND SURVEYORS
9575 W. Higgins Road, Suite 700, Rosemont, Illinois 60018
Phone: (847) 696-4060 Fax: (847) 696-4065

PLAT OF HIGHWAYS

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION
US ROUTE 6/IL ROUTE 7 (159TH ST)

SECTION: GOUGAR RD TO W. PARKER RD COUNTY: WILL
PROJECT: I-355 EXT. TO WILL-COOK RD JOB NO.: R-91-023-97
STATION 11+97.13 TO STATION 38+32.88
SCALE: 1" = 200' SHEET 46 OF 54

BUREAU OF LAND ACQUISITION
201 WEST CENTER COURT
SCHAUMBURG, ILLINOIS 60196

11/08/2012
REVISION DATE: 05/10/2012

PARCEL 1JD0074 SPLIT TO 1JD0074A AND 1JD0074B RYP
REVISION: REVISED PROPOSED ℄ STATIONING MADE BY: SDS

PART OF SECTION 14 AND 23, T36N, R11E, OF THE 3RD PM, WILL COUNTY, ILLINOIS

LINE LEGEND

(A)	N 88°01'28" E	12.00'	(O)	S 1°58'13" E	20.00'
(B)	N 88°01'28" E	18.00'	(P)	S 1°57'22" E	20.00'
(C)	S 1°58'32" E	43.00'	(Q)	S 88°02'38" W	77.97'
(D)	S 88°01'28" W	18.00'	(R)	S 1°41'57" E	20.00'
(E)	S 1°38'31" E	30.00'	(S)	S 88°02'38" W	25.97'
(F)	S 88°02'38" W	75.50'	(T)	S 1°57'22" E	20.00'
(G)	S 31°57'04" E	54.22'	(U)	S 88°02'38" W	33.07'
(H)	N 88°21'29" E	20.00'	(V)	N 1°57'22" W	10.50'
(I)	S 1°38'31" E	54.00'	(W)	S 88°02'38" W	55.00'
(J)	S 88°21'29" E	20.00'	(X)	N 1°57'22" W	9.50'
~~(K)~~	~~S 1°58'32" E~~	~~25.00'~~	(Y)	S 1°41'57" E	20.00'
~~(L)~~	~~S 88°02'38" W~~	~~24.70'~~	(Z)	S 1°41'57" E	40.00'
~~(M)~~	~~N 1°57'22" W~~	~~25.00'~~	(AA)	S 88°02'38" W	36.16'
(N)	N 88°02'38" E	24.84'	(BB)	N 1°57'22" W	40.00'
(O)	S 1°57'22" W	30.00'	(CC)	N 88°02'38" E	36.34'
(P)	S 88°02'38" W	9.16'	(DD)	S 1°41'57" E	20.00'
~~(Q)~~	~~S 1°57'22" E~~	~~25.00'~~	(EE)	S 1°57'22" E	40.00'
~~(R)~~	~~S 88°02'38" W~~	~~15.30'~~	(FF)	S 88°02'38" W	33.84'
(S)	S 1°58'13" E	20.00'	(GG)	N 88°02'38" E	17.61'
(T)	N 1°57'22" W	20.00'	(HH)	N 88°02'38" E	22.39'
(U)	S 1°58'13" E	20.00'	~~(II)~~	~~S 1°38'31" E~~	~~83.42'~~
(V)	S 88°02'38" W	44.53'	(JJ)	N 88°01'28" E	45.00'
(W)	N 1°57'22" W	12.00'			
(X)	S 88°02'38" W	17.50'			
(Y)	N 1°57'22" W	8.00'			
(Z)	S 88°02'38" W	32.00'			

PARCEL NO.	OWNER	PERMANENT INDEX NUMBER	TOTAL HOLDING	AREA TAKING	PREVIOUSLY DEDICATED	REMAINDER	EASEMENTS TEMP	EASEMENTS PERM	EASEMENT PURPOSE	PROPERTY ACQUIRED BY
1JD0200-A	STANDARD BANK AND TRUST COMPANY, AS TRUSTEE UNDER TRUST AGREEMENT DATED THE 18TH DAY OF APRIL, 1966, AND KNOWN AS TRUST NUMBER 2860	16-05-14-300-002 16-05-14-300-003 16-05-14-300-005 16-05-14-300-006 16-05-14-300-008	127.371 AC	3.319 AC	1.740 AC	121.858 AC	——	——		
1JD0200-B*				2.194 AC	1.391 AC		——	——		
1JD0200TE				——	——		0.018 AC	——	CONSTRUCTION	
1JD0201	WILLIAM DELBERTO AND LUCILLE DELBERTO AND MICHAEL DELBERTO, IN JOINT TENANCY	16-05-23-100-031	1.049 AC	0.467 AC	0.379 AC	0.582 AC	——	——		
1JD0201TE							0.025 AC	——	CONSTRUCTION	
1JD0202	HARRIS N.A., AS SUCCESSOR TO NLSB, AS TRUSTEE UNDER TRUST AGREEMENT DATED THE 30TH OF JULY, 1993, AND KNOWN AS TRUST NUMBER 1744	16-05-23-100-032 16-05-23-100-033	3.382 AC	0.664 AC	0.547 AC	2.718 AC	——	——		
1JD0202TE							0.024 AC	——	CONSTRUCTION	
1JD0202PE							——	0.115 AC	DRAINAGE	
1JD0204	EDWARD STINE AND CAROL STINE TRUSTEES UNDER THE STINE LIVING TRUST DATED FEBRUARY 20, 1997	16-05-23-100-019 16-05-23-100-044	3.351 AC	0.334 AC	0.243 AC	3.017 AC	——	——		
1JD0204TE							0.036 AC	——	CONSTRUCTION	
1JD0205	STANDARD BANK AND TRUST COMPANY AS TRUSTEE OF THE TRUST AGREEMENT, DATED JANUARY 7, 1998 AND KNOWN AS TRUST NUMBER 15837	16-05-23-100-002 16-05-23-100-004 16-05-23-100-045	4.535 AC	0.452 AC	0.329 AC	4.083 AC	——	——		
1JD0205TE-A							0.027 AC	——	CONSTRUCTION	
1JD0205TE-B							0.033 AC	——	CONSTRUCTION	
1JD0205PE							——	0.174 AC	DRAINAGE	
1JD0207	STANDARD BANK AND TRUST COMPANY AS TRUSTEE OF THE TRUST AGREEMENT, DATED APRIL 29, 2013 AND KNOWN AS TRUST NUMBER 21478	16-05-23-100-005	1.000 AC	0.223 AC	0.163 AC	0.777 AC	——	——		
1JD0207TE							0.031 AC	——	CONSTRUCTION	

*SEE SHEET 3 FOR PARCEL 1JD0200-B

BEARINGS AND COORDINATES ARE REFERENCED TO THE ILLINOIS STATE PLANE COORDINATE SYSTEM, EAST ZONE, NORTH AMERICAN DATUM OF 1983 (2007 ADJUSTMENT).

SEE SHEET 12 FOR "1JD0200" TOTAL HOLDING DETAIL

NOTE:
PROPOSED ℄ OF CONSTRUCTION AND ℄ OF RIGHT OF WAY ARE NOT PARALLEL. SEE ℄ DETAILS ON SHEETS FOR RELATIONSHIP.

SEE SHEET 13 FOR 1JD0204 & 1JD0205 TOTAL HOLDING DETAIL

SEE SHEET 3

SEE CONTINUATION AT LEFT

SEE CONTINUATION AT RIGHT

℄ DETAIL
N NO SCALE

T1 ● THESE. STAKES REFERENCE FOUND OR SET MONUMENTATION. SET ⅝ INCH IRON ROD FLUSH WITH GROUND. IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYORS REGISTRATION NUMBER.
T2
T3

BT1 ● THESE. STAKES, IN CULTIVATED AREAS, REFERENCE FOUND OR SET MONUMENTATION. BURIED ⅝ INCH IRON ROD 20 INCHES BELOW GROUND SURFACE. IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYORS REGISTRATION NUMBER.
BT2
BT3

■ STAKING OF PROPOSED RIGHT OF WAY. SET DIVISION OF HIGHWAYS SURVEY MARKER TO MONUMENT THE POSITION SHOWN. IDENTIFIED BY INSCRIPTION DATA AND SURVEYORS REGISTRATION NUMBER.

■M STAKING OF PROPOSED RIGHT OF WAY IN CULTIVATED AREAS. BURIED ⅝ INCH IRON ROD 20 INCHES BELOW GROUND SURFACE TO MARK FUTURE SURVEY MARKER POSITION. IDENTIFIED BY COLORED PLASTIC CAP AND SURVEYORS REGISTRATION NUMBER.

■U STAKING OF PROPOSED RIGHT OF WAY IN CLOSE. PROXIMITY TO UNDERGROUND UTILITIES. SET DIVISION OF HIGHWAYS SURVEY MARKER ON ⅝ INCH IRON ROD (BETWEEN 6 INCHES AND 12 INCHES IN LENGTH) TO MONUMENT THE POSITION SHOWN. IDENTIFIED BY INSCRIPTION DATA AND SURVEYORS REGISTRATION NUMBER.

LEGEND

- EXISTING CENTERLINE
- EXISTING RIGHT OF WAY LINE
- PROPOSED CENTERLINE
- PROPOSED RIGHT OF WAY LINE
- PROPOSED TEMPORARY EASEMENT LINE
- PROPOSED PERMANENT EASEMENT LINE
- SECTION LINE
- QUARTER SECTION LINE
- QUARTER QUARTER SECTION LINE
- PLATTED LOT LINE
- PROPERTY (DEED) LINE
- APPARENT PROPERTY LINE
- ACCESS CONTROL LINE
- 123.45' (123.45') MEASURED OR COMPUTED DIMENSION / RECORD DATA
- SAME OWNERSHIP
- SECTION CORNER
- QUARTER SECTION CORNER
- CENTER OF SECTION

STATE OF ILLINOIS)
) S.S.
COUNTY OF COOK)

THIS IS TO CERTIFY THAT I, COVENTINE FIDIS, AN ILLINOIS PROFESSIONAL LAND SURVEYOR, HAVE SURVEYED THE PLAT OF HIGHWAYS SHOWN HEREON IN SECTION 14 AND 23, TOWNSHIP 36 NORTH, RANGE 11 EAST OF THE THIRD PRINCIPAL MERIDIAN, WILL COUNTY, THAT THE SURVEY IS TRUE AND COMPLETE AS SHOWN TO THE BEST OF MY KNOWLEDGE AND BELIEF, THAT THE PLAT CORRECTLY REPRESENTS SAID SURVEY, THAT ALL MONUMENTS FOUND AND ESTABLISHED ARE OF PERMANENT QUALITY AND OCCUPY THE POSITIONS SHOWN THEREON AND THAT THE MONUMENTS ARE SUFFICIENT TO ENABLE THE SURVEY TO BE RETRACED, MADE FOR THE DEPARTMENT OF TRANSPORTATION, STATE OF ILLINOIS.

DATED AT CHICAGO, ILLINOIS THIS ..TH DAY OF ---------, 2013.

COVENTINE FIDIS
ILLINOIS PROFESSIONAL LAND SURVEYOR NO. 2159
LICENSE. EXPIRATION DATE 11/30/2014

THIS PROFESSIONAL SERVICE CONFORMS TO THE CURRENT ILLINOIS MINIMUM STANDARDS FOR A BOUNDARY SURVEY.

STATE OF ILLINOIS · COVENTINE FIDIS · 35-2159 · CHICAGO, ILL. · PROFESSIONAL LAND SURVEYOR

AMERICAN
SURVEYING & ENGINEERING, P.C.
SURVEYORS•ENGINEERS
105 W. Madison St. Suite 1700
Chicago, IL 60602
312-277-2000 / Fax 312-277-2002

GRAPHIC SCALE
50 0 50 100 150 200 250

PLAT OF HIGHWAYS
STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION
F.A.P. 351 (IL 7)
PARKER ROAD TO WILL-COOK ROAD

SECTION: I-355 TO WILL-COOK RD. WILL COUNTY
PROJECT: JOB NO. R-91-023-97
STATION: 170+64.48 TO STATION: 182+45.93
SCALE: 1" = 50' SHEET 2 OF 20

RECEIVED
DEC 02 2013
PLATS & LEGALS

BUREAU OF LAND ACQUISITION
201 WEST CENTER COURT
SCHAUMBURG, ILLINOIS 60196

CONTRACT NO. 60X92 SHEET 163 OF 207
ASE. JOB NO. 210125.2

CALCULATIONS BY: E. SLADEK
DRAFTING BY: L. KLEMM / E. SLADEK
CHECKED BY: C. FIDIS
REVISION DATE: 12/2/2013

PART OF SECTION 14 AND 23, T36N, R11E, OF THE 3RD PM, WILL COUNTY, ILLINOIS



PARCEL NO.	OWNER	PERMANENT INDEX NUMBER	TOTAL HOLDING	AREA TAKING	PREVIOUSLY DEDICATED	REMAINDER	EASEMENTS TEMP	EASEMENTS PERM	EASEMENT PURPOSE	PROPERTY ACQUIRED BY
1JD0200-A*	STANDARD BANK AND TRUST COMPANY, AS TRUSTEE UNDER TRUST AGREEMENT DATED THE 18TH DAY OF APRIL, 1966, AND KNOWN AS TRUST NUMBER 2860	16-05-14-300-002 16-05-14-300-003 16-05-14-300-005 16-05-14-300-006 16-05-14-300-008	127.371 AC	3.319 AC	1.740 AC	121.858 AC	——	——		
1JD0200-B				2.194 AC	1.391 AC		——	——		
1JD0200TE*				——	——		0.018 AC	——	CONSTRUCTION	
1JD0208	FIRST NATIONAL BANK OF EVERGREEN PARK, AS TRUSTEE UNDER TRUST NO. 990230	16-05-23-100-026 16-05-23-100-029	10.997 AC	0.223 AC	0.163 AC	10.774 AC	——	——		
1JD0208TE-A							0.009 AC 400 SF	——	CONSTRUCTION	
1JD0208TE-B							0.014 AC	——	CONSTRUCTION	
1JD0209	FIRST MIDWEST BANK, AS TRUSTEE UNDER LAND TRUST DATED AUGUST 22, 2012 AND KNOWN AS TRUST E795	16-05-23-100-039 16-05-23-100-009 16-05-23-100-012 16-05-23-100-013 16-05-23-100-017	(34.430 AC)	0.037 AC	0.027 AC	34.393 AC	——	——		
1JD0209TE							0.023 AC	——	CONSTRUCTION	
1JD0210	THERESA F. TOWNSEND FAMILY TRUST NUMBER 1, DATED JUNE 16, 1995	16-05-23-100-014	1.000 AC	0.186 AC	0.136 AC	0.814 AC	——	——		
1JD0210TE-A							0.005 AC 214 SF	——	CONSTRUCTION	
1JD0210TE-B							0.038 AC	——	CONSTRUCTION	
1JD0211**	AJP HOLDINGS LLC	16-05-23-100-048	3.655 AC	1.599 AC	1.505 AC	2.056 AC	——	——		
1JD0211TE**							0.009 AC 400 SF	——	CONSTRUCTION	
1JD0212	FIRST MIDWEST BANK, AS SUCCESSOR TO FIRST NATIONAL BANK OF LOCKPORT, AS TRUSTEE UNDER TRUST AGREEMENT DATED MARCH 30TH, 1976 AND KNOWN AS TRUST NO. 72-12530	16-05-23-100-049	9.076 AC	0.543 AC	——	8.533 AC	——	——		
1JD0212TE							0.018 AC	——	CONSTRUCTION	
1JD0213	M&D PROPERTIES PARTNERSHIP, LLC	16-05-14-300-004	1.000 AC	0.278 AC	0.175 AC	0.722 AC	——	——	CONSTRUCTION	
1JD0213TE							0.021 AC	——	CONSTRUCTION	

*SEE SHEET 2 FOR CONTINUATION OF PARCEL 1JD0200-A & 1JD0200TE

**SEE SHEET 4 FOR CONTINUATION OF PARCEL 1JD0211 & 1JD0211TE

(0.000 AC) = TOTAL HOLDING AREAS NOTED AS SUCH BASED ON ASSESSED ACREAGE
SOURCE: WILL COUNTY TREASURER

LINE LEGEND

(A)	N 1°41'57" W	20.00'	(V)	S 88°02'38" W	15.00'
(B)	N 88°02'38" E	17.66'	(W)	S 1°57'22" E	10.00'
(C)	N 88°02'38" E	40.00'	(X)	S 88°02'38" W	25.00'
(D)	S 1°57'22" E	10.00'	(Y)	N 1°57'22" W	45.00'
(E)	S 88°02'38" W	40.00'	(Z)	N 1°41'57" E	20.00'
(F)	N 1°57'22" W	10.00'	(a)	N 88°02'38" E	34.97'
(G)	S 1°41'57" E	20.00'	(b)	N 1°45'24" E	20.00'
(H)	S 1°41'57" E	45.00'	(c)	S 88°02'38" W	34.99'
(I)	S 88°02'38" W	13.14'	(d)	N 1°45'24" E	25.00'
(J)	N 1°57'22" W	45.00'	(e)	N 1°54'25" W	27.00'
(K)	N 88°02'38" E	13.34'	(f)	S 88°02'38" W	50.00'
(L)	N 88°01'47" E	22.00'	(g)	S 1°57'22" E	18.00'
(M)	S 88°02'38" W	22.00'	(h)	N 88°02'38" E	50.00'
(N)	S 1°41'57" E	20.00'	(i)	N 1°57'22" W	18.00'
(O)	S 88°02'38" W	22.00'	(j)	N 88°02'38" E	77.26'
(P)	S 1°41'57" E	45.00'	(k)	S 1°54'25" E	27.00'
(Q)	S 88°02'38" W	22.00'	(l)	N 88°02'38" E	24.26'
(R)	N 1°57'22" W	5.00'	(m)	S 1°57'22" E	12.00'
(S)	S 1°57'22" E	45.00'	(n)	S 1°50'18" E	45.97'
(T)	S 88°02'38" W	4.86'	(o)	S 1°50'18" E	20.00'
(U)	S 1°57'22" E	35.00'	(p)	S 1°50'18" E	65.97'

BEARINGS AND COORDINATES ARE REFERENCED TO THE ILLINOIS STATE PLANE COORDINATE SYSTEM, EAST ZONE, NORTH AMERICAN DATUM OF 1983 (2007 ADJUSTMENT).

LEGEND

EXISTING CENTERLINE
EXISTING RIGHT OF WAY LINE
PROPOSED CENTERLINE
PROPOSED RIGHT OF WAY LINE
PROPOSED TEMPORARY EASEMENT LINE
PROPOSED PERMANENT EASEMENT LINE
SECTION LINE
QUARTER SECTION LINE
QUARTER QUARTER SECTION LINE
PLATTED LOT LINE
PROPERTY (DEED) LINE
APPARENT PROPERTY LINE
ACCESS CONTROL LINE
SAME OWNERSHIP
FENCE LINE

SECTION CORNER
QUARTER SECTION CORNER
CENTER OF SECTION
123.45' (123.45')

T1 ● T2 T3 — THESE. STAKES REFERENCE FOUND OR SET MONUMENTATION. SET ⅝ INCH IRON ROD FLUSH WITH GROUND. IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYORS REGISTRATION NUMBER.

BT1 ● BT2 BT3 — THESE. STAKES, IN CULTIVATED AREAS, REFERENCE FOUND OR SET MONUMENTATION. BURIED ⅝ INCH IRON ROD 20 INCHES BELOW GROUND SURFACE. IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYORS REGISTRATION NUMBER.

■ — STAKING OF PROPOSED RIGHT OF WAY. SET DIVISION OF HIGHWAYS SURVEY MARKER TO MONUMENT THE POSITION SHOWN. IDENTIFIED BY INSCRIPTION DATA AND SURVEYORS REGISTRATION NUMBER.

■M — STAKING OF PROPOSED RIGHT OF WAY IN CULTIVATED AREAS. BURIED ⅝ INCH IRON ROD 20 INCHES BELOW GROUND SURFACE TO MARK FUTURE SURVEY MARKER POSITION. IDENTIFIED BY COLORED PLASTIC CAP AND SURVEYORS REGISTRATION NUMBER.

■U — STAKING OF PROPOSED RIGHT OF WAY IN CLOSE. PROXIMITY TO UNDERGROUND UTILITIES. SET DIVISION OF HIGHWAYS SURVEY MARKER ON ⅝ INCH IRON ROD (BETWEEN 6 INCHES AND 12 INCHES IN LENGTH) TO MONUMENT THE POSITION SHOWN. IDENTIFIED BY INSCRIPTION DIVISION AND SURVEYORS REGISTRATION NUMBER.

STATE OF ILLINOIS)
) S.S.
COUNTY OF COOK)

THIS IS TO CERTIFY THAT I, COVENTINE FIDIS, AN ILLINOIS PROFESSIONAL LAND SURVEYOR, HAVE SURVEYED THE PLAT OF HIGHWAYS SHOWN HEREON IN SECTION 14 AND 23, TOWNSHIP 36 NORTH, RANGE 11 EAST OF THE THIRD PRINCIPAL MERIDIAN, WILL COUNTY, THAT THE SURVEY IS TRUE AND COMPLETE AS SHOWN TO THE BEST OF MY KNOWLEDGE AND BELIEF, THAT THE PLAT CORRECTLY REPRESENTS SAID SURVEY, THAT ALL MONUMENTS FOUND AND ESTABLISHED ARE OF PERMANENT QUALITY AND OCCUPY THE POSITIONS SHOWN THEREON AND THAT THE MONUMENTS ARE SUFFICIENT TO ENABLE THE SURVEY TO BE RETRACED. MADE FOR THE DEPARTMENT OF TRANSPORTATION, STATE OF ILLINOIS.

DATED AT CHICAGO, ILLINOIS THIS __TH DAY OF ---------, 2013.

COVENTINE FIDIS
ILLINOIS PROFESSIONAL LAND SURVEYOR NO. 2159
LICENSE. EXPIRATION DATE 11/30/2014

THIS PROFESSIONAL SERVICE CONFORMS TO THE CURRENT ILLINOIS MINIMUM STANDARDS FOR A BOUNDARY SURVEY.

STATE OF ILLINOIS · COVENTINE F. FIDIS · 35-2159 · PROFESSIONAL LAND SURVEYOR · CHICAGO, ILL.

AMERICAN
SURVEYING & ENGINEERING, P.C.
SURVEYORS•ENGINEERS
105 W. Madison St. Suite 1700
Chicago, IL 60602
312-277-2000 / Fax 312-277-2002

GRAPHIC SCALE
50 0 50 100 150 200 250

PLAT OF HIGHWAYS STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION F.A.P. 351 (IL 7) PARKER ROAD TO WILL-COOK ROAD

SECTION: WILL COUNTY
PROJECT: JOB NO. R-91-023-97
STATION: 182+13.15 TO STATION: 196+91.90
SCALE: 1" = 50' SHEET 3 OF 20

RECEIVED
NOV 20 2013
PLATS & LEGALS

BUREAU OF LAND ACQUISITION
201 WEST CENTER COURT
SCHAUMBURG, ILLINOIS 60196

CONTRACT NO. 60X92 SHEET 164 OF 207

CALCULATIONS BY: E. SLADEK DRAFTING BY: L. KLEMM / E. SLADEK CHECKED BY: C. FIDIS REVISION DATE: 11/27/2013 ASE. JOB NO. 210125.2

PART OF SECTION 14 AND 23, T36N, R11E, OF THE 3RD PM, WILL COUNTY, ILLINOIS



PARCEL NO.	OWNER	PERMANENT INDEX NUMBER	TOTAL HOLDING	AREA TAKING	PREVIOUSLY DEDICATED	REMAINDER	EASEMENTS TEMP	EASEMENTS PERM	EASEMENT PURPOSE	PROPERTY ACQUIRED BY
1JD0211•	AJP HOLDINGS LLC	16-05-23-100-048	3.655 AC	1.599 AC	1.505 AC	2.056 AC	———	———		
1JD0211TE•							0.009 AC 400 SF	———	CONSTRUCTION	
1JD0214	JANINA LIEPONIS	16-05-23-200-025 (PT)	1.109 AC	0.084 AC	———	0.025 AC	———	———		
1JD0215	WEAVER HOMER GLEN PROPERTIES, LLC AN ILLINOIS LIMITED LIABILITY COMPANY	16-05-14-400-003	10.000 AC	0.741 AC	0.514 AC	9.259 AC	———	———		
1JD0216	ANNICO PROFESSIONAL ASSOCIATION, AN ILLINOIS NOT-FOR-PROFIT CORPORATION	16-05-14-404-051	3.964 AC	0.034 AC	———	3.930 AC	———	———		
1JD0217	NORTH STAR TRUST COMPANY, AS SUCCESSOR TRUSTEE TO HARRIS BANK, AS TRUSTEE UNDER TRUST AGREEMENT DATED THE 1ST DAY OF JANUARY, 1999, AND KNOWN AS TRUST NUMBER 5165	16-05-14-404-055	0.603 AC	0.017 AC	———	0.586 AC	———	———		
1JD0218	STATE BANK OF COUNTRYSIDE, AS TRUSTEE UNDER TRUST AGREEMENT DATED THE 28TH DAY OF FEBRUARY, 1989, AND KNOWN AS TRUST NUMBER 89-531	16-05-14-404-050	0.861 AC	0.030 AC	———	0.831 AC	———	———		
1JD0221	JANINA LIEPONIS	16-05-23-200-025 (PT)	9.881 AC	0.609 AC	———	9.272 AC	———	———		
1JD0221TE							0.007 AC 300 SF	———		

•SEE SHEET 3 FOR CONTINUATION OF PARCEL 1JD0211

T1 ● THESE. STAKES REFERENCE FOUND OR SET MONUMENTATION. SET ⅝ INCH IRON ROD FLUSH WITH GROUND. IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYORS REGISTRATION NUMBER.
T2
T3
BT1 ● THESE. STAKES, IN CULTIVATED AREAS, REFERENCE FOUND OR SET MONUMENTATION. BURIED ⅝ INCH IRON ROD 20 INCHES BELOW GROUND SURFACE. IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYORS REGISTRATION NUMBER.
BT2
BT3
■ STAKING OF PROPOSED RIGHT OF WAY. SET DIVISION OF HIGHWAYS SURVEY MARKER TO MONUMENT THE POSITION SHOWN. IDENTIFIED BY INSCRIPTION DATA AND SURVEYORS REGISTRATION NUMBER.
■M STAKING OF PROPOSED RIGHT OF WAY IN CULTIVATED AREAS. BURIED ⅝ INCH IRON ROD 20 INCHES BELOW GROUND SURFACE TO MARK FUTURE SURVEY MARKER POSITION. IDENTIFIED BY COLORED PLASTIC CAP AND SURVEYORS REGISTRATION NUMBER.
■U STAKING OF PROPOSED RIGHT OF WAY IN CLOSE PROXIMITY TO UNDERGROUND UTILITIES. SET DIVISION OF HIGHWAYS SURVEY MARKER ON ⅝ INCH IRON ROD (BETWEEN 6 INCHES AND 12 INCHES IN LENGTH) TO MONUMENT THE POSITION SHOWN. IDENTIFIED BY INSCRIPTION DATA AND SURVEYORS REGISTRATION NUMBER.

CALCULATIONS BY: E. SLADEK DRAFTING BY: L. KLEMM / E. SLADEK CHECKED BY: C. FIDIS

LINE LEGEND

(A)	N 1°50'18" W	45.97'	(P)	S 1°45'24" E	79.04'
(B)	N 1°50'18" W	65.97'	(Q)	N 88°08'53" E	35.00'
(C)	N 1°50'18" W	20.00'	(R)	S 1°45'24" E	25.00'
(D)	N 1°32'10" W	4.99'	(S)	S 88°08'53" W	35.00'
(E)	N 1°32'10" W	60.00'	(T)	N 1°45'24" W	25.00'
(F)	S 1°41'13" E	4.37'	(U)	S 88°08'53" W	13.20'
(G)	S 1°41'13" E	4.03'	(V)	S 1°51'07" E	10.00'
(H)	N 1°41'13" W	28.87'	(W)	S 88°08'53" W	22.02'
(I)	S 54°38'43" E	41.34'	(X)	S 88°02'38" W	17.96'
(J)	S 1°41'13" E	3.37'	(Y)	N 1°57'22" W	10.00'
(K)	S 1°41'13" E	16.63'	(Z)	N 88°02'38" E	18.00'
(L)	S 1°41'13" E	40.00'	(a)	N 88°08'53" E	22.00'
(M)	S 1°41'13" E	56.63'	(b)	S 1°44'29" E	56.63'
(N)	S 1°41'13" E	60.00'	(c)	S 1°44'29" E	25.00'
(O)	N 1°45'24" W	25.00'	(d)	S 1°44'29" E	81.63'

AMERICAN SURVEYING & ENGINEERING, P.C.
SURVEYORS•ENGINEERS
105 W. Madison St. Suite 1700
Chicago, IL 60602
312-277-2000 / Fax 312-277-2002

LOT 5 GRAPHIC SCALE
50 0 50 100 150 200 250

STATE OF ILLINOIS)
) S.S.
COUNTY OF COOK)

THIS IS TO CERTIFY THAT I, COVENTINE FIDIS, AN ILLINOIS PROFESSIONAL LAND SURVEYOR, HAVE SURVEYED THE PLAT OF HIGHWAYS SHOWN HEREON IN SECTION 14 AND 23, TOWNSHIP 36 NORTH, RANGE 11 EAST OF THE THIRD PRINCIPAL MERIDIAN, WILL COUNTY, THAT THE SURVEY IS TRUE AND COMPLETE AS SHOWN TO THE BEST OF MY KNOWLEDGE AND BELIEF, THAT THE PLAT CORRECTLY REPRESENTS SAID SURVEY, THAT ALL MONUMENTS FOUND AND ESTABLISHED ARE OF PERMANENT QUALITY AND OCCUPY THE POSITIONS SHOWN THEREON AND THAT THE MONUMENTS ARE SUFFICIENT TO ENABLE THE SURVEY TO BE RETRACED, MADE FOR THE DEPARTMENT OF TRANSPORTATION, STATE OF ILLINOIS.

DATED AT CHICAGO, ILLINOIS THIS __TH DAY OF _____, 2013.

STATE OF ILLINOIS COVENTINE FIDIS 35-2159 PROFESSIONAL LAND SURVEYOR CHICAGO, ILL.

COVENTINE FIDIS
ILLINOIS PROFESSIONAL LAND SURVEYOR NO. 2159
LICENSE. EXPIRATION DATE 11/30/2014

THIS PROFESSIONAL SERVICE CONFORMS TO THE CURRENT ILLINOIS MINIMUM STANDARDS FOR A BOUNDARY SURVEY.

REVISION DATE: 11/25/2013

PLAT OF HIGHWAYS STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION F.A.P. 351 (IL 7) PARKER ROAD TO WILL-COOK ROAD

SECTION: WILL COUNTY
PROJECT: JOB NO. R-91-023-97
STATION: 195+91.82 TO STATION: 210+05.20
SCALE: 1" = 50' SHEET 4 OF 20

CONTRACT NO. 60X92 SHEET 165 OF 207
ASE. JOB NO. 210125.2

RECEIVED
NOV 26 2013
PLATS & LEGALS

BUREAU OF LAND ACQUISITION
201 WEST CENTER COURT
SCHAUMBURG, ILLINOIS 60196

PART OF SECTION 14 AND 23, T36N, R11E, OF THE 3RD PM, WILL COUNTY, ILLINOIS

BEARINGS AND COORDINATES ARE REFERENCED TO THE ILLINOIS STATE PLANE COORDINATE SYSTEM, EAST ZONE. NORTH AMERICAN DATUM OF 1983 (2007 ADJUSTMENT).

PARCEL NO.	OWNER	PERMANENT INDEX NUMBER	TOTAL HOLDING	AREA TAKING	PREVIOUSLY DEDICATED	REMAINDER	EASEMENTS TEMP	EASEMENTS PERM	EASEMENT PURPOSE	PROPERTY ACQUIRED BY
1JD0228	DEREK BROWN AND SARAH BROWN, HUSBAND AND WIFE, AS TENANTS BY THE ENTIRETY	16-05-23-202-010	0.490 AC	0.035 AC	———	0.455 AC	———	———		
1JD0228TE							0.014 AC	———	CONSTRUCTION	
1JD0229PE	COMMONWEALTH EDISON COMPANY	16-05-14-400-005	15.232 AC	———	0.248 AC	15.232 AC	———	0.115 AC	ROADWAY	
1JD0229TE							0.005 AC 200 SF	———	CONSTRUCTION	
1JD0230TE	HOMER PARK PLACE CONDOMINIUM	16-05-14-411-002 16-05-14-411-004	1.966 AC	———	———	———	0.014 AC	———		
1JD0231	TROY COOLIDGE NO. 5 LLC, A MICHIGAN LIMITED LIABILITY COMPANY	16-05-14-400-014	7.587 AC	0.101 AC	———	7.486 AC	———	———		
1JD0231TE-A							0.177 AC	———	CONSTRUCTION	
1JD0231TE-B*							0.109 AC	———	CONSTRUCTION	

*SEE SHEET 6 FOR PARCEL 1JD0231TE-B

PARCEL NO.	OWNER	PERMANENT INDEX NUMBER	TOTAL HOLDING	AREA TAKING	PREVIOUSLY DEDICATED	REMAINDER	EASEMENTS TEMP	EASEMENTS PERM	EASEMENT PURPOSE	PROPERTY ACQUIRED BY
1JD0222PE	COMMONWEALTH EDISON COMPANY	16-05-23-200-003	8.476 AC	———	0.326 AC	8.476 AC	———	0.143 AC	ROADWAY	
1JD0222TE							0.009 AC 400 SF	———	CONSTRUCTION	
1JD0223	CAROL JOYCE O'NEIL, AS TRUSTEE UNDER TRUST AGREEMENT DATED THE 7TH DAY OF FEBRUARY, 1996, AND KNOWN AS THE CAROL JOYCE O'NEAL TRUST	16-05-23-201-001	0.916 AC	0.073 AC	———	0.843 AC	———	———		
1JD0224	FAYED YASIN AND AMNA YASIN, HUSBAND AND WIFE, AS TENANTS BY THE ENTIRETY	16-05-23-200-009	2.130 AC	0.463 AC	0.347 AC	1.667 AC	———	———		
1JD0224TE							0.022 AC	———	CONSTRUCTION	
1JD0225	EDWIN TOLEDO, MARRIED TO FRANCES MARTINEZ	16-05-23-202-007	0.479 AC	0.068 AC	———	0.411 AC	———	———		
1JD0226	PATRICK J. CLEARY AND LYNDA C. CLEARY, HUSBAND AND WIFE, AS TENANTS BY THE ENTIRETY	16-05-23-202-008	0.477 AC	0.058 AC	———	0.419 AC	———	———		
1JD0226TE							0.018 AC	———	CONSTRUCTION	
1JD0227	CHRISTOPHER B. METCALF AND BRIANNE M. MALATT, AS JOINT TENANTS	16-05-23-202-009	0.460 AC	0.070 AC	———	0.390 AC	———	———		

LINE LEGEND			
Ⓐ N 1°44'29" W	17.65'	Ⓥ S 1°51'07" E	7.00'
Ⓑ S 1°51'07" E	10.00'	Ⓦ S 88°08'53" W	101.00'
Ⓒ N 1°51'07" W	10.00'	Ⓧ N 88°02'04" W	113.78'
Ⓓ N 1°44'29" W	2.65'	Ⓨ S 1°43'35" E	13.00'
Ⓔ ~~S 4°18'28" E~~	~~2.28'~~	Ⓩ S 1°43'35" E	28.00'
Ⓕ S 4°18'28" E	17.30'	Ⓐ S 1°43'35" E	15.00'
Ⓖ S 1°51'07" E	20.00'	Ⓑ S 88°08'53" W	40.00'
Ⓗ S 88°08'53" W	48.00'	Ⓒ N 1°43'35" W	15.00'
Ⓘ N 1°51'07" W	20.00'	Ⓓ N 88°08'53" E	40.00'
Ⓙ ~~N 1°44'47" W~~	~~2.27'~~	Ⓔ S 88°08'53" W	120.70'
Ⓚ S 1°51'45" E	21.46'	Ⓕ N 88°08'53" E	80.70'
Ⓛ S 30°41'40" W	39.15'	Ⓖ N 1°41'13" W	10.00'
Ⓜ ~~S 88°08'53" W~~	~~118.70'~~	Ⓗ N 1°57'54" W	10.00'
Ⓝ S 1°51'45" E	20.79'	Ⓘ N 88°02'06" E	60.00'
Ⓟ S 1°51'07" E	20.00'	Ⓙ S 1°57'54" E	10.00'
Ⓒ S 88°08'53" W	40.00'	Ⓚ S 88°08'53" W	40.00'
Ⓡ N 1°51'07" W	20.00'	Ⓛ N 1°51'07" W	5.00'
~~Ⓢ S 88°08'53" W~~	~~134.00'~~	Ⓜ N 88°08'53" E	40.00'
Ⓣ S 26°41'14" W	14.54'	Ⓝ S 1°51'07" E	5.00'
Ⓤ S 88°08'53" E	71.81'	Ⓞ ~~S 1°51'45" E~~	~~1.46'~~
		Ⓟ ~~S 1°51'45" E~~	~~0.66'~~

CURVE LEGEND	
①	L = 29.04'
	R = 271.60'
	C = 29.02'
	CB = S 67°59'35" W
②	L = 20.97'
	R = 271.60'
	C = 20.96'
	CB = S 62°43'08" W

NOTE: PROPOSED ℄ OF CONSTRUCTION AND ℄ OF RIGHT OF WAY ARE NOT PARALLEL. SEE ℄ DETAILS ON SHEETS FOR RELATIONSHIP.

LEGEND

- EXISTING CENTERLINE
- EXISTING RIGHT OF WAY LINE
- PROPOSED CENTERLINE
- PROPOSED RIGHT OF WAY LINE
- PROPOSED TEMPORARY EASEMENT LINE
- PROPOSED PERMANENT EASEMENT LINE
- SECTION LINE
- QUARTER SECTION LINE
- QUARTER QUARTER SECTION LINE
- PLATTED LOT LINE
- PROPERTY (DEED) LINE
- APPARENT PROPERTY LINE (APL)
- ACCESS CONTROL LINE (A/C)
- SAME OWNERSHIP
- FENCE LINE

SECTION CORNER; QUARTER SECTION CORNER; CENTER OF SECTION

123.45' (123.45')

CALCULATIONS BY: E. SLADEK

DRAFTING BY: L. KLEMM / E. SLADEK

CHECKED BY: C. FIDIS

- T1 ● T2 T3 — THESE. STAKES REFERENCE FOUND OR SET MONUMENTATION. SET ⅝ INCH IRON ROD FLUSH WITH GROUND. IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYORS REGISTRATION NUMBER.
- BT1 ● BT2 BT3 — THESE. STAKES, IN CULTIVATED AREAS, REFERENCE FOUND OR SET MONUMENTATION. BURIED ⅝ INCH IRON ROD 20 INCHES BELOW GROUND SURFACE. IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYORS REGISTRATION NUMBER.
- ■ — STAKING OF PROPOSED RIGHT OF WAY. SET DIVISION OF HIGHWAYS SURVEY MARKER TO MONUMENT THE POSITION SHOWN. IDENTIFIED BY INSCRIPTION DATA AND SURVEYORS REGISTRATION NUMBER.
- ■M — STAKING OF PROPOSED RIGHT OF WAY IN CULTIVATED AREAS. BURIED ⅝ INCH IRON ROD 20 INCHES BELOW GROUND SURFACE TO MARK FUTURE SURVEY MARKER POSITION. IDENTIFIED BY COLORED PLASTIC CAP AND SURVEYORS REGISTRATION NUMBER.
- ■U — STAKING OF PROPOSED RIGHT OF WAY IN CLOSE PROXIMITY TO UNDERGROUND UTILITIES. SET DIVISION OF HIGHWAYS SURVEY MARKER ON ⅝ INCH IRON ROD (BETWEEN 6 INCHES AND 12 INCHES IN LENGTH) TO MONUMENT THE POSITION SHOWN. IDENTIFIED BY INSCRIPTION DATA AND SURVEYORS REGISTRATION NUMBER.

STATE OF ILLINOIS)
) S.S.
COUNTY OF COOK)

THIS IS TO CERTIFY THAT I, COVENTINE FIDIS, AN ILLINOIS PROFESSIONAL LAND SURVEYOR, HAVE SURVEYED THE PLAT OF HIGHWAYS SHOWN HEREON IN SECTION 14 AND 23, TOWNSHIP 36 NORTH, RANGE 11 EAST OF THE THIRD PRINCIPAL MERIDIAN, WILL COUNTY, THAT THE SURVEY IS TRUE AND COMPLETE AS SHOWN TO THE BEST OF MY KNOWLEDGE AND BELIEF, THAT THE PLAT CORRECTLY REPRESENTS SAID SURVEY, THAT ALL MONUMENTS FOUND AND ESTABLISHED ARE OF PERMANENT QUALITY AND OCCUPY THE POSITIONS SHOWN THEREON AND THAT THE MONUMENTS ARE SUFFICIENT TO ENABLE THE SURVEY TO BE RETRACED, MADE FOR THE DEPARTMENT OF TRANSPORTATION, STATE OF ILLINOIS.

DATED AT CHICAGO, ILLINOIS THIS __TH DAY OF ---------, 2013.

COVENTINE FIDIS
ILLINOIS PROFESSIONAL LAND SURVEYOR NO. 2159
LICENSE. EXPIRATION DATE 11/30/2014

THIS PROFESSIONAL SERVICE CONFORMS TO THE CURRENT ILLINOIS MINIMUM STANDARDS FOR A BOUNDARY SURVEY.

STATE OF ILLINOIS · COVENTINE FIDIS · 35-2159 · CHICAGO, ILL. · PROFESSIONAL LAND SURVEYOR

REVISION DATE: 11/27/2013

CONTRACT NO. 60X92 SHEET 166 OF 207
ASE. JOB NO. 210125.2

AMERICAN
SURVEYING & ENGINEERING, P.C.
SURVEYORS·ENGINEERS
105 W. Madison St. Suite 1700
Chicago, IL 60602
312-277-2000 / Fax 312-277-2002

GRAPHIC SCALE
50 0 50 100 150 200 250
FEET

PLAT OF HIGHWAYS
STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION
F.A.P. 351 (IL 7)
PARKER ROAD TO WILL-COOK ROAD

SECTION: WILL COUNTY
PROJECT: JOB NO. R-91-023-97
STATION: 210+04.67 TO STATION: 223+18.22
SCALE: 1" = 50' SHEET 5 OF 20

RECEIVED
NOV 27 2013
PLATS & LEGALS

BUREAU OF LAND ACQUISITION
201 WEST CENTER COURT
SCHAUMBURG, ILLINOIS 60196

PART OF SECTION 13, 14 AND 24, T36N, R11E, OF THE 3RD PM, WILL COUNTY, ILLINOIS

LEGEND

SECTION CORNER

QUARTER SECTION CORNER

CENTER OF SECTION

BEARINGS AND COORDINATES ARE REFERENCED TO THE ILLINOIS STATE PLANE COORDINATE SYSTEM, EAST ZONE, NORTH AMERICAN DATUM OF 1983 (2007 ADJUSTMENT).

GRAPHIC SCALE

50 0 50 100 150 200 250 FEET

T1 ● THESE. STAKES REFERENCE FOUND OR SET MONUMENTATION. SET ⅝ INCH IRON ROD FLUSH WITH GROUND. IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYORS REGISTRATION NUMBER.

T2

T3

■ STAKING ℄ PROPOSED RIGHT OF WAY. SET DIVISION OF HIGHWAYS SURVEY MARKER TO MONUMENT THE POSITION SHOWN. IDENTIFIED BY INSCRIPTION DATA AND SURVEYORS REGISTRATION NUMBER.

■U STAKING ℄ PROPOSED RIGHT OF WAY IN CLOSE. PROXIMITY TO UNDERGROUND UTILITIES. SET DIVISION OF HIGHWAYS SURVEY MARKER ON ⅝ INCH IRON ROD (BETWEEN 6 INCHES AND 12 INCHES IN LENGTH) TO MONUMENT THE POSITION SHOWN. IDENTIFIED BY INSCRIPTION DATA AND SURVEYORS REGISTRATION NUMBER.

SEE SHEET 5

SEE SHEET 13 FOR "IJD0232" TOTAL HOLDING DETAIL

SEE SHEET 13 FOR "IJD0231" TOTAL HOLDING DETAIL

SEE SHEET 7

SEE SHEET 8

PROPOSED RIGHT OF WAY LINE

PROPOSED TEMPORARY EASEMENT LINE

EXISTING RIGHT OF WAY LINES

NOTE:
PROPOSED ℄ OF CONSTRUCTION AND ℄ OF RIGHT OF WAY ARE NOT PARALLEL. SEE ℄ DETAILS ON SHEETS FOR RELATIONSHIP.

BELL TOWER OFFICE CONDOMINIUM ASSOCIATION
REC. 10/30/2006
DOC. NO. R2006-181805

BELL TOWER PLAZA
REC. 10/7/1997
DOC. NO. R97-087919

BELL ROAD
EXISTING R.O.W. LINE PER DOC. NO. R98-107545

159th STREET (CONST. = N 88°24'42" E)

F.A.P. 351 (IL 7)

PARCEL NO.	OWNER	PERMANENT INDEX NUMBER	TOTAL HOLDING	AREA TAKING	PREVIOUSLY DEDICATED	REMAINDER	EASEMENTS TEMP	EASEMENTS PERM	EASEMENT PURPOSE	PROPERTY ACQUIRED BY
IJD0243	MARIAN B. SCHOUTEN, AS TRUSTEE OF THE MARIAN B. SCHOUTEN TRUST U/A/D NOVEMBER 22, 2004	16-05-24-100-011	5.000 AC	0.271 AC	0.203 AC	4.729 AC				
IJD0243TE							0.011 AC	—	CONSTRUCTION	
IJD0244	PALOS BANK AND TRUST COMPANY, AS TRUSTEE UNDER TRUST AGREEMENT DATED THE 24TH DAY OF OCTOBER, 2008 AND KNOWN AS TRUST NUMBER 1-7750	16-05-24-100-010	5.000 AC	0.273 AC	0.205 AC	4.727 AC				
IJD0244TE-A							0.003 AC 115 SF	—	CONSTRUCTION	
IJD0244TE-B							0.013 AC	—	CONSTRUCTION	

•SEE SHEET 5 FOR PARCEL IJD0231 & IJD0231TE-A

PARCEL NO.	OWNER	PERMANENT INDEX NUMBER	TOTAL HOLDING	AREA TAKING	PREVIOUSLY DEDICATED	REMAINDER	EASEMENTS TEMP	EASEMENTS PERM	EASEMENT PURPOSE	PROPERTY ACQUIRED BY
IJD0231•	TROY COOLIDGE NO. 5 LLC, A MICHIGAN LIMITED LIABILITY COMPANY	16-05-14-400-014	7.587 AC	0.101 AC	—	7.486 AC	—	—		
IJD0231TE-A•							0.177 AC	—	CONSTRUCTION	
IJD0231TE-B							0.109 AC	—	CONSTRUCTION	
IJD0232TE-A	BELL TOWER PLAZA, LLC, AN ILLINOIS LIMITED LIABILITY COMPANY	16-05-14-410-013 16-05-14-410-014	4.685 AC	—	—	—	0.022 AC	—	CONSTRUCTION	
IJD0232TE-B							0.026 AC	—	CONSTRUCTION	
IJD0233TE	MIDLAND FEDERAL SAVINGS AND LOAN ASSOCIATION	16-05-14-410-012	0.699 AC	—	—	—	0.012 AC	—	CONSTRUCTION	
IJD0234TE-A	FIRST MIDWEST BANK	16-05-13-300-016	2.534 AC	—	—	—	0.003 AC 110 SF	—	CONSTRUCTION	
IJD0234TE-B							0.046 AC	—	CONSTRUCTION	
IJD0235	RDK VENTURES LLC, A DELAWARE LIMITED LIABILITY COMPANY	16-05-13-300-031	2.495 AC	0.891 AC	0.599 AC	1.604 AC	—	—		
IJD0235TE							0.019 AC	—	CONSTRUCTION	
IJD0236	CAR WASH CLASSIC, INC.	16-05-13-300-023	1.054 AC	0.229 AC	0.152 AC	0.825 AC	—	—		
IJD0236TE							0.058 AC	—	CONSTRUCTION	
IJD0242	JOHN P. MCCARTHY, AS TRUSTEE OF THE JOHN P. MCCARTHY REVOCABLE LIVING TRUST DATED DECEMBER 17, 2010, AS TO AN UNDIVIDED 50% INTEREST, AND DOROTHY L. MCCARTHY, AS TRUSTEE OF THE DOROTHY L. MCCARTHY REVOCABLE LIVING TRUST DATED DECEMBER 17, 2010, AS TO AN UNDIVIDED 50% INTEREST	16-05-24-100-001	5.000 AC	0.269 AC	0.201 AC	4.731 AC	—	—		
IJD0242TE							0.093 AC	—	CONSTRUCTION	

CALCULATIONS BY: E. SLADEK DRAFTING BY: L. KLEMM / E. SLADEK CHECKED BY: C. FIDIS

LINE LEGEND

Ⓐ S 68°27'50" W 28.00'	Ⓝ S 88°27'50" W 40.00'	Ⓐ N 88°27'50" E 17.50'	Ⓝ S 88°27'50" W 40.00'
Ⓑ N 88°27'50" E 18.00'	Ⓞ N 01°32'10" W 14.00'	Ⓑ S 1°32'10" E 54.87'	Ⓞ N 01°32'10" W 14.00'
Ⓒ S 88°02'06" W 40.00'	Ⓟ S 88°02'06" W 35.50'	Ⓒ N 1°32'10" W 30.00'	Ⓟ S 88°02'06" W 35.50'
Ⓓ S 88°02'06" W 10.00'	Ⓠ N 24°22'05" W 27.13'	Ⓓ N 88°28'30" E 63.00'	Ⓠ N 24°22'05" W 27.13'
Ⓔ S 88°02'06" W 35.50'	Ⓡ S 1°32'52" E 20.00'	Ⓔ N 1°32'10" W 6.62'	Ⓡ S 1°32'52" E 20.00'
Ⓕ N 1°32'10" W 55.00'	Ⓢ N 1°32'52" E 22.00'	Ⓕ S 1°31'30" E 11.00'	Ⓢ N 1°32'52" E 22.00'
Ⓖ N 88°27'50" E 17.50'	Ⓣ N 88°17'01" E 3.00'	Ⓖ N 88°28'30" E 167.00'	Ⓣ N 88°17'01" E 3.00'
Ⓗ S 1°32'10" E 54.87'	Ⓤ S 88°17'01" W 3.00'	Ⓗ S 1°32'52" E 20.00'	Ⓤ S 88°17'01" W 3.00'
Ⓘ N 1°32'10" W 30.00'	Ⓥ N 88°28'30" E 63.00'	Ⓘ S 1°31'30" E 11.00'	Ⓥ N 88°28'30" E 63.00'
Ⓙ N 1°32'10" W 6.62'	Ⓦ S 1°31'30" E 11.00'	Ⓙ N 88°28'30" E 167.00'	Ⓦ S 1°32'52" E 20.00'
Ⓚ S 88°27'50" W 26.00'	Ⓧ S 1°32'52" E 20.00'	Ⓚ S 1°32'52" E 20.00'	Ⓧ S 1°32'52" E 20.00'
Ⓛ N 1°32'10" W 43.19'	Ⓨ S 1°32'52" E 11.00'	Ⓛ N 88°28'30" E 11.00'	Ⓨ S 1°32'52" E 11.00'
Ⓜ N 88°02'06" E 26.00'	Ⓩ N 88°28'30" E 73.01'	Ⓜ S 1°32'52" E 11.00'	Ⓩ N 88°28'30" E 73.01'
Ⓝ S 1°32'10" E 43.38'	ⓐ S 1°31'30" E 25.00'	Ⓝ N 88°28'30" E 73.01'	ⓐ S 1°31'30" E 25.00'
Ⓞ N 1°32'10" W 50.00'	ⓑ N 88°28'30" E 104.00'	Ⓞ S 1°31'30" E 25.00'	ⓑ N 88°28'30" E 104.00'
Ⓟ N 1°32'10" W 20.81'	ⓒ N 1°43'35" E 20.00'	Ⓟ N 88°28'30" E 104.00'	ⓒ N 1°43'35" E 20.00'
Ⓠ N 88°27'50" E 26.00'	ⓓ S 1°31'30" E 45.00'	Ⓠ S 1°43'35" E 20.00'	ⓓ S 1°31'30" E 45.00'
Ⓡ S 1°32'10" E 20.62'	ⓔ S 1°43'35" E 20.00'	Ⓡ S 1°31'30" E 45.00'	ⓔ S 1°43'35" E 20.00'
Ⓢ S 88°02'06" W 30.00'	ⓕ N 1°31'30" W 10.00'	Ⓢ S 1°43'35" E 20.00'	ⓕ N 1°31'30" W 10.00'
Ⓣ S 88°02'06" W 4.89'	ⓖ S 88°28'30" W 28.55'	Ⓣ N 1°31'30" W 10.00'	ⓖ S 88°28'30" W 28.55'
Ⓤ N 88°02'06" E 5.41'	ⓗ S 1°43'35" E 10.00'	Ⓤ S 88°28'30" W 28.55'	ⓗ S 1°43'35" E 10.00'
Ⓥ N 88°02'06" E 30.00'	ⓘ N 88°28'30" E 11.52'	Ⓥ S 1°43'35" E 10.00'	ⓘ N 88°28'30" E 11.52'
Ⓦ N 1°32'10" W 11.03'	ⓙ S 1°31'30" E 10.00'	Ⓦ N 88°28'30" E 11.52'	ⓙ S 1°31'30" E 10.00'
Ⓧ N 88°27'50" E 10.00'	ⓚ S 88°28'30" W 11.49'	Ⓧ S 1°31'30" E 10.00'	ⓚ S 88°28'30" W 11.49'
Ⓨ S 1°32'10" E 11.00'	ⓛ S 1°43'35" E 20.00'	Ⓨ S 88°28'30" W 11.49'	ⓛ S 1°43'35" E 20.00'
Ⓩ S 88°17'01" W 10.00'	ⓜ S 88°28'30" W 28.55'	Ⓩ S 1°43'35" E 20.00'	ⓜ S 88°28'30" W 28.55'
ⓐ S 88°17'01" W 20.00'	ⓝ N 1°31'30" W 20.00'	ⓐ S 88°28'30" W 28.55'	ⓝ N 1°31'30" W 20.00'
ⓑ N 1°32'10" W 41.94'	ⓞ N 88°28'30" E 28.48'	ⓑ N 1°31'30" W 20.00'	ⓞ N 88°28'30" E 28.48'
ⓒ N 88°17'01" E 50.00'	ⓟ S 1°43'35" E 20.00'	ⓒ N 88°28'30" E 28.48'	ⓟ S 1°43'35" E 20.00'
ⓓ N 88°02'06" W 17.50'		ⓓ S 1°43'35" E 20.00'	
~~Ⓔ S 1°32'10" E 30.00'~~		~~Ⓔ S 1°31'30" E 30.00'~~	
~~Ⓕ N 88°27'50" E 10.00'~~		~~Ⓕ N 1°31'30" W 10.00'~~	

LEGEND

- EXISTING CENTERLINE
- EXISTING RIGHT OF WAY LINE
- PROPOSED CENTERLINE
- PROPOSED RIGHT OF WAY LINE
- PROPOSED TEMPORARY EASEMENT LINE
- PROPOSED PERMANENT EASEMENT LINE
- SECTION LINE
- QUARTER SECTION LINE
- QUARTER QUARTER SECTION LINE
- PLATTED LOT LINE
- PROPERTY (DEED) LINE
- APPARENT PROPERTY LINE
- SAME OWNERSHIP
- FENCE LINE

STATE OF ILLINOIS)
) S.S.
COUNTY OF COOK)

THIS IS TO CERTIFY THAT I, COVENTINE FIDIS, AN ILLINOIS PROFESSIONAL LAND SURVEYOR, HAVE SURVEYED THE PLAT OF HIGHWAYS SHOWN HEREON IN SECTION 13, 14 AND 24, TOWNSHIP 36 NORTH, RANGE 11 EAST OF THE THIRD PRINCIPAL MERIDIAN, WILL COUNTY, THAT THE SURVEY IS TRUE AND COMPLETE AS SHOWN TO THE BEST OF MY KNOWLEDGE AND BELIEF, THAT THE PLAT CORRECTLY REPRESENTS SAID SURVEY, THAT ALL MONUMENTS FOUND AND ESTABLISHED ARE OF PERMANENT QUALITY AND OCCUPY THE POSITIONS SHOWN THEREON AND THAT THE MONUMENTS ARE SUFFICIENT TO ENABLE THE SURVEY TO BE RETRACED, MADE FOR THE DEPARTMENT OF TRANSPORTATION, STATE OF ILLINOIS.

DATED AT CHICAGO, ILLINOIS THIS __TH DAY OF _____ 2013.

COVENTINE FIDIS
ILLINOIS PROFESSIONAL LAND SURVEYOR NO. 2159
LICENSE EXPIRATION DATE 11/30/2014

THIS PROFESSIONAL SERVICE CONFORMS TO THE CURRENT ILLINOIS MINIMUM STANDARDS FOR A BOUNDARY SURVEY.

REVISION DATE: 12/2/2013

STATE OF ILLINOIS COVENTINE FIDIS 35-2159 CHICAGO, ILL. PROFESSIONAL LAND SURVEYOR

CONTRACT NO. 60X92 SHEET 167 OF 207
ASE. JOB NO. 210125.2

AMERICAN
SURVEYING & ENGINEERING, P.C.
SURVEYORS•ENGINEERS
105 W. Madison St. Suite 1700
Chicago, IL 60602
312-277-2000 / Fax 312-277-2002

PLAT OF HIGHWAYS
STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION
F.A.P. 351 (IL 7)
PARKER ROAD TO WILL-COOK ROAD

SECTION: WILL COUNTY
PROJECT: JOB NO. R-91-023-97
STATION: 223+18.02 TO STATION: 227+60.92
STATION: 10+51.39 (BELL) TO STATION: 19+10.21 (BELL)
SCALE: 1" = 50' SHEET 6 OF 20

RECEIVED
DEC 02 2013
PLATS & LEGALS

BUREAU OF LAND ACQUISITION
201 WEST CENTER COURT
SCHAUMBURG, ILLINOIS 60196

PART OF SECTION 13 AND 24, T36N, R11E, OF THE 3RD PM, WILL COUNTY, ILLINOIS

AMERICAN
SURVEYING & ENGINEERING, P.C.
SURVEYORS • ENGINEERS
105 W. Madison St. Suite 1700
Chicago, IL 60602
312-277-2000 / Fax 312-277-2002

BEARINGS AND COORDINATES ARE REFERENCED TO THE ILLINOIS STATE PLANE COORDINATE SYSTEM, EAST ZONE, NORTH AMERICAN DATUM OF 1983 (2007 ADJUSTMENT).

N / W / E / S

GRAPHIC SCALE
50 0 50 100 150 200 250

LINE LEGEND

(A)	N 1°32'52" W	10.00'	(Q)	N 88°28'30" E	36.98'
(B)	~~S 1°32'52" E~~	~~10.00'~~	(R)	S 1°32'52" E	18.00'
(C)	~~N 88°28'30" E~~	~~96.00'~~	(S)	N 88°28'30" E	27.52'
(D)	~~S 88°17'01" W~~	~~96.00'~~	(T)	S 1°31'30" E	20.00'
(E)	~~N 88°28'30" E~~	~~90.86'~~	(U)	S 88°28'30" W	27.45'
(F)	N 1°31'30" W	15.00'	(V)	N 1°43'35" W	20.00'
(G)	N 88°28'30" E	5.13'	(W)	~~S 1°31'30" E~~	~~8.00'~~
(H)	N 88°28'30" E	44.87'	(X)	~~N 1°31'30" W~~	~~8.00'~~
(I)	S 1°31'30" E	25.00'	(Y)	S 1°31'30" E	50.00'
(J)	S 88°28'30" W	44.86'	(Z)	S 88°28'30" W	20.00'
(K)	N 1°31'30" W	75.00'	(a)	S 1°31'30" E	15.00'
(L)	N 88°28'30" E	38.00'	(b)	S 88°17'01" W	30.00'
(M)	S 1°31'30" E	15.00'	(c)	N 1°44'06" W	20.00'
(N)	N 88°28'30" E	22.00'	(d)	S 1°43'56" E	20.00'
(O)	S 1°31'30" E	60.00'	(e)	S 1°43'56" E	10.00'
(P)	N 1°31'30" W	57.00'	(f)	S 88°28'30" W	50.04'
			(g)	N 1°31'30" W	10.00'

PARCEL NO.	OWNER	PERMANENT INDEX NUMBER	TOTAL HOLDING	AREA TAKING	PREVIOUSLY DEDICATED	REMAINDER	EASEMENTS TEMP	EASEMENTS PERM	EASEMENT PURPOSE	PROPERTY ACQUIRED BY
1JD0237	CHICAGO TITLE LAND TRUST COMPANY, AS SUCCESSOR TO LASALLE BANK NATIONAL ASSOCIATION, AS TRUSTEE UNDER TRUST AGREEMENT, DATED JUNE 27, 1990, AND KNOWN AS TRUST NUMBER 9929	16-05-13-300-034 16-05-13-300-041	3.992 AC	0.654 AC	0.344 AC	3.338 AC	——	——		
1JD0237TE							0.090 AC	——	CONSTRUCTION	
1JD0239	CHICAGO TITLE LAND TRUST COMPANY, AS SUCCESSOR TO AMERICAN NATIONAL BANK AND TRUST COMPANY OF CHICAGO, AS TRUSTEE UNDER CERTAIN TRUST AGREEMENT, DATED THE 23RD DAY OF SEPTEMBER, 1980, AND KNOWN AS TRUST NUMBER 50503	16-05-13-300-042	2.000 AC	0.324 AC	0.168 AC	1.676 AC	——	——		
1JD0239TE-A							0.026 AC	——	CONSTRUCTION	
1JD0239TE-B							0.096 AC	——	CONSTRUCTION	
1JD0240	FORWARD CAPITAL-HOMER GLEN, LLC, AN ILLINOIS LIMITED LIABILITY COMPANY	16-05-13-301-003	1.564 AC	0.068 AC	——	1.496 AC	——	——		
1JD0240TE							0.048 AC	——	CONSTRUCTION	
1JD0245	BLUE LABEL PROPERTIES, LLC	16-05-24-100-003 16-05-24-100-019 16-05-24-100-020 16-05-24-100-021	17.000 AC	1.098 AC	0.829 AC	15.902 AC	——	——		
1JD0245TE-A							0.013 AC	——	CONSTRUCTION	
1JD0245TE-B							0.438 AC	——	CONSTRUCTION	
1JD0246	CHRISTOS VAVAROUTSOS AND MARIA VAVAROUTSOS, HIS WIFE, AND ROSE VAVAROUTSOS AND JOHN VAVAROUTSOS, IN JOINT TENANCY	16-05-24-100-018	5.000 AC	1.060 AC	0.891 AC	3.940 AC	——	——		
1JD0247	TRI-K DEVELOPMENT, INC	16-05-24-104-019	0.917 AC	0.030 AC	——	0.887 AC	——	——		
1JD0248	SHARON A. LAW, AS TRUSTEE OF THE SHARON A. LAW TRUST AGREEMENT DATED JUNE 25, 1998	16-05-24-104-018	1.759 AC	0.078 AC	——	1.681 AC	——	——		
1JD0248TE							0.011 AC	——	CONSTRUCTION	

PROPOSED TEMPORARY EASEMENT LINE

DEL-K SUBDIVISION REC. 3/9/2000 DOC. NO. R2000-25104

LOT 1 — LOT 2

EXISTING RIGHT OF WAY LINES

F.A.P. 351 (IL 7) (159th STREET)

(SOUTH) BELL ROAD

PROPOSED RIGHT OF WAY LINE

NOTE:
PROPOSED ℄ OF CONSTRUCTION AND ℄ OF RIGHT OF WAY ARE NOT PARALLEL. SEE ℄ DETAILS ON SHEETS FOR RELATIONSHIP.

CORSO SUBDIVISION REC. 3/6/2003 DOC. NO. R2003-051293

SHERICK SUBDIVISION REC. 6/21/2002 DOC. NO. R2002-102680

SEE SHEET 6 — SEE SHEET 8

SEE SHEET 13 FOR "1JD0245" TOTAL HOLDING DETAIL

223+18.01 10.67' LT.
FOUND CROSS CUT IN 3 1/4 " BRASS MONUMENT SEE ℄ DETAIL SHEET 5

P.O.C. 1JD0237; 1JD0237TE; 1JD0239; 1JD0239TE-A; 1JD0239TE-B; 1JD0245; 1JD0245TE-A; 1JD0245TE-B; 1JD0246

LEGEND

- EXISTING CENTERLINE
- EXISTING RIGHT OF WAY LINE
- PROPOSED CENTERLINE
- PROPOSED RIGHT OF WAY LINE
- PROPOSED TEMPORARY EASEMENT LINE
- PROPOSED PERMANENT EASEMENT LINE
- SECTION LINE
- QUARTER SECTION LINE
- QUARTER QUARTER SECTION LINE
- PLATTED LOT LINE
- PROPERTY (DEED) LINE
- APPARENT PROPERTY LINE
- ACCESS CONTROL LINE
- SAME OWNERSHIP
- FENCE LINE

SECTION CORNER — QUARTER SECTION CORNER — CENTER OF SECTION

123.45' (123.45')

T1 ● T2 T3 — THESE. STAKES REFERENCE FOUND OR SET MONUMENTATION. SET ⅝ INCH IRON ROD FLUSH WITH GROUND. IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYORS REGISTRATION NUMBER.

BT1 ● BT2 BT3 — THESE. STAKES. IN CULTIVATED AREAS, REFERENCE FOUND OR SET MONUMENTATION. BURIED ⅝ INCH IRON ROD 20 INCHES BELOW GROUND SURFACE. IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYORS REGISTRATION NUMBER.

■ — STAKING OF PROPOSED RIGHT OF WAY. SET DIVISION OF HIGHWAYS SURVEY MARKER TO MONUMENT THE POSITION SHOWN. IDENTIFIED BY INSCRIPTION DATA AND SURVEYORS REGISTRATION NUMBER.

■M — STAKING OF PROPOSED RIGHT OF WAY IN CULTIVATED AREAS. BURIED ⅝ INCH IRON ROD 20 INCHES BELOW GROUND SURFACE TO MARK FUTURE SURVEY MARKER POSITION. IDENTIFIED BY COLORED PLASTIC CAP AND SURVEYORS REGISTRATION NUMBER.

■U — STAKING OF PROPOSED RIGHT OF WAY IN CLOSE. PROXIMITY TO UNDERGROUND UTILITIES. SET DIVISION OF HIGHWAYS SURVEY MARKER ON ⅜ INCH IRON ROD (BETWEEN 6 INCHES AND 12 INCHES IN LENGTH) TO MONUMENT THE POSITION SHOWN. IDENTIFIED BY INSCRIPTION DATA AND SURVEYORS REGISTRATION NUMBER.

STATE OF ILLINOIS)
) S.S.
COUNTY OF COOK)

THIS IS TO CERTIFY THAT I, COVENTINE FIDIS, AN ILLINOIS PROFESSIONAL LAND SURVEYOR, HAVE SURVEYED THE PLAT OF HIGHWAYS SHOWN HEREON IN SECTION 13 AND 24, TOWNSHIP 36 NORTH, RANGE 11 EAST OF THE THIRD PRINCIPAL MERIDIAN, WILL COUNTY, THAT THE SURVEY IS TRUE AND COMPLETE AS SHOWN TO THE BEST OF MY KNOWLEDGE AND BELIEF, THAT THE PLAT CORRECTLY REPRESENTS SAID SURVEY, THAT ALL MONUMENTS FOUND AND ESTABLISHED ARE OF PERMANENT QUALITY AND OCCUPY THE POSITIONS SHOWN THEREON AND THAT THE MONUMENTS ARE SUFFICIENT TO ENABLE THE SURVEY TO BE RETRACED, MADE FOR THE DEPARTMENT OF TRANSPORTATION, STATE OF ILLINOIS.

DATED AT CHICAGO, ILLINOIS THIS __TH DAY OF _____, 2013.

COVENTINE FIDIS
ILLINOIS PROFESSIONAL LAND SURVEYOR NO. 2159
LICENSE. EXPIRATION DATE 11/30/2014

THIS PROFESSIONAL SERVICE CONFORMS TO THE CURRENT ILLINOIS MINIMUM STANDARDS FOR A BOUNDARY SURVEY.

STATE OF ILLINOIS — COVENTINE F. IDIS — 35-2159 — CHICAGO, ILL. — PROFESSIONAL LAND SURVEYOR

PLAT OF HIGHWAYS
STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION
F.A.P. 351 (IL 7)
PARKER ROAD TO WILL-COOK ROAD

SECTION: WILL COUNTY
PROJECT: JOB NO. R-91-023-97
STATION: 227+26.25 TO STATION: 240+71.29
SCALE: 1" = 50' SHEET 7 OF 20

RECEIVED
NOV 26 2013
PLATS & LEGALS

BUREAU OF LAND ACQUISITION
201 WEST CENTER COURT
SCHAUMBURG, ILLINOIS 60196

CALCULATIONS BY: E. SLADEK — DRAFTING BY: L. KLEMM / E. SLADEK — CHECKED BY: C. FIDIS — REVISION DATE: 11/25/2013

CONTRACT NO. 60X92 SHEET 168 OF 207
ASE. JOB NO. 210125.2

PART OF SECTION 13 AND 24, T36N, R11E, OF THE 3RD PM, WILL COUNTY, ILLINOIS



PARCEL NO.	OWNER	PERMANENT INDEX NUMBER	TOTAL HOLDING	AREA TAKING	PREVIOUSLY DEDICATED	REMAINDER	EASEMENTS TEMP	EASEMENTS PERM	EASEMENT PURPOSE	PROPERTY ACQUIRED BY
1JD0241	CIRCLE W. PROPERTIES LIMITED PARTNERSHIP, AN ILLINOIS LIMITED PARTNERSHIP	16-05-13-301-004	1.661 AC	0.080 AC		1.581 AC	——	——		
1JD0241TE							0.225 AC	——	CONSTRUCTION	
1JD0249	GLEN J. NISIVOCCIA AND BARBARA M. NISIVOCCIA, HUSBAND AND WIFE, AS JOINT TENANTS	16-05-24-104-001	4.117 AC	0.380 AC		3.737 AC	——	——		
1JD0249TE-A							0.034 AC	——	CONSTRUCTION	
1JD0249TE-B							0.023 AC	——	CONSTRUCTION	
1JD0250	SJC MANAGEMENT CORPORATION, AN ILLINOIS CORPORATION	16-05-13-301-005 16-05-13-301-006	0.990 AC	0.066 AC		0.924 AC	——	——		
1JD0250TE							0.222 AC	——	CONSTRUCTION	
1JD0251	RONALD W. CERNAUSKAS AND MARY T. CERNAUSKAS, HUSBAND AND WIFE, IN JOINT TENANCY	16-05-13-301-002	1.066 AC	0.125 AC		0.941 AC	——	——		
1JD0251TE							0.046 AC	——	CONSTRUCTION	
1JD0252	AJP HOLDINGS LLC, AN ILLINOIS LIMITED LIABILITY COMPANY	16-05-13-300-033 16-05-13-301-007	27.432 AC	0.122 AC	0.053 AC	27.310 AC	——	——		
1JD0252TE							0.083 AC	——	CONSTRUCTION	
1JD0254	LEGACY DEVELOPMENT GROUP, LLC	16-05-13-300-009 16-05-13-300-011 16-05-13-300-024 16-05-13-300-025	9.076 AC	0.545 AC	0.237 AC	8.531 AC	——	——		
1JD0254TE-A							0.034 AC	——	CONSTRUCTION	
1JD0254TE-B							0.077 AC	——	CONSTRUCTION	
1JD0257*	CHICAGO TITLE AND TRUST COMPANY, AS TRUSTEE UNDER TRUST AGREEMENT DATED THE 23RD DAY OF JANUARY, 1930, KNOWN AS TRUST NUMBER 24432	16-05-13-300-007 16-05-13-300-012 16-05-13-400-002	81.154 AC	3.570 AC	1.472 AC	77.584 AC	——	——		
1JD0257TE*							0.047 AC	——	CONSTRUCTION	

*SEE SHEET 9 FOR CONTINUATION OF PARCEL 1JD0257

LEGEND

- EXISTING CENTERLINE
- EXISTING RIGHT OF WAY LINE
- PROPOSED CENTERLINE
- PROPOSED RIGHT OF WAY LINE
- PROPOSED TEMPORARY EASEMENT LINE
- PROPOSED PERMANENT EASEMENT LINE
- SECTION LINE
- QUARTER SECTION LINE
- QUARTER QUARTER SECTION LINE
- PLATTED LOT LINE
- PROPERTY (DEED) LINE
- APPARENT PROPERTY LINE
- ACCESS CONTROL LINE
- SAME OWNERSHIP
- FENCE LINE

SECTION CORNER · QUARTER SECTION CORNER · CENTER OF SECTION

123.45' (123.45')

T1 ● T2 T3 — THESE. STAKES REFERENCE FOUND OR SET MONUMENTATION. SET ⅝ INCH IRON ROD FLUSH WITH GROUND. IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYORS REGISTRATION NUMBER.

BT1 ● BT2 BT3 — THESE. STAKES, IN CULTIVATED AREAS, REFERENCE FOUND OR SET MONUMENTATION. BURIED ⅝ INCH IRON ROD 20 INCHES BELOW GROUND SURFACE. IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYORS REGISTRATION NUMBER.

■ — STAKING OF PROPOSED RIGHT OF WAY. SET DIVISION OF HIGHWAYS SURVEY MARKER TO MONUMENT THE POSITION SHOWN. IDENTIFIED BY INSCRIPTION DATA AND SURVEYORS REGISTRATION NUMBER.

■M — STAKING OF PROPOSED RIGHT OF WAY IN CULTIVATED AREAS. BURIED ⅝ INCH IRON ROD 20 INCHES BELOW GROUND SURFACE TO MARK FUTURE SURVEY MARKER POSITION. IDENTIFIED BY COLORED PLASTIC CAP AND SURVEYORS REGISTRATION NUMBER.

■U — STAKING OF PROPOSED RIGHT OF WAY IN CLOSE. PROXIMITY TO UNDERGROUND UTILITIES. SET DIVISION OF HIGHWAYS SURVEY MARKER ON ⅝ INCH IRON ROD (BETWEEN 6 INCHES AND 12 INCHES IN LENGTH) TO MONUMENT THE POSITION SHOWN. IDENTIFIED BY INSCRIPTION DATA AND SURVEYORS REGISTRATION NUMBER.

LINE LEGEND

Ⓐ	N 1°32'52" W 20.00'	Ⓙ	S 1°41'18" E 20.00'
Ⓑ	S 1°32'52" E 20.00'	Ⓚ	N 1°31'30" W 5.00'
Ⓒ	N 1°31'30" E 12.00'	Ⓛ	S 1°31'30" E 5.00'
Ⓓ	N 88°28'30" E 15.72'	Ⓜ	N 1°43'56" W 20.00'
Ⓔ	S 1°33'13" E 20.00'	Ⓝ	N 1°31'30" W 30.00'
Ⓕ	S 1°31'30" E 29.00'	Ⓞ	S 1°31'30" E 30.00'
Ⓖ	N 1°31'30" W 30.00'	Ⓟ	N 1°31'30" W 20.00'
Ⓗ	N 88°28'30" E 50.00'	Ⓠ	S 1°31'30" E 20.00'
Ⓘ	S 1°31'30" E 30.00'		

STATE OF ILLINOIS)
) S.S.
COUNTY OF COOK)

THIS IS TO CERTIFY THAT I, COVENTINE FIDIS, AN ILLINOIS PROFESSIONAL LAND SURVEYOR, HAVE SURVEYED THE PLAT OF HIGHWAYS SHOWN HEREON IN SECTION 13 AND 24, TOWNSHIP 36 NORTH, RANGE 11 EAST OF THE THIRD PRINCIPAL MERIDIAN, WILL COUNTY, THAT THE SURVEY IS TRUE AND COMPLETE AS SHOWN TO THE BEST OF MY KNOWLEDGE AND BELIEF, THAT THE PLAT CORRECTLY REPRESENTS SAID SURVEY, THAT ALL MONUMENTS FOUND AND ESTABLISHED ARE OF PERMANENT QUALITY AND OCCUPY THE POSITIONS SHOWN THEREON AND THAT THE MONUMENTS ARE SUFFICIENT TO ENABLE THE SURVEY TO BE RETRACED, MADE FOR THE DEPARTMENT OF TRANSPORTATION, STATE OF ILLINOIS.

DATED AT CHICAGO, ILLINOIS THIS --TH DAY OF ---------, 2013.

COVENTINE FIDIS
ILLINOIS PROFESSIONAL LAND SURVEYOR NO. 2159
LICENSE. EXPIRATION DATE 11/30/2014

THIS PROFESSIONAL SERVICE CONFORMS TO THE CURRENT ILLINOIS MINIMUM STANDARDS FOR A BOUNDARY SURVEY.

STATE OF ILLINOIS · COVENTINE FIDIS · 35-2159 · CHICAGO, ILL. · PROFESSIONAL LAND SURVEYOR

AMERICAN
SURVEYING & ENGINEERING, P.C.
SURVEYORS•ENGINEERS
105 W. Madison St. Suite 1700
Chicago, IL 60602
312-277-2000 / Fax 312-277-2602

CALCULATIONS BY: E. SLADEK · DRAFTING BY: L. KLEMM / E. SLADEK · CHECKED BY: C. FIDIS

REVISION DATE: 12/3/2013 · ASE. JOB NO. 210125.2

CONTRACT NO. 60X92 SHEET 169 OF 207

PLAT OF HIGHWAYS
STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION
F.A.P. 351 (IL 7)
PARKER ROAD TO WILL-COOK ROAD

SECTION: WILL COUNTY
PROJECT: JOB NO. R-91-023-97
STATION: 234+71.24 TO STATION: 249+74.69
SCALE: 1" = 50' SHEET 8 OF 20

RECEIVED
DEC 03 2013
PLATS & LEGALS

BUREAU OF LAND ACQUISITION
201 WEST CENTER COURT
SCHAUMBURG, ILLINOIS 60196

PART OF SECTION 13 AND 24, T36N, R11E, OF THE 3RD PM, WILL COUNTY, ILLINOIS

PARCEL NO.	OWNER	PERMANENT INDEX NUMBER	TOTAL HOLDING	AREA TAKING	PREVIOUSLY DEDICATED	REMAINDER	EASEMENTS TEMP	EASEMENTS PERM	EASEMENT PURPOSE	PROPERTY ACQUIRED BY
1JD0257•	CHICAGO TITLE AND TRUST COMPANY, AS TRUSTEE UNDER TRUST AGREEMENT DATED THE 23RD DAY OF JANUARY, 1930, KNOWN AS TRUST NUMBER 24432	16-05-13-300-007 16-05-13-300-012 16-05-13-400-002	81.154 AC	3.570 AC	1.472 AC	77.584 AC	——	——		
1JD0257TE							0.047 AC	——	CONSTRUCTION	
1JD0258	WEST 159TH STREET DEVELOPMENT COMPANY, AN ILLINOIS CORPORATION	16-05-24-200-001	5.080 AC	0.339 AC	0.262 AC	4.741 AC	——	——		
1JD0259	NORTH STAR TRUST CO., AS SUCCESSOR TO REPUBLIC BANK OF CHICAGO, UNDER TRUST AGREEMENT DATED AUGUST 23, 1995, AND KNOWN AS TRUST NO. 1350	16-05-24-200-002	15.236 AC	0.991 AC	0.788 AC	14.245 AC	——	——		
1JD0259TE							0.017 AC	——	CONSTRUCTION	
1JD0260	SOUTHWEST FINANCIAL BANK AND TRUST COMPANY, AS TRUSTEE UNDER TRUST AGREEMENT DATED THE 8TH DAY OF FEBRUARY 1996 KNOWN AS TRUST NUMBER 1-1228	16-05-24-200-003	3.252 AC	0.205 AC	0.169 AC	3.047 AC	——	——		
1JD0260TE							0.014 AC	——	CONSTRUCTION	

•SEE SHEET 8 FOR CONTINUATION OF PARCEL 1JD0257

PARCEL NO.	OWNER	PERMANENT INDEX NUMBER	TOTAL HOLDING	AREA TAKING	PREVIOUSLY DEDICATED	REMAINDER	EASEMENTS TEMP	EASEMENTS PERM	EASEMENT PURPOSE	PROPERTY ACQUIRED BY
1JD0261	HOMER PROFESSIONAL PARK REALTY ANNEX, LLC	16-05-24-200-004	1.254 AC	0.309 AC	0.254 AC	0.945 AC	——	——		
1JD0261TE-A							0.003 AC 119 SF	——	CONSTRUCTION	
1JD0261TE-B							0.017 AC	——	CONSTRUCTION	
1JD0262	CRYSTAL CREEK BUSINESS CONDOMINIUMS ASSOCIATION, N/K/A CRYSTAL CREEK BUSINESS CONDOMINIUMS, AN ILLINOIS NOT-FOR-PROFIT CORPORATION, ON BEHALF OF THE UNIT OWNERS AS THEIR INTERESTS MAY APPEAR	16-05-24-202-006	1.911 AC	0.044 AC	——	1.867 AC	——	——		

SEE SHEET 14 FOR "1JD0257" TOTAL HOLDING DETAIL

PROPOSED RIGHT OF WAY LINE

EXISTING RIGHT OF WAY LINE

TEMPORARY EASEMENT LINE

PROPOSED RIGHT OF WAY LINE

F.A.P. 351 (IL 7)

(159th STREET)

CRYSTAL CREEK DRIVE

LOT 24

CRYSTAL CREEK ESTATES SUBDIVISION

REC. 1/16/2004
DOC. NO. R2004-009504
(CORRECTION CERT. REC. 2/23/2005 DOC. NO. R2005-030652)
(CORRECTION CERT. REC. 3/24/2005 DOC. No. R2005-048832)

BEARINGS AND COORDINATES ARE REFERENCED TO THE ILLINOIS STATE PLANE COORDINATE SYSTEM, EAST ZONE, NORTH AMERICAN DATUM OF 1983 (2007 ADJUSTMENT).

ELECTRICAL TRANSMISSION TOWER LINE EASEMENT COMMONWEALTH EDISON COMPANY BOOK 1643, PAGE 537

SEE SHEET 8

SEE SHEET 10

CONTINUES SEE SHEET 8

LINE LEGEND

Ⓐ	N 1°31'30" W	5.00'
ⒷⒷ	N 1°31'30" W	10.00'
Ⓒ	S 1°35'56" E	15.00'
ⒹⒹ	S 88°28'30" W	42.02'
ⒺⒺ	N 1°31'30" W	15.00'
Ⓕ	N 88°28'30" E	7.98'
ⒼⒼ	S 1°31'30" E	15.00'
ⒽⒽ	S 88°28'30" W	7.96'
ⒾⒾ	S 1°31'30" E	15.00'
ⒿⒿ	N 1°31'30" W	15.00'
Ⓚ	S 1°30'34" E	22.67'
Ⓛ	N 88°28'30" E	34.00'

LEGEND

- EXISTING CENTERLINE
- EXISTING RIGHT OF WAY LINE
- PROPOSED CENTERLINE
- PROPOSED RIGHT OF WAY LINE
- PROPOSED TEMPORARY EASEMENT LINE
- PROPOSED PERMANENT EASEMENT LINE
- SECTION LINE
- QUARTER SECTION LINE
- QUARTER QUARTER SECTION LINE
- PLATTED LOT LINE
- PROPERTY (DEED) LINE
- APL — APPARENT PROPERTY LINE
- A/C — ACCESS CONTROL LINE
- SAME OWNERSHIP
- FENCE LINE

SECTION CORNER

QUARTER SECTION CORNER

CENTER OF SECTION

NO MON. FOUND OR SET

T1 ● T2 T3 — THESE. STAKES REFERENCE FOUND OR SET MONUMENTATION. SET ⅝ INCH IRON ROD FLUSH WITH GROUND. IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYORS REGISTRATION NUMBER.

BT1 ● BT2 BT3 — THESE. STAKES, IN CULTIVATED AREAS, REFERENCE FOUND OR SET MONUMENTATION. BURIED ⅝ INCH IRON ROD 20 INCHES BELOW GROUND SURFACE. IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYORS REGISTRATION NUMBER.

■ — STAKING OF PROPOSED RIGHT OF WAY. SET DIVISION OF HIGHWAYS SURVEY MARKER TO MONUMENT THE POSITION SHOWN. IDENTIFIED BY INSCRIPTION DATA AND SURVEYORS REGISTRATION NUMBER.

■M — STAKING OF PROPOSED RIGHT OF WAY IN CULTIVATED AREAS. BURIED ⅝ INCH IRON ROD 20 INCHES BELOW GROUND SURFACE TO MARK FUTURE SURVEY MARKER POSITION. IDENTIFIED BY COLORED PLASTIC CAP AND SURVEYORS REGISTRATION NUMBER.

■U — STAKING OF PROPOSED RIGHT OF WAY IN CLOSE PROXIMITY TO UNDERGROUND UTILITIES. SET DIVISION OF HIGHWAYS SURVEY MARKER ON ⅝ INCH IRON ROD (BETWEEN 6 INCHES AND 12 INCHES IN LENGTH) TO MONUMENT THE POSITION SHOWN. IDENTIFIED BY INSCRIPTION DATA AND SURVEYORS REGISTRATION NUMBER.

CALCULATIONS BY: E. SLADEK DRAFTING BY: L. KLEMM / E. SLADEK CHECKED BY: C. FIDIS

STATE OF ILLINOIS)
) S.S.
COUNTY OF COOK)

THIS IS TO CERTIFY THAT I, COVENTINE FIDIS, AN ILLINOIS PROFESSIONAL LAND SURVEYOR, HAVE SURVEYED THE PLAT OF HIGHWAYS SHOWN HEREON IN SECTION 13 AND 24, TOWNSHIP 36 NORTH, RANGE 11 EAST OF THE THIRD PRINCIPAL MERIDIAN, WILL COUNTY, THAT THE SURVEY IS TRUE AND COMPLETE AS SHOWN TO THE BEST OF MY KNOWLEDGE AND BELIEF, THAT THE PLAT CORRECTLY REPRESENTS SAID SURVEY, THAT ALL MONUMENTS FOUND AND ESTABLISHED ARE OF PERMANENT QUALITY AND OCCUPY THE POSITIONS SHOWN THEREON AND THAT THE MONUMENTS ARE SUFFICIENT TO ENABLE THE SURVEY TO BE RETRACED, MADE FOR THE DEPARTMENT OF TRANSPORTATION, STATE OF ILLINOIS.

DATED AT CHICAGO, ILLINOIS THIS ..TH DAY OF --------. 2013.

COVENTINE FIDIS
ILLINOIS PROFESSIONAL LAND SURVEYOR NO. 2159
LICENSE. EXPIRATION DATE 11/30/2014

THIS PROFESSIONAL SERVICE CONFORMS TO THE CURRENT ILLINOIS MINIMUM STANDARDS FOR A BOUNDARY SURVEY.

STATE OF ILLINOIS · COVENTINE FIDIS · 35-2159 · CHICAGO, ILL. · PROFESSIONAL LAND SURVEYOR

CONTRACT NO. 60X92 SHEET 170 OF 207
REVISION DATE: 12/3/2013 ASE. JOB NO. 210125.2

AMERICAN
SURVEYING & ENGINEERING, P.C.
SURVEYORS•ENGINEERS
105 W. Madison St. Suite 1700
Chicago, IL 60602
312-277-2000 / Fax 312-277-2002

GRAPHIC SCALE
50 0 50 100 150 200 250

PLAT OF HIGHWAYS
STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION
F.A.P. 351 (IL 7)
PARKER ROAD TO WILL-COOK ROAD

SECTION: WILL COUNTY
PROJECT: JOB NO. R-91-023-97
STATION: 249+74.46 TO STATION: 263+14.33
SCALE: 1" = 50' SHEET 9 OF 20

RECEIVED
DEC 03 2013
PLATS & LEGALS

BUREAU OF LAND ACQUISITION
201 WEST CENTER COURT
SCHAUMBURG, ILLINOIS 60196

PART OF SECTION 13 AND 24, T36N, R11E, OF THE 3RD PM, WILL COUNTY, ILLINOIS



PARCEL NO.	OWNER	PERMANENT INDEX NUMBER	TOTAL HOLDING	AREA TAKING	PREVIOUSLY DEDICATED	REMAINDER	EASEMENTS TEMP	EASEMENTS PERM	EASEMENT PURPOSE	PROPERTY ACQUIRED BY
1JD0268	CHICAGO TITLE LAND TRUST COMPANY AS SUCCESSOR TRUSTEE TO WAYNE HUMMER TRUST COMPANY, AS SUCCESSOR TRUSTEE TO HINSBROOK BANK AND TRUST COMPANY, AS TRUSTEE UNDER TRUST AGREEMENT DATED THE 23RD DAY OF JANUARY, 1997, AND KNOWN AS TRUST NUMBER 97-002	16-05-13-404-005	1.676 AC	0.185 AC	—	1.491 AC	—	—		
1JD0269	CANNELLA PROPERTIES HOMER GLEN, LLC, AN ILLINOIS LIABILITY COMPANY	16-05-13-401-036	1.525 AC	0.119 AC	—	1.406 AC	—	—		
1JD0270	PB & J XVI, LLC, AN ILLINOIS LIMITED LIABILITY COMPANY	16-05-13-401-037	3.403 AC	0.243 AC	—	3.160 AC	—	—		
1JD0270TE-A							0.028 AC	—	CONSTRUCTION	
1JD0270TE-B							0.037 AC	—	CONSTRUCTION	
1JD0271	FIRST MIDWEST BANK, AS SUCCESSOR TO PALOS BANK AND TRUST COMPANY, AS TRUSTEE UNDER TRUST AGREEMENT DATED THE 15TH DAY OF OCTOBER, 1976, AND KNOWN AS TRUST NUMBER 1-0979	16-05-13-401-035	1.002 AC	0.079 AC	—	0.923 AC	—	—		
1JD0271TE							0.041 AC	—	CONSTRUCTION	

LINE LEGEND

Ⓐ	S 31°06'03" E	26.45'
Ⓑ	S 1°40'35" E	25.00'
Ⓒ	N 1°38'38" W	25.00'
Ⓓ	S 1°38'38" E	20.00'
Ⓔ	S 1°38'38" E	12.00'
Ⓕ	S 88°28'30" W	11.53'
Ⓖ	N 1°31'30" W	13.00'
Ⓗ	N 88°28'30" E	12.00'
Ⓙ	N 1°31'30" W	18.00'
Ⓚ	N 88°28'30" E	52.00'
Ⓛ	S 1°30'30" E	31.00'

LEGEND

- EXISTING CENTERLINE
- EXISTING RIGHT OF WAY LINE
- PROPOSED CENTERLINE
- PROPOSED RIGHT OF WAY LINE
- PROPOSED TEMPORARY EASEMENT LINE
- PROPOSED PERMANENT EASEMENT LINE
- SECTION LINE
- QUARTER SECTION LINE
- QUARTER QUARTER SECTION LINE
- PLATTED LOT LINE
- PROPERTY (DEED) LINE
- APL — APPARENT PROPERTY LINE
- A/C — ACCESS CONTROL LINE
- SAME OWNERSHIP
- FENCE LINE

SECTION CORNER — QUARTER SECTION CORNER — CENTER OF SECTION

123.45' (123.45')

T1 ● T2 T3 — THESE. STAKES REFERENCE FOUND OR SET MONUMENTATION. SET 5/8 INCH IRON ROD FLUSH WITH GROUND. IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYORS REGISTRATION NUMBER.

BT1 ● BT2 BT3 — THESE. STAKES, IN CULTIVATED AREAS, REFERENCE FOUND OR SET MONUMENTATION. BURIED 5/8 INCH IRON ROD 20 INCHES BELOW GROUND SURFACE. IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYORS REGISTRATION NUMBER.

■ STAKING OF PROPOSED RIGHT OF WAY. SET DIVISION OF HIGHWAYS SURVEY MARKER TO MONUMENT THE POSITION SHOWN. IDENTIFIED BY INSCRIPTION DATA AND SURVEYORS REGISTRATION NUMBER.

■M STAKING OF PROPOSED RIGHT OF WAY IN CULTIVATED AREAS. BURIED 5/8 INCH IRON ROD 20 INCHES BELOW GROUND SURFACE TO MARK FUTURE SURVEY MARKER POSITION. IDENTIFIED BY COLORED PLASTIC CAP AND SURVEYORS REGISTRATION NUMBER.

■U STAKING OF PROPOSED RIGHT OF WAY IN CLOSE PROXIMITY TO UNDERGROUND UTILITIES. SET DIVISION OF HIGHWAYS SURVEY MARKER ON 5/8 INCH IRON ROD (BETWEEN 6 INCHES AND 12 INCHES IN LENGTH) TO MONUMENT THE POSITION SHOWN. IDENTIFIED BY INSCRIPTION DATA AND SURVEYORS REGISTRATION NUMBER.

CALCULATIONS BY: E. SLADEK — DRAFTING BY: L. KLEMM / E. SLADEK — CHECKED BY: C. FIDIS



STATE OF ILLINOIS)
) S.S.
COUNTY OF COOK)

THIS IS TO CERTIFY THAT I, COVENTINE FIDIS, AN ILLINOIS PROFESSIONAL LAND SURVEYOR, HAVE SURVEYED THE PLAT OF HIGHWAYS SHOWN HEREON IN SECTION 13 AND 24, TOWNSHIP 36 NORTH, RANGE 11 EAST OF THE THIRD PRINCIPAL MERIDIAN, WILL COUNTY, THAT THE SURVEY IS TRUE AND COMPLETE AS SHOWN TO THE BEST OF MY KNOWLEDGE AND BELIEF, THAT THE PLAT CORRECTLY REPRESENTS SAID SURVEY, THAT ALL MONUMENTS FOUND AND ESTABLISHED ARE OF PERMANENT QUALITY AND OCCUPY THE POSITIONS SHOWN THEREON AND THAT THE MONUMENTS ARE SUFFICIENT TO ENABLE THE SURVEY TO BE RETRACED, MADE FOR THE DEPARTMENT OF TRANSPORTATION, STATE OF ILLINOIS.

DATED AT CHICAGO, ILLINOIS THIS __TH DAY OF _____, 2013.

COVENTINE FIDIS
ILLINOIS PROFESSIONAL LAND SURVEYOR NO. 2159
LICENSE. EXPIRATION DATE 11/30/2014

THIS PROFESSIONAL SERVICE CONFORMS TO THE CURRENT ILLINOIS MINIMUM STANDARDS FOR A BOUNDARY SURVEY.

STATE OF ILLINOIS ★ COVENTINE FIDIS ★ 35-2159 ★ CHICAGO, ILL. ★ PROFESSIONAL LAND SURVEYOR

REVISION DATE: 11/25/2013

CONTRACT NO. 60X92 SHEET 171 OF 207
ASE. JOB NO. 210125.2

AMERICAN
SURVEYING & ENGINEERING, P.C.
SURVEYORS•ENGINEERS
105 W. Madison St. Suite 1700
Chicago, IL 60602
312-277-2000 / Fax 312-277-2002

GRAPHIC SCALE
50 0 50 100 150 200 250

PLAT OF HIGHWAYS
STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION
F.A.P. 351 (IL 7)
PARKER ROAD TO WILL-COOK ROAD

SECTION: WILL COUNTY
PROJECT: JOB NO. R-91-023-97
STATION: 263+14.26 TO STATION: 276+54.29
SCALE: 1" = 50' SHEET 10 OF 20

RECEIVED
NOV 26 2013
PLATS & LEGALS
BUREAU OF LAND ACQUISITION
201 WEST CENTER COURT
SCHAUMBURG, ILLINOIS 60196

PART OF SECTION 13 AND 24, T36N, R11E, OF THE 3RD PM, WILL COUNTY, ILLINOIS

PARCEL NO.	OWNER	PERMANENT INDEX NUMBER	TOTAL HOLDING	AREA TAKING	PREVIOUSLY DEDICATED	REMAINDER	EASEMENTS TEMP	EASEMENTS PERM	EASEMENT PURPOSE	PROPERTY ACQUIRED BY
1JD0263	EDWARD T. MCGOWAN, AS TRUSTEE OF THE EDWARD T. MCGOWAN TRUST DATED NOVEMBER 2, 1989	16-05-24-200-018	2.984 AC	0.662 AC	0.475 AC	2.322 AC	——	——		
1JD0264	ENAK, LLC. AN ILLINOIS LIMITED LIABILITY COMPANY	16-05-24-200-017	7.166 AC	0.076 AC	0.056 AC	7.090 AC	——	——		
1JD0265	STANDARD BANK AND TRUST COMPANY, AS TRUSTEE UNDER TRUST AGREEMENT DATED THE 17TH DAY OF NOVEMBER, 1994 AND KNOWN AS TRUST NUMBER 14641	16-05-24-200-022	10.148 AC	0.758 AC	0.533 AC	9.390 AC	——	——		
1JD0265TE							0.018 AC	——	CONSTRUCTION	
1JD0266	WAYNE ADAMS AND MARJORIE ADAMS AS JOINT TENANTS	16-05-24-200-009	5.067 AC	0.362 AC	0.266 AC	4.705 AC	——	——		
1JD0266TE							0.046 AC	——	CONSTRUCTION	

PARCEL NO.	OWNER	PERMANENT INDEX NUMBER	TOTAL HOLDING	AREA TAKING	PREVIOUSLY DEDICATED	REMAINDER	EASEMENTS TEMP	EASEMENTS PERM	EASEMENT PURPOSE	PROPERTY ACQUIRED BY
1JD0267	SPEEDWAY, LLC	16-05-24-200-019 16-05-24-204-005 16-05-24-204-006	3.050 AC	0.404 AC	0.303 AC	2.646 AC	——	——		
1JD0267TE-A							0.055 AC	——	CONSTRUCTION	
1JD0267TE-B							0.083 AC	——	CONSTRUCTION	



LEGEND

- EXISTING CENTERLINE
- EXISTING RIGHT OF WAY LINE
- PROPOSED CENTERLINE
- PROPOSED RIGHT OF WAY LINE
- PROPOSED TEMPORARY EASEMENT LINE
- PROPOSED PERMANENT EASEMENT LINE
- SECTION LINE
- QUARTER SECTION LINE
- QUARTER QUARTER SECTION LINE
- PLATTED LOT LINE
- PROPERTY (DEED) LINE
- APPARENT PROPERTY LINE
- ACCESS CONTROL LINE
- SAME OWNERSHIP
- FENCE LINE

SECTION CORNER

QUARTER SECTION CORNER

CENTER OF SECTION

123.45' (123.45')

T1 ● T2 T3 — THESE. STAKES REFERENCE FOUND OR SET MONUMENTATION. SET 5/8 INCH IRON ROD FLUSH WITH GROUND. IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYORS REGISTRATION NUMBER.

BT1 ● BT2 BT3 — THESE. STAKES, IN CULTIVATED AREAS, REFERENCE FOUND OR SET MONUMENTATION. BURIED 5/8 INCH IRON ROD 20 INCHES BELOW GROUNC SURFACE. IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYORS REGISTRATION NUMBER.

■ — STAKING OF PROPOSED RIGHT OF WAY. SET DIVISION OF HIGHWAYS SURVEY MARKER TO MONUMENT THE POSITION SHOWN. IDENTIFIED BY INSCRIPTION DATA AND SURVEYORS REGISTRATION NUMBER.

■M — STAKING OF PROPOSED RIGHT OF WAY IN CULTIVATED AREAS. BURIED 5/8 INCH IRON ROD 20 INCHES BELOW GROUND SURFACE TO MARK FUTURE SURVEY MARKER POSITION. IDENTIFIED BY COLORED PLASTIC CAP AND SURVEYORS REGISTRATION NUMBER.

■U — STAKING OF PROPOSED RIGHT OF WAY IN CLOSE. PROXIMITY TO UNDERGROUND UTILITIES. SET DIVISION OF HIGHWAYS SURVEY MARKER ON 5/8 INCH IRON ROD (BETWEEN 6 INCHES AND 12 INCHES IN LENGTH) TO MONUMENT THE POSITION SHOWN. IDENTIFIED BY INSCRIPTION DATA AND SURVEYORS REGISTRATION NUMBER.

STATE OF ILLINOIS)
) S.S.
COUNTY OF COOK)

THIS IS TO CERTIFY THAT I, COVENTINE FIDIS, AN ILLINOIS PROFESSIONAL LAND SURVEYOR, HAVE SURVEYED THE PLAT OF HIGHWAYS SHOWN HEREON IN SECTION 13 AND 24, TOWNSHIP 36 NORTH, RANGE 11 EAST OF THE THIRD PRINCIPAL MERIDIAN, WILL COUNTY, THAT THE SURVEY IS TRUE AND COMPLETE AS SHOWN TO THE BEST OF MY KNOWLEDGE AND BELIEF, THAT THE PLAT CORRECTLY REPRESENTS SAID SURVEY, THAT ALL MONUMENTS FOUND AND ESTABLISHED ARE OF PERMANENT QUALITY AND OCCUPY THE POSITIONS SHOWN THEREON AND THAT THE MONUMENTS ARE SUFFICIENT TO ENABLE THE SURVEY TO BE RETRACED, MADE FOR THE DEPARTMENT OF TRANSPORTATION, STATE OF ILLINOIS.

DATED AT CHICAGO, ILLINOIS THIS __TH DAY OF _____, 2013.

COVENTINE FIDIS
ILLINOIS PROFESSIONAL LAND SURVEYOR NO. 2159
LICENSE. EXPIRATION DATE 11/30/2014

THIS PROFESSIONAL SERVICE CONFORMS TO THE CURRENT ILLINOIS MINIMUM STANDARDS FOR A BOUNDARY SURVEY.

STATE OF ILLINOIS ★ COVENTINE FIDIS ★ 35-2159 ★ CHICAGO, ILL. ★ PROFESSIONAL LAND SURVEYOR

AMERICAN
SURVEYING & ENGINEERING, P.C.
SURVEYORS • ENGINEERS
105 W. Madison St. Suite 1700
Chicago, IL 60602
312-277-2000 / Fax 312-277-2002

GRAPHIC SCALE
50 0 50 100 150 200 250

PLAT OF HIGHWAYS STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION F.A.P. 351 (IL 7) PARKER ROAD TO WILL-COOK ROAD

SECTION: 13 & 24
PROJECT:
STATION: 263+14.25 TO STATION: 276+54.24
SCALE: 1" = 50'

WILL COUNTY
JOB NO. R-91-023-97
SHEET 11 OF 20

RECEIVED
GF NOV 26 2013
PLATS & LEGALS

BUREAU OF LAND ACQUISITION
201 WEST CENTER COURT
SCHAUMBURG, ILLINOIS 60196

CALCULATIONS BY: E. SLADEK
DRAFTING BY: L. KLEMM / E. SLADEK
CHECKED BY: C. FIDIS
REVISION DATE: 11/25/2013
CONTRACT NO. 60X92 SHEET 172 OF 207
ASE. JOB NO. 210125.2

PART OF SECTION 14, T36N, R11E, OF THE 3RD PM, WILL COUNTY, ILLINOIS



"1JD0200, 1JD0216 & 1JD0229"
TOTAL HOLDING DETAIL

SCALE : 1" = 200'

GRAPHIC SCALE

200 0 200 400 600 800 1000

"1JD0216"
TOTAL HOLDING DETAIL

SCALE : 1" = 60'

GRAPHIC SCALE

60 0 60 120 180 240 300

LEGEND

SECTION CORNER

QUARTER SECTION CORNER

CENTER OF SECTION

(123.45')

EXISTING CENTERLINE
EXISTING RIGHT OF WAY LINE
PROPOSED CENTERLINE
PROPOSED RIGHT OF WAY LINE
PROPOSED TEMPORARY EASEMENT LINE
PROPOSED PERMANENT EASEMENT LINE
SECTION LINE
QUARTER SECTION LINE
QUARTER QUARTER SECTION LINE
PLATTED LOT LINE
PROPERTY (DEED) LINE
APPARENT PROPERTY LINE
ACCESS CONTROL LINE

SAME OWNERSHIP

FENCE LINE

AMERICAN
SURVEYING & ENGINEERING, P.C.
SURVEYORS•ENGINEERS
105 W. Madison St. Suite 1700
Chicago, IL 60602
312-277-2000 / Fax 312-277-2002

STATE OF ILLINOIS)
) S.S.
COUNTY OF COOK)

THIS IS TO CERTIFY THAT I, COVENTINE FIDIS, AN ILLINOIS PROFESSIONAL LAND SURVEYOR, HAVE SURVEYED THE PLAT OF HIGHWAYS SHOWN HEREON IN SECTION 14, TOWNSHIP 36 NORTH, RANGE 11 EAST OF THE THIRD PRINCIPAL MERIDIAN, WILL COUNTY, THAT THE SURVEY IS TRUE AND COMPLETE AS SHOWN TO THE BEST OF MY KNOWLEDGE AND BELIEF, THAT THE PLAT CORRECTLY REPRESENTS SAID SURVEY. THAT ALL MONUMENTS FOUND AND ESTABLISHED ARE OF PERMANENT QUALITY AND OCCUPY THE POSITIONS SHOWN THEREON AND THAT THE MONUMENTS ARE SUFFICIENT TO ENABLE THE SURVEY TO BE RETRACED, MADE FOR THE DEPARTMENT OF TRANSPORTATION, STATE OF ILLINOIS.

DATED AT CHICAGO, ILLINOIS THIS __TH DAY OF _____, 2013.

STATE OF ILLINOIS
COVENTINE FIDIS
35-2159
CHICAGO, ILL.
PROFESSIONAL LAND SURVEYOR

COVENTINE FIDIS
ILLINOIS PROFESSIONAL LAND SURVEYOR NO. 2159
LICENSE. EXPIRATION DATE 11/30/2014

THIS PROFESSIONAL SERVICE CONFORMS TO THE CURRENT ILLINOIS MINIMUM STANDARDS FOR A BOUNDARY SURVEY.

PLAT OF HIGHWAYS
STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION
F.A.P. 351 (IL 7)
PARKER ROAD TO WILL-COOK ROAD

SECTION: WILL COUNTY
PROJECT: JOB NO. R-91-023-97
TOTAL HOLDING DETAILS
SCALE: VARIES SHEET 12 OF 20

CONTRACT NO. 60X92 SHEET 173 OF 207
ASE. JOB NO. 210125.2

CALCULATIONS BY: E. SLADEK
DRAFTING BY: L. KLEMM / E. SLADEK
CHECKED BY: C. FIDIS
REVISION DATE: 11/27/2013

RECEIVED
NOV 27 2013
PLATS & LEGALS

BUREAU OF LAND ACQUISITION
201 WEST CENTER COURT
SCHAUMBURG, ILLINOIS 60196

PART OF SECTION 14, 23 AND 24, T36N, R11E, OF THE 3RD PM, WILL COUNTY, ILLINOIS

LEGEND

SECTION CORNER

QUARTER SECTION CORNER

CENTER OF SECTION

EXISTING CENTERLINE
EXISTING RIGHT OF WAY LINE
PROPOSED CENTERLINE
PROPOSED RIGHT OF WAY LINE
PROPOSED TEMPORARY EASEMENT LINE
PROPOSED PERMANENT EASEMENT LINE
SECTION LINE
QUARTER SECTION LINE
QUARTER QUARTER SECTION LINE
PLATTED LOT LINE
PROPERTY (DEED) LINE
APPARENT PROPERTY LINE
ACCESS CONTROL LINE
SAME OWNERSHIP
FENCE LINE

BEARINGS AND COORDINATES ARE REFERENCED TO THE ILLINOIS STATE PLANE COORDINATE SYSTEM, EAST ZONE, NORTH AMERICAN DATUM OF 1983 (2007 ADJUSTMENT).

"1JD0204, 1JD0205, 1JD0208, 1JD0209"
"1JD0211, 1JD0222, 1JD0231"
"1JD0232 & 1JD0245"
TOTAL HOLDING DETAIL

STATE OF ILLINOIS)
) S.S.
COUNTY OF COOK)

THIS IS TO CERTIFY THAT I, COVENTINE FIDIS, AN ILLINOIS PROFESSIONAL LAND SURVEYOR, HAVE SURVEYED THE PLAT OF HIGHWAYS SHOWN HEREON IN SECTION 14, 23 AND 24, TOWNSHIP 36 NORTH, RANGE 11 EAST OF THE THIRD PRINCIPAL MERIDIAN, WILL COUNTY, THAT THE SURVEY IS TRUE AND COMPLETE AS SHOWN TO THE BEST OF MY KNOWLEDGE AND BELIEF, THAT THE PLAT CORRECTLY REPRESENTS SAID SURVEY, THAT ALL MONUMENTS FOUND AND ESTABLISHED ARE OF PERMANENT DUALITY AND OCCUPY THE POSITIONS SHOWN THEREON AND THAT THE MONUMENTS ARE SUFFICIENT TO ENABLE THE SURVEY TO BE RETRACED, MADE FOR THE DEPARTMENT OF TRANSPORTATION, STATE OF ILLINOIS.

DATED AT CHICAGO, ILLINOIS THIS --TH DAY OF ---------. 2013.

STATE OF ILLINOIS · COVENTINE F. FIDIS · 35-2159 · CHICAGO, ILL. · PROFESSIONAL LAND SURVEYOR

COVENTINE FIDIS
ILLINOIS PROFESSIONAL LAND SURVEYOR NO. 2159
LICENSE. EXPIRATION DATE 11/30/2014

THIS PROFESSIONAL SERVICE CONFORMS TO THE CURRENT ILLINOIS MINIMUM STANDARDS FOR A BOUNDARY SURVEY.

AMERICAN
SURVEYING & ENGINEERING, P.C.
SURVEYORS • ENGINEERS
105 W. Madison St. Suite 1700
Chicago, IL 60602
312-277-2000 / Fax 312-277-2002

GRAPHIC SCALE
200 0 200 400 600 800 1000

PLAT OF HIGHWAYS
STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION
F.A.P. 351 (IL 7)
PARKER ROAD TO WILL-COOK ROAD

SECTION: WILL COUNTY
PROJECT: JOB NO. R-91-023-97
TOTAL HOLDING DETAILS
SCALE: 1" = 200' SHEET 13 OF 20

RECEIVED
NOV 27 2013
PLATS & LEGALS

BUREAU OF LAND ACQUISITION
201 WEST CENTER COURT
SCHAUMBURG, ILLINOIS 60196

CONTRACT NO. 60X92 SHEET 174 OF 207
ASE. JOB NO. 210125.2

CALCULATIONS BY: E. SLADEK DRAFTING BY: L. KLEMM / E. SLADEK CHECKED BY: C. FIDIS
REVISION DATE: 11/27/2013

PART OF SECTION 13, T36N, R11E, OF THE 3RD PM, WILL COUNTY, ILLINOIS



"1JD0252, 1JD0254 & 1JD0257"
TOTAL HOLDING DETAIL



BEARINGS AND COORDINATES ARE REFERENCED TO THE ILLINOIS STATE PLANE COORDINATE SYSTEM, EAST ZONE, NORTH AMERICAN DATUM OF 1983 (2007 ADJUSTMENT).

LEGEND

SECTION CORNER

15 — 14 QUARTER SECTION CORNER

16 CENTER OF SECTION

(123.45')

- EXISTING CENTERLINE
- EXISTING RIGHT OF WAY LINE
- PROPOSED CENTERLINE
- PROPOSED RIGHT OF WAY LINE
- PROPOSED TEMPORARY EASEMENT LINE
- PROPOSED PERMANENT EASEMENT LINE
- SECTION LINE
- QUARTER SECTION LINE
- QUARTER QUARTER SECTION LINE
- PLATTED LOT LINE
- PROPERTY (DEED) LINE
- APL — APPARENT PROPERTY LINE
- A/C — ACCESS CONTROL LINE
- SAME OWNERSHIP
- FENCE LINE

STATE OF ILLINOIS)
) S.S.
COUNTY OF COOK)

THIS IS TO CERTIFY THAT I, COVENTINE FIDIS, AN ILLINOIS PROFESSIONAL LAND SURVEYOR, HAVE SURVEYED THE PLAT OF HIGHWAYS SHOWN HEREON IN SECTION 13, TOWNSHIP 36 NORTH, RANGE 11 EAST OF THE THIRD PRINCIPAL MERIDIAN, WILL COUNTY, THAT THE SURVEY IS TRUE AND COMPLETE AS SHOWN TO THE BEST OF MY KNOWLEDGE AND BELIEF, THAT THE PLAT CORRECTLY REPRESENTS SAID SURVEY, THAT ALL MONUMENTS FOUND AND ESTABLISHED ARE OF PERMANENT QUALITY AND OCCUPY THE POSITIONS SHOWN THEREON AND THAT THE MONUMENTS ARE SUFFICIENT TO ENABLE THE SURVEY TO BE RETRACED, MADE FOR THE DEPARTMENT OF TRANSPORTATION, STATE OF ILLINOIS.

DATED AT CHICAGO, ILLINOIS THIS __TH DAY OF _____, 2013.

COVENTINE FIDIS
ILLINOIS PROFESSIONAL LAND SURVEYOR NO. 2159
LICENSE. EXPIRATION DATE 11/30/2014

THIS PROFESSIONAL SERVICE CONFORMS TO THE CURRENT ILLINOIS MINIMUM STANDARDS FOR A BOUNDARY SURVEY.



AMERICAN
SURVEYING & ENGINEERING, P.C.
SURVEYORS • ENGINEERS
105 W. Madison St. Suite 1700
Chicago, IL 60602
312-277-2000 / Fax 312-277-2002

GRAPHIC SCALE
200 0 200 400 600 800 1000

CONTRACT NO. 60X92 SHEET 175 OF 207
ASE. JOB NO. 210125.2

CALCULATIONS BY: E. SLADEK
DRAFTING BY: L. KLEMM / E. SLADEK
CHECKED BY: C. FIDIS
REVISION DATE: 12/3/2013

PLAT OF HIGHWAYS
STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION
F.A.P. 351 (IL 7)
PARKER ROAD TO WILL-COOK ROAD

SECTION: WILL COUNTY
PROJECT: JOB NO. R-91-023-97
TOTAL HOLDING DETAILS
SCALE: 1" = 200' SHEET 14 OF 20

RECEIVED
DEC 03 2013
PLATS & LEGALS

BUREAU OF LAND ACQUISITION
201 WEST CENTER COURT
SCHAUMBURG, ILLINOIS 60196

PART OF SECTION 13, 14, 23 AND 24, T36N, R11E, OF THE 3RD PM, WILL COUNTY, ILLINOIS

FOUND 5/8" IRON ROD
PER DOC. NO. R97-101494
REC. 11/14/1997
SC200001

240032
FOUND PK NAIL
PER DOC. NO. R2003-085904
REC. 04/14/2003

240012
FOUND 1" IRON ROD
PER DOC. NO. R97-101501
REC. 11/14/1997

200079
SET 1/2" REBAR

240033
FOUND MAG NAIL
PER DOC. NO. R97-101498
REC. 11/14/1997

BEARINGS AND COORDINATES ARE REFERENCED TO THE ILLINOIS STATE PLANE COORDINATE SYSTEM, EAST ZONE, NORTH AMERICAN DATUM OF 1983 (2007 ADJUSTMENT).

LEGEND
- SECTION CORNER
- QUARTER SECTION CORNER
- CENTER OF SECTION
- EXISTING CENTERLINE
- PROPOSED CENTERLINE
- QUARTER SECTION LINE

POT Sta 36+54.16
A1033

POT Sta 26+06.66
A1037

POT Sta 21+60.06
A1036

PARKER ROAD

BELL ROAD

PLAT STATIONING DIFFERENCE INCREASES DOWN STA.

PLAT STATIONING DIFFERENCE INCREASES UP STA.

SET MAG NAIL
DOC. NO. R2011-101926
REC. 10/31/2011
SC200002
A1006

POT Sta 172+29.71
POT Sta 172+29.56

A1007
POT Sta 183+88.41
POT Sta 183+88.31

FOUND CROSS CUT IN 3 1/4" BRASS MONUMENT PER DOC. NO. R97-101502, REC. 11/14/1997
240027

240026
FOUND CROSS CUT IN 3 1/4" BRASS MONUMENT PER DOC. NO. R2003085903 REC. 4/14/2003

A1009
POT Sta 233+09.66
(POT Sta 233+09.76)

FOUND 3/4" IRON ROD
PER DOC. NO. R2001006911
REC. 1/19/2001
260409

SET MAG NAIL
DOC. NO. R2011-101926
REC. 10/31/2011
200077
A1010

POT Sta 276+53.84
(POT Sta 276+54.13)

A1011
POT Sta 309+34.68
(POT Sta 309+35.10)

F.A.P. 351
(IL 7)
(159th STREET)

PROPOSED CENTERLINE OF CONSTRUCTION

WILL COUNTY
WILL-COOK ROAD
COOK COUNTY

POT Sta 140+21.29
POT Sta 140+21.00
A1005

POT Sta 4+46.85
A1031

POT Sta 216+69.25
POT Sta 216+69.28
A1008

PLATS STATIONING ORIGIN STA. 210+00

STA 170+61.99 ℄ IL ROUTE 7/159th STREET = STA. 20+00.00 ℄ PARKER ROAD
STA 170+61.83 ℄ IL ROUTE 7/159th STREET = STA. 20+00.00 ℄ PARKER ROAD

STA. 223+20.23 IL. ROUTE 7/159th STREET = STA. 10+00.00 N. BELL ROAD
STA. 223+20.29 IL. ROUTE 7/159th STREET = STA. 10+00.00 N. BELL ROAD

FOUND MAG NAIL
PER RECOVERY TIES
DOC. NO. R97-101492
REC. 11/14/1997
SC200003

FOUND 3/4" IRON PIPE AT CORNER
200075

FOUND CROSS CUT IN LIMESTONE PER DOC. NO. R97-101495 REC. 11/14/1997
200076

NO MON. FOUND OR SET
200078

FOUND 5/8" IRON ROD CALLED FOR BY DOC. NO. R97-101497 RERECORDED AS DOC. NO. R2011-101927 REC. 10/31/2011
200080

CENTERLINE OF CONSTRUCTION PARKER ROAD

A1031	N	1,795,358.225 E	1,089,338.124 Sta	4+46.85
Course from A1031 to A1032 N 1° 43' 26" W Dist 1,553.148				
A1032	N	1,796,910.670 E	1,089,291.400 Sta	20+00.00
Course from A1032 to A1033 N 1° 46' 59" W Dist 1,654.159				
A1033	N	1,798,564.028 E	1,089,239.932 Sta	36+54.16

(SEE PAGE 20 OF 20 FOR RECOVERY TIE DATA)

CENTERLINE OF CONSTRUCTION BELL ROAD

A1035	N	1,797,083.340 E	1,094,546.800 Sta	10+00.00
Course from A1035 to A1036 N 1° 36' 30" W Dist 1,160.060				
A1036	N	1,798,242.943 E	1,094,514.242 Sta	21+60.06
Course from A1036 to A1037 N 1° 36' 30" W Dist 446.596				
A1037	N	1,798,689.364 E	1,094,501.708 Sta	26+06.66

(SEE PAGE 20 OF 20 FOR RECOVERY TIE DATA)

CENTERLINE OF CONSTRUCTION F.A.P. 351 IL 7 (159th STREET)

A1005	N	1,796,806.396 E	1,086,252.495 Sta	140+21.29
Course from A1005 to A1006 N 88° 02' 05" E Dist 3,208.420				
A1006	N	1,796,916.420 E	1,089,459.027 Sta	172+29.71
Course from A1006 to A1007 N 88° 05' 05" E Dist 1,158.701				
A1007	N	1,796,955.148 E	1,090,617.081 Sta	183+88.41
Course from A1007 to A1008 N 88° 04' 34" E Dist 3,280.835				
A1008	N	1,797,065.292 E	1,093,896.067 Sta	216+69.25
Course from A1008 to A1009 N 88° 24' 42" E Dist 1,640.413				
A1009	N	1,797,110.761 E	1,095,535.850 Sta	233+09.66
Course from A1009 to A1010 N 88° 27' 08" E Dist 4,344.181				
A1010	N	1,797,228.090 E	1,099,878.446 Sta	276+53.84
Course from A1010 to A1011 N 88° 15' 32" E Dist 3,280.836				
A1011	N	1,797,327.775 E	1,103,157.767 Sta	309+34.68

(SEE PAGE 20 OF 20 FOR RECOVERY TIE DATA)

SECTION CORNERS

POINT NO.	NORTH	EAST
200075	1794355.556	1092000.838
200076	1794450.917	1094623.886
200077	1797246.551	1099878.001
200078	1794528.091	1097277.373
200079	1799821.939	1097127.299
200080	1794605.203	1099939.335
240012	1799747.776	1094473.068
240026	1797093.937	1094544.230
240027	1797003.889	1091919.620
240032	1802311.619	1091749.271
240033	1799896.789	1099806.428
260409	1797173.501	1097199.401
SC200001	1799563.070	1089202.560
SC200002	1796913.558	1089293.953
SC200003	1794259.865	1089370.027

GRAPHIC SCALE
400 0 400 800 1200 1600 2000

CALCULATIONS BY: E. SLADEK
DRAFTING BY: L. KLEMM / E. SLADEK
CHECKED BY: C. FIDIS

STATE OF ILLINOIS)
) S.S.
COUNTY OF COOK)

THIS IS TO CERTIFY THAT I, COVENTINE FIDIS, AN ILLINOIS PROFESSIONAL LAND SURVEYOR, HAVE SURVEYED THE PLAT OF HIGHWAYS SHOWN HEREON IN SECTION 13, 14, 23 AND 24, TOWNSHIP 36 NORTH, RANGE 11 EAST OF THE THIRD PRINCIPAL MERIDIAN, WILL COUNTY, THAT THE SURVEY IS TRUE AND COMPLETE AS SHOWN TO THE BEST OF MY KNOWLEDGE AND BELIEF, THAT THE PLAT CORRECTLY REPRESENTS SAID SURVEY, THAT ALL MONUMENTS FOUND AND ESTABLISHED ARE OF PERMANENT QUALITY AND OCCUPY THE POSITIONS SHOWN THEREON AND THAT THE MONUMENTS ARE SUFFICIENT TO ENABLE THE SURVEY TO BE RETRACED, MADE FOR THE DEPARTMENT OF TRANSPORTATION, STATE OF ILLINOIS.

DATED AT CHICAGO, ILLINOIS THIS __TH DAY OF _____, 2013.

COVENTINE FIDIS
ILLINOIS PROFESSIONAL LAND SURVEYOR NO. 2159
LICENSE. EXPIRATION DATE 11/30/2014

THIS PROFESSIONAL SERVICE CONFORMS TO THE CURRENT ILLINOIS MINIMUM STANDARDS FOR A BOUNDARY SURVEY.

STATE OF ILLINOIS * COVENTINE FIDIS * 35-2159 * CHICAGO, ILL. * PROFESSIONAL LAND SURVEYOR

AMERICAN
SURVEYING & ENGINEERING, P.C.
SURVEYORS•ENGINEERS
105 W. Madison St. Suite 1700
Chicago, IL 60602
312-277-2000 / Fax 312-277-2002

PLAT OF HIGHWAYS
STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION
F.A.P. 351 (IL 7)
PARKER ROAD TO WILL-COOK ROAD

SECTION: WILL COUNTY
PROJECT: JOB NO. R-91-023-97
DESIGN ALIGNMENT, COORDS. & GROUND STA. REFERENCE
SCALE: 1" = 400' SHEET 15 OF 20

CONTRACT NO. 60X92 SHEET 176 OF 207
REVISION DATE: 7/17/2013
ASE. JOB NO. 210125.2

RECEIVED
JUL 17 2013
PLATS & LEGALS

BUREAU OF LAND ACQUISITION
201 WEST CENTER COURT
SCHAUMBURG, ILLINOIS 60196

PART OF SECTION 13, 14, 23 AND 24, T36N, R11E, OF THE 3RD PM, WILL COUNTY, ILLINOIS

PROPOSED F.A.P. 351 IL 7 (159th STREET) RIGHT OF WAY CORNERS

COORDINATE TABLE FOR PAGE 16 OF 20

NORTHING	EASTING	POINT NO.
1797022.772	1089368.229	245000
1797029.339	1090439.351	245015
1797022.145	1090228.716	245016
1797052.126	1090227.692	245017
1797031.972	1090604.348	245019
1797032.800	1090628.596	245024
1797020.808	1090629.005	245025
1797047.991	1091278.429	245026
1797067.979	1091277.746	245027
1797085.045	1091777.434	245028
1797026.340	1090439.451	245101
1796834.941	1089434.758	246077
1796865.235	1089442.893	246081
1796835.254	1089443.917	246082
1796871.885	1089637.585	246084
1796851.897	1089638.268	246085
1796860.157	1089880.111	246093
1796866.916	1090077.987	246100
1796880.545	1090477.053	246128
1796885.051	1090608.972	246131
1796885.802	1090630.958	246133
1796832.364	1089359.304	246158
1796866.904	1090077.639	246445
1797030.962	1090926.320	246449
1797035.959	1090926.149	246450

COORDINATE TABLE FOR PAGE 17 OF 20

NORTHING	EASTING	POINT NO.
1797065.057	1091778.116	245029
1797069.818	1091917.504	245031
1797085.748	1092410.183	245033
1797095.938	1092725.340	245034
1797129.167	1092979.461	245035
1797105.245	1093013.179	245036
1797101.593	1092900.242	245037
1797112.258	1093230.057	245038
1797120.336	1093479.918	245041
1797132.450	1093479.561	245042
1797146.542	1093890.307	245044
1797123.623	1093890.982	245046
1797138.296	1094344.772	245049
1796907.908	1091278.210	246141
1796902.911	1091278.381	246142
1796924.894	1091922.042	246148
1796985.402	1093483.959	246172
1796991.295	1093666.194	246173
1796999.030	1093905.426	246176
1796970.014	1093936.323	246177
1796964.604	1094016.522	246184
1796998.266	1094036.504	246185
1797001.439	1094134.659	246187
1797005.275	1094253.290	246192
1797008.539	1094354.233	246193
1797015.535	1094354.007	246194
1796957.559	1092932.272	246340
1796962.557	1092932.110	246341
1796969.020	1093131.998	246342
1796964.022	1093132.159	246343
1796926.026	1091957.023	246364
1796928.818	1092043.374	246365
1796894.965	1092079.371	246366
1796889.556	1090740.891	246423
1796890.750	1090775.855	246425
1796921.490	1091822.355	246427
1796967.328	1093234.403	246430
1796933.665	1092193.290	246431
1796897.550	1092159.326	246432
1796975.407	1093484.263	246435
1797017.856	1094425.774	246443

COORDINATE TABLE FOR PAGE 18 OF 20

NORTHING	EASTING	POINT NO.
1797172.085	1094632.161	245056
1797176.109	1094783.319	245078
1797161.115	1094783.724	245080
1797165.560	1094950.657	245081
1797180.554	1094950.252	245082
1797188.282	1095240.537	245085
1797190.836	1095336.499	245088
1797195.989	1095530.022	245099
1797185.386	1095695.362	246003
1797190.043	1095870.293	246008
1797193.884	1096014.598	246011
1797208.878	1096014.191	246012
1797213.017	1096169.630	246018
1797223.012	1096169.359	246019
1797021.756	1094546.403	246195
1797014.760	1094546.614	246196
1797018.686	1094694.113	246205
1797022.613	1094841.610	246207
1797026.540	1094989.107	246209
1797042.122	1095574.424	246226
1797047.711	1095784.342	246235
1796984.339	1095846.255	246236
1797021.185	1095915.185	246238
1797047.222	1096029.010	246239
1797056.880	1096128.759	246240
1797061.411	1096298.953	246242
1797085.452	1097201.997	246248
1797067.497	1096527.548	246407
1797072.495	1096527.414	246408
1797080.478	1096827.296	246409
1797075.480	1096827.429	246410
1797049.883	1096128.971	246448
1797183.386	1095695.416	246458
1797178.995	1095530.481	246459

COORDINATE TABLE FOR PAGE 19 OF 20

NORTHING	EASTING	POINT NO.
1797224.769	1096235.332	246022
1797227.459	1096336.368	246029
1797230.082	1096434.912	246033
1797232.706	1096533.463	246036
1797212.714	1096534.005	246037
1797219.013	1096770.614	246040
1797223.388	1096934.933	246041
1797227.762	1097099.252	246044
1797230.387	1097197.853	246045
1797256.668	1098185.001	246478
1797466.050	1098159.337	246479
1797469.817	1098300.817	246480
1797282.384	1098399.488	246481
1797285.056	1098499.841	246053
1797290.054	1098499.707	246054
1797291.033	1098536.504	246056
1797292.183	1098579.676	246057
1797277.189	1098580.075	246058
1797280.832	1098716.926	246059
1797321.346	1098735.762	246062
1797296.487	1098816.511	246065
1797278.853	1099018.318	246066
1797273.844	1098830.171	246157
1797108.275	1097871.381	246263
1797111.125	1097978.429	246266
1797115.409	1098139.365	246268
1797112.882	1098325.188	246271
1797105.357	1098325.388	246272
1797110.599	1098522.310	246275
1797095.605	1098522.709	246276
1797096.111	1098541.702	246277
1797096.936	1098572.689	246278
1797116.928	1098572.157	246279
1797124.084	1098840.946	246285
1797125.015	1098875.932	246287
1797101.764	1097626.816	246385
1797096.766	1097626.950	246386
1797089.908	1097369.378	246437

COORDINATE AND RECOVERY TIE DATA

F.A.P. 351 IL 7 (159th STREET) RIGHT OF WAY CORNER RECOVERY TIES

PARCEL 1JD0201



TIE	DISTANCE	DESCRIPTION
T1	71.79'	957
T2	42.54'	956
T3	77.13'	983

PARCEL 1JD0202 / 1JD0204



TIE	DISTANCE	DESCRIPTION
T1	80.70'	972
T2	75.89'	972
T3	46.60'	957

PARCEL 1JD0200-A / 1JD0213



TIE	DISTANCE	DESCRIPTION
T1	23.97'	964
T2	62.19'	954
T3	27.94'	960

PARCEL 1JD0208 / 1JD0209



TIE	DISTANCE	DESCRIPTION
T1	17.11'	950
T2	56.33'	951
T3	74.14'	960

PARCEL 1JD0200-B



TIE	DISTANCE	DESCRIPTION
T1	33.96'	960
T2	45.27'	960
T3	54.88'	964

PARCEL 1JD0201 / 1JD0202



TIE	DISTANCE	DESCRIPTION
T1	39.71'	972
T2	41.61'	957
T3	69.44'	956

PARCEL 1JD0204 / 1JD0205



TIE	DISTANCE	DESCRIPTION
T1	35.93'	984
T2	39.18'	984
T3	32.40'	972

PARCEL 1JD0200-A / 1JD0213



TIE	DISTANCE	DESCRIPTION
T1	26.26'	964
T2	65.20'	954
T3	30.86'	960

PARCEL 1JD0209 / 1JD0210



TIE	DISTANCE	DESCRIPTION
T1	49.24'	951
T2	11.11'	950
T3	95.55'	960

PARCEL 1JD0200-B



TIE	DISTANCE	DESCRIPTION
T1	33.97'	960
T2	41.92'	960
T3	34.75'	960

PARCEL 1JD0202



TIE	DISTANCE	DESCRIPTION
T1	24.31'	972
T2	11.35'	972
T3	40.68'	972

PARCEL 1JD0204 / 1JD0205



TIE	DISTANCE	DESCRIPTION
T1	35.59'	984
T2	38.90'	984
T3	32.34'	912

TIE	DISTANCE	DESCRIPTION

PARCEL 1JD0200-B / 1JD0213



TIE	DISTANCE	DESCRIPTION
T1	45.23'	960
T2	38.27'	960
T3	33.27'	964

PARCEL 1JD0200-B



TIE	DISTANCE	DESCRIPTION
T1	38.34'	960
T2	46.87'	960
T3	38.55'	960

PARCEL 1JD0202



TIE	DISTANCE	DESCRIPTION
T1	84.42'	956
T2	41.22'	972
T3	70.23'	972

PARCEL 1JD0200-A



TIE	DISTANCE	DESCRIPTION
T1	19.41'	960
T2	48.57'	960
T3	69.84'	960

PARCEL JD0208



TIE	DISTANCE	DESCRIPTION
T1	63.66'	960
T2	29.29'	960
T3	72.17'	960

PARCEL 1JD0200-B



TIE	DISTANCE	DESCRIPTION
T1	24.48'	960
T2	33.39'	960
T3	45.83'	964

PARCEL 1JD0200-B



TIE	DISTANCE	DESCRIPTION
T1	44.91'	960
T2	44.82'	960
T3	53.92'	964

PARCEL 1JD0200-B



TIE	DISTANCE	DESCRIPTION
T1	29.50'	960
T2	24.86'	960
T3	43.62'	964

PARCEL 1JD0200-B



TIE	DISTANCE	DESCRIPTION
T1	19.91'	960
T2	21.66'	960
T3	22.99'	960

PARCEL 1JD0202



TIE	DISTANCE	DESCRIPTION
T1	31.40'	964
T2	43.30'	958
T3	30.23'	957

PARCEL 1JD0200-A



TIE	DISTANCE	DESCRIPTION
T1	27.61'	960
T2	17.36'	960
T3	21.45'	960

PARCEL 1JD0202



TIE	DISTANCE	DESCRIPTION
T1	13.01'	964
T2	32.42'	958
T3	32.55'	957

PARCEL 1JD0200-A



TIE	DISTANCE	DESCRIPTION
T1	23.15'	960
T2	41.50'	960
T3	50.95'	960

BEARINGS AND COORDINATES ARE REFERENCED TO THE ILLINOIS STATE PLANE COORDINATE SYSTEM, EAST ZONE, NORTH AMERICAN DATUM OF 1983 (2007 ADJUSTMENT).

DESCRIPTION LEGEND

950 - MAG NAIL IN UTILITY POLE
951 - MAG NAIL IN TREE
952 - "+" IN POLE FOUNDATION, BASE, OR BOLT
953 - CENTER TOP SPINDLE BOLT OF FIRE HYDRANT
954 - "+" ON CURB
955 - "+" ON WALK / CONCRETE PAD
956 - NW CORNER OF BUILDING
957 - NE CORNER OF BUILDING
958 - SE CORNER OF BUILDING
959 - SW CORNER OF BUILDING
960 - IRON ROD WITH YELLOW PLASTIC CAP
961 - "+" ON METAL FENCE POST
962 - MAG NAIL IN FENCE POST
963 - "+" ON MANHOLE, CATCH BASIN, OR VAULT RIM
964 - MAG NAIL IN PAVEMENT
965 - "+" ON CONCRETE RETAINING WALL
966 - "+" ON CONCRETE HEADWALL
967 - MAG NAIL IN LIGHT POLE
968 - MAG NAIL IN WOOD SIGN POST
969 - MAG NAIL IN RAILROAD TIE
970 - "+" ON LEG OF ELECTRIC TRANSMISSION TOWER
971 - CORNER OF LARGE SIGN
972 - FENCE CORNER
973 - MAG NAIL ON WOOD GUARDRAIL POST
974 - "+" ON CONC. SIGN FOUNDATION
975 - MAG NAIL ON STUMP
976 - "+" ON BUILDING FACE
977 - "+" ON RAILROAD SPIKE
978 - CORNER OF PLANTER
979 - CORNER OF COLUMN
980 - "+" ON CONCRETE PIER
981 - "+" ON BUILDING FOUNDATION
982 - NAIL AND WASHER IN PAVEMENT
983 - CORNER OF BUILDING ENTRANCE
984 - CORNER OF BUILDING (OTHER)
985 - "+" ON TOP OF FLARE END SECTION
986 - CORNER OF PERGOLA POST
987 - NORTH FACE OF STEEL BILLBOARD POST
988 - "+" ON CONC. TRANSFORMER FOUNDATION
989 - CENTER OF MONITORING WELL
990 - FACE OF LIGHT POLE, FLAG POLE
991 - IRON ROD WITH NO CAP

STATE OF ILLINOIS)
) S.S.
COUNTY OF COOK)

THIS IS TO CERTIFY THAT I, COVENTINE FIDIS, AN ILLINOIS PROFESSIONAL LAND SURVEYOR, HAVE SURVEYED THE PLAT OF HIGHWAYS SHOWN HEREON IN SECTION 13, 14, 23 AND 24, TOWNSHIP 36 NORTH, RANGE 11 EAST OF THE THIRD PRINCIPAL MERIDIAN, WILL COUNTY, THAT THE SURVEY IS TRUE AND COMPLETE AS SHOWN TO THE BEST OF MY KNOWLEDGE AND BELIEF, THAT THE PLAT CORRECTLY REPRESENTS SAID SURVEY, THAT ALL MONUMENTS FOUND AND ESTABLISHED ARE OF PERMANENT QUALITY AND OCCUPY THE POSITIONS SHOWN THEREON AND THAT THE MONUMENTS ARE SUFFICIENT TO ENABLE THE SURVEY TO BE RETRACED, MADE FOR THE DEPARTMENT OF TRANSPORTATION, STATE OF ILLINOIS.

DATED AT CHICAGO, ILLINOIS THIS __TH DAY OF _____, 2013.

COVENTINE FIDIS
ILLINOIS PROFESSIONAL LAND SURVEYOR NO. 2159
LICENSE. EXPIRATION DATE 11/30/2014

THIS PROFESSIONAL SERVICE CONFORMS TO THE CURRENT ILLINOIS MINIMUM STANDARDS FOR A BOUNDARY SURVEY.

STATE OF ILLINOIS · COVENTINE F. FIDIS · 35-2159 · CHICAGO, ILL. · PROFESSIONAL LAND SURVEYOR

REVISION DATE: 12/3/2013

CONTRACT NO. 60X92 SHEET 177 OF 207
ASE. JOB NO. 210125.2

CALCULATIONS BY: E. SLADEK
DRAFTING BY: L. KLEMM / J. NOCON
CHECKED BY: C. FIDIS

AMERICAN
SURVEYING & ENGINEERING, P.C.
SURVEYORS•ENGINEERS
105 W. Madison St. Suite 1700
Chicago, IL 60602
312-277-2000 / Fax 312-277-2002

PLAT OF HIGHWAYS
STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION
F.A.P. 351 (IL 7)
PARKER ROAD TO WILL-COOK ROAD

SECTION: WILL COUNTY
PROJECT: JOB NO. R-91-023-97
COORDINATE TABLE, RECOVERY TIES (159TH STREET)
SCALE: (NO SCALE) SHEET 16 OF 20

RECEIVED
DEC 03 2013
PLATS & LEGALS

BUREAU OF LAND ACQUISITION
201 WEST CENTER COURT
SCHAUMBURG, ILLINOIS 60196

PART OF SECTION 13, 14, 23 AND 24, T36N, R11E, OF THE 3RD PM, WILL COUNTY, ILLINOIS

RECOVERY TIE DATA

F.A.P. 351 IL 7 (159th STREET) RIGHT OF WAY CORNER RECOVERY TIES

PARCEL 1JD0200-B



TIE	DISTANCE	DESCRIPTION
T1	35.68'	960
T2	41.52'	960
T3	38.04'	960

PARCEL 1JD0213



TIE	DISTANCE	DESCRIPTION
T1	56.98'	960
T2	45.24'	950
T3	51.75'	960

PARCEL 1JD0221



TIE	DISTANCE	DESCRIPTION
T1	33.15'	960
T2	20.21'	960
T3	89.55'	951

PARCEL 1JD0218



TIE	DISTANCE	DESCRIPTION
T1	67.44'	959
T2	90.62'	956
T3	60.93'	960

PARCEL 1JD0222-1JD0223



TIE	DISTANCE	DESCRIPTION
T1	19.55'	951
T2	47.80'	960
T3	43.10'	960

PARCEL 1JD0224



TIE	DISTANCE	DESCRIPTION
T1	15.40'	951
T2	27.72'	951
T3	47.03'	951

PARCEL 1JD0225-1JD0226



TIE	DISTANCE	DESCRIPTION
T1	86.88'	959
T2	72.00'	956
T3	6.67'	951

PARCEL 1JD0227



TIE	DISTANCE	DESCRIPTION
T1	30.82'	956
T2	11.95'	960
T3	41.00'	984

PARCEL 1JD0210 / 1JD0211



TIE	DISTANCE	DESCRIPTION
T1	74.74'	960
T2	45.64'	960
T3	38.20	960

PARCEL 1JD0200-B / 1JD0215



TIE	DISTANCE	DESCRIPTION
T1	68.57'	951
T2	49.49'	950
T3	24.85'	960

PARCEL 1JD0215 / 1JD0216



TIE	DISTANCE	DESCRIPTION
T1	29.26'	960
T2	29.89'	960
T3	34.16'	960

PARCEL 1JD0218



TIE	DISTANCE	DESCRIPTION
T1	43.06'	959
T2	92.40'	956
T3	82.07'	960

PARCEL 1JD0222-1JD0223



TIE	DISTANCE	DESCRIPTION
T1	25.06'	951
T2	57.14'	960
T3	48.18'	960

PARCEL 1JD0224



TIE	DISTANCE	DESCRIPTION
T1	78.99'	954
T2	57.39'	954
T3	35.05'	954

PARCEL 1JD0226-1JD0227



TIE	DISTANCE	DESCRIPTION
T1	22.62'	972
T2	22.55'	951
T3	24.02'	951

PARCEL 1JD0227



TIE	DISTANCE	DESCRIPTION
T1	62.40'	991
T2	83.05'	991
T3	46.30'	991

PARCEL 1JD0211 / 1JD0212



TIE	DISTANCE	DESCRIPTION
T1	42.68'	960
T2	28.38'	960
T3	41.74'	960

PARCEL 1JD0213-1JD0214



TIE	DISTANCE	DESCRIPTION
T1	31.32'	960
T2	47.25'	950
T3	77.11'	960

PARCEL 1JD0216 / 1JD0217



TIE	DISTANCE	DESCRIPTION
T1	25.54'	960
T2	25.78'	960
T3	21.52'	960

PARCEL 1JD0221



TIE	DISTANCE	DESCRIPTION
T1	48.21'	960
T2	39.21'	960
T3	33.87'	960

PARCEL 1JD0229-1JD0230



TIE	DISTANCE	DESCRIPTION
T1	39.91'	960
T2	40.28'	960
T3	47.86'	960

PARCEL 1JD0205



TIE	DISTANCE	DESCRIPTION
T1	24.34'	954
T2	67.36'	958
T3	50.21'	959

PARCEL 1JD0230-1JD0231



TIE	DISTANCE	DESCRIPTION
T1	20.60'	954
T2	55.39'	954
T3	12.30'	954

PARCEL 1JD0227-1JD0228



TIE	DISTANCE	DESCRIPTION
T1	112.30'	991
T2	96.87'	991
T3	91.90'	991

PARCEL 1JD0212



TIE	DISTANCE	DESCRIPTION
T1	32.37'	960
T2	38.71'	960
T3	22.90'	960

PARCEL 1JD0214



TIE	DISTANCE	DESCRIPTION
T1	45.72'	960
T2	24.57'	960
T3	76.67'	960

PARCEL 1JD0217



TIE	DISTANCE	DESCRIPTION
T1	42.91'	964
T2	23.07'	960
T3	14.62'	960

PARCEL 1JD0221



TIE	DISTANCE	DESCRIPTION
T1	49.44'	960
T2	44.11'	960
T3	37.90'	960

PARCEL 1JD0223-1JD0224



TIE	DISTANCE	DESCRIPTION
T1	16.64'	951
T2	15.33'	951
T3	49.53'	951

PARCEL 1JD0205



TIE	DISTANCE	DESCRIPTION
T1	63.40'	954
T2	93.52'	958
T3	55.71'	959

PARCEL 1JD0231



TIE	DISTANCE	DESCRIPTION
T1	45.20'	985
T2	59.15'	951
T3	102.30'	951

PARCEL 1JD0212



TIE	DISTANCE	DESCRIPTION
T1	36.35'	960
T2	43.64'	960
T3	26.42'	960

PARCEL 1JD0214



TIE	DISTANCE	DESCRIPTION
T1	43.72'	951
T2	12.29'	960
T3	33.94'	960

PARCEL 1JD0221



TIE	DISTANCE	DESCRIPTION
T1	26.29'	960
T2	30.60'	960
T3	24.67'	960

PARCEL 1JD0221 / 1JD0222



TIE	DISTANCE	DESCRIPTION
T1	62.81'	970
T2	3.00'	951
T3	55.79'	960

PARCEL 1JD0229-1JD0230



TIE	DISTANCE	DESCRIPTION
T1	27.81'	960
T2	30.08'	960
T3	43.04'	960

PARCEL 1JD0212 / 1JD0213



TIE	DISTANCE	DESCRIPTION
T1	82.35'	960
T2	37.60'	960
T3	33.46'	960

PARCEL 1JD0221



TIE	DISTANCE	DESCRIPTION
T1	39.55'	960
T2	33.71'	951
T3	41.90'	951

PARCEL 1JD0221



TIE	DISTANCE	DESCRIPTION
T1	29.81'	960
T2	35.58'	960
T3	28.80'	960

PARCEL 1JD0218-1JD0229



TIE	DISTANCE	DESCRIPTION
T1	25.07'	960
T2	49.99'	960
T3	80.45'	950

PARCEL 1JD0230-1JD0231



TIE	DISTANCE	DESCRIPTION
T1	57.16'	954
T2	18.72'	954
T3	48.93'	954

CALCULATIONS BY: E. SLADEK

DRAFTING BY: L. KLEMM / J. NOCON

CHECKED BY: C. FIDIS

BEARINGS AND COORDINATES ARE REFERENCED TO THE ILLINOIS STATE PLANE COORDINATE SYSTEM, EAST ZONE, NORTH AMERICAN DATUM OF 1983 (2007 ADJUSTMENT).

DESCRIPTION LEGEND

950 - MAG NAIL IN UTILITY POLE
951 - MAG NAIL IN TREE
952 - "+" IN POLE FOUNDATION, BASE, OR BOLT
953 - CENTER TOP SPINDLE BOLT OF FIRE HYDRANT
954 - "+" ON CURB
955 - "+" ON WALK / CONCRETE PAD
956 - NW CORNER OF BUILDING
957 - NE CORNER OF BUILDING
958 - SE CORNER OF BUILDING
959 - SW CORNER OF BUILDING
960 - IRON ROD WITH YELLOW PLASTIC CAP
961 - "+" ON METAL FENCE POST
962 - MAG NAIL IN FENCE POST
963 - "+" ON MANHOLE, CATCH BASIN, OR VAULT RIM
964 - MAG NAIL IN PAVEMENT
965 - "+" ON CONCRETE RETAINING WALL
966 - "+" ON CONCRETE HEADWALL
967 - MAG NAIL IN LIGHT POLE
968 - MAG NAIL IN WOOD SIGN POST
969 - MAG NAIL IN RAILROAD TIE
970 - "+" ON LEG OF ELECTRIC TRANSMISSION TOWER
971 - CORNER OF LARGE SIGN
972 - FENCE CORNER
973 - MAG NAIL ON WOOD GUARDRAIL POST
974 - "+" ON CONC. SIGN FOUNDATION
975 - MAG NAIL ON STUMP
976 - "+" ON BUILDING FACE
977 - "+" ON RAILROAD SPIKE
978 - CORNER OF PLANTER
979 - CORNER OF COLUMN
980 - "+" ON CONCRETE PIER
981 - "+" ON BUILDING FOUNDATION
982 - NAIL AND WASHER IN PAVEMENT
983 - CORNER OF BUILDING ENTRANCE
984 - CORNER OF BUILDING (OTHER)
985 - "+" ON TOP OF FLARE END SECTION
986 - CORNER OF PERGOLA POST
987 - NORTH FACE OF STEEL BILLBOARD POST
988 - "+" ON CONC. TRANSFORMER FOUNDATION
989 - CENTER OF MONITORING WELL
990 - FACE OF LIGHT POLE, FLAG POLE
991 - IRON ROD WITH NO CAP

STATE OF ILLINOIS)
) S.S.
COUNTY OF COOK)

THIS IS TO CERTIFY THAT I, COVENTINE FIDIS, AN ILLINOIS PROFESSIONAL LAND SURVEYOR, HAVE SURVEYED THE PLAT OF HIGHWAYS SHOWN HEREON IN SECTION 13, 14, 23 AND 24, TOWNSHIP 36 NORTH, RANGE 11 EAST OF THE THIRD PRINCIPAL MERIDIAN, WILL COUNTY, THAT THE SURVEY IS TRUE AND COMPLETE AS SHOWN TO THE BEST OF MY KNOWLEDGE AND BELIEF, THAT THE PLAT CORRECTLY REPRESENTS SAID SURVEY, THAT ALL MONUMENTS FOUND AND ESTABLISHED ARE OF PERMANENT QUALITY AND OCCUPY THE POSITIONS SHOWN THEREON AND THAT THE MONUMENTS ARE SUFFICIENT TO ENABLE THE SURVEY TO BE RETRACED. MADE FOR THE DEPARTMENT OF TRANSPORTATION, STATE OF ILLINOIS.

DATED AT CHICAGO, ILLINOIS THIS __TH DAY OF _____, 2013.

COVENTINE FIDIS
ILLINOIS PROFESSIONAL LAND SURVEYOR NO. 2159
LICENSE. EXPIRATION DATE 11/30/2014

THIS PROFESSIONAL SERVICE CONFORMS TO THE CURRENT ILLINOIS MINIMUM STANDARDS FOR A BOUNDARY SURVEY.

REVISION DATE: 7/17/2013

CONTRACT NO. 60X92 SHEET 178 OF 207
ASE. JOB NO. 210125.2

AMERICAN
SURVEYING & ENGINEERING, P.C.
SURVEYORS•ENGINEERS
105 W. Madison St. Suite 1700
Chicago, IL 60602
312-277-2000 / Fax 312-277-2002

PLAT OF HIGHWAYS
STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION
F.A.P. 351 (IL 7)
PARKER ROAD TO WILL-COOK ROAD

SECTION: WILL COUNTY
PROJECT: JOB NO. R-91-023-97
RECOVERY TIE DATA (159TH STREET)
SCALE: (NO SCALE) SHEET 17 OF 20

BUREAU OF LAND ACQUISITION
201 WEST CENTER COURT
SCHAUMBURG, ILLINOIS 60196

RECEIVED
JUL 17 2013
PLATS & LEGALS

PART OF SECTION 13, 14, 23 AND 24, T36N, R11E, OF THE 3RD PM, WILL COUNTY, ILLINOIS

RECOVERY TIE DATA

F.A.P. 351 IL 7 (159th STREET) RIGHT OF WAY CORNER RECOVERY TIES

PARCEL 1JD0228-1JD0242



TIE	DISTANCE	DESCRIPTION
T1	52.60'	951
T2	20.40'	950
T3	23.90'	951

PARCEL 1JD0244-1JD0245



TIE	DISTANCE	DESCRIPTION
T1	18.14'	961
T2	6.96'	950
T3	7.22'	951

PARCEL 1JD0236-1JD0237



TIE	DISTANCE	DESCRIPTION
T1	48.66'	972
T2	32.17'	958
T3	98.40'	959

PARCEL 1JD0239-1JD0240



TIE	DISTANCE	DESCRIPTION
T1	108.77'	959
T2	20.30'	951
T3	93.20'	962

PARCEL 1JD0251



TIE	DISTANCE	DESCRIPTION
T1	60.34'	951
T2	21.70'	951
T3	60.32'	951

PARCEL 1JD0247-1JD0248

TIE	DISTANCE	DESCRIPTION
T1	15.34'	951
T2	49.20'	951
T3	44.90'	957

PARCEL 1JD0249



TIE	DISTANCE	DESCRIPTION
T1	19.12'	960
T2	21.75'	950
T3	18.55'	960

PARCEL 1JD0228-1JD0242



TIE	DISTANCE	DESCRIPTION
T1	50.23'	951
T2	16.95'	950
T3	17.40'	951

PARCEL 1JD0245-1JD0246



TIE	DISTANCE	DESCRIPTION
T1	18.92'	960
T2	15.18'	960
T3	56.96'	951

PARCEL 1JD0236-1JD0237



TIE	DISTANCE	DESCRIPTION
T1	33.67'	972
T2	18.38'	958
T3	94.35'	959

PARCEL 1JD0240-1JD0241



TIE	DISTANCE	DESCRIPTION
T1	12.79'	964
T2	93.07'	954
T3	48.20'	955

PARCEL 1JD0251



TIE	DISTANCE	DESCRIPTION
T1	62.50'	951
T2	28.52'	951
T3	63.20'	951

PARCEL 1JD0247-1JD0248



TIE	DISTANCE	DESCRIPTION
T1	11.33'	951
T2	42.70'	951
T3	38.90'	957

PARCEL 1JD0249



TIE	DISTANCE	DESCRIPTION
T1	20.50'	960
T2	28.57'	951
T3	23.22'	960

PARCEL 1JD0235



TIE	DISTANCE	DESCRIPTION
T1	114.05'	959
T2	52.41'	955
T3	95.35'	955

PARCEL 1JD0246



TIE	DISTANCE	DESCRIPTION
T1	71.20'	960
T2	52.77'	960
T3	27.55'	960

PARCEL 1JD0237



TIE	DISTANCE	DESCRIPTION
T1	118.82'	972
T2	63.95'	972
T3	66.30'	972

PARCEL 1JD0240-1JD0241



TIE	DISTANCE	DESCRIPTION
T1	11.10'	964
T2	91.07'	954
T3	46.75'	955

PARCEL 1JD0247



TIE	DISTANCE	DESCRIPTION
T1	30.97'	956
T2	34.32'	972
T3	65.55'	953

PARCEL 1JD0248-1JD0249



TIE	DISTANCE	DESCRIPTION
T1	12.88'	951
T2	52.60'	954
T3	75.65'	951

PARCEL 1JD0249



TIE	DISTANCE	DESCRIPTION
T1	16.75'	960
T2	23.55'	951
T3	19.46'	960

PARCEL 1JD0242



TIE	DISTANCE	DESCRIPTION
T1	15.62'	951
T2	61.95'	950
T3	19.01'	951

PARCEL 1JD0246



TIE	DISTANCE	DESCRIPTION
T1	13.20'	960
T2	44.82'	960
T3	62.08'	960

PARCEL 1JD0237-1JD0239



TIE	DISTANCE	DESCRIPTION
T1	62.23'	990
T2	43.80'	990
T3	7.95'	972

PARCEL 1JD0241-1JD0250



TIE	DISTANCE	DESCRIPTION
T1	91.80'	951
T2	48.09'	954
T3	9.18'	987

PARCEL 1JD0247



TIE	DISTANCE	DESCRIPTION
T1	48.73'	979
T2	34.27'	957
T3	89.90'	956

PARCEL 1JD0249



TIE	DISTANCE	DESCRIPTION
T1	14.68'	960
T2	16.82'	950
T3	15.64'	960

PARCEL 1JD0258



TIE	DISTANCE	DESCRIPTION
T1	40.62'	951
T2	49.50'	951
T3	60.15'	950

PARCEL 1JD0235-1JD0236



TIE	DISTANCE	DESCRIPTION
T1	76.52'	959
T2	37.65'	958
T3	54.70'	959

PARCEL 1JD0236

PARCEL 1JD0250-1JD0251



TIE	DISTANCE	DESCRIPTION
T1	45.60'	954
T2	87.55'	958
T3	56.95'	951

PARCEL 1JD0243-1JD0244



TIE	DISTANCE	DESCRIPTION
T1	21.35'	951
T2	26.70'	964
T3	29.80'	951

PARCEL 1JD0236

PARCEL 1JD0239-1JD0240



TIE	DISTANCE	DESCRIPTION
T1	92.30'	959
T2	3.82'	951
T3	81.40'	972

PARCEL 1JD0250-1JD0251



TIE	DISTANCE	DESCRIPTION
T1	30.65'	954
T2	73.00'	958
T3	54.29'	951

CALCULATIONS BY: E. SLADEK

DRAFTING BY: L. KLEMM / J. NOCON

CHECKED BY: C. FIDIS

BEARINGS AND COORDINATES ARE REFERENCED TO THE ILLINOIS STATE PLANE COORDINATE SYSTEM, EAST ZONE, NORTH AMERICAN DATUM OF 1983 (2007 ADJUSTMENT).

DESCRIPTION LEGEND

950 - MAG NAIL IN UTILITY POLE
951 - MAG NAIL IN TREE
952 - "+" IN POLE FOUNDATION, BASE, OR BOLT
953 - CENTER TOP SPINDLE BOLT OF FIRE HYDRANT
954 - "+" ON CURB
955 - "+" ON WALK / CONCRETE PAD
956 - NW CORNER OF BUILDING
957 - NE CORNER OF BUILDING
958 - SE CORNER OF BUILDING
959 - SW CORNER OF BUILDING
960 - IRON ROD WITH YELLOW PLASTIC CAP
961 - "+" ON METAL FENCE POST
962 - MAG NAIL IN FENCE POST
963 - "+" ON MANHOLE, CATCH BASIN, OR VAULT RIM
964 - MAG NAIL IN PAVEMENT
965 - "+" ON CONCRETE RETAINING WALL
966 - "+" ON CONCRETE HEADWALL
967 - MAG NAIL IN LIGHT POLE
968 - MAG NAIL IN WOOD SIGN POST
969 - MAG NAIL IN RAILROAD TIE
970 - "+" ON LEG OF ELECTRIC TRANSMISSION TOWER
971 - CORNER OF LARGE SIGN
972 - FENCE CORNER
973 - MAG NAIL ON WOOD GUARDRAIL POST
974 - "+" ON CONC. SIGN FOUNDATION
975 - MAG NAIL ON STUMP
976 - "+" ON BUILDING FACE
977 - "+" ON RAILROAD SPIKE
978 - CORNER OF PLANTER
979 - CORNER OF COLUMN
980 - "+" ON CONCRETE PIER
981 - "+" ON BUILDING FOUNDATION
982 - NAIL AND WASHER IN PAVEMENT
983 - CORNER OF BUILDING ENTRANCE
984 - CORNER OF BUILDING (OTHER)
985 - "+" ON TOP OF FLARE END SECTION
986 - CORNER OF PERGOLA POST
987 - NORTH FACE OF STEEL BILLBOARD POST
988 - "+" ON CONC. TRANSFORMER FOUNDATION
989 - CENTER OF MONITORING WELL
990 - FACE OF LIGHT POLE, FLAG POLE
991 - IRON ROD WITH NO CAP

STATE OF ILLINOIS)
) S.S.
COUNTY OF COOK)

THIS IS TO CERTIFY THAT I, COVENTINE FIDIS, AN ILLINOIS PROFESSIONAL LAND SURVEYOR, HAVE SURVEYED THE PLAT OF HIGHWAYS SHOWN HEREON IN SECTION 13, 14, 23 AND 24, TOWNSHIP 36 NORTH, RANGE 11 EAST OF THE THIRD PRINCIPAL MERIDIAN, WILL COUNTY, THAT THE SURVEY IS TRUE AND COMPLETE AS SHOWN TO THE BEST OF MY KNOWLEDGE AND BELIEF, THAT THE PLAT CORRECTLY REPRESENTS SAID SURVEY, THAT ALL MONUMENTS FOUND AND ESTABLISHED ARE OF PERMANENT QUALITY AND OCCUPY THE POSITIONS SHOWN THEREON AND THAT THE MONUMENTS ARE SUFFICIENT TO ENABLE THE SURVEY TO BE RETRACED, MADE FOR THE DEPARTMENT OF TRANSPORTATION, STATE OF ILLINOIS.

DATED AT CHICAGO, ILLINOIS THIS __TH DAY OF _____, 2013.

COVENTINE FIDIS
ILLINOIS PROFESSIONAL LAND SURVEYOR NO. 2159
LICENSE. EXPIRATION DATE 11/30/2014

THIS PROFESSIONAL SERVICE CONFORMS TO THE CURRENT ILLINOIS MINIMUM STANDARDS FOR A BOUNDARY SURVEY.

STATE OF ILLINOIS COVENTINE FIDIS 35-2159 CHICAGO, ILL. PROFESSIONAL LAND SURVEYOR

REVISION DATE: 9/30/2013

CONTRACT NO. 60X92 SHEET 179 OF 207
ASE. JOB NO. 210125.2

AMERICAN
SURVEYING & ENGINEERING, P.C.
SURVEYORS•ENGINEERS
105 W. Madison St. Suite 1700
Chicago, IL 60602
312-277-2000 / Fax 312-277-2002

PLAT OF HIGHWAYS
STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION
F.A.P. 351 (IL 7)
PARKER ROAD TO WILL-COOK ROAD

SECTION: WILL COUNTY
PROJECT: JOB NO. R-91-023-97
RECOVERY TIE DATA (159TH STREET)
SCALE: (NO SCALE) SHEET 18 OF 20

RECEIVED
GF OCT 09 2013
PLATS & LEGALS

BUREAU OF LAND ACQUISITION
201 WEST CENTER COURT
SCHAUMBURG, ILLINOIS 60196

PART OF SECTION 13, 14, 23 AND 24, T36N, R11E, OF THE 3RD PM, WILL COUNTY, ILLINOIS

RECOVERY TIE DATA

F.A.P. 351 IL 7 (159th STREET) RIGHT OF WAY CORNER RECOVERY TIES

PARCEL 1JD0258-1JD0259



TIE	DISTANCE	DESCRIPTION
T1	26.55'	960
T2	23.18'	960
T3	25.99'	960

PARCEL 1JD0261



TIE	DISTANCE	DESCRIPTION
T1	53.90'	953
T2	1.92'	972
T3	24.62'	951

PARCEL 1JD0257



TIE	DISTANCE	DESCRIPTION
T1		
T2		
T3		

PARCEL 1JD0257



TIE	DISTANCE	DESCRIPTION
T1		
T2		
T3		

PARCEL 1JD0257



TIE	DISTANCE	DESCRIPTION
T1	64.35'	960
T2	54.00'	960
T3	42.80'	960

PARCEL 1JD0262



TIE	DISTANCE	DESCRIPTION
T1	29.41'	954
T2	15.86'	954
T3	31.41'	954

PARCEL 1JD0262-1JD0263



TIE	DISTANCE	DESCRIPTION
T1	60.25'	962
T2	42.35'	985
T3	70.70'	951

PARCEL 1JD0264-1JD0265



TIE	DISTANCE	DESCRIPTION
T1	22.00'	987
T2	87.90'	958
T3	60.05'	957

PARCEL 1JD0254



CORNER NOT SET
OBSTRUCTED LOCATION

TIE	DISTANCE	DESCRIPTION
T1	24.29'	991
T2	26.67'	991
T3	51.41'	991

PARCEL 1JD0257



TIE	DISTANCE	DESCRIPTION
T1	20.95'	951
T2	15.72'	951
T3	27.10'	951

PARCEL 1JD0257



TIE	DISTANCE	DESCRIPTION
T1		
T2		
T3		

PARCEL 1JD0257-1JD0268



TIE	DISTANCE	DESCRIPTION
T1	28.70'	960
T2	21.30'	960
T3	13.50'	960

PARCEL 1JD0262



TIE	DISTANCE	DESCRIPTION
T1	33.80'	954
T2	22.84'	954
T3	35.35'	954

PARCEL 1JD0263



TIE	DISTANCE	DESCRIPTION
T1	116.90'	956
T2	117.10'	984
T3	131.50'	986

PARCEL 1JD0269



TIE	DISTANCE	DESCRIPTION
T1	80.40'	979
T2	47.30'	952
T3	70.70	964

PARCEL 1JD0259



TIE	DISTANCE	DESCRIPTION
T1	113.25'	951
T2	46.20'	951
T3	49.05'	951

PARCEL 1JD0254-1JD0257



TIE	DISTANCE	DESCRIPTION
T1	66.10'	960
T2	19.70'	960
T3	74.40'	951

PARCEL 1JD0257



TIE	DISTANCE	DESCRIPTION
T1	3.38'	951
T2	11.60'	951
T3	23.52'	951

PARCEL 1JD0257



TIE	DISTANCE	DESCRIPTION
T1		
T2		
T3		

PARCEL 1JD0268



TIE	DISTANCE	DESCRIPTION
T1	24.60'	960
T2	31.85'	960
T3	41.15'	960

PARCEL 1JD0262



TIE	DISTANCE	DESCRIPTION
T1	79.10'	962
T2	48.20'	985
T3	61.50'	951

PARCEL 1JD0263



TIE	DISTANCE	DESCRIPTION
T1	116.00'	956
T2	121.45'	984
T3	141.30'	986

PARCEL 1JD0269



TIE	DISTANCE	DESCRIPTION
T1	83.35'	979
T2	71.20'	952
T3	97.10'	964

PARCEL 1JD0259

TIE	DISTANCE	DESCRIPTION
T1	110.42'	951
T2	41.90'	951
T3	45.40'	951

PARCEL 1JD0254-1JD0257

TIE	DISTANCE	DESCRIPTION
T1	13.05'	951
T2	17.40'	951
T3	7.10'	951

PARCEL 1JD0257

TIE	DISTANCE	DESCRIPTION
T1	19.78'	951
T2	16.28'	951
T3	5.90'	951

TIE	DISTANCE	DESCRIPTION
T1		
T2		
T3		

PARCEL 1JD0268

TIE	DISTANCE	DESCRIPTION
T1	36.10'	960
T2	41.20'	960
T3	48.10'	960

PARCEL 1JD0262

TIE	DISTANCE	DESCRIPTION
T1	65.10'	962
T2	33.50'	985
T3	53.15'	951

PARCEL 1JD0263-1JD0264

TIE	DISTANCE	DESCRIPTION
T1	28.75'	987
T2	73.65'	958
T3	35.15'	957

PARCEL 1JD0269-1JD0270

TIE	DISTANCE	DESCRIPTION
T1	46.20'	960
T2	63.35'	950
T3	86.45'	979

PARCEL 1JD0259-1JD0260



TIE	DISTANCE	DESCRIPTION
T1	66.40'	964
T2	48.20'	956
T3	13.15'	960

PARCEL 1JD0257



TIE	DISTANCE	DESCRIPTION
T1	22.82'	960
T2	73.53'	951
T3	41.82'	960

PARCEL 1JD0257



TIE	DISTANCE	DESCRIPTION
T1	16.10'	951
T2	8.38'	951
T3	7.50'	951

TIE	DISTANCE	DESCRIPTION
T1		
T2		
T3		

PARCEL 1JD0268



TIE	DISTANCE	DESCRIPTION
T1	92.30'	964
T2	77.90'	954
T3	38.40'	960

PARCEL 1JD0260-1JD0261



TIE	DISTANCE	DESCRIPTION
T1	72.80'	956
T2	54.67'	957
T3	55.75'	964

PARCEL 1JD0257



TIE	DISTANCE	DESCRIPTION
T1		
T2		
T3		

PARCEL 1JD0257



TIE	DISTANCE	DESCRIPTION
T1	62.85'	960
T2	55.65'	960
T3	44.65'	960

PARCEL 1JD0268



TIE	DISTANCE	DESCRIPTION
T1	50.10'	964
T2	33.30'	954
T3	40.25'	960

E. SLADEK DRAFTING BY: L. KLEMM / J. NOCON CHECKED BY: C. FIDIS

BEARINGS AND COORDINATES ARE REFERENCED TO THE ILLINOIS STATE PLANE COORDINATE SYSTEM, EAST ZONE, NORTH AMERICAN DATUM OF 1983 (2007 ADJUSTMENT).

DESCRIPTION LEGEND

950 - MAG NAIL IN UTILITY POLE
951 - MAG NAIL IN TREE
952 - "+" IN POLE FOUNDATION, BASE, OR BOLT
953 - CENTER TOP SPINDLE BOLT OF FIRE HYDRANT
954 - "+" ON CURB
955 - "+" ON WALK / CONCRETE PAD
956 - NW CORNER OF BUILDING
957 - NE CORNER OF BUILDING
958 - SE CORNER OF BUILDING
959 - SW CORNER OF BUILDING
960 - IRON ROD WITH YELLOW PLASTIC CAP
961 - "+" ON METAL FENCE POST
962 - MAG NAIL IN FENCE POST
963 - "+" ON MANHOLE, CATCH BASIN, OR VAULT RIM
964 - MAG NAIL IN PAVEMENT
965 - "+" ON CONCRETE RETAINING WALL
966 - "+" ON CONCRETE HEADWALL
967 - MAG NAIL IN LIGHT POLE
968 - MAG NAIL IN WOOD SIGN POST
969 - MAG NAIL IN RAILROAD TIE
970 - "+" ON LEG OF ELECTRIC TRANSMISSION TOWER
971 - CORNER OF LARGE SIGN
972 - FENCE CORNER
973 - MAG NAIL ON WOOD GUARDRAIL POST
974 - "+" ON CONC. SIGN FOUNDATION
975 - MAG NAIL ON STUMP
976 - "+" ON BUILDING FACE
977 - "+" ON RAILROAD SPIKE
978 - CORNER OF PLANTER
979 - CORNER OF COLUMN
980 - "+" ON CONCRETE PIER
981 - "+" ON BUILDING FOUNDATION
982 - NAIL AND WASHER IN PAVEMENT
983 - CORNER OF BUILDING ENTRANCE
984 - CORNER OF BUILDING (OTHER)
985 - "+" ON TOP OF FLARE END SECTION
986 - CORNER OF PERGOLA POST
987 - NORTH FACE OF STEEL BILLBOARD POST
988 - "+" ON CONC. TRANSFORMER FOUNDATION
989 - CENTER OF MONITORING WELL
990 - FACE OF LIGHT POLE, FLAG POLE
991 - IRON ROD WITH NO CAP

STATE OF ILLINOIS)
) S.S.
COUNTY OF COOK)

THIS IS TO CERTIFY THAT I, COVENTINE FIDIS, AN ILLINOIS PROFESSIONAL LAND SURVEYOR, HAVE SURVEYED THE PLAT OF HIGHWAYS SHOWN HEREON IN SECTION 13, 14, 23 AND 24, TOWNSHIP 36 NORTH, RANGE 11 EAST OF THE THIRD PRINCIPAL MERIDIAN, WILL COUNTY, THAT THE SURVEY IS TRUE AND COMPLETE AS SHOWN TO THE BEST OF MY KNOWLEDGE AND BELIEF, THAT THE PLAT CORRECTLY REPRESENTS SAID SURVEY, THAT ALL MONUMENTS FOUND AND ESTABLISHED ARE OF PERMANENT QUALITY AND OCCUPY THE POSITIONS SHOWN THEREON AND THAT THE MONUMENTS ARE SUFFICIENT TO ENABLE THE SURVEY TO BE RETRACED, MADE FOR THE DEPARTMENT OF TRANSPORTATION, STATE OF ILLINOIS.

DATED AT CHICAGO, ILLINOIS THIS __TH DAY OF _____, 2013.

COVENTINE FIDIS
ILLINOIS PROFESSIONAL LAND SURVEYOR NO. 2159
LICENSE. EXPIRATION DATE 11/30/2014

THIS PROFESSIONAL SERVICE CONFORMS TO THE CURRENT ILLINOIS MINIMUM STANDARDS FOR A BOUNDARY SURVEY.

REVISION DATE: 12/3/2013 CONTRACT NO. 60X92 SHEET 180 OF 207 ASE. JOB NO. 210125.2

AMERICAN
SURVEYING & ENGINEERING, P.C.
SURVEYORS•ENGINEERS
105 W. Madison St. Suite 1700
Chicago, IL 60602
312-277-2000 / Fax 312-277-2002

PLAT OF HIGHWAYS
STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION
F.A.P. 351 (IL 7)
PARKER ROAD TO WILL-COOK ROAD

SECTION: WILL COUNTY
PROJECT: JOB NO. R-91-023-97
RECOVERY TIE DATA (159TH STREET)
SCALE: (NO SCALE) SHEET 19 OF 20

RECEIVED
DEC 03 2013
PLATS & LEGALS

BUREAU OF LAND ACQUISITION
201 WEST CENTER COURT
SCHAUMBURG, ILLINOIS 60196

PART OF SECTION 13, 14, 23 AND 24, T36N, R11E, OF THE 3RD PM, WILL COUNTY, ILLINOIS

BEARINGS AND COORDINATES ARE REFERENCED TO THE ILLINOIS STATE PLANE COORDINATE SYSTEM, EAST ZONE, NORTH AMERICAN DATUM OF 1983 (2007 ADJUSTMENT).

COORDINATE AND RECOVERY TIE DATA

F.A.P. 351 IL 7 (159th STREET) RIGHT OF WAY CORNERS

NORTHING	EASTING	POINT NO.
1797271.358	1099676.130	207616
1797128.929	1099210.813	246291
1797138.371	1099377.614	246298
1797131.268	1099377.799	246299
1797139.618	1099691.440	246300
1797151.720	1099691.159	246308
1797155.339	1099827.107	246310
1797143.168	1099858.396	246311

NORTHING	EASTING	POINT NO.
1797080.774	1099881.850	246312
1797290.130	1099441.906	246326
1797279.664	1099537.241	246327
1797283.352	1099675.786	246363
1797133.927	1099210.689	246455
1797126.368	1098926.730	246456
1797121.370	1098926.863	246457

COORDINATE AND RECOVERY TIE DATA

PROPOSED PARKER ROAD RIGHT OF WAY CORNERS

NORTHING	EASTING	POINT NO.
1797047.296	1089342.369	245001
1797109.981	1089332.202	245002
1797639.648	1089313.932	245003
1797639.234	1089301.940	245004
1796786.360	1089330.611	246159

RECOVERY TIE DATA

PROPOSED ROAD CENTERLINE

F.A.P. 351 IL 7 (159th STREET) RIGHT OF WAY CORNER RECOVERY TIES

PARCEL 1JD0264



TIE	DISTANCE	DESCRIPTION
T1	40.15'	954
T2	98.75'	962
T3	66.05'	987

PARCEL 1JD0266-1JD0267



TIE	DISTANCE	DESCRIPTION
T1	17.70'	953
T2	42.30'	957
T3	8.50'	951

PARCEL 1JD0271



TIE	DISTANCE	DESCRIPTION
T1	3.15'	972
T2	14.45'	951
T3	75.75'	958

PARCEL 1JD0264



TIE	DISTANCE	DESCRIPTION
T1	39.60'	954
T2	94.10'	962
T3	64.80'	987

PARCEL 1JD0267



TIE	DISTANCE	DESCRIPTION
T1	61.55'	971
T2	73.85'	979
T3	10.35'	952

PARCEL 1JD0267-1JD0268



TIE	DISTANCE	DESCRIPTION
T1	65.20'	971
T2	85.20'	979
T3	20.20'	952

PARCEL 1JD0265-1JD0266



TIE	DISTANCE	DESCRIPTION
T1	47.10'	951
T2	18.65'	988
T3	44.65'	954

PARCEL 1JD0270-1JD0271



TIE	DISTANCE	DESCRIPTION
T1	9.00'	972
T2	38.30'	951
T3	14.60'	951

PARCEL 1JD0268



TIE	DISTANCE	DESCRIPTION
T1	137.60'	971
T2	26.45'	989
T3	80.10'	971

PARCEL 1JD0265-1JD0266



TIE	DISTANCE	DESCRIPTION
T1	42.15'	951
T2	13.65'	988
T3	41.85'	954

PARCEL 1JD0271



TIE	DISTANCE	DESCRIPTION
T1	19.70'	984
T2	18.00'	959
T3	88.00'	972

PARCEL 1JD0268



TIE	DISTANCE	DESCRIPTION
T1	120.95'	971
T2	33.00'	989
T3	107.80'	971

PARCEL 1JD0266-1JD0267



TIE	DISTANCE	DESCRIPTION
T1	22.20'	953
T2	49.55'	957
T3	13.25'	951

PARCEL 1JD0271-1JD0272



TIE	DISTANCE	DESCRIPTION
T1	10.75'	972
T2	2.60'	951
T3	72.00'	958

PARCEL 1JD0268



TIE	DISTANCE	DESCRIPTION
T1	61.70'	971
T2	71.80'	989
T3	138.40'	971

PARKER ROAD RIGHT OF WAY CORNER RECOVERY TIES

PARCEL 1JD0200-A



TIE	DISTANCE	DESCRIPTION
T1	37.42'	960
T2	42.67'	960
T3	51.10'	960

PARCEL 1JD0200-A



TIE	DISTANCE	DESCRIPTION
T1	27.17'	960
T2	31.14'	960
T3	28.14'	960

PARCEL 1JD0200-A



TIE	DISTANCE	DESCRIPTION
T1	38.03'	960
T2	60.84'	960
T3	84.94'	960

PARCEL 1JD0201



TIE	DISTANCE	DESCRIPTION
T1	46.50'	956
T2	56.53'	983
T3	94.95'	959

PARCEL 1JD0200-A



TIE	DISTANCE	DESCRIPTION
T1	17.36'	960
T2	19.18'	960
T3	18.48'	960

PROPOSED BELL ROAD RIGHT OF WAY CORNERS

NORTHING	EASTING	POINT NO.
1797265.983	1094589.630	245055
1797545.256	1094582.142	246350

BELL ROAD RIGHT OF WAY CORNER RECOVERY TIES

PARCEL 1JD0234



TIE	DISTANCE	DESCRIPTION
T1	37.93'	971
T2	23.80'	954
T3	121.41'	950

PARCEL 1JD0235



TIE	DISTANCE	DESCRIPTION
T1	18.67'	955
T2	41.81'	979
T3	93.72'	959

PARKER ROAD CENTERLINE OF CONSTRUCTION RECOVERY TIES



TIE	DISTANCE	DESCRIPTION
T1	41.13'	972
T2	47.07'	972
T3	94.66'	972



TIE	DISTANCE	DESCRIPTION
T1	149.80'	991
T2	139.14'	991
T3	143.40'	991



TIE	DISTANCE	DESCRIPTION
T1	76.37'	991
T2	75.10'	964
T3	88.50'	991

BELL ROAD CENTERLINE OF CONSTRUCTION RECOVERY TIES



TIE	DISTANCE	DESCRIPTION
T1	66.74'	991
T2	52.30'	991
T3	65.24'	955



TIE	DISTANCE	DESCRIPTION
T1	195.79'	950
T2	191.08'	955
T3	175.30'	955

159TH ST. CENTERLINE OF CONSTRUCTION RECOVERY TIES



TIE	DISTANCE	DESCRIPTION
T1	173.75'	960
T2	199.20'	960
T3	146.47'	960



TIE	DISTANCE	DESCRIPTION
T1	71.02'	991
T2	81.24'	991
T3	92.52'	991



TIE	DISTANCE	DESCRIPTION
T1	99.50'	950
T2	110.61'	960
T3	110.93'	960



TIE	DISTANCE	DESCRIPTION
T1	161.60'	971
T2	137.34'	954
T3	125.85'	989



TIE	DISTANCE	DESCRIPTION
T1	99.40'	954
T2	90.51'	945
T3	129.40'	945

DESCRIPTION LEGEND

950 - MAG NAIL IN UTILITY POLE
951 - MAG NAIL IN TREE
952 - "+" IN POLE FOUNDATION, BASE, OR BOLT
953 - CENTER TOP SPINDLE BOLT OF FIRE HYDRANT
954 - "+" ON CURB
955 - "+" ON WALK / CONCRETE PAD
956 - NW CORNER OF BUILDING
957 - NE CORNER OF BUILDING
958 - SE CORNER OF BUILDING
959 - SW CORNER OF BUILDING
960 - IRON ROD WITH YELLOW PLASTIC CAP
961 - "+" ON METAL FENCE POST
962 - MAG NAIL IN FENCE POST
963 - "+" ON MANHOLE, CATCH BASIN, OR VAULT RIM
964 - MAG NAIL IN PAVEMENT
965 - "+" ON CONCRETE RETAINING WALL
966 - "+" ON CONCRETE HEADWALL
967 - MAG NAIL IN LIGHT POLE
968 - MAG NAIL IN WOOD SIGN POST
969 - MAG NAIL IN RAILROAD TIE
970 - "+" ON LEG OF ELECTRIC TRANSMISSION TOWER
971 - CORNER OF LARGE SIGN
972 - FENCE CORNER
973 - MAG NAIL ON WOOD GUARDRAIL POST
974 - "+" ON CONC. SIGN FOUNDATION
975 - MAG NAIL ON STUMP
976 - "+" ON BUILDING FACE
977 - "+" ON RAILROAD SPIKE
978 - CORNER OF PLANTER
979 - CORNER OF COLUMN
980 - "+" ON CONCRETE PIER
981 - "+" ON BUILDING FOUNDATION
982 - NAIL AND WASHER IN PAVEMENT
983 - CORNER OF BUILDING ENTRANCE
984 - CORNER OF BUILDING (OTHER)
985 - "+" ON TOP OF FLARE END SECTION
986 - CORNER OF PERGOLA POST
987 - NORTH FACE OF STEEL BILLBOARD POST
988 - "+" ON CONC. TRANSFORMER FOUNDATION
989 - CENTER OF MONITORING WELL
990 - FACE OF LIGHT POLE, FLAG POLE
991 - IRON ROD WITH NO CAP

STATE OF ILLINOIS)
) S.S.
COUNTY OF COOK)

THIS IS TO CERTIFY THAT I, COVENTINE FIDIS, AN ILLINOIS PROFESSIONAL LAND SURVEYOR, HAVE SURVEYED THE PLAT OF HIGHWAYS SHOWN HEREON IN SECTION 13, 14, 23 AND 24, TOWNSHIP 36 NORTH, RANGE 11 EAST OF THE THIRD PRINCIPAL MERIDIAN, WILL COUNTY, THAT THE SURVEY IS TRUE AND COMPLETE AS SHOWN TO THE BEST OF MY KNOWLEDGE AND BELIEF, THAT THE PLAT CORRECTLY REPRESENTS SAID SURVEY, THAT ALL MONUMENTS FOUND AND ESTABLISHED ARE OF PERMANENT QUALITY AND OCCUPY THE POSITIONS SHOWN THEREON AND THAT THE MONUMENTS ARE SUFFICIENT TO ENABLE THE SURVEY TO BE RETRACED. MADE FOR THE DEPARTMENT OF TRANSPORTATION, STATE OF ILLINOIS.

DATED AT CHICAGO, ILLINOIS THIS __TH DAY OF _____, 2013.

STATE OF ILLINOIS COVENTINE FIDIS 35-2159 CHICAGO, ILL. PROFESSIONAL LAND SURVEYOR

COVENTINE FIDIS
ILLINOIS PROFESSIONAL LAND SURVEYOR NO. 2159
LICENSE. EXPIRATION DATE 11/30/2014

THIS PROFESSIONAL SERVICE CONFORMS TO THE CURRENT ILLINOIS MINIMUM STANDARDS FOR A BOUNDARY SURVEY.

AMERICAN
SURVEYING & ENGINEERING, P.C.
SURVEYORS•ENGINEERS
105 W. Madison St. Suite 1700
Chicago, IL 60602
312-277-2000 / Fax 312-277-2002

PLAT OF HIGHWAYS
STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION
F.A.P. 351 (IL 7)
PARKER ROAD TO WILL-COOK ROAD

SECTION: WILL COUNTY
PROJECT: JOB NO. R-91-023-97
COORDINATE TABLE, RECOVERY TIES
(PARKER & BELL ROAD)
SCALE: (NO SCALE) SHEET 20 OF 20

BUREAU OF LAND ACQUISITION
201 WEST CENTER COURT
SCHAUMBURG, ILLINOIS 60196

RECEIVED
JUL 17 2013
PLATS & LEGALS

CONTRACT NO. 60X92 SHEET 181 OF 207
ASE. JOB NO. 210125.2

CALCULATIONS BY: E. SLADEK
DRAFTING BY: L. KLEMM / J. NOCON
REVISION DATE: 7/17/2013

PART OF THE NW 1/4 OF SECTION 19 & THE SW 1/4 OF SECTION 18, TWP. 36 N., R.12 E. OF THE 3RD. P.M., IN COOK COUNTY, ILLINOIS.



LEGEND

- SECTION CORNER
- QUARTER SECTION CORNER
- IRON PIPE OR ROD FOUND
- CUT CROSS FOUND OR SET
- "MAG" NAIL SET
- 5/8" REBAR SET
- TI, T2, T3
- BTI, BT2, BT3
- M

THESE STAKES REFERENCE FOUND OR SET MONUMENTATION. SET 5/8 INCH IRON ROD FLUSH WITH GROUND TO TIE FOUND IRON STAKE IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYOR'S REGISTRATION NUMBER.

THESE STAKES, IN CULTIVATED AREAS, REFERENCE FOUND OR SET MONUMENTATION. BURIED 5/8 INCH IRON ROD 20 INCHES BELOW GROUND TO TIE FOUND IRON STAKE. IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYOR'S REGISTRATION NUMBER.

STAKING OF PROPOSED RIGHT OF WAY. SET DIVISION OF HIGHWAYS SURVEY MARKER TO MONUMENT THE POSITION SHOWN. IDENTIFIED BY INSCRIPTION DATA AND SURVEYOR'S REGISTRATION NUMBER.

STAKING OF PROPOSED RIGHT OF WAY IN CULTIVATED AREAS. BURIED 5/8 INCH METAL ROD 20 INCHES BELOW GROUND TO MARK FUTURE SURVEY MARKER POSITION IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYOR'S REGISTRATION NUMBER.

PERMANENT SURVEY MARKER, I.D.O.T. STANDARD 2135 (TO BE SET BY OTHERS)

RIGHT OF WAY STAKING PROPOSED TO BE SET

LEGEND

- SECTION LINE
- QUARTER SECTION LINE
- QUARTER, QUARTER SECTION LINE
- PLATTED LOT LINES
- PROPERTY (DEED) LINE
- APPARENT PROPERTY LINE
- EXISTING CENTERLINE
- PROPOSED CENTERLINE
- EXISTING RIGHT OF WAY LINE
- PROPOSED RIGHT OF WAY LINE
- PROPOSED EASEMENT
- 129.32' MEASURED DIMENSION
- 129.32' (COMP) COMPUTED DIMENSION
- (129.32') RECORDED DIMENSION
- EXISTING BUILDING

COORDINATE TABLE

NUMBER	NORTHING	EASTING	NUMBER	NORTHING	EASTING	NUMBER	NORTHING	EASTING
1	1797251.29	1099877.97	11	1797185.33	1100628.58	21	1796900.42	1099985.00
2	1797246.70	1099877.84	12	1797195.01	1100943.44	22	1797338.81	1101064.85
• 3	1797228.16	1099878.27	13	1797199.85	1101100.80	34	1797163.78	1101174.26
4	1797229.10	1099909.26	14	1797162.76	1101141.28			
5	1797267.34	1101167.22	15	1797342.04	1101169.80			
6	1796900.95	1100002.37	16	1797330.89	1100807.15			
7	1797119.37	1100012.74	17	1797317.38	1100367.89			
8	1797152.40	1100045.73	18	1797327.38	1100367.59			
9	1797157.41	1100208.71	19	1797315.29	1099974.53			
10	1797172.41	1100208.25	20	1797329.95	1099948.53			

Coordinates are referenced to the Illinois State Plane Coordinate System, NAD83, East Zone, as provided by the Illinois Department of Transportation. Listed coordinates are on the ground. All measurec and calculated distances are on the ground.
combined scale factor = 0.99996258
To obtain State Plane grid coordinates, multiply the Northing by scale factor (0.99996258) then add 67.19'.
Multiply Easting by scale factor (0.99996258) then add 41.39'.

The IL State Plane grid coordinate for point [3] is shown below in order to confirm continuity with adjoining Plat of Highway to the West done by others.

• Grid coordinate Point #3
N 1797228.093
E 1099878.495
ground scale factor= 1.00003742

PARCEL NUMBER	OWNER	TOTAL HOLDINGS ACRES	AREA TAKEN ACRES	AREA TAKEN SQ FEET	AREA IN EXISTING R.O.W. ACRES	REMAINDER AREA ACRES	EASEMENT AREA ACRES	EASEMENT AREA SQUARE FEET	EASEMENT PURPOSE	PERMANENT INDEX NUMBER	PROPERTY ACQUIRED BY
0SH0001	COLE TAYLOR BANK AS TRUSTEE UNDER TRUST AGREEMENT DATED JUNE 20, 1973 KNOWN AS TRUST NO. 523	13.314	1.064	-	0.623	12.250	-	-	N/A	27-18-300-022	
0SH0002	NORTH STAR TRUST COMPANY AS SUCCESSOR TO PRAIRIE BANK & TRUST COMPANY AS TRUSTEE UNDER TRUST AGREEMEN DATED AUGUST 20, 1997 KNOWN AS TRUST NO. 97-057	3.921	.302	-	0.195	3.619	-	-	N/A	27-18-300-015	
0SH0003	RICHARD J. GORNIAK AND CHRISTINE A. GORNIAK, HIS WIFE, IN JOINT TENANCY	1.597	0.123	-	0.080	1.474	-	-	N/A	27-18-300-014	
0SH0004	STANDARD BANK & TRUST COMPANY AS SUCCESSOR TO HERITAGE STANDARD BANK & TRUST COMPANY AS TRUSTEE UNDER TRUST AGREEMENT DATED APRIL 18, 1966 KNOWN AS TRUST NO. 2860	63.920	0.453	-	-	63.467	-	-	N/A	27-19-100-005	
0SH0005 0SH0005TE	ROBERT N. STAM AND LORRAINE E. STAM, AS TRUSTEES UNDER A DECLARATION OF LIVING TRUST DATED THE 3RD DAY OF DECEMBER, 2010 KNOWN AS THE ROBERT N. AND LORRAINE E. STAM DECLARATION OF LIVING TRUST	2.892	0.644	-	0.535	2.248	0.028	1,200	CONSTRUCTION	27-19-100-006	
0SH0006	CHICAGO TITLE LAND TRUST COMPANY AS TRUSTEE UNDER TRUST AGREEMENT DATED SEPTEMBER 1, 1997 KNOWN AS TRUST NO. 97-4271	2.112	0.517	-	0.335	1.595	-	-	N/A	27-19-100-007	

STATE OF ILLINOIS)
)SS
COUNTY OF KANE)

THIS IS TO CERTIFY THAT I, CHRIS E. PETERSON, AN ILLINOIS PROFESSIONAL LAND SURVEYOR, HAVE SURVEYED THE PLAT OF HIGHWAYS SHOWN HEREON IN SECTION 34, TOWNSHIP 39 NORTH, RANGE 13 EAST OF THE THIRD PRINCIPAL MERIDIAN, COOK COUNTY, THAT THE SURVEY IS TRUE AND COMPLETE AS SHOWN TO THE BEST OF MY KNOWLEDGE AND BELIEF, THAT THE PLAT CORRECTLY REPRESENTS SAID SURVEY, THAT ALL MONUMENTS FOUND AND ESTABLISHED ARE OF PERMANENT QUALITY AND OCCUPY THE POSITIONS SHOWN THEREON AND THAT THE MONUMENTS ARE SUFFICIENT TO ENABLE THE SURVEY TO BE RETRACED, MADE FOR THE DEPARTMENT OF TRANSPORTATION, STATE OF ILLINOIS.

DATED AT_____, ILLINOIS THIS_____DAY OF_____2012 A.D.

ILLINOIS PROFESSIONAL LAND SURVEYOR NO. 3678
LICENSE EXPIRATION DATE: 11-30-2012

THIS PROFESSIONAL SERVICE CONFORMS TO THE CURRENT ILLINOIS MINIMUM STANDARDS FOR A BOUNDARY SURVEY.

CHRIS E. PETERSON 035-003678 PROFESSIONAL LAND SURVEYOR SUGAR GROVE STATE OF ILLINOIS

RECEIVED
MAR 02 2012
PLATS & LEGALS

ENGINEERING ENTERPRISES, INC.
CONSULTING ENGINEERS & LAND SURVEYORS
52 WHEELER ROAD
SUGAR GROVE, ILLINOIS 60554
PH. (630-466-6700 / www.eeiweb.com

PLAT OF HIGHWAYS

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION
US ROUTE 6 / IL ROUTE 7 (159th ST.)

LIMITS: WILL COOK RD. TO US 45
PROJECT: 159th
STATION 276+53.89
SCALE: 1"=50'

COUNTY: COOK
JOB NO.: R-90-028-11
TO STATION 289+50
SHEET 2 OF

BUREAU OF LAND ACQUISITION
201 WEST CENTER COURT
SCHAUMBURG, ILLINOIS 60196

REVISION DATE: FEB. 22, 2012

CONTRACT NO. 60X92 SHEET 182 OF 207 MADE BY: CEP

PART OF THE NW 1/4 OF SECTION 19 & THE SW 1/4 OF SECTION 18, TWP. 36 N., R.12 E. OF THE 3RD. P.M., IN COOK COUNTY, ILLINOIS.


ILLINOIS ROUTE 7 (159TH ST.)
WILL-COOK ROAD
118TH AVENUE
0HS0001
0HS0002
0HS0003
0HS0004
0HS0005
0HS0005TE
0HS0006
SEE SHEET 3
SEE SHEET 20 FOR TOTAL HOLDING
SEE SHEET FOR TOTAL HOLDING
27-18-300-022
27-18-300-014
27-18-300-015
27-19-100-005
27-19-100-006
27-19-100-007
STA. 276+84.92 CL IL ROUTE 7/159TH ST.
STA. 20+00.00 CL WILL-COOK ROAD
EAST LINE WILL-COOK ROAD PER DOC# 98132343
HERETOFORE DEDICATED
PROPOSED R.O.W.
EXISTING R.O.W.
SOUTH LINE SW 1/4 SECTION 18-36-12
NORTH LINE NW 1/4 SECTION 19-36-12
NORTH LINE OF 159TH ST. PER DOC.# 10909318
S LINE SW QTR 18 S88°14'20"W 2587.50'
EXISTING SOUTH LINE 159TH ST. PER DOC 10909320
P.O.C. PARCELS OHS0001, OHS0002, OHS0003
P.O.C. PARCELS OHS0004, OHS0005, OHS0005TE, OHS0006
P.O.B. PARCEL OHS0004
P.O.B. OHS0001
P.O.B. OHS0002
P.O.B. OHS0003
P.O.B. OHS0005
P.O.B. OHS0005TE
P.O.B. OHS0006
PROP. CL @ SECTION LINE STA. 276+53.89, 0.00' RT
PROPOSED CL
EXISTING CL OF R.O.W.
EX. CL R.O.W.
EXISTING CENTERLINE
PROPOSED CENTERLINE
EAST LINE OF THE WEST HALF OF THE NW 1/4 SECTION 19-36-12
APPARENT WEST LINE OF 118TH AVENUE AS OCCUPIED
PROPOSED CL
EAST LINE WILL-COOK ROAD PER DOC# 97761146
EXISTING R.O.W.
PROPOSED R.O.W.
WEST LINE SW 1/4 SECTION 18-36-12
EAST LINE SE 1/4 SECTION 13-36-11
WEST LINE NW 1/4 SECTION 19-36-12
EAST LINE NE 1/4 SECTION 24-36-11
M-36
SEE DETAIL ON SHEET
STA. 277+27.21 99.61 LT
S60°35'28"E 29.85'
STA. 277+52.76 84.17 LT
STA. 281+46.00 84.31 LT
S01°44'28"E 10.00'
STA. 281+46.00 74.31 LT
STA. 285+85.46 74.46' LT
STA. 288+43.28 74.55' LT
STA. 289+48.28 74.55' LT
S01°33'08"E 51.00'
STA. 289+43.43 CL 159TH ST. STA. 10+00 CL 118TH AVE.
STA. 289+47.97 CL 159TH ST. @ East Line W half NW Qtr.
FOUND IRON PIPE 0.21' SOUTH
FOUND IRON PIPE 7.13' SOUTH 0.23' WEST
FOUND PINCH TOP PIPE 0.17' NORTH
FOUN IRON PIPE 0.28' EAST
UTILITY EASE PER DOC# 23773959
GRAVEL DRIVEWAY
gravel driveway
HOUSE
GARAGE
BARN
SHED
FENCE 12.91' N
FENCE 5.17' N
PORCH IS 1.41' N
PORCH 2.73' N
HOUSE COR. 4.79' S
HOUSE COR. 6.40' S
FOUND IRON PIPE 0.93' EAST
FOUND IRON PIPE 0.57' S & 29.01' W
STA. 277+85.00 112.82'
STA. 278+18.97 80.81'
STA. 279+82.02 65.75'
STA. 279+82.03 80.75'
STA. 277+68.00 330.83'
STA. 277+50.61 330.83' RT
STA. 284+02.55 65.60' RT
STA. 286+77.38 95.51' RT
STA. 286+77.56 65.51' RT
STA. 287+17.38 95.49' RT
STA. 287+17.56 65.49' RT
STA. 288+75.00 65.44' RT
STA. 289+14.33 103.74' RT
STA. 289+47.33 103.73' RT
N88°14'20"E 393.24'
N88°14'20"E 439.46'
N88°14'20"E 822.00'
S88°14'20"W 822.00'
N88°14'20"E 617.22'
S88°14'20"W 420.54'
N88°14'20"E 315.01'
S88°14'20"W 315.01'
N88°14'20"E 257.82'
S88°14'20"W 257.82'
N88°14'20"E 230.00'
S88°14'20"W 230.00'
N88°14'20"E 105.00'
S88°14'20"W 105.00'
S88°14'20"W 33.00'
N88°14'20"E 109.01'
N88°14'20"E 315.01'
S88°14'20"W 163.05'
N88°14'20"E 197.00'
S88°14'20"W 17.38'
N88°15'32"E
S01°23'12"W 15.00'
S01°45'40"E 15.00'
N01°33'17"W 33.00'
N01°33'17"W 76.45'
N01°33'17"W 51.00'
S01°33'08"W 51.00'
N01°23'12"W 30.00'
S01°23'12"E 30.00'
N01°23'12"W 400.01'
S01°23'12"E 272.69'
N01°23'12"W 272.69'
N01°19'42"W 247.28'
S02°42'59"W 218.67'
N01°33'08"W 1324.85'
S01°19'43"E 2642.20'
S01°19'43"E 76.45'
S05°54'21"E 522.92'
N05°54'21"W 10.47'
N43°50'56"E 46.52'
S44°57'43"W 46.68'
N43°50'56"E 68.91'
N43°30'05"E 24.90'
N88°14'20"E 131.90'
N88°14'20"E 109.01'
N88°14'20"E 40.00'
S88°14'20"W 40.00'
S88°14'20"W 30.00'
S88°14'20"W 157.44'
N88°14'20"E 105.00'
N88°14'20"E 257.82'
N88°14'20"E 315.01'
S88°14'20"W 315.01'
N88°14'20"E 197.00'
S88°14'20"W 33.00'
S88°14'20"W 17.38'
S88°14'20"W 33.00'
280+00
285+00
0+00
1+00
2+00
3+00
4+00
5+00
6+00
7+00
8+00
9+00
10+00
11+00
12+00
13+00
14+00
15+00
16+00
17+00
18+00
19+00
20+00
21+00
22+00
34
1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
61.00'
85.00'
28.00'
33.00'
80.00'
104.00'
30.00'
89.00'
74.00'
50.00'
57.00'
51.00'
33.00'
18.00'
120.45'
400.01'
99.09'
80.99'
197.00'
127.32'
127.32'
272.69'
272.69'
33.00'
18.71'
68.91'
46.52'
46.68'
24.90'
157.44'
80.99'
197.00'
127.32

PART OF THE NW 1/4 OF SECTION 19 & THE SW 1/4 OF SECTION 18, TWP. 36 N., R.12 E. OF THE 3RD. P.M., IN COOK COUNTY, ILLINOIS.



STATION EQUATION & COORDINATE TABLE

PT#	COORDINATES	STATION & OFFSET	DESCRIPTION	PT#	COORDINATES	STATION & OFFSET	DESCRIPTION
23	N 1797267.34 E 1101167.22	289+43.43, 0.00' RT	PROP. CL 159TH ST AT PROP CL 118TH AVE.				
24	N 1796933.94 E 1101175.26	289+41.34, 333.49' RT	PROP CL 118TH AVE. @ SOUTH PROP. LINE	38	N 1797387.92 E 1101848.64	296+28.20, 99.82' LT	PROPOSED R.O.W.
25	N 1797178.10 E 1101206.93	289+80.41, 90.40' RT	PROPOSED R.O.W.	39	N 1797365.89 E 1101704.01	294+82.97, 82.19' LT	TEMPORARY EASEMENT
26	N 1797189.46 E 1101576.34	293+50.00, 90.27' RT	PROPOSED R.O.W.	40	N 1797369.84 E 1101655.86	294+34.97, 87.60' LT	TEMPORARY EASEMENT
27	N 1797179.47 E 1101576.64	293+50.00, 100.27' RT	PROPOSED R.O.W.	41	N 1797372.47 E 1101638.77	294+17.97, 90.75' LT	TEMPORARY EASEMENT
28	N 1797200.22 E 1101926.17	297+00.00, 90.15' RT	PROPOSED R.O.W.	42	N 1797366.74 E 1101598.93	293+77.97, 86.24' LT	TEMPORARY EASEMENT
29	N 1797190.22 E 1101926.47	297+00.00, 100.15' RT	PROPOSED R.O.W.	43	N 1797395.95 E 1101458.86	292+38.85, 119.69' LT	PROPOSED R.O.W.
30	N 1797216.85 E 1102467.13	302+41.21, 89.96' RT	PROPOSED R.O.W.	44	N 1797391.99 E 1101330.21	291+10.14, 119.64' LT	PROPOSED R.O.W.
31	N 1797306.79 E 1102464.85	302+41.66, 0.00' RT	PROP. CL 159TH ST. @ E. LINE NW 1/4 SEC. 19	45	N 1797388.04 E 1101201.57	289+81.43, 119.60' LT	PROPOSED R.O.W.
32	N 1797330.82 E 1102464.24	302+41.78, 24.04' LT	NE CORNER OF THE NE 1/4 SECTION 19	46	N 1797217.08 E 1101172.97	289+47.66, 50.41' RT	EXISTING R.O.W.
33	N 1797390.57 E 1102422.61	302+01.99, 85.03' LT	PROPOSED R.O.W.				
35	N 1797382.87 E 1102172.31	299+51.57, 84.94' LT	PROPOSED R.O.W.				
36	N 1797395.84 E 1102105.93	298+85.62, 99.91' LT	PROPOSED R.O.W.				

LEGEND

- SECTION CORNER (9 10 16 15)
- QUARTER SECTION CORNER (16 — 15)
- IRON PIPE OR ROD FOUND
- CUT CROSS FOUND OR SET
- "MAG" NAIL SET
- 5/8" REBAR SET
- TI, T2, T3 — **THESE STAKES REFERENCE FOUND OR SET MONUMENTATION.** SET 5/8 INCH IRON ROD FLUSH WITH GROUND TO TIE FOUND IRON STAKE IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYOR'S REGISTRATION NUMBER.
- BT1, BT2, BT3 — **THESE STAKES, IN CULTIVATED AREAS, REFERENCE FOUND OR SET MONUMENTATION.** BURIED 5/8 INCH IRON ROD 20 INCHES BELOW GROUND TO TIE FOUND IRON STAKE. IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYOR'S REGISTRATION NUMBER.
- **STAKING OF PROPOSED RIGHT OF WAY.** SET DIVISION OF HIGHWAYS SURVEY MARKER TO MONUMENT THE POSITION SHOWN. IDENTIFIED BY INSCRIPTION DATA AND SURVEYOR'S REGISTRATION NUMBER.
- M — **STAKING OF PROPOSED RIGHT OF WAY IN CULTIVATED AREAS.** BURIED 5/8 INCH METAL ROD 20 INCHES BELOW GROUND TO MARK FUTURE SURVEY MARKER POSITION IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYOR'S REGISTRATION NUMBER.
- PERMANENT SURVEY MARKER, I.D.O.T. STANDARD 2135 (TO BE SET BY OTHERS)
- RIGHT OF WAY STAKING PROPOSED TO BE SET

Coordinates are referenced to the Illinois State Plane Coordinate System, NAD83, East Zone, as provided by the Illinois Department of Transportation. Listed coordinates are on the ground. All measured and calculated distances are on the ground.
combined scale factor = 0.99996258
To obtain State Plane grid coordinates, multiply the Northing by scale factor (0.99996258) then add 67.19'.
Multiply Easting by scale factor (0.99996258) then add 41.39'.

LEGEND

- SECTION LINE
- QUARTER SECTION LINE
- QUARTER, QUARTER SECTION LINE
- PLATTED LOT LINES
- PROPERTY (DEED) LINE
- APL — APPARENT PROPERTY LINE
- EXISTING CENTERLINE
- PROPOSED CENTERLINE
- EXISTING RIGHT OF WAY LINE
- PROPOSED RIGHT OF WAY LINE
- PROPOSED EASEMENT
- 129.32' — MEASURED DIMENSION
- 129.32' (COMP) — COMPUTED DIMENSION
- (129.32') — RECORDED DIMENSION
- EXISTING BUILDING

STATE OF ILLINOIS)
)SS
COUNTY OF KANE)

THIS IS TO CERTIFY THAT I, CHRIS E. PETERSON, AN ILLINOIS PROFESSIONAL LAND SURVEYOR, HAVE SURVEYED THE PLAT OF HIGHWAYS SHOWN HEREON IN SECTIONS 18 AND 19, TOWNSHIP 39 NORTH, RANGE 13 EAST OF THE THIRD PRINCIPAL MERIDIAN, COOK COUNTY, THAT THE SURVEY IS TRUE AND COMPLETE AS SHOWN TO THE BEST OF MY KNOWLEDGE AND BELIEF, THAT THE PLAT CORRECTLY REPRESENTS SAID SURVEY, THAT ALL MONUMENTS FOUND AND ESTABLISHED ARE OF PERMANENT QUALITY AND OCCUPY THE POSITIONS SHOWN THEREON AND THAT THE MONUMENTS ARE SUFFICIENT TO ENABLE THE SURVEY TO BE RETRACED, MADE FOR THE DEPARTMENT OF TRANSPORTATION, STATE OF ILLINOIS.

DATED AT _____, ILLINOIS THIS _____ DAY OF _____ 2011 A.D.

ILLINOIS PROFESSIONAL LAND SURVEYOR NO. 3678
LICENSE EXPIRATION DATE: 11-30-2012

THIS PROFESSIONAL SERVICE CONFORMS TO THE CURRENT ILLINOIS MINIMUM STANDARDS FOR A BOUNDARY SURVEY.

CHRIS E. PETERSON 035-003678 PROFESSIONAL LAND SURVEYOR SUGAR GROVE STATE OF ILLINOIS

PARCEL NUMBER	OWNER	TOTAL HOLDINGS ACRES	AREA TAKEN ACRES	AREA TAKEN SQ FEET	AREA IN EXISTING R.O.W. ACRES	REMAINDER AREA ACRES	EASEMENT AREA ACRES	EASEMENT AREA SQUARE FEET	EASEMENT PURPOSE	PERMANENT INDEX NUMBER	PROPERTY ACQUIRED BY
0HS0007	TEIMOUR FAILY	0.355	0.136	-	-	0.219	-	-	-	27-18-314-005	
0HS0008	ESMERELDA VILLALOBOS	0.355	0.136	-	-	0.219	-	-	-	27-18-314-010	
0HS0009TE	PATRICK T. TRACY AND ANITA J. TRACY	0.355	-	-	-	0.355	0.015	664	CONSTRUCTION	27-18-315-005	
0HS0010TE	BARBARA E. VOLK	0.693	-	-	-	0.693	0.013	556	CONSTRUCTION	27-18-315-010 27-18-315-009	
0HS0011	SUBURBAN BANK AND TRUST COMPANY, AS TRUSTEE UNDER TRUST AGREEMENT DATED DECEMBER 01, 2003 AND KNOWN AS TRUST NO. 74-3420	0.709	0.154	-	-	0.555	-	-	-	27-18-316-005 27-18-316-010	
0HS0012	SUBURBAN BANK AND TRUST COMPANY, AS TRUSTEE UNDER TRUST AGREEMENT DATED DECEMBER 01, 2003 AND KNOWN AS TRUST NO. 74-3420	0.690	0.063	-	-	0.627	-	-	-	27-18-317-005 27-18-317-010	
0HS0013	NORTH STAR TRUST COMPANY AS SUCCESSOR TO LAKESIDE BANK, AS TRUSTEE UNDER TRUST AGREEMENT DATED SEPTEMEBER 25, 1987 KNOWN AS TRUST NO 10-1295	17.517	1.292	-	-	16.225	-	-	-	27-19-101-002	

RECEIVED
MAR 02 2012
PLATS & LEGALS

ENGINEERING ENTERPRISES, INC.
CONSULTING ENGINEERS & LAND SURVEYORS
52 WHEELER ROAD
SUGAR GROVE, ILLINOIS 60554
PH. (630-466-6700 / www.eeiweb.com

PLAT OF HIGHWAYS

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION

US ROUTE 6 / IL ROUTE 7 (159th ST.)

LIMITS: WILL COOK RD. TO US 45
PROJECT: 159th
STATION 289+50.00
SCALE: 1"=50'

COUNTY: COOK
JOB NO.: R-90-028-11
TO STATION 302+42.00
SHEET 3 OF

BUREAU OF LAND ACQUISITION
201 WEST CENTER COURT
SCHAUMBURG, ILLINOIS 60196

REVISION DATE: FEB. 10, 2012 — H:/SDSKProj/1D1003-F/Dgn Survey/plat of highway — MADE BY: CEP

PART OF THE NE 1/4 OF SECTION 19 & SE 1/4 OF SECTION 18, TWP. 36 N., R.12 E. OF THE 3RD. P.M., IN COOK COUNTY, ILLINOIS.



STATION EQUATION & COORDINATE TABLE

PT#	COORDINATES	STATION & OFFSET	DESCRIPTION
32	N 1797330.82 E 1102464.24	302+41.78, 24.04' LT	NE CORNER OF THE NE 1/4 SECTION 19
47	N 1797397.97 E 1102502.44	302+82.00, 90.00' LT	PROPOSED R.O.W.
49	N 1797405.55 E 1102760.32	305+40.00, 89.74' LT	PROPOSED R.O.W.
50	N 1797392.49 E 1102826.65	306+05.90, 74.67' LT	PROPOSED R.O.W.
51	N 1797396.39 E 1102959.13	307+38.44, 74.54' LT	PROPOSED R.O.W.
52	N 1797423.27 E 1103091.04	308+71.11, 97.41' LT	PROPOSED R.O.W.
53	N 1797407.22 E 1103157.46	309+36.96, 79.34' LT	PROPOSED R.O.W.
54	N 1797411.13 E 1103290.69	310+70.25, 79.29' LT	PROPOSED R.O.W.
55	N 1797415.05 E 1103423.92	312+03.53, 79.24' LT	PROPOSED R.O.W.
56	N 1797461.97 E 1103488.53	312+69.51, 124.21' LT	PROPOSED R.O.W.
57	N 1797418.02 E 1103524.80	313+04.46, 79.20' LT	PROPOSED R.O.W.
59	N 1797424.77 E 1103754.63	315+34.38, 79.11' LT	PROPOSED R.O.W.

PARCEL NUMBER	OWNER	TOTAL HOLDINGS ACRES	AREA TAKEN ACRES	AREA TAKEN SQ FEET	AREA IN EXISTING R.O.W. ACRES	REMAINDER AREA ACRES	EASEMENT AREA ACRES	EASEMENT AREA SQUARE FEET	EASEMENT PURPOSE	PERMANENT INDEX NUMBER	PROPERTY ACQUIRED BY
OHS0014	STANDARD BANK & TRUST COMPANY AS TRUSTEE UNDER TRUST AGREEMENT DATED APRIL 18, 1996 KNOWN AS TRUST NO. 2860	127.694	7.252	-	1.960	120.442	-	-	-	27-19-200-002 27-19-200-005	
OHS0016	HOME DESIGNERS, INC., AN ILLINOIS CORPORATION	0.711	0.095	-	-	0.616	-	-	-	27-18-414-005 27-18-414-010	
OHS0017	CRAIG S. SUICH	0.365	0.003	132.5	-	0.362	-	-	-	27-18-415-005	
OHS0018	STANDARD BANK & TRUST COMPANY, AS TRUSTEE UNDER TRUST AGREEMENT DATED OCTOBER 31, 1996 KNOWN AS TRUST NO. 15426	0.365	0.038	-	-	0.327	-	-	-	27-18-415-010	
OHS0019	STANDARD BANK & TRUST COMPANY, AS TRUSTEE UNDER TRUST AGREEMENT DATED DECEMBER 01, 1971 KNOWN AS TRUST NO. 3699	0.367	0.018	-	-	0.349	-	-	-	27-18-416-005	
OHS0020	DENNIS J. SMITH & GAE L. SMITH	0.365	0.018	-	-	0.347	-	-	-	27-18-416-010	
OHS0021	MARION WEGNER & MARTHA L. WEGNER	0.731	0.054	-	-	0.677	-	-	-	27-18-417-005 27-18-417-010	

STATE OF ILLINOIS)
)SS
COUNTY OF KANE)

THIS IS TO CERTIFY THAT I, CHRIS E. PETERSON, AN ILLINOIS PROFESSIONAL LAND SURVEYOR, HAVE SURVEYED THE PLAT OF HIGHWAYS SHOWN HEREON IN SECTIONS 18 AND 19, TOWNSHIP 39 NORTH, RANGE 13 EAST OF THE THIRD PRINCIPAL MERIDIAN, COOK COUNTY, THAT THE SURVEY IS TRUE AND COMPLETE AS SHOWN TO THE BEST OF MY KNOWLEDGE AND BELIEF, THAT THE PLAT CORRECTLY REPRESENTS SAID SURVEY, THAT ALL MONUMENTS FOUND AND ESTABLISHED ARE OF PERMANENT QUALITY AND OCCUPY THE POSITIONS SHOWN THEREON AND THAT THE MONUMENTS ARE SUFFICIENT TO ENABLE THE SURVEY TO BE RETRACED, MADE FOR THE DEPARTMENT OF TRANSPORTATION, STATE OF ILLINOIS.

DATED AT SUGAR GROVE, ILLINOIS THIS 18TH DAY OF JUNE 2013 A.D.

ILLINOIS PROFESSIONAL LAND SURVEYOR NO. 3678
LICENSE EXPIRATION DATE: 11-30-2014
THIS PROFESSIONAL SERVICE CONFORMS TO THE CURRENT ILLINOIS MINIMUM STANDARDS FOR A BOUNDARY SURVEY.

CHRIS E. PETERSON 035-003678 PROFESSIONAL LAND SURVEYOR SUGAR GROVE STATE OF ILLINOIS

SECTION CORNER
QUARTER SECTION CORNER

SECTION LINE
QUARTER SECTION LINE
QUARTER, QUARTER SECTION LINE
PLATTED LOT LINES
PROPERTY (DEED) LINE
APPARENT PROPERTY LINE
EXISTING CENTERLINE
PROPOSED CENTERLINE
EXISTING RIGHT OF WAY LINE
PROPOSED RIGHT OF WAY LINE
PROPOSED EASEMENT
129.32' MEASURED DIMENSION
129.32' (COMP) COMPUTED DIMENSION
(129.32') RECORDED DIMENSION
EXISTING BUILDING

RECEIVED
JUN 18 2013
PLATS & LEGALS

LEGEND

- IRON PIPE OR ROD FOUND
- "MAG" NAIL SET
- + CUT CROSS FOUND OR SET
- 5/8" REBAR SET
- TI, T2, T3 — THESE STAKES REFERENCE FOUND OR SET MONUMENTATION. SET 5/8 INCH IRON ROD FLUSH WITH GROUND TO TIE FOUND IRON STAKE IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYOR'S REGISTRATION NUMBER.
- BT1, BT2, BT3 — THESE STAKES, IN CULTIVATED AREAS, REFERENCE FOUND OR SET MONUMENTATION. BURIED 5/8 INCH IRON ROD 20 INCHES BELOW GROUND TO TIE FOUND IRON STAKE. IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYOR'S REGISTRATION NUMBER.
- STAKING OF PROPOSED RIGHT OF WAY. SET DIVISION OF HIGHWAYS SURVEY MARKER TO MONUMENT THE POSITION SHOWN. IDENTIFIED BY INSCRIPTION DATA AND SURVEYOR'S REGISTRATION NUMBER.
- M — STAKING OF PROPOSED RIGHT OF WAY IN CULTIVATED AREAS. BURIED 5/8 INCH METAL ROD 20 INCHES BELOW GROUND TO MARK FUTURE SURVEY MARKER POSITION IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYOR'S REGISTRATION NUMBER.
- PERMANENT SURVEY MARKER, I.D.O.T. STANDARD 2135 (TO BE SET BY OTHERS)
- RIGHT OF WAY STAKING PROPOSED TO BE SET

Coordinates are referenced to the Illinois State Plane Coordinate System, NAD83, East Zone. Listed coordinates are on the ground. All measured and calculated distances are on the ground.
combined scale factor = 0.99996258
To obtain State Plane grid coordinates, multiply the Northing by scale factor (0.99996258) then add 67.19'.
Multiply Easting by scale factor (0.99996258) then add 41.39'.

ENGINEERING ENTERPRISES, INC.
CONSULTING ENGINEERS & LAND SURVEYORS
52 WHEELER ROAD
SUGAR GROVE, ILLINOIS 60554
PH. (630-466-6700 / www.eeiweb.com

PLAT OF HIGHWAYS

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION

US ROUTE 6 / IL ROUTE 7 (159th ST.)

LIMITS: WILL COOK RD. TO US 45 — COUNTY: COOK
PROJECT: 159th — JOB NO.: R-90-028-11
STATION 302+42.00 — TO STATION 315+50.00
SCALE: 1"=50' — SHEET 4 OF 26

BUREAU OF LAND ACQUISITION
201 WEST CENTER COURT
SCHAUMBURG, ILLINOIS 60196

REVISION DATE: JUNE 18, 2013 — H:/SDSKProj/ID1003-F/Dgn Survey/plat of highway — MADE BY: CEP

COUNTY: JOB NO.: RECORDING: RECORDED ON

PART OF THE NE 1/4 OF SECTION 19 & SE 1/4 OF SECTION 18, TWP. 36 N., R.12 E. OF THE 3RD. P.M., IN COOK COUNTY, ILLINOIS.





STATION EQUATION & COORDINATE TABLE

PT#	COORDINATES	STATION & OFFSET	DESCRIPTION
60	N 1797456.70 E 1103819.73	316+00.41, 109.09' LT	PROPOSED R.O.W.
61	N 1797421.73 E 1103855.38	316+35.00, 73.07' LT	PROPOSED R.O.W.
62	N 1797427.68 E 1104057.79	318+37.50, 73.00' LT	PROPOSED R.O.W.
63	N 1797464.50 E 1104085.24	318+66.03, 108.98' LT	PROPOSED R.O.W.
64	N 1797461.44 E 1104151.36	319+32.03, 103.96' LT	PROPOSED R.O.W.
65	N 1797436.90 E 1104167.29	319+47.22, 78.95' LT	PROPOSED R.O.W.
66	N 1797440.35 E 1104284.80	320+64.78, 78.91' LT	PROPOSED R.O.W.
67	N 1797443.62 E 1104395.82	321+75.86, 78.87' LT	PROPOSED R.O.W.

STATION EQUATION & COORDINATE TABLE

PT#	COORDINATES	STATION & OFFSET	DESCRIPTION
68	N 1797469.24 E 1104416.75	321+97.54, 103.86' LT	PROPOSED R.O.W.
69	N 1797446.19 E 1104483.47	322+63.54, 78.83' LT	PROPOSED R.O.W.
70	N 1797286.16 E 1104144.16	319+19.62, 71.04' RT	PROPOSED R.O.W.
71	N 1797454.00 E 1104748.87	325+29.05, 78.73' LT	PROPOSED R.O.W.
72	N 1797369.25 E 1103771.90	315+50.00, 23.11' LT	N LINE NE¼ SEC 19
73	N 1797346.16 E 1103772.59	315+50.00, 0.00' LT	PROPOSED CENTERLINE
74	N 1797408.73 E 1105114.98	328+93.66, 22.59' LT	NE CORNER SEC 19-36-12
75	N 1797375.92 E 1104772.15	325+50.00, 0.00' RT	PROPOSED CENTERLINE
76	N 1797266.50 E 1103815.98	315+91.00, 80.91' RT	PROPOSED R.O.W.
77	N 1797276.50 E 1103815.68	315+91.00, 70.91' RT	PROPOSED R.O.W.
78	N 1797244.13 E 1104075.79	318+50.03, 111.01' RT	TEMPORARY EASEMENT
79	N 1797246.48 E 1104155.76	319+30.03, 111.04' RT	TEMPORARY EASEMENT
80	N 1797287.46 E 1104144.13	319+19.63, 69.74' RT	PROPOSED R.O.W.
81	N 1797291.70 E 1104288.58	320+64.14, 69.79' RT	PROPOSED R.O.W.
82	N 1797298.43 E 1104517.53	322+93.19, 69.88' RT	PROPOSED R.O.W.
83	N 1797294.13 E 1104517.64	322+93.16, 74.18' RT	PROPOSED R.O.W.
84	N 1797295.90 E 1104577.61	323+53.17, 74.20' RT	PROPOSED R.O.W.
85	N 1797301.18 E 1104757.54	325+33.17, 74.27' RT	PROPOSED R.O.W.
86	N 1797246.17 E 1104145.17	319+19.43, 111.04' RT	PROPOSED R.O.W.

PARCEL NUMBER	OWNER	TOTAL HOLDINGS ACRES	AREA TAKEN ACRES	AREA TAKEN SQ FEET	AREA IN EXISTING R.O.W. ACRES	REMAINDER AREA ACRES	EASEMENT ACRES	EASEMENT AREA SQUARE FEET	EASEMENT PURPOSE	PERMANENT INDEX NUMBER	PROPERTY ACQUIRED BY
OHS0023 OHS0023-TE	THE VILLAGE OF ORLAND PARK	10.973	0.286	-	-	10.687	0.064	-	CONSTRUCTION	27-19-201-015	
OHS0024 OHS0024-TE	GCC ORLAND PARK ONE, LLC	1.112	0.062	-	-	1.050	0.010	437	CONSTRUCTION	27-19-201-025	
OHS0025	MERIT PROPERTY PARTNERS, LLC	1.582	0.098	-	-	1.484	-	-	-	27-19-201-026	
OHS0026	ORLAND PARK KOTARA PARTNERS, LLC	10.228	0.021	-	-	10.207	-	-	-	27-19-201-012 27-19-201-013 27-19-201-020 27-19-201-023 27-19-201-024	
OHS0027	FRANCHISE REALTY INVESTMENT TRUST-IL	1.239	0.062	-	-	1.177	-	-	-	27-19-201-011	
OHS0028-A OHS0028-B	ROBERT VERKLER & GUADOLUPE VERKLER	0.732	0.014 A 0.012 B	-	-	0.706	-	-	-	27-18-430-005 27-18-430-010	
OHS0029	ALBERT J. BEAUDREAU & KIMBERLY J. BEAUDREAU	0.366	0.023	-	-	0.343	-	-	-	27-18-431-005	
OHS0030	STANDARD BANK & TRUST COMPANY, AS TRUSTEE UNDER TRUST AGREEMENT DATED OCTOBER 31, 1996 KNOWN AS TRUST NO. 15426	0.366	0.025	-	-	0.341	-	-	-	27-18-431-010	
OHS0031	MARQUETTE BANK, AS TRUSTEE UNDER TRUST AGREEMENT NUMBER 3443 DATED MAY 16, 1966	1.429	0.037	-	-	1.392	-	-	-	27-18-432-004 27-18-432-005 27-18-432-009 27-18-432-010	

REVISION DATE: JULY 22, 2013

LEGEND

- SECTION LINE
- QUARTER SECTION LINE
- QUARTER, QUARTER SECTION LINE
- PLATTED LOT LINES
- PROPERTY (DEED) LINE
- APPARENT PROPERTY LINE
- EXISTING CENTERLINE
- PROPOSED CENTERLINE
- EXISTING RIGHT OF WAY LINE
- PROPOSED RIGHT OF WAY LINE
- PROPOSED EASEMENT
- 129.32' MEASURED DIMENSION
- 129.32' (COMP) COMPUTED DIMENSION
- (129.32') RECORDED DIMENSION
- EXISTING BUILDING

N

GRAPHIC SCALE FEET
0 50
SCALE: 1" = 50'

SECTION CORNER (9 10 16 15)
QUARTER SECTION CORNER (16 — 15)

- IRON PIPE OR ROD FOUND
- "MAG" NAIL SET
- + CUT CROSS FOUND OR SET
- 5/8" REBAR SET
- TI, T2, T3 — THESE STAKES REFERENCE FOUND OR SET MONUMENTATION. SET 5/8 INCH IRON ROD FLUSH WITH GROUND TO TIE FOUND IRON STAKE IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYOR'S REGISTRATION NUMBER.
- BTI, BT2, BT3 — THESE STAKES, IN CULTIVATED AREAS, REFERENCE FOUND OR SET MONUMENTATION. BURIED 5/8 INCH IRON ROD 20 INCHES BELOW GROUND TO TIE FOUND IRON STAKE. IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYOR'S REGISTRATION NUMBER.
- ■ STAKING OF PROPOSED RIGHT OF WAY. SET DIVISION OF HIGHWAYS SURVEY MARKER TO MONUMENT THE POSITION SHOWN. IDENTIFIED BY INSCRIPTION DATA AND SURVEYOR'S REGISTRATION NUMBER.
- ■ M STAKING OF PROPOSED RIGHT OF WAY IN CULTIVATED AREAS. BURIED 5/8 INCH METAL ROD 20 INCHES BELOW GROUND TO MARK FUTURE SURVEY MARKER POSITION IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYOR'S REGISTRATION NUMBER.
- PERMANENT SURVEY MARKER, I.D.O.T. STANDARD 2135 (TO BE SET BY OTHERS)
- □ RIGHT OF WAY STAKING PROPOSED TO BE SET

Coordinates are referenced to the Illinois State Plane Coordinate System, NAD83, East Zone. Listed coordinates are on the ground. All measured and calculated distances are on the ground.
combined scale factor = 0.99996258
To obtain State Plane grid coordinates, multiply the Northing by scale factor (0.99996258) then add 67.19'.
Multiply Easting by scale factor (0.99996258) then add 41.39'.

STATE OF ILLINOIS)
)SS
COUNTY OF KANE)

THIS TO CERTIFY THAT I, CHRIS E. PETERSON, AN ILLINOIS PROFESSIONAL LAND SURVEYOR, HAVE SURVEYED THE PLAT OF HIGHWAYS SHOWN HEREON IN SECTIONS 18 AND 19, TOWNSHIP 39 NORTH, RANGE 12 EAST OF THE THIRD PRINCIPAL MERIDIAN, COOK COUNTY, THAT THE SURVEY IS TRUE AND COMPLETE AS SHOWN TO THE BEST OF MY KNOWLEDGE AND BELIEF, THAT THE PLAT CORRECTLY REPRESENTS SAID SURVEY, THAT ALL MONUMENTS FOUND AND ESTABLISHED ARE OF PERMANENT QUALITY AND OCCUPY THE POSITIONS SHOWN THEREON AND THAT THE MONUMENTS ARE SUFFICIENT TO ENABLE THE SURVEY TO BE RETRACED, MADE FOR THE DEPARTMENT OF TRANSPORTATION, STATE OF ILLINOIS.

DATED AT SUGAR GROVE, ILLINOIS THIS_____DAY OF_____ 2013 A.D.

_____
ILLINOIS PROFESSIONAL LAND SURVEYOR NO. 3678
LICENSE EXPIRATION DATE: 11-30-2014
THIS PROFESSIONAL SERVICE CONFORMS TO THE CURRENT ILLINOIS MINIMUM STANDARDS FOR A BOUNDARY SURVEY.

CHRIS E. PETERSON 035-003678 PROFESSIONAL LAND SURVEYOR SUGAR GROVE STATE OF ILLINOIS

ENGINEERING ENTERPRISES, INC.
CONSULTING ENGINEERS & LAND SURVEYORS
52 WHEELER ROAD
SUGAR GROVE, ILLINOIS 60554
PH. (630-466-6700 / www.eeiweb.com

RECEIVED
JUL 22 2013
PLATS & LEGALS

PLAT OF HIGHWAYS

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION

US ROUTE 6 / IL ROUTE 7 (159th ST.)

LIMITS: WILL COOK RD. TO US 45 — COUNTY: COOK
PROJECT: 159th — JOB NO.: R-90-028-11
STATION 315+50.00 — TO STATION 325+50.00
SCALE: 1"=50' — SHEET 5 OF 26

BUREAU OF LAND ACQUISITION
201 WEST CENTER COURT
SCHAUMBURG, ILLINOIS 60196

COUNTY: — JOB NO.: — RECORDING: RECORDED ON — H:/SDSKProj/ID1003-F/Dgn Survey/plat of highway — MADE BY: CEP

SEE SHEET 5

PART OF THE SW 1/4 OF SECTION 17 & SE 1/4 OF SECTION 18, TWP. 36 N., R.12 E. OF THE 3RD. P.M., IN COOK COUNTY, ILLINOIS.



LEGEND

- SECTION LINE
- QUARTER SECTION LINE
- QUARTER, QUARTER SECTION LINE
- PLATTED LOT LINES
- P — PROPERTY (DEED) LINE
- APL — APPARENT PROPERTY LINE
- EXISTING CENTERLINE
- PROPOSED CENTERLINE
- EXISTING RIGHT OF WAY LINE
- PROPOSED RIGHT OF WAY LINE
- PROPOSED EASEMENT
- 129.32' MEASURED DIMENSION
- 129.32' (COMP) COMPUTED DIMENSION
- (129.32') RECORDED DIMENSION
- EXISTING BUILDING

GRAPHIC SCALE FEET
0 50
SCALE: 1" = 50'

SECTION CORNER (9 10 16 15)
QUARTER SECTION CORNER (16 15)

- IRON PIPE OR ROD FOUND
- "MAG" NAIL SET
- CUT CROSS FOUND OR SET
- 5/8" REBAR SET
- TI T2 T3 — THESE STAKES REFERENCE FOUND OR SET MONUMENTATION. SET 5/8 INCH IRON ROD FLUSH WITH GROUND TO TIE FOUND IRON STAKE IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYOR'S REGISTRATION NUMBER.
- BTI BT2 BT3 — THESE STAKES, IN CULTIVATED AREAS, REFERENCE FOUND OR SET MONUMENTATION. BURIED 5/8 INCH IRON ROD 20 INCHES BELOW GROUND TO TIE FOUND IRON STAKE. IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYOR'S REGISTRATION NUMBER.
- STAKING OF PROPOSED RIGHT OF WAY. SET DIVISION OF HIGHWAYS SURVEY MARKER TO MONUMENT THE POSITION SHOWN, IDENTIFIED BY INSCRIPTION DATA AND SURVEYOR'S REGISTRATION NUMBER.
- M — STAKING OF PROPOSED RIGHT OF WAY IN CULTIVATED AREAS. BURIED 5/8 INCH METAL ROD 20 INCHES BELOW GROUND TO MARK FUTURE SURVEY MARKER POSITION IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYOR'S REGISTRATION NUMBER.
- PERMANENT SURVEY MARKER, I.D.O.T. STANDARD 2135 (TO BE SET BY OTHERS)
- RIGHT OF WAY STAKING PROPOSED TO BE SET

Coordinates are referenced to the Illinois State Plane Coordinate System, NAD83, East Zone. Listed coordinates are on the ground. All measured and calculated distances are on the ground.
combined scale factor = 0.99996258
To obtain State Plane grid coordinates, multiply the Northing by scale factor (0.99996258) then add 67.19'.
Multiply Easting by scale factor (0.99996258) then add 41.39'.

STATION EQUATION & COORDINATE TABLE

PT#	COORDINATES	STATION & OFFSET	DESCRIPTION
74	N 1797408.73 E 1105114.98	328+93.66, 22.59' LT	SECTION CORNER
90	N 1797375.92 E 1104772.17	325+50.00, 0.00' LT	PROPOSED CENTERLINE
91	N 1797398.64 E 1104771.47	325+50.00, 22.72' LT	S LINE SE 1/4 SEC 18
92	N 1797386.15 E 1105115.40	328+93.41, 0.00' LT	CL 159TH & CL WOLF
93	N 1798384.73 E 1105087.00	29+99.00, 0.00' LT	PROPOSED CENTERLINE
94	N 1797524.90 E 1104812.79	325+95.05, 147.70' LT	TEMPORARY EASEMENT
95	N 1797526.04 E 1104851.27	326+33.55, 147.69' LT	TEMPORARY EASEMENT
96	N 1797483.18 E 1104925.06	327+06.04, 102.66' LT	TEMPORARY EASEMENT
97	N 1797485.04 E 1104988.03	327+69.04, 102.64' LT	TEMPORARY EASEMENT
98	N 1797466.22 E 1105028.57	328+09.00, 82.62' LT	PROPOSED R.O.W.
99	N 1797494.10 E 1105042.25	328+23.50, 110.08' LT	PROPOSED R.O.W.
100	N 1797818.23 E 1105007.02	24+35.00, 96.06' LT	TEMPORARY EASEMENT
101	N 1797870.20 E 1105005.38	24+87.00', 96.22' LT	TEMPORARY EASEMENT
102	N 1797850.90 E 1105031.00	24+66.98', 71.16' LT	PROPOSED R.O.W.
103	N 1798035.26 E 1105025.18	26+51.42', 71.73' RT	PROPOSED R.O.W.
104	N 1798101.68 E 1105038.09	27+17.45', 56.93' LT	TEMPORARY EASEMENT
105	N 1798334.11 E 1105030.76	29+50.00', 57.65' LT	TEMPORARY EASEMENT
106	N 1798386.64 E 1105154.17	29+99.00', 67.20' RT	TEMPORARY EASEMENT
107	N 1798346.66 E 1105155.43	29+59.00', 67.32' RT	TEMPORARY EASEMENT
108	N 1798070.87 E 1105144.12	26+83.64', 48.17' RT	PROPOSED R.O.W.
109	N 1798071.08 E 1105154.12	26+83.57', 58.17' RT	PROPOSED R.O.W.
110	N 1797717.27 E 1105165.28	23+29.58', 59.27' RT	PROPOSED R.O.W.
111	N 1797717.65 E 1105177.27	23+29.62', 71.27' RT	PROPOSED R.O.W.
112	N 1797502.30 E 1105184.06	329+65.49, 114.06' LT	PROPOSED R.O.W.
113	N 1797474.79 E 1105212.94	329+93.54, 85.70' LT	PROPOSED R.O.W.
114	N 1797483.03 E 1105463.00	332+43.73, 86.49' LT	PROPOSED R.O.W.

PARCEL NUMBER	OWNER	TOTAL HOLDINGS ACRES	AREA TAKEN ACRES	AREA TAKEN SQ FEET	AREA IN EXISTING R.O.W. ACRES	REMAINDER AREA ACRES	EASEMENT ACRES	AREA SQUARE FEET	EASEMENT PURPOSE	PERMANENT INDEX NUMBER	PROPERTY ACQUIRED BY
0HS0032 0HS0032TE-A 0HS0032TE-B 0HS0032TE-C	THE BIG "R" REAL ESTATE COMPANY, INC.	2.394	0.093	-	-	2.301	A = 0.057 B = 0.029 C = 0.018	-	CONSTRUCTION	27-18-433-012	
0HS0033 0HS0033TE	R & C PARTNERS, AN ILLINOIS GENERAL PARTNERSHIP	1.148	0.042	-	-	1.106	0.012	-	CONSTRUCTION	27-18-433-011	
0HS0034TE	ILLINOIS ASSOCIATION OF THE 7TH DAY ADVENTISTS	1.696	-	-	-	-	0.027	-	CONSTRUCTION	27-18-429-013 27-18-429-009 27-18-429-014	
0HS0035TE	MF PROPERTIES LIMITED PARTNERSHIP	7.053	-	-	-	-	0.018	-	CONSTRUCTION	27-17-300-028	
0HS0036	Wolf Point Plaza, LLC, an Illinois limited liability company.	0.922	0.922	-	-	0.000	-	-	-	27-17-315-006	

REVISION DATE: MARCH 01, 2013

STATE OF ILLINOIS)SS
COUNTY OF KANE)

THIS IS TO CERTIFY THAT I, CHRIS E. PETERSON, AN ILLINOIS PROFESSIONAL LAND SURVEYOR, HAVE SURVEYED THE PLAT OF HIGHWAYS SHOWN HEREON IN SECTIONS 17 AND 18, TOWNSHIP 36 NORTH, RANGE 12 EAST OF THE THIRD PRINCIPAL MERIDIAN, COOK COUNTY, THAT THE SURVEY IS TRUE AND COMPLETE AS SHOWN TO THE BEST OF MY KNOWLEDGE AND BELIEF, THAT THE PLAT CORRECTLY REPRESENTS SAID SURVEY, THAT ALL MONUMENTS FOUND AND ESTABLISHED ARE OF PERMANENT QUALITY AND OCCUPY THE POSITIONS SHOWN THEREON AND THAT THE MONUMENTS ARE SUFFICIENT TO ENABLE THE SURVEY TO BE RETRACED, MADE FOR THE DEPARTMENT OF TRANSPORTATION, STATE OF ILLINOIS.

DATED AT SUGAR GROVE, ILLINOIS THIS DAY OF 2013 A.D.

ILLINOIS PROFESSIONAL LAND SURVEYOR NO. 3678
LICENSE EXPIRATION DATE: 11-30-2014
THIS PROFESSIONAL SERVICE CONFORMS TO THE CURRENT ILLINOIS MINIMUM STANDARDS FOR A BOUNDARY SURVEY.

CHRIS E. PETERSON 035-003678 PROFESSIONAL LAND SURVEYOR SUGAR GROVE STATE OF ILLINOIS

ENGINEERING ENTERPRISES, INC.
CONSULTING ENGINEERS & LAND SURVEYORS
52 WHEELER ROAD
SUGAR GROVE, ILLINOIS 60554
PH. (630-466-6700 / www.eeiweb.com

RECEIVED
MAR 01 2013
PLATS & LEGALS

PLAT OF HIGHWAYS

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION
US ROUTE 6 / IL ROUTE 7 (159th ST.)

LIMITS: WILL COOK RD. TO US 45 — COUNTY: COOK
PROJECT: 159th — JOB NO.: R-90-028-11
STATION 325+50.00 — TO STATION 332+50.00
SCALE: 1"=50' — SHEET 6 OF 26

BUREAU OF LAND ACQUISITION
201 WEST CENTER COURT
SCHAUMBURG, ILLINOIS 60196

H:/SDSKProj/ID1003-F/Dgn Survey/plat of highway MADE BY: CEP

COUNTY: JOB NO.: RECORDING: RECORDED ON

PART OF THE NE 1/4 OF SECTION 19 & NW 1/4 OF SECTION 20, TWP. 36 N., R.12 E. OF THE 3RD. P.M., IN COOK COUNTY, ILLINOIS.



LEGEND

- SECTION LINE
- QUARTER SECTION LINE
- QUARTER, QUARTER SECTION LINE
- PLATTED LOT LINES
- PROPERTY (DEED) LINE
- APPARENT PROPERTY LINE
- EXISTING CENTERLINE
- PROPOSED CENTERLINE
- EXISTING RIGHT OF WAY LINE
- PROPOSED RIGHT OF WAY LINE
- PROPOSED EASEMENT
- 129.32' MEASURED DIMENSION
- 129.32' (COMP) COMPUTED DIMENSION
- (129.32') RECORDED DIMENSION
- EXISTING BUILDING

GRAPHIC SCALE FEET
0 50
SCALE: 1" = 50'

SECTION CORNER (9, 10, 16, 15)
QUARTER 16 — 15 SECTION CORNER

- IRON PIPE OR ROD FOUND
- CUT CROSS FOUND OR SET
- "MAG" NAIL SET
- 5/8" REBAR SET
- T1, T2, T3 — THESE STAKES REFERENCE FOUND OR SET MONUMENTATION. SET 5/8 INCH IRON ROD FLUSH WITH GROUND TO TIE FOUND IRON STAKE IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYOR'S REGISTRATION NUMBER.
- BT1, BT2, BT3 — THESE STAKES, IN CULTIVATED AREAS, REFERENCE FOUND OR SET MONUMENTATION. BURIED 5/8 INCH IRON ROD 20 INCHES BELOW GROUND TO TIE FOUND IRON STAKE. IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYOR'S REGISTRATION NUMBER.
- STAKING OF PROPOSED RIGHT OF WAY. SET DIVISION OF HIGHWAYS SURVEY MARKER TO MONUMENT THE POSITION SHOWN. IDENTIFIED BY INSCRIPTION DATA AND SURVEYOR'S REGISTRATION NUMBER.
- M — STAKING OF PROPOSED RIGHT OF WAY IN CULTIVATED AREAS. BURIED 5/8 INCH METAL ROD 20 INCHES BELOW GROUND TO MARK FUTURE SURVEY MARKER POSITION IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYOR'S REGISTRATION NUMBER.
- PERMANENT SURVEY MARKER, I.D.O.T. STANDARD 2135 (TO BE SET BY OTHERS)
- RIGHT OF WAY STAKING PROPOSED TO BE SET

Coordinates are referenced to the Illinois State Plane Coordinate System, NAD83, East Zone. Listed coordinates are on the ground. All measured and calculated distances are on the ground.
combined scale factor = 0.99996258
To obtain State Plane grid coordinates, multiply the Northing by scale factor (0.99996258) then add 67.19'.
Multiply Easting by scale factor (0.99996258) then add 41.39'.

STATION EQUATION & COORDINATE TABLE

PT#	COORDINATES	STATION & OFFSET	DESCRIPTION
74	N 1797408.73 E 1105114.98	328+93.66, 22.59' LT	SECTION CORNER
85	N 1797301.18 E 1104757.54	325+33.17, 74.27' RT	PROPOSED R.O.W.
90	N 1797375.92 E 1104772.17	325+50.00, 0.00' LT	PROPOSED CENTERLINE
91	N 1797398.64 E 1104771.47	325+50.00, 22.72' LT	S LINE SE 1/4 SEC 18
92	N 1797386.15 E 1105115.40	328+93.41, 0.00' LT	CL 159TH @ CL WOLF
115	N 1797416.40 E 1105471.25	332+50.00, 19.64' LT	N LINE NW 1/4 SEC 20
116	N 1797396.76 E 1105471.84	332+50.00, 0.00' LT	PROPOSED CL 159TH
117	N 1796081.12 E 1105147.86	6+94.39, 0.00' RT	PROPOSED CL WOLF
118	N 1797307.89 E 1104985.78	327+61.51, 74.36' RT	PROPOSED R.O.W.
119	N 1797274.19 E 1105030.29	328+05.00, 109.38' RT	PROPOSED R.O.W.
120	N 1797205.70 E 1105059.97	328+32.63, 178.72' RT	PROPOSED R.O.W.
121	N 1796596.64 E 1105065.00	12+12.00, 70.02' LT	TEMPORARY EASEMENT
122	N 1796521.66 E 1105066.85	11+37.00, 70.03' LT	TEMPORARY EASEMENT
400	N 1797325.81 E 1105314.88	330+91.00, 66.24' RT	PROPOSED R.O.W.
401	N 1797335.81 E 1105314.57	330+90.99, 56.24' RT	PROPOSED R.O.W.
402	N 1797337.71 E 1105376.81	331+53.26, 56.19' RT	PROPOSED R.O.W.
403	N 1797327.72 E 1105377.06	331+53.20, 66.19' RT	PROPOSED R.O.W.

ILLINOIS ROUTE 6 (WOLF ROAD)

PARCEL NUMBER	OWNER	TOTAL HOLDINGS ACRES	AREA TAKEN ACRES	AREA TAKEN SQ FEET	AREA IN EXISTING R.O.W. ACRES	REMAINDER AREA ACRES	EASEMENT ACRES	EASEMENT AREA SQUARE FEET	EASEMENT PURPOSE	PERMANENT INDEX NUMBER	PROPERTY ACQUIRED BY
0HS0037TE	FRANK KULA & MARY J. KULA	2.238	-	-	-	2.238	0.034	-	CONSTRUCTION	27-19-201-007	
0HS0038	STANDARD BANK AND TRUST COMPANY	2.063	0.164	-	-	1.899	-	-		27-19-201-010	
0HS0039 0HS0039TE-A 0HS0039TE-B	HARRIS, N.A.	1.281	0.122	-	-	1.159	A = 0.023 B = 0.018	-	CONSTRUCTION	27-20-100-006	
0HS0040-A 0HS0040-B 0HS0040TE-A 0HS0040TE-B	STANDARD BANK & TRUST COMPANY AS TRUSTEE UNDER TRUST AGREEMENT DATED APRIL 18, 1966 KNOWN AS TRUST NO. 2860	38.113	A= 1.300 B= 2.067	-	A= 1.180 B= 1.511	34.746	A = 0.018 B = 0.014	-	CONSTRUCTION	27-20-100-005	

REVISION DATE: DECEMBER 17, 2012

STATION EQUATION & COORDINATE TABLE

PT#	COORDINATES	STATION & OFFSET	DESCRIPTION
123	N 1796587.63 E 1105185.26	12+00.00, 49.98' RT	PROPOSED R.O.W.
124	N 1796587.88 E 1105195.25	12+00.00, 59.98' RT	PROPOSED R.O.W.
125	N 1797109.82 E 1105182.37	17+22.11, 60.08' RT	PROPOSED R.O.W.
126	N 1797280.60 E 1105178.16	329+52.99, 107.37' RT	PROPOSED R.O.W.
127	N 1797323.43 E 1105236.91	330+13.00, 66.31' RT	PROPOSED R.O.W.
128	N 1797328.94 E 1105417.04	331+93.20, 66.16' RT	PROPOSED R.O.W.
129	N 1797308.95 E 1105417.53	331+93.10, 86.16' RT	TEMPORARY EASEMENT
130	N 1797307.72 E 1105377.55	331+53.10, 86.19' RT	TEMPORARY EASEMENT
131	N 1797175.45 E 1105200.76	17+87.25, 80.09' RT	TEMPORARY EASEMENT
132	N 1797125.46 E 1105201.99	17+37.25, 80.08' RT	TEMPORARY EASEMENT

STATE OF ILLINOIS)
)SS
COUNTY OF KANE)

THIS IS TO CERTIFY THAT I, CHRIS E. PETERSON, AN ILLINOIS PROFESSIONAL LAND SURVEYOR, HAVE SURVEYED THE PLAT OF HIGHWAYS SHOWN HEREON IN SECTIONS 19 AND 20, TOWNSHIP 36 NORTH, RANGE 12 EAST OF THE THIRD PRINCIPAL MERIDIAN, COOK COUNTY, THAT THE SURVEY IS TRUE AND COMPLETE AS SHOWN TO THE BEST OF MY KNOWLEDGE AND BELIEF, THAT THE PLAT CORRECTLY REPRESENTS SAID SURVEY, THAT ALL MONUMENTS FOUND AND ESTABLISHED ARE OF PERMANENT QUALITY AND OCCUPY THE POSITIONS SHOWN THEREON AND THAT THE MONUMENTS ARE SUFFICIENT TO ENABLE THE SURVEY TO BE RETRACED, MADE FOR THE DEPARTMENT OF TRANSPORTATION, STATE OF ILLINOIS.

DATED AT SUGAR GROVE, ILLINOIS THIS_____DAY OF_____ 2012 A.D.

_____
ILLINOIS PROFESSIONAL LAND SURVEYOR NO. 3678
LICENSE EXPIRATION DATE: 11-30-2012
THIS PROFESSIONAL SERVICE CONFORMS TO THE CURRENT ILLINOIS MINIMUM STANDARDS FOR A BOUNDARY SURVEY.

CHRIS E. PETERSON 035-003678 PROFESSIONAL LAND SURVEYOR SUGAR GROVE STATE OF ILLINOIS

RECEIVED
DEC 17 2012
PLATS & LEGALS

ENGINEERING ENTERPRISES, INC.
CONSULTING ENGINEERS & LAND SURVEYORS
52 WHEELER ROAD
SUGAR GROVE, ILLINOIS 60554
PH. (630-466-6700 / www.eeiweb.com

PLAT OF HIGHWAYS

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION
US ROUTE 6 / IL ROUTE 7 (159th ST.)

LIMITS: WILL COOK RD. TO US 45 — COUNTY: COOK
PROJECT: 159th — JOB NO.: R-90-028-11
STATION 325+50.00 — TO STATION 332+50.00
SCALE: 1"=50' — SHEET 7 OF 26

BUREAU OF LAND ACQUISITION
201 WEST CENTER COURT
SCHAUMBURG, ILLINOIS 60196

COUNTY: _____ JOB NO.: _____ RECORDING: RECORDED ON _____

H:/SDSKProj/ID1003-F/Dgn Survey/plat of highway — MADE BY: CEP

PART OF THE SW 1/4 OF SECTION 17 & NW 1/4 OF SECTION 20, TWP. 36 N., R.12 E. OF THE 3RD. P.M., IN COOK COUNTY, ILLINOIS.



LEGEND

- SECTION LINE
- QUARTER SECTION LINE
- QUARTER, QUARTER SECTION LINE
- PLATTED LOT LINES
- P — PROPERTY (DEED) LINE
- APL — APPARENT PROPERTY LINE
- EXISTING CENTERLINE
- PROPOSED CENTERLINE
- EXISTING RIGHT OF WAY LINE
- PROPOSED RIGHT OF WAY LINE
- PROPOSED EASEMENT
- 129.32' — MEASURED DIMENSION
- 129.32' (COMP) — COMPUTED DIMENSION
- (129.32') — RECORDED DIMENSION
- EXISTING BUILDING

N

GRAPHIC SCALE FEET
0 50
SCALE: 1" = 50'

9 10 16 15 SECTION CORNER

16 15 QUARTER SECTION CORNER

- ○ IRON PIPE OR ROD FOUND
- ⊕ "MAG" NAIL SET
- \+ CUT CROSS FOUND OR SET
- ● 5/8" REBAR SET
- • TI T2 T3 — THESE STAKES REFERENCE FOUND OR SET MONUMENTATION. SET 5/8 INCH IRON ROD FLUSH WITH GROUND TO TIE FOUND IRON STAKE IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYOR'S REGISTRATION NUMBER.
- • BTI BT2 BT3 — THESE STAKES, IN CULTIVATED AREAS, REFERENCE FOUND OR SET MONUMENTATION. BURIED 5/8 INCH IRON ROD 20 INCHES BELOW GROUND TO TIE FOUND IRON STAKE. IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYOR'S REGISTRATION NUMBER.
- ■ — STAKING OF PROPOSED RIGHT OF WAY. SET DIVISION OF HIGHWAYS SURVEY MARKER TO MONUMENT THE POSITION SHOWN. IDENTIFIED BY INSCRIPTION DATA AND SURVEYOR'S REGISTRATION NUMBER.
- ■ M — STAKING OF PROPOSED RIGHT OF WAY IN CULTIVATED AREAS. BURIED 5/8 INCH METAL ROD 20 INCHES BELOW GROUND TO MARK FUTURE SURVEY MARKER POSITION IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYOR'S REGISTRATION NUMBER.
- ◔ — PERMANENT SURVEY MARKER, I.D.O.T. STANDARD 2135 (TO BE SET BY OTHERS)
- □ — RIGHT OF WAY STAKING PROPOSED TO BE SET

TOTAL HOLDING EXHIBIT



TOTAL HOLDING EXHIBIT



Coordinates are referenced to the Illinois State Plane Coordinate System, NAD83, East Zone. Listed coordinates are on the ground. All measured and calculated distances are on the ground.
combined scale factor = 0.99996258
To obtain State Plane grid coordinates, multiply the Northing by scale factor (0.99996258) then add 67.19'.
Multiply Easting by scale factor (0.99996258) then add 41.39'.

STATION EQUATION & COORDINATE TABLE

PT#	COORDINATES	STATION & OFFSET	DESCRIPTION
114	N 1797483.03 E 1105463.00	332+43.73, 86.49' LT	PROPOSED R.O.W.
116	N 1797396.76 E 1105471.84	332+50.00, 0.00' LT	PROPOSED CL 159TH
128	N 1797328.94 E 1105417.04	331+93.20, 66.16' RT	PROPOSED R.O.W.
133	N 1797429.66 E 1106576.67	343+50.00, 0.00' RT	PROP. CL 159TH
134	N 1797335.27 E 1105623.73	334+00.00, 65.98' RT	PROPOSED R.O.W.
135	N 1797325.28 E 1105624.03	334+00.00, 75.98' RT	PROPOSED R.O.W.
136	N 1797307.80 E 1105706.59	334+82.00, 95.91' RT	TEMPORARY EASEMENT
137	N 1797309.02 E 1105746.57	335+22.00, 95.88' RT	TEMPORARY EASEMENT
138	N 1797312.04 E 1105845.05	336+20.52, 95.80' RT	TEMPORARY EASEMENT
139	N 1797312.95 E 1105875.03	336+50.52, 95.77' RT	TEMPORARY EASEMENT
140	N 1797342.11 E 1106173.77	339+50.00, 75.52' RT	PROPOSED R.O.W.
141	N 1797347.11 E 1106173.62	339+50.00, 70.52' RT	PROPOSED R.O.W.
142	N 1797354.76 E 1106423.50	341+99.99, 70.31' RT	PROPOSED R.O.W.
143	N 1797334.77 E 1106424.10	342+00.00, 90.31' RT	PROPOSED R.O.W.
144	N 1797335.09 E 1106434.41	342+10.31, 90.30' RT	PROPOSED R.O.W.
145	N 1797485.32 E 1105532.77	333+13.54, 86.71' RT	PROPOSED R.O.W.
146	N 1797469.33 E 1105533.30	333+13.59, 70.71' RT	PROPOSED R.O.W.
147	N 1797473.78 E 1105668.20	334+48.57, 71.14' RT	PROPOSED R.O.W.
148	N 1797498.86 E 1106429.98	342+10.76, 73.53' RT	PROPOSED R.O.W.
149	N 1797495.03 E 1106430.10	342+10.76, 69.70' LT	PROPOSED R.O.W.

PARCEL NUMBER	OWNER	TOTAL HOLDINGS ACRES	AREA TAKEN ACRES	AREA TAKEN SQ FEET	AREA IN EXISTING R.O.W. ACRES	REMAINDER AREA ACRES	EASEMENT ACRES	EASEMENT AREA SQUARE FEET	EASEMENT PURPOSE	PERMANENT INDEX NUMBER	PROPERTY ACQUIRED BY
0HS0036	Wolf Point Plaza, LLC, an Illinois limited liability company	0.922	0.922	-	-	0.000	-	-	-	27-17-315-006	
0HS0040-A 0HS0040-B 0HS0040TE-A 0HS0040TE-B	STANDARD BANK & TRUST COMPANY AS TRUSTEE UNDER TRUST AGREEMENT DATED APRIL 18, 1966 KNOWN AS TRUST NO. 2860	38.113	A= 1.300 B= 2.067	-	A= 1.180 B= 1.511	34.746	A = 0.018 B = 0.014	-	CONSTRUCTION	27-20-100-005	

STATE OF ILLINOIS)
)SS
COUNTY OF KANE)

THIS IS TO CERTIFY THAT I, CHRIS E. PETERSON, AN ILLINOIS PROFESSIONAL LAND SURVEYOR, HAVE SURVEYED THE PLAT OF HIGHWAYS SHOWN HEREON IN SECTIONS 17 AND 20, TOWNSHIP 36 NORTH, RANGE 12 EAST OF THE THIRD PRINCIPAL MERIDIAN, COOK COUNTY, THAT THE SURVEY IS TRUE AND COMPLETE AS SHOWN TO THE BEST OF MY KNOWLEDGE AND BELIEF, THAT THE PLAT CORRECTLY REPRESENTS SAID SURVEY, THAT ALL MONUMENTS FOUND AND ESTABLISHED ARE OF PERMANENT QUALITY AND OCCUPY THE POSITIONS SHOWN THEREON AND THAT THE MONUMENTS ARE SUFFICIENT TO ENABLE THE SURVEY TO BE RETRACED, MADE FOR THE DEPARTMENT OF TRANSPORTATION, STATE OF ILLINOIS.

DATED AT SUGAR GROVE, ILLINOIS THIS_____DAY OF_____ 2012 A.D.

_____
ILLINOIS PROFESSIONAL LAND SURVEYOR NO. 3678
LICENSE EXPIRATION DATE: 11-30-2012
THIS PROFESSIONAL SERVICE CONFORMS TO THE CURRENT ILLINOIS MINIMUM STANDARDS FOR A BOUNDARY SURVEY.

CHRIS E. PETERSON 035-003678 PROFESSIONAL LAND SURVEYOR SUGAR GROVE STATE OF ILLINOIS

ENGINEERING ENTERPRISES, INC.
CONSULTING ENGINEERS & LAND SURVEYORS
52 WHEELER ROAD
SUGAR GROVE, ILLINOIS 60554
PH. (630-466-6700 / www.eeiweb.com

RECEIVED
NOV 16 2012
PLATS & LEGALS

PLAT OF HIGHWAYS

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION

US ROUTE 6 / IL ROUTE 7 (159th ST.)

LIMITS: WILL COOK RD. TO US 45 — COUNTY: COOK
PROJECT: 159th — JOB NO.: R-90-028-11
STATION 332+50.00 — TO STATION 343+50.00
SCALE: 1"=50' — SHEET 8 OF 26

BUREAU OF LAND ACQUISITION
201 WEST CENTER COURT
SCHAUMBURG, ILLINOIS 60196

REVISION DATE: NOVEMBER 16, 2012 — H:/SDSKProj/ID1003-F/Dgn Survey/plat of highway — MADE BY: CEP

COUNTY: — JOB NO.: — RECORDING: RECORDED ON

PART OF THE SW 1/4 OF SECTION 17 & NW 1/4 OF SECTION 20, TWP. 36 N., R.12 E. OF THE 3RD. P.M., IN COOK COUNTY, ILLINOIS.





Coordinates are referenced to the Illinois State Plane Coordinate System, NAD83, East Zone. Listed coordinates are on the ground. All measured and calculated distances are on the ground.
combined scale factor = 0.99996258
To obtain State Plane grid coordinates, multiply the Northing by scale factor (0.99996258) then add 67.19'.
Multiply Easting by scale factor (0.99996258) then add 41.39'.

LEGEND

- SECTION LINE
- QUARTER SECTION LINE
- QUARTER, QUARTER SECTION LINE
- PLATTED LOT LINES
- PROPERTY (DEED) LINE
- APPARENT PROPERTY LINE
- EXISTING CENTERLINE
- PROPOSED CENTERLINE
- EXISTING RIGHT OF WAY LINE
- PROPOSED RIGHT OF WAY LINE
- PROPOSED EASEMENT
- 129.32' MEASURED DIMENSION
- 129.32' (COMP) COMPUTED DIMENSION
- (129.32') RECORDED DIMENSION
- EXISTING BUILDING

N

GRAPHIC SCALE FEET
0 50
SCALE: 1" = 50'

SECTION CORNER (9 10 16 15)

QUARTER 16 15 SECTION CORNER

- IRON PIPE OR ROD FOUND
- CUT CROSS FOUND OR SET
- "MAG" NAIL SET
- 5/8" REBAR SET
- TI T2 T3 — THESE STAKES REFERENCE FOUND OR SET MONUMENTATION. SET 5/8 INCH IRON ROD FLUSH WITH GROUND TO TIE FOUND IRON STAKE IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYOR'S REGISTRATION NUMBER.
- BT1 BT2 BT3 — THESE STAKES, IN CULTIVATED AREAS, REFERENCE FOUND OR SET MONUMENTATION. BURIED 5/8 INCH IRON ROD 20 INCHES BELOW GROUND TO TIE FOUND IRON STAKE. IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYOR'S REGISTRATION NUMBER.
- STAKING OF PROPOSED RIGHT OF WAY. SET DIVISION OF HIGHWAYS SURVEY MARKER TO MONUMENT THE POSITION SHOWN. IDENTIFIED BY INSCRIPTION DATA AND SURVEYOR'S REGISTRATION NUMBER.
- M — STAKING OF PROPOSED RIGHT OF WAY IN CULTIVATED AREAS. BURIED 5/8 INCH METAL ROD 20 INCHES BELOW GROUND TO MARK FUTURE SURVEY MARKER POSITION IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYOR'S REGISTRATION NUMBER.
- PERMANENT SURVEY MARKER, I.D.O.T. STANDARD 2135 (TO BE SET BY OTHERS)
- RIGHT OF WAY STAKING PROPOSED TO BE SET

STATION EQUATION & COORDINATE TABLE

PT#	COORDINATES	STATION & OFFSET	DESCRIPTION
133	N 1797429.66 E 1106576.67	343+50.00, 0.00' RT	PROP. CL 159TH
144	N 1797335.09 E 1106434.41	342+10.31, 90.30' RT	PROPOSED R.O.W.
149	N 1797495.03 E 1106430.10	342+10.76, 69.70' LT	PROPOSED R.O.W.
155	N 1797465.38 E 1107748.63	355+27.83, 0.82' LT	QUARTER CORNER
156	N 1797507.28 E 1106823.91	346+10.76, 70.04' LT	PROPOSED R.O.W.
157	N 1797519.52 E 1107229.72	350+10.76, 70.38' LT	PROPOSED R.O.W.
158	N 1797529.52 E 1107229.43	350+10.76, 80.38' LT	PROPOSED R.O.W.
159	N 1797536.40 E 1107454.32	352+35.76, 80.57' LT	PROPOSED R.O.W.
160	N 1797542.01 E 1107637.47	354+18.99, 80.73' LT	PROPOSED R.O.W.
161	N 1797562.37 E 1107674.92	354+57.03, 99.96' LT	PROPOSED R.O.W.

STATION EQUATION & COORDINATE TABLE

PT#	COORDINATES	STATION & OFFSET	DESCRIPTION
162	N 1797858.21 E 1107666.72	23+96.02, 64.61' LT	PROPOSED R.O.W.
163	N 1797599.29 E 1107628.88	21+38.41, 110.56' LT	TEMPORARY EASEMENT
164	N 1797639.27 E 1107627.77	21+78.41, 110.42' LT	TEMPORARY EASEMENT
165	N 1797788.28 E 1107638.65	23+27.00, 94.87' LT	TEMPORARY EASEMENT
166	N 1797828.26 E 1107637.54	23+67.00, 94.72' LT	TEMPORARY EASEMENT
167	N 1797327.32 E 1106997.58	347+73.00, 114.82' RT	TEMPORARY EASEMENT
168	N 1797328.86 E 1107047.55	348+23.00, 114.78' RT	TEMPORARY EASEMENT
169	N 1797357.73 E 1107173.75	349+50.00, 89.67' RT	PROPOSED R.O.W.
170	N 1797362.73 E 1107173.60	349+50.00, 84.67' RT	PROPOSED R.O.W.
171	N 1797371.91 E 1107473.46	352+50.00, 84.82' RT	PROPOSED R.O.W.
172	N 1797381.91 E 1107473.16	352+50.00, 74.42' RT	PROPOSED R.O.W.
173	N 1797386.50 E 1107623.09	354+00.00, 74.29' RT	PROPOSED R.O.W.
174	N 1797338.65 E 1107693.94	354+63.39, 124.23' RT	PROPOSED R.O.W.
175	N 1797376.41 E 1107620.17	353+96.78, 84.29' RT	TEMPORARY EASEMENT
176	N 1797333.24 E 1107684.08	354+59.37, 129.34' RT	TEMPORARY EASEMENT
177	N 1797262.82 E 1107685.93	354+59.13, 199.79' RT	TEMPORARY EASEMENT

PARCEL NUMBER	OWNER	TOTAL HOLDINGS ACRES	AREA TAKEN ACRES	AREA TAKEN SQ FEET	AREA IN EXISTING R.O.W. ACRES	REMAINDER AREA ACRES	EASEMENT ACRES	EASEMENT AREA SQUARE FEET	EASEMENT PURPOSE	PERMANENT INDEX NUMBER	PROPERTY ACQUIRED BY
0HS0041	FOX INVESTMENTS, INC.	5.000	0.549	-	0.374	4.451	-	-	-	27-17-301-013	
0HS0042	PALOS BANK & TRUST AS TRUSTEE UNDER TRUST AGREEMENT DATED SEPT. 22, 1998 KNOWN AS TRUST NO. 1-4452	5.000	0.583	-	0.404	4.417	-	-	-	27-17-301-004	
0HS0043	CELENE SIEDLECKI	2.038	0.394	-	0.241	1.644	-	-	-	27-17-301-019	
0HS0044 0HS0044TE-A 0HS0044TE-B	RAY OLYAN	1.823	0.223	-	-	1.600	A=0.041 B=0.028	-	CONSTRUCTION	27-17-301-020	
0HS0045-A 0HS0045-B 0HS0045TE-A 0HS0045TE-B	BOARD OF EDUCATION OF ORLAND SCHOOL DISTRICT 135, COOK COUNTY, ILLINOIS WHICH ACQUIRED TITLE AS THE TRUSTEES OF TOWNSHIP 36 NORTH RANGE 12 EAST, COOK COUNTY, ILLINOIS FOR THE USE AND BENEFIT OF ORLAND SCHOOL DISTRICT 135.	24.796	A=1.092 B=0.274	-	-	23.430	A=0.029 B=0.070	-	CONSTRUCTION	27-20-100-008	

STATE OF ILLINOIS)
)SS
COUNTY OF KANE)

THIS IS TO CERTIFY THAT I, CHRIS E. PETERSON, AN ILLINOIS PROFESSIONAL LAND SURVEYOR, HAVE SURVEYED THE PLAT OF HIGHWAYS SHOWN HEREON IN SECTIONS 17 AND 20, TOWNSHIP 36 NORTH, RANGE 12 EAST OF THE THIRD PRINCIPAL MERIDIAN, COOK COUNTY, THAT THE SURVEY IS TRUE AND COMPLETE AS SHOWN TO THE BEST OF MY KNOWLEDGE AND BELIEF, THAT THE PLAT CORRECTLY REPRESENTS SAID SURVEY, THAT ALL MONUMENTS FOUND AND ESTABLISHED ARE OF PERMANENT QUALITY AND OCCUPY THE POSITIONS SHOWN THEREON AND THAT THE MONUMENTS ARE SUFFICIENT TO ENABLE THE SURVEY TO BE RETRACED, MADE FOR THE DEPARTMENT OF TRANSPORTATION, STATE OF ILLINOIS.

DATED AT SUGAR GROVE, ILLINOIS THIS_____DAY OF_____ 2013 A.D.

_____
ILLINOIS PROFESSIONAL LAND SURVEYOR NO. 3678
LICENSE EXPIRATION DATE: 11-30-2014
THIS PROFESSIONAL SERVICE CONFORMS TO THE CURRENT ILLINOIS MINIMUM STANDARDS FOR A BOUNDARY SURVEY.

CHRIS E. PETERSON 035-003678 PROFESSIONAL LAND SURVEYOR SUGAR GROVE, STATE OF ILLINOIS

ENGINEERING ENTERPRISES, INC.
CONSULTING ENGINEERS & LAND SURVEYORS
52 WHEELER ROAD
SUGAR GROVE, ILLINOIS 60554
PH. (630-466-6700 / www.eeiweb.com

PLAT OF HIGHWAYS

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION

US ROUTE 6 / IL ROUTE 7 (159th ST.)

LIMITS: WILL COOK RD. TO US 45 — COUNTY: COOK
PROJECT: 159th — JOB NO.: R-90-028-11
STATION 343+50.00 — TO STATION 355+28.00
SCALE: 1"=50' — SHEET 9 OF 26

RECEIVED
APR 10 2013
PLATS & LEGALS

BUREAU OF LAND ACQUISITION
201 WEST CENTER COURT
SCHAUMBURG, ILLINOIS 60196

REVISION DATE: April 10, 2013

H:/SDSKProj/ID1003-F/Dgn Survey/plat of highway

MADE BY: CEP

COUNTY:

JOB NO.:

RECORDING: RECORDED ON

PART OF THE SW 1/4 & SE 1/4 OF SECTION 17, TWP. 36 N., R.12 E. OF THE 3RD. P.M., IN COOK COUNTY, ILLINOIS.



LEGEND

- SECTION LINE
- QUARTER SECTION LINE
- QUARTER, QUARTER SECTION LINE
- PLATTED LOT LINES
- P — PROPERTY (DEED) LINE
- APL — APPARENT PROPERTY LINE
- EXISTING CENTERLINE
- PROPOSED CENTERLINE
- EXISTING RIGHT OF WAY LINE
- PROPOSED RIGHT OF WAY LINE
- PROPOSED EASEMENT
- 129.32' — MEASURED DIMENSION
- 129.32' (COMP) — COMPUTED DIMENSION
- (129.32') — RECORDED DIMENSION
- EXISTING BUILDING

N

GRAPHIC SCALE FEET
0 50
SCALE: 1" = 50'

9 10 16 15 SECTION CORNER

16 15 QUARTER SECTION CORNER

- ○ IRON PIPE OR ROD FOUND
- + CUT CROSS FOUND OR SET
- ⊕ "MAG" NAIL SET
- ● 5/8" REBAR SET
- • TI T2 T3 — THESE STAKES REFERENCE FOUND OR SET MONUMENTATION. SET 5/8 INCH IRON ROD FLUSH WITH GROUND TO TIE FOUND IRON STAKE IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYOR'S REGISTRATION NUMBER.
- • BT1 BT2 BT3 — THESE STAKES, IN CULTIVATED AREAS, REFERENCE FOUND OR SET MONUMENTATION. BURIED 5/8 INCH IRON ROD 20 INCHES BELOW GROUND TO TIE FOUND IRON STAKE. IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYOR'S REGISTRATION NUMBER.
- ■ — STAKING OF PROPOSED RIGHT OF WAY. SET DIVISION OF HIGHWAYS SURVEY MARKER TO MONUMENT THE POSITION SHOWN. IDENTIFIED BY INSCRIPTION DATA AND SURVEYOR'S REGISTRATION NUMBER.
- ■ M — STAKING OF PROPOSED RIGHT OF WAY IN CULTIVATED AREAS. BURIED 5/8 INCH METAL ROD 20 INCHES BELOW GROUND TO MARK FUTURE SURVEY MARKER POSITION IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYOR'S REGISTRATION NUMBER.
- ◒ — PERMANENT SURVEY MARKER, I.D.O.T. STANDARD 2135 (TO BE SET BY OTHERS)
- □ — RIGHT OF WAY STAKING PROPOSED TO BE SET

Coordinates are referenced to the Illinois State Plane Coordinate System, NAD83, East Zone. Listed coordinates are on the ground. All measured and calculated distances are on the ground.
combined scale factor = 0.99996258
To obtain State Plane grid coordinates, multiply the Northing by scale factor (0.99996258) then add 67.19'.
Multiply Easting by scale factor (0.99996258) then add 41.39'.

STATION EQUATION & COORDINATE TABLE

PT#	COORDINATES	STATION & OFFSET	DESCRIPTION
155	N 1797465.38 E 1107748.63	355+27.83, 0.82' LT	QUARTER CORNER
162	N 1797858.21 E 1107666.72	23+96.02, 64.61' LT	PROPOSED R.O.W.
180	N 1797873.19 E 1107666.31	24+11.00, 64.55' LT	PROPOSED R.O.W.
181	N 1797912.44 E 1107683.23	24+49.70, 46.41' LT	PROPOSED R.O.W.
182	N 1798009.00 E 1107680.55	25+46.30, 46.05' LT	PROPOSED R.O.W.
183	N 1798105.38 E 1107668.88	26+43.00, 54.69' LT	TEMPORARY EASEMENT
184	N 1798145.37 E 1107667.77	26+83.00, 54.55' LT	TEMPORARY EASEMENT
185	N 1798174.18 E 1107675.98	27+11.55, 45.44' LT	PROPOSED R.O.W.
186	N 1798262.61 E 1107673.53	28+00.00, 45.11' LT	PROPOSED R.O.W.
187	N 1798262.70 E 1107676.53	28+00.00, 42.11' LT	PROPOSED R.O.W.
188	N 1798265.84 E 1107776.48	28+00.00, 57.89' RT	PROPOSED R.O.W.
189	N 1798265.90 E 1107778.48	28+00.00, 59.89' RT	PROPOSED R.O.W.
190	N 1798221.51 E 1107779.71	27+55.60, 59.72' RT	PROPOSED R.O.W.
191	N 1798213.58 E 1107800.98	27+47.00, 80.74' RT	TEMPORARY EASEMENT
192	N 1798170.61 E 1107802.42	27+04.00, 80.83' RT	TEMPORARY EASEMENT
200	N 1797911.66 E 1107790.09	24+45.57, 60.37' RT	PROPOSED R.O.W.

PARCEL NUMBER	OWNER	TOTAL HOLDINGS ACRES	AREA TAKEN ACRES	AREA TAKEN SQ FEET	AREA IN EXISTING R.O.W. ACRES	REMAINDER AREA ACRES	EASEMENT ACRES	EASEMENT AREA SQUARE FEET	EASEMENT PURPOSE	PERMANENT INDEX NUMBER	PROPERTY ACQUIRED BY
0HS0046	DAVID L. HOWARD AND LEONA J. HOWARD	1.646	0.054	-	-	1.592	-	-	-	27-17-301-006	
0HS0047 0HS0047TE	108th Ave LLC, a New Mexico limited liability company	5.025	0.201	-	0.125	4.824	0.008	360	CONSTRUCTION	27-17-301-018	
0HS0048	MARILYS V. EWA	0.365	0.006	265	-	0.359	-	-	-	27-17-314-001	
0HS0049	ASAD SARAMA & SANDRA SARAMA	0.383	0.002	89	-	0.381	-	-	-	27-17-403-007	
0HS0050 0HS0050TE	SUBURBAN BANK & TRUST COMPANY AS TRUSTEE UNDER TRUST AGREEMENT DATED MAY 26, 1998 KNOWN AS TRUST NO. 1240	2.242	0.376	-	0.235	1.866	0.021	-	CONSTRUCTION	27-17-402-006	

REVISION DATE:
NOV. 15, 2013
FEBRUARY 7, 2013
JUNE 12, 2012

STATE OF ILLINOIS)
)SS
COUNTY OF KANE)

THIS IS TO CERTIFY THAT I, CHRIS E. PETERSON, AN ILLINOIS PROFESSIONAL LAND SURVEYOR, HAVE SURVEYED THE PLAT OF HIGHWAYS SHOWN HEREON IN SECTION 17, TOWNSHIP 36 NORTH, RANGE 12 EAST OF THE THIRD PRINCIPAL MERIDIAN, COOK COUNTY, THAT THE SURVEY IS TRUE AND COMPLETE AS SHOWN TO THE BEST OF MY KNOWLEDGE AND BELIEF, THAT THE PLAT CORRECTLY REPRESENTS SAID SURVEY, THAT ALL MONUMENTS FOUND AND ESTABLISHED ARE OF PERMANENT QUALITY AND OCCUPY THE POSITIONS SHOWN THEREON AND THAT THE MONUMENTS ARE SUFFICIENT TO ENABLE THE SURVEY TO BE RETRACED, MADE FOR THE DEPARTMENT OF TRANSPORTATION, STATE OF ILLINOIS.

DATED AT SUGAR GROVE, ILLINOIS THIS_____DAY OF_____ 2013 A.D.

_____
ILLINOIS PROFESSIONAL LAND SURVEYOR NO. 3678
LICENSE EXPIRATION DATE: 11-30-2014
THIS PROFESSIONAL SERVICE CONFORMS TO THE CURRENT ILLINOIS MINIMUM STANDARDS FOR A BOUNDARY SURVEY.

CHRIS E. PETERSON 035-003678 PROFESSIONAL LAND SURVEYOR SUGAR GROVE, STATE OF ILLINOIS

ENGINEERING ENTERPRISES, INC.
CONSULTING ENGINEERS & LAND SURVEYORS
52 WHEELER ROAD
SUGAR GROVE, ILLINOIS 60554
PH. (630-466-6700 / www.eeiweb.com

PLAT OF HIGHWAYS

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION
US ROUTE 6 / IL ROUTE 7 (159th ST.)

LIMITS: WILL COOK RD. TO US 45 — COUNTY: COOK
PROJECT: 159th — JOB NO.: R-90-028-11
STATION 24+00 — TO STATION 28+70
SCALE: 1"=50' — SHEET 10 OF 26

BUREAU OF LAND ACQUISITION
201 WEST CENTER COURT
SCHAUMBURG, ILLINOIS 60196

RECEIVED
NOV 15 2013
PLATS & LEGALS

H:/SDSKProj/ID1003-F/Dgn Survey/plat of highway — MADE BY: CEP

COUNTY: — JOB NO.: — RECORDING: RECORDED ON

PART OF THE NW 1/4 OF SECTION 20, TWP. 36 N., R.12 E. OF THE 3RD. P.M., IN COOK COUNTY, ILLINOIS.







27-20-100-008
SCHOOL

SEE SHEET 9 FOR TOTAL HOLDING



LEGEND

- SECTION LINE
- QUARTER SECTION LINE
- QUARTER, QUARTER SECTION LINE
- PLATTED LOT LINES
- PROPERTY (DEED) LINE
- APL — APPARENT PROPERTY LINE
- EXISTING CENTERLINE
- PROPOSED CENTERLINE
- EXISTING RIGHT OF WAY LINE
- PROPOSED RIGHT OF WAY LINE
- PROPOSED EASEMENT
- 129.32' — MEASURED DIMENSION
- 129.32' (COMP) — COMPUTED DIMENSION
- (129.32') — RECORDED DIMENSION
- EXISTING BUILDING

GRAPHIC SCALE
FEET
0 50
SCALE: 1" = 50'

SECTION CORNER (9 10 / 16 15)

16 — 15 QUARTER SECTION CORNER

- ○ IRON PIPE OR ROD FOUND
- ⊕ "MAG" NAIL SET
- \+ CUT CROSS FOUND OR SET
- ● 5/8" REBAR SET
- ● TI, T2, T3 — **THESE STAKES REFERENCE FOUND OR SET MONUMENTATION.** SET 5/8 INCH IRON ROD FLUSH WITH GROUND TO TIE FOUND IRON STAKE IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYOR'S REGISTRATION NUMBER.
- ● BTI, BT2, BT3 — **THESE STAKES, IN CULTIVATED AREAS, REFERENCE FOUND OR SET MONUMENTATION.** BURIED 5/8 INCH IRON ROD 20 INCHES BELOW GROUND TO TIE FOUND IRON STAKE. IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYOR'S REGISTRATION NUMBER.
- ■ **STAKING OF PROPOSED RIGHT OF WAY.** SET DIVISION OF HIGHWAYS SURVEY MARKER TO MONUMENT THE POSITION SHOWN. IDENTIFIED BY INSCRIPTION DATA AND SURVEYOR'S REGISTRATION NUMBER.
- ■ M — **STAKING OF PROPOSED RIGHT OF WAY IN CULTIVATED AREAS.** BURIED 5/8 INCH METAL ROD 20 INCHES BELOW GROUND TO MARK FUTURE SURVEY MARKER POSITION IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYOR'S REGISTRATION NUMBER.
- ◔ PERMANENT SURVEY MARKER, I.D.O.T. STANDARD 2135 (TO BE SET BY OTHERS)
- □ RIGHT OF WAY STAKING PROPOSED TO BE SET

STATION EQUATION & COORDINATE TABLE

PT*	COORDINATES	STATION & OFFSET	DESCRIPTION
155	N 1797465.38 E 1107748.63	355+27.83, 0.82' LT	QUARTER CORNER
300	N 1796963.85 E 1107703.79	15+00.67, 53.15' LT	PROPOSED R.O.W.
301	N 1796487.38 E 1107716.31	10+24.03, 53.22' LT	PROPOSED R.O.W.
302	N 1796363.40 E 1107719.57	9+00.01, 53.24' LT	PROPOSED R.O.W.
303	N 1796363.67 E 1107729.56	9+00.01, 43.24' LT	PROPOSED R.O.W.
304	N 1796281.69 E 1107731.72	8+18.01, 43.25' LT	PROPOSED R.O.W.
305	N 1796282.95 E 1107779.70	8+18.00, 4.75' RT	PROPOSED R.O.W.
306	N 1796399.80 E 1107696.60	9+37.00, 75.23' LT	TEMPORARY EASEMENT
307	N 1796454.78 E 1107695.16	9+92.00, 75.22' LT	TEMPORARY EASEMENT

Coordinates are referenced to the Illinois State Plane Coordinate System, NAD83, East Zone. Listed coordinates are on the ground. All measured and calculated distances are on the ground.
combined scale factor = 0.99996258
To obtain State Plane grid coordinates, multiply the Northing by scale factor (0.99996258) then add 67.19'.
Multiply Easting by scale factor (0.99996258) then add 41.39'.

PARCEL NUMBER	OWNER	TOTAL HOLDINGS ACRES	AREA TAKEN ACRES	AREA TAKEN SQ FEET	AREA IN EXISTING R.O.W. ACRES	REMAINDER AREA ACRES	EASEMENT ACRES	EASEMENT AREA SQUARE FEET	EASEMENT PURPOSE	PERMANENT INDEX NUMBER	PROPERTY ACQUIRED BY
OHS0045-A OHS0045-B OHS0045TE-A OHS0045TE-B	BOARD OF EDUCATION OF ORLAND SCHOOL DISTRICT 135, COOK COUNTY, ILLINOS WHICH ACQUIRED TITLE AS THE TRUSTEES OF TOWNSHIP 36 NORTH RANGE 12 EAST, COOK COUNTY, ILLINOIS FOR THE USE AND BENEFIT OF ORLAND SCHOOL DISTRICT 135.	24.796	A=1.092 B=0.274	-	-	23.430	A=0.029 B=0.070	-	CONSTRUCTION	27-20-100-008	
OHS0051 OHS0051TE	CONSOLIDATED HIGH SCHOOL DISTRICT NO. 230, WHICH ACQUIRED TITLE AS TRUSTEES OF SCHOOLS OF TOWNSHIP 36 NORTH, RANGE 12 EAST, COOK COUNTY, ILLINOIS AND THEIR SUCCESSORS IN OFFICE FOR THE USE AND BENEFIT OF CONSOLIDATED HIGH SCHOOL DISTRICT NO. 230	37.969	0.255	-	0.189	37.714	0.028	-	CONSTRUCTION	27-20-100-009 27-20-101-004 27-20-101-016	

STATE OF ILLINOIS)
)SS
COUNTY OF KANE)

THIS IS TO CERTIFY THAT I, CHRIS E. PETERSON, AN ILLINOIS PROFESSIONAL LAND SURVEYOR, HAVE SURVEYED THE PLAT OF HIGHWAYS SHOWN HEREON IN SECTIONS 17 AND 20, TOWNSHIP 36 NORTH, RANGE 12 EAST OF THE THIRD PRINCIPAL MERIDIAN, COOK COUNTY, THAT THE SURVEY IS TRUE AND COMPLETE AS SHOWN TO THE BEST OF MY KNOWLEDGE AND BELIEF, THAT THE PLAT CORRECTLY REPRESENTS SAID SURVEY, THAT ALL MONUMENTS FOUND AND ESTABLISHED ARE OF PERMANENT QUALITY AND OCCUPY THE POSITIONS SHOWN THEREON AND THAT THE MONUMENTS ARE SUFFICIENT TO ENABLE THE SURVEY TO BE RETRACED. MADE FOR THE DEPARTMENT OF TRANSPORTATION, STATE OF ILLINOIS.

DATED AT SUGAR GROVE, ILLINOIS THIS_____DAY OF_____2012 A.D.

_____
ILLINOIS PROFESSIONAL LAND SURVEYOR NO. 3678
LICENSE EXPIRATION DATE: 11-30-2012
THIS PROFESSIONAL SERVICE CONFORMS TO THE CURRENT ILLINOIS MINIMUM STANDARDS FOR A BOUNDARY SURVEY.

CHRIS E. PETERSON 035-003678 PROFESSIONAL LAND SURVEYOR SUGAR GROVE STATE OF ILLINOIS

ENGINEERING ENTERPRISES, INC.
CONSULTING ENGINEERS & LAND SURVEYORS
52 WHEELER ROAD
SUGAR GROVE, ILLINOIS 60554
PH. (630-466-6700 / www.eeiweb.com

RECEIVED
JUN 11 2012
PLATS & LEGALS

PLAT OF HIGHWAYS

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION
US ROUTE 6 / IL ROUTE 7 (159th ST.)

LIMITS: WILL COOK RD. TO US 45 — COUNTY: COOK
PROJECT: 159th — JOB NO.: R-90-028-11
STATION 8+18 — TO STATION 18+00
SCALE: 1"=50' — SHEET 11 OF 26

BUREAU OF LAND ACQUISITION
201 WEST CENTER COURT
SCHAUMBURG, ILLINOIS 60196

REVISION DATE: JUNE 11, 2012 — H:/SDSKProj/ID1003-F/Dgn Survey/plat of highway — MADE BY: CEP

COUNTY: — JOB NO.: — RECORDING: RECORDED ON

PART OF THE SE 1/4 OF SECTION 17 & NE 1/4 OF SECTION 20, TWP. 36 N., R.12 E. OF THE 3RD. P.M., IN COOK COUNTY, ILLINOIS.



LEGEND

- SECTION LINE
- QUARTER SECTION LINE
- QUARTER, QUARTER SECTION LINE
- PLATTED LOT LINES
- PROPERTY (DEED) LINE
- APPARENT PROPERTY LINE
- EXISTING CENTERLINE
- PROPOSED CENTERLINE
- EXISTING RIGHT OF WAY LINE
- PROPOSED RIGHT OF WAY LINE
- PROPOSED EASEMENT
- 129.32' MEASURED DIMENSION
- 129.32' (COMP) COMPUTED DIMENSION
- (129.32') RECORDED DIMENSION
- EXISTING BUILDING

N

GRAPHIC SCALE FEET
0 50
SCALE: 1" = 50'

SECTION CORNER (9 10 16 15)

QUARTER 16 15 SECTION CORNER

- IRON PIPE OR ROD FOUND
- "MAG" NAIL SET
- + CUT CROSS FOUND OR SET
- ● 5/8" REBAR SET
- ● T1 T2 T3 THESE STAKES REFERENCE FOUND OR SET MONUMENTATION. SET 5/8 INCH IRON ROD FLUSH WITH GROUND TO TIE FOUND IRON STAKE IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYOR'S REGISTRATION NUMBER.
- • BT1 BT2 BT3 THESE STAKES, IN CULTIVATED AREAS, REFERENCE FOUND OR SET MONUMENTATION. BURIED 5/8 INCH IRON ROD 20 INCHES BELOW GROUND TO TIE FOUND IRON STAKE. IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYOR'S REGISTRATION NUMBER.
- ■ STAKING OF PROPOSED RIGHT OF WAY. SET DIVISION OF HIGHWAYS SURVEY MARKER TO MONUMENT THE POSITION SHOWN. IDENTIFIED BY INSCRIPTION DATA AND SURVEYOR'S REGISTRATION NUMBER.
- ■ M STAKING OF PROPOSED RIGHT OF WAY IN CULTIVATED AREAS. BURIED 5/8 INCH METAL ROD 20 INCHES BELOW GROUND TO MARK FUTURE SURVEY MARKER POSITION IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYOR'S REGISTRATION NUMBER.
- ◔ PERMANENT SURVEY MARKER, I.D.O.T. STANDARD 2135 (TO BE SET BY OTHERS)
- □ RIGHT OF WAY STAKING PROPOSED TO BE SET

Coordinates are referenced to the Illinois State Plane Coordinate System, NAD83, East Zone. Listed coordinates are on the ground. All measured and calculated distances are on the ground. combined scale factor = 0.99996258
To obtain State Plane grid coordinates, multiply the Northing by scale factor (0.99996258) then add 67.19'.
Multiply Easting by scale factor (0.99996258) then add 41.39'.

STATION EQUATION & COORDINATE TABLE

PT#	COORDINATES	STATION & OFFSET	DESCRIPTION
155	N 1797465.38 E 1107748.63	355+27.83, 0.82' LT	QUARTER CORNER
156	N 1797295.30 E 1107817.19	18+29.00, 68.96' RT	TEMPORARY EASEMENT
157	N 1797162.29 E 1107820.68	16+95.95, 68.94' RT	TEMPORARY EASEMENT
158	N 1797162.77 E 1107838.67	16+95.95, 86.94' RT	TEMPORARY EASEMENT
159	N 1797107.79 E 1107840.12	16+40.95, 86.93' RT	TEMPORARY EASEMENT
200	N 1797911.66 E 1107790.09	24+45.57, 60.37' RT	PROPOSED R.O.W.
201	N 1797877.11 E 1107791.25	24+11.00, 60.45' RT	PROPOSED R.O.W.
202	N 1797877.27 E 1107796.24	24+11.00, 65.45' RT	PROPOSED R.O.W.
203	N 1797716.33 E 1107800.70	22+50.00, 64.85' RT	PROPOSED R.O.W.
204	N 1797558.15 E 1107851.20	356+33.07, 90.54' LT	PROPOSED R.O.W.
205	N 1797564.61 E 1108074.04	358+56.00, 90.47' LT	PROPOSED R.O.W.
206	N 1797554.61 E 1108074.33	358+56.00, 80.47' LT	PROPOSED R.O.W.
207	N 1797564.12 E 1108402.19	361+84.00, 80.37' LT	PROPOSED R.O.W.
208	N 1797554.12 E 1108402.48	361+84.00, 70.37' LT	PROPOSED R.O.W.
209	N 1797558.01 E 1108536.37	363+17.94, 70.33' LT	PROPOSED R.O.W.
210	N 1797556.55 E 1108536.41	363+17.94, 68.87' LT	PROPOSED R.O.W.
211	N 1797558.85 E 1108616.38	363+97.94, 68.83' LT	PROPOSED R.O.W.
212	N 1797418.07 E 1108368.05	361+45.59, 64.62' RT	PROPOSED R.O.W.
213	N 1797413.72 E 1108218.11	359+95.59, 64.57' RT	PROPOSED R.O.W.
214	N 1797403.29 E 1107858.45	356+35.78, 64.46' RT	PROPOSED R.O.W.
215	N 1797350.04 E 1107810.25	18+83.91, 63.47' RT	PROPOSED R.O.W.
216	N 1797107.17 E 1107815.63	16+40.95, 63.43' RT	PROPOSED R.O.W.
218	N 1797376.11 E 1108128.58	359+05.00, 99.54' RT	TEMPORARY EASEMENT
219	N 1797377.85 E 1108188.56	359+65.00, 99.56' RT	TEMPORARY EASEMENT

PARCEL NUMBER	OWNER	TOTAL HOLDINGS ACRES	AREA TAKEN ACRES	AREA TAKEN SQ FEET	AREA IN EXISTING R.O.W. ACRES	REMAINDER AREA ACRES	EASEMENT ACRES	EASEMENT AREA SQUARE FEET	EASEMENT PURPOSE	PERMANENT INDEX NUMBER	PROPERTY ACQUIRED BY
0HS0052	STANDARD BANK & TRUST COMPANY AS TRUSTEE UNDER TRUST AGREEMENT DATED FEB. 19, 2002 KNOWN AS TRUST NO. 17260	6.797	0.748	-	0.034	6.049	-	-	-	27-17-408-006 27-17-408-007	
0HS0053	MRG REAL ESTATE LLC	1.037	0.017	-	-	1.020		-	-	27-20-205-002	
0HS0054 0HS0054TE-A 0HS0054TE-B	FIFTH THIRD BANK	2.880	0.131	-	-	2.749	A=0.046 B=0.048	-	CONSTRUCTION	27-20-205-001	

STATE OF ILLINOIS)
)SS
COUNTY OF KANE)

THIS IS TO CERTIFY THAT I, CHRIS E. PETERSON, AN ILLINOIS PROFESSIONAL LAND SURVEYOR, HAVE SURVEYED THE PLAT OF HIGHWAYS SHOWN HEREON IN SECTIONS 17 AND 20, TOWNSHIP 36 NORTH, RANGE 12 EAST OF THE THIRD PRINCIPAL MERIDIAN, COOK COUNTY, THAT THE SURVEY IS TRUE AND COMPLETE AS SHOWN TO THE BEST OF MY KNOWLEDGE AND BELIEF, THAT THE PLAT CORRECTLY REPRESENTS SAID SURVEY, THAT ALL MONUMENTS FOUND AND ESTABLISHED ARE OF PERMANENT QUALITY AND OCCUPY THE POSITIONS SHOWN THEREON AND THAT THE MONUMENTS ARE SUFFICIENT TO ENABLE THE SURVEY TO BE RETRACED, MADE FOR THE DEPARTMENT OF TRANSPORTATION, STATE OF ILLINOIS.

DATED AT SUGAR GROVE, ILLINOIS THIS_____DAY OF_____ 2013 A.D.

_____
ILLINOIS PROFESSIONAL LAND SURVEYOR NO. 3678
LICENSE EXPIRATION DATE: 11-30-2014
THIS PROFESSIONAL SERVICE CONFORMS TO THE CURRENT ILLINOIS MINIMUM STANDARDS FOR A BOUNDARY SURVEY.

CHRIS E. PETERSON 035-003678 PROFESSIONAL LAND SURVEYOR SUGAR GROVE, STATE OF ILLINOIS

ENGINEERING ENTERPRISES, INC.
CONSULTING ENGINEERS & LAND SURVEYORS
52 WHEELER ROAD
SUGAR GROVE, ILLINOIS 60554
PH. (630-466-6700 / www.eeiweb.com

RECEIVED
SEP 24 2013
PLATS & LEGALS

PLAT OF HIGHWAYS

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION

US ROUTE 6 / IL ROUTE 7 (159th ST.)

LIMITS: WILL COOK RD. TO US 45 — COUNTY: COOK
PROJECT: 159th — JOB NO.: R-90-028-11
STATION 355+28 — TO STATION 364+00
SCALE: 1"=50' — SHEET 12 OF 26

BUREAU OF LAND ACQUISITION
201 WEST CENTER COURT
SCHAUMBURG, ILLINOIS 60196

REVISION DATE: September 16, 2013

H:/SDSKProj/ID1003-F/Dgn Survey/plat of highway

MADE BY: CEP

COUNTY: JOB NO.: RECORDING: RECORDED ON

PART OF THE SE 1/4 OF SECTION 17 & NE 1/4 OF SECTION 20, TWP. 36 N., R.12 E. OF THE 3RD. P.M., IN COOK COUNTY, ILLINOIS.



LEGEND

- SECTION LINE
- QUARTER SECTION LINE
- QUARTER, QUARTER SECTION LINE
- PLATTED LOT LINES
- PROPERTY (DEED) LINE
- APL — APPARENT PROPERTY LINE
- EXISTING CENTERLINE
- PROPOSED CENTERLINE
- EXISTING RIGHT OF WAY LINE
- PROPOSED RIGHT OF WAY LINE
- PROPOSED EASEMENT
- 129.32' — MEASURED DIMENSION
- 129.32' (COMP) — COMPUTED DIMENSION
- (129.32') — RECORDED DIMENSION
- EXISTING BUILDING

N

1

GRAPHIC SCALE
FEET
0 50
SCALE: 1" = 50'

9 10 16 15 SECTION CORNER

16 15 QUARTER SECTION CORNER

- ○ IRON PIPE OR ROD FOUND
- + CUT CROSS FOUND OR SET
- ⊕ "MAG" NAIL SET
- ● 5/8" REBAR SET
- ● TI, T2, T3 — THESE STAKES REFERENCE FOUND OR SET MONUMENTATION. SET 5/8 INCH IRON ROD FLUSH WITH GROUND TO TIE FOUND IRON STAKE IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYOR'S REGISTRATION NUMBER.
- ● BT1, BT2, BT3 — THESE STAKES, IN CULTIVATED AREAS, REFERENCE FOUND OR SET MONUMENTATION. BURIED 5/8 INCH IRON ROD 20 INCHES BELOW GROUND TO TIE FOUND IRON STAKE. IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYOR'S REGISTRATION NUMBER.
- ■ STAKING OF PROPOSED RIGHT OF WAY. SET DIVISION OF HIGHWAYS SURVEY MARKER TO MONUMENT THE POSITION SHOWN. IDENTIFIED BY INSCRIPTION DATA AND SURVEYOR'S REGISTRATION NUMBER.
- ■ M — STAKING OF PROPOSED RIGHT OF WAY IN CULTIVATED AREAS. BURIED 5/8 INCH METAL ROD 20 INCHES BELOW GROUND TO MARK FUTURE SURVEY MARKER POSITION IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYOR'S REGISTRATION NUMBER.
- ◓ PERMANENT SURVEY MARKER, I.D.O.T. STANDARD 2135 (TO BE SET BY OTHERS)
- □ RIGHT OF WAY STAKING PROPOSED TO BE SET

Coordinates are referenced to the Illinois State Plane Coordinate System, NAD83, East Zone. Listed coordinates are on the ground. All measured and calculated distances are on the ground.
combined scale factor = 0.99996258
To obtain State Plane grid coordinates, multiply the Northing by scale factor (0.99996258) then add 67.19'.
Multiply Easting by scale factor (0.99996258) then add 41.39'.

STATION EQUATION & COORDINATE TABLE

PT#	COORDINATES	STATION & OFFSET	DESCRIPTION
211	N 1797558.85 E 1108616.38	363+97.94, 68.83' LT	PROPOSED R.O.W.
212	N 1797418.07 E 1108368.05	361+45.59, 64.62' RT	PROPOSED R.O.W.
220	N 1797412.83 E 1108704.75	364+82.00, 79.72' RT	TEMPORARY EASEMENT
225	N 1797563.32 E 1108616.25	363+97.94, 73.31' LT	PROPOSED R.O.W.
226	N 1797606.33 E 1108995.21	367+78.00, 105.19' LT	TEMPORARY EASEMENT
227	N 1797607.78 E 1109045.19	368+28.00, 105.17' LT	TEMPORARY EASEMENT
228	N 1797586.56 E 1109176.03	369+58.16, 80.14' LT	TEMPORARY EASEMENT
229	N 1797423.36 E 1109068.09	368+45.48, 79.83' RT	PROPOSED R.O.W.
230	N 1797417.57 E 1108868.27	366+45.58, 79.77' RT	PROPOSED R.O.W.
231	N 1797432.56 E 1108867.84	366+45.59, 64.77' RT	PROPOSED R.O.W.
232	N 1797410.65 E 1108629.19	364+07.00, 79.70' RT	TEMPORARY EASEMENT
233	N 1797582.79 E 1109045.92	368+28.00, 80.17' LT	TEMPORARY EASEMENT
234	N 1797579.50 E 1109173.99	369+55.91, 73.14' LT	PROPOSED R.O.W.

PARCEL NUMBER	OWNER	TOTAL HOLDINGS ACRES	AREA TAKEN ACRES	AREA TAKEN SQ FEET	AREA IN EXISTING R.O.W. ACRES	REMAINDER AREA ACRES	EASEMENT ACRES	AREA SQUARE FEET	EASEMENT PURPOSE	PERMANENT INDEX NUMBER	PROPERTY ACQUIRED BY
OHS0055 OHS0055TE	TKG ILLINOIS STORAGE, LLC	5.592	0.293	-	-	5.299	0.057	-	CONSTRUCTION	27-17-402-003	
OHS0056 OHS0056TE	WINTERSET OFFICE PARK CONDOMINIUM	3.465	0.057	-	-	3.408	0.026	-	CONSTRUCTION	27-20-205-009 (1001-1015)	
OHS0057	CHICAGO TITLE LAND TRUST COMPANY AS SUCCESSOR TO FOUNDERS BANK AS SUCCESSOR TO WORTH BANK & TRUST AS TRUSTEE UNDER TRUST AGREEMENT DATED FEB. 6, 1992 KNOWN AS TRUST NO. 4759	1.357	0.092	-	-	1.265	-	-	-	27-20-205-006	

STATE OF ILLINOIS)
)SS
COUNTY OF KANE)

THIS IS TO CERTIFY THAT I, CHRIS E. PETERSON, AN ILLINOIS PROFESSIONAL LAND SURVEYOR, HAVE SURVEYED THE PLAT OF HIGHWAYS SHOWN HEREON IN SECTIONS 17 AND 20, TOWNSHIP 36 NORTH, RANGE 12 EAST OF THE THIRD PRINCIPAL MERIDIAN, COOK COUNTY, THAT THE SURVEY IS TRUE AND COMPLETE AS SHOWN TO THE BEST OF MY KNOWLEDGE AND BELIEF, THAT THE PLAT CORRECTLY REPRESENTS SAID SURVEY, THAT ALL MONUMENTS FOUND AND ESTABLISHED ARE OF PERMANENT QUALITY AND OCCUPY THE POSITIONS SHOWN THEREON AND THAT THE MONUMENTS ARE SUFFICIENT TO ENABLE THE SURVEY TO BE RETRACED, MADE FOR THE DEPARTMENT OF TRANSPORTATION, STATE OF ILLINOIS.

DATED AT SUGAR GROVE, ILLINOIS THIS _____ DAY OF _____ 2014 A.D.

_____
ILLINOIS PROFESSIONAL LAND SURVEYOR NO. 3678
LICENSE EXPIRATION DATE: 11-30-2014
THIS PROFESSIONAL SERVICE CONFORMS TO THE CURRENT ILLINOIS MINIMUM STANDARDS FOR A BOUNDARY SURVEY.

CHRIS E. PETERSON
035-003678
PROFESSIONAL LAND SURVEYOR
SUGAR GROVE
STATE OF ILLINOIS

ENGINEERING ENTERPRISES, INC.
CONSULTING ENGINEERS & LAND SURVEYORS
52 WHEELER ROAD
SUGAR GROVE, ILLINOIS 60554
PH. (630-466-6700 / www.eeiweb.com

RECEIVED
OCT 15 2013
PLATS & LEGALS

PLAT OF HIGHWAYS

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION

US ROUTE 6 / IL ROUTE 7 (159th ST.)

LIMITS: WILL COOK RD. TO US 45 — COUNTY: COOK
PROJECT: 159th — JOB NO.: R-90-028-11
STATION 361+45 — TO STATION 370+00
SCALE: 1"=50' — SHEET 13 OF 26

BUREAU OF LAND ACQUISITION
201 WEST CENTER COURT
SCHAUMBURG, ILLINOIS 60196

REVISION DATE: OCTOBER 10, 2013 — H:/SDSKProj/ID1003-F/Dgn Survey/plat of highway — MADE BY: CEP

COUNTY _____ JOB NO _____ RECORDING DECORDED ON _____

PART OF THE SE 1/4 OF SECTION 17 & NE 1/4 OF SECTION 20, TWP. 36 N., R.12 E. OF THE 3RD. P.M., IN COOK COUNTY, ILLINOIS.

PARCEL NUMBER	OWNER	TOTAL HOLDINGS ACRES	AREA TAKEN ACRES	AREA TAKEN SQ FEET	AREA IN EXISTING R.O.W. ACRES	REMAINDER AREA ACRES	EASEMENT ACRES	EASEMENT AREA SQUARE FEET	EASEMENT PURPOSE	PERMANENT INDEX NUMBER	PROPERTY ACQUIRED BY
OHS0058 OHS0058TE-A OHS0058TE-B	THE CATHOLIC BISHOP OF CHICAGO	10.983	1.943	-	-	9.040	A=0.003 B=0.026	A=144	CONSTRUCTION	27-20-201-001 (pt)	
OHS0059PE	NORFOLK SOUTHERN RAILWAY COMPANY AS SUCCESSOR TO THE WABASH, ST. LOUIS & PACIFIC RAILWAY COMPANY	-	-	-	-	-	0.254	-	ROADWAY	27-20-500-003 22-17-500-001	
OHS0060	CALVARY REFORMED CHURCH	31.217	0.047	-	-	31.170	-	-	-	27-20-201-001 (pt)	
OHS0061TE	THE VILLAGE OF ORLAND PARK	45.579	-	-	1.690	45.579	0.052	-	CONSTRUCTION	27-17-401-002	
OHS0069	THE CATHOLIC BISHOP OF CHICAGO	0.194	0.059	-	-	0.135	-	-	-	27-20-201-001 (pt)	
OHS0070 OHS0070TE-A OHS0070TE-B	THE VILLAGE OF ORLAND PARK	45.579	2.215	-	1.690	43.364	A=0.016 B=0.146	-	CONSTRUCTION	27-17-401-002	

Ⓐ N01°39'39"W, 20.00'
Ⓑ S88°20'21"W, 50.00'
Ⓒ N16°06'56"E, 10.50'
Ⓓ N88°20'21"E, 54.11'
Ⓔ S88°20'21"W, 7.32'
Ⓕ N01°39'39"W, 20.00'
Ⓖ N16°06'56"E, 21.00'
Ⓗ N16°06'56"E, 21.00'

STATE OF ILLINOIS)
)SS
COUNTY OF KANE)

THIS IS TO CERTIFY THAT I, CHRIS E. PETERSON, AN ILLINOIS PROFESSIONAL LAND SURVEYOR, HAVE SURVEYED THE PLAT OF HIGHWAYS SHOWN HEREON IN SECTIONS 17 AND 20, TOWNSHIP 36 NORTH, RANGE 12 EAST OF THE THIRD PRINCIPAL MERIDIAN, COOK COUNTY, THAT THE SURVEY IS TRUE AND COMPLETE AS SHOWN TO THE BEST OF MY KNOWLEDGE AND BELIEF, THAT THE PLAT CORRECTLY REPRESENTS SAID SURVEY, THAT ALL MONUMENTS FOUND AND ESTABLISHED ARE OF PERMANENT QUALITY AND OCCUPY THE POSITIONS SHOWN THEREON AND THAT THE MONUMENTS ARE SUFFICIENT TO ENABLE THE SURVEY TO BE RETRACED. MADE FOR THE DEPARTMENT OF TRANSPORTATION, STATE OF ILLINOIS.

DATED AT SUGAR GROVE, ILLINOIS THIS_____DAY OF_____2013 A.D.

ILLINOIS PROFESSIONAL LAND SURVEYOR NO. 3678
LICENSE EXPIRATION DATE: 11-30-2014
THIS PROFESSIONAL SERVICE CONFORMS TO THE CURRENT ILLINOIS MINIMUM STANDARDS FOR A BOUNDARY SURVEY.

CHRIS E. PETERSON 035-003678 PROFESSIONAL LAND SURVEYOR SUGAR GROVE STATE OF ILLINOIS

LEGEND

- SECTION LINE
- QUARTER SECTION LINE
- QUARTER, QUARTER SECTION LINE
- PLATTED LOT LINES
- PROPERTY (DEED) LINE
- APPARENT PROPERTY LINE
- EXISTING CENTERLINE
- PROPOSED CENTERLINE
- EXISTING RIGHT OF WAY LINE
- PROPOSED RIGHT OF WAY LINE
- PROPOSED EASEMENT
- 129.32' MEASURED DIMENSION
- 129.32' (COMP) COMPUTED DIMENSION
- (129.32') RECORDED DIMENSION
- EXISTING BUILDING

SECTION CORNER — QUARTER SECTION CORNER

GRAPHIC SCALE FEET
0 60
SCALE: 1" = 60'

- IRON PIPE OR ROD FOUND
- + CUT CROSS FOUND OR SET
- "MAG" NAIL SET
- 5/8" REBAR SET
- T1 T2 T3 **THESE STAKES REFERENCE FOUND OR SET MONUMENTATION.** SET 5/8 INCH IRON ROD FLUSH WITH GROUND TO TIE FOUND IRON STAKE IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYOR'S REGISTRATION NUMBER.
- BT1 BT2 BT3 **THESE STAKES, IN CULTIVATED AREAS, REFERENCE FOUND OR SET MONUMENTATION.** BURIED 5/8 INCH IRON ROD 20 INCHES BELOW GROUND TO TIE FOUND IRON STAKE. IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYOR'S REGISTRATION NUMBER.
- ■ **STAKING OF PROPOSED RIGHT OF WAY.** SET DIVISION OF HIGHWAYS SURVEY MARKER TO MONUMENT THE POSITION SHOWN. IDENTIFIED BY INSCRIPTION DATA AND SURVEYOR'S REGISTRATION NUMBER.
- ■ M **STAKING OF PROPOSED RIGHT OF WAY IN CULTIVATED AREAS.** BURIED 5/8 INCH METAL ROD 20 INCHES BELOW GROUND TO MARK FUTURE SURVEY MARKER POSITION IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYOR'S REGISTRATION NUMBER.
- PERMANENT SURVEY MARKER, I.D.O.T. STANDARD 2135 (TO BE SET BY OTHERS)
- □ RIGHT OF WAY STAKING PROPOSED TO BE SET

Coordinates are referenced to the Illinois State Plane Coordinate System, NAD83, East Zone. Listed coordinates are on the ground. All measured and calculated distances are on the ground.
combined scale factor = 0.99996258
To obtain State Plane grid coordinates, multiply the Northing by scale factor (0.99996258) then add 67.19'.
Multiply Easting by scale factor (0.99996258) then add 41.39'.

STATION EQUATION & COORDINATE TABLE

PT*	COORDINATES	STATION & OFFSET	DESCRIPTION
229	N 1797423.36 E 1109068.14	368+45.53, 79.83' RT	PROPOSED R.O.W.
235	N 1797425.14 E 1109129.39	369+06.81, 79.85' RT	PROPOSED R.O.W.
236	N 1797417.06 E 1109195.75	369+72.91, 89.87' RT	TEMPORARY EASEMENT
237	N 1797417.52 E 1109211.75	369+88.91, 89.87' RT	TEMPORARY EASEMENT
238	N 1797429.29 E 1109272.57	370+50.05, 79.89' RT	PROPOSED R.O.W.
239	N 1797259.36 E 1109277.50	370+50.00, 249.89' RT	PROPOSED R.O.W.
240	N 1797268.06 E 1109577.37	373+50.00, 249.98' RT	PROPOSED R.O.W.
241	N 1797442.98 E 1109572.30	373+50.05, 74.98' RT	PROPOSED R.O.W.
242	N 1797423.44 E 1109760.87	375+37.97, 100.04' RT	TEMPORARY EASEMENT
243	N 1797424.77 E 1109806.85	375+83.97, 100.06' RT	TEMPORARY EASEMENT
244	N 1797461.82 E 1110221.95	379+99.98, 75.18' RT	PROPOSED R.O.W.
245	N 1797456.82 E 1110222.09	379+99.98, 80.18' RT	PROPOSED R.O.W.
246	N 1797458.27 E 1110272.12	380+50.02, 80.20' RT	PROPOSED R.O.W.
247	N 1797454.09 E 1110280.21	380+57.99, 84.62' RT	PROPOSED R.O.W.
248	N 1797425.40 E 1110335.76	381+12.67, 114.92' RT	PROPOSED R.O.W.
249	N 1797523.81 E 1110383.03	381+62.81, 17.93' RT	SECTION CORNER
250	N 1797541.74 E 1110382.55	381+62.85, 0.00' RT	PROP. CL @ SECTION LINE
251	N 1797600.11 E 1109298.20	370+80.68, 90.10' LT	TEMPORARY EASEMENT
252	N 1797598.66 E 1109248.22	370+30.68, 90.11' LT	TEMPORARY EASEMENT
253	N 1797427.15 E 1109198.67	369+76.12, 79.87' RT	PROPOSED R.O.W.

STATION EQUATION & COORDINATE TABLE

PT*	COORDINATES	STATION & OFFSET	DESCRIPTION
405	N 1797608.74 E 1109251.14	370+33.89, 100.11' LT	TEMPORARY EASEMENT
406	N 1797610.31 E 1109305.23	370+88.00, 100.10' LT	TEMPORARY EASEMENT
407	N 1797580.33 E 1109306.10	370+87.99, 70.10' LT	TEMPORARY EASEMENT
408	N 1797578.48 E 1109242.39	370+24.26, 70.11' LT	PROPOSED R.O.W.
409	N 1797611.48 E 1110380.69	381+63.01, 69.77' LT	PROPOSED R.O.W.
410	N 1797673.62 E 1110280.79	380+65.00, 134.80' LT	TEMPORARY EASEMENT
411	N 1797676.46 E 1110378.96	381+63.15, 134.77' LT	TEMPORARY EASEMENT
412	N 1797608.64 E 1110282.70	380+65.00, 69.80' LT	TEMPORARY EASEMENT

ENGINEERING ENTERPRISES, INC.
CONSULTING ENGINEERS & LAND SURVEYORS
52 WHEELER ROAD
SUGAR GROVE, ILLINOIS 60554
PH. (630-466-6700 / www.eeiweb.com

PLAT OF HIGHWAYS

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION
US ROUTE 6 / IL ROUTE 7 (159th ST.)

LIMITS: WILL COOK RD. TO US 45 — COUNTY: COOK
PROJECT: 159th — JOB NO.: R-90-028-11
STATION 370+00 — TO STATION 381+65
SCALE: 1"=60' — SHEET 14 OF 26

BUREAU OF LAND ACQUISITION
201 WEST CENTER COURT
SCHAUMBURG, ILLINOIS 60196

RECEIVED
OCT 04 2013
PLATS & LEGALS

REVISION DATE: OCTOBER 03, 2013
H:/SDSKProj/ID1003-F/Dgn Survey/plat of highway
MADE BY: CEP

COUNTY: JOB NO.: RECORDING: RECORDED ON

PART OF THE SW 1/4 OF SECTION 16 & NW 1/4 OF SECTION 21, TWP. 36 N., R.12 E. OF THE 3RD. P.M., IN COOK COUNTY, ILLINOIS.

PARCEL NUMBER	OWNER	TOTAL HOLDINGS ACRES	AREA TAKEN ACRES	AREA TAKEN SQ FEET	AREA IN EXISTING R.O.W. ACRES	REMAINDER AREA ACRES	EASEMENT ACRES	EASEMENT SQUARE FEET	EASEMENT PURPOSE	PERMANENT INDEX NUMBER	PROPERTY ACQUIRED BY
0HS0062 0HS0062TE-A 0HS0062TE-B	THE CATHOLIC BISHOP OF CHICAGO	312.034	3.119	-	1.631	308.915	A=0.055 B=0.043	-	CONSTRUCTION	27-21-100-002 27-21-300-001	
0HS0063TE	THE VILLAGE OF ORLAND PARK	5.570	-	-	-	5.570	0.014	-	CONSTRUCTION	27-16-300-014	
0HS0064TE	SHIRLEY K. LANG F/K/A SHIRLEY K. MAFFIN	1.191	-	-	-	1.191	0.016	-	CONSTRUCTION	27-16-300-013	



STATION EQUATION & COORDINATE TABLE

PT#	COORDINATES	STATION & OFFSET	DESCRIPTION
249	N 1797523.81 E 1110383.03	381+62.81, 17.93' RT	SECTION CORNER
250	N 1797541.74 E 1110382.55	381+62.85, 0.00' RT	PROP. CL @ SECTION LINE
260	N 1797669.37 E 1111348.41	391+32.00, 99.67' LT	TEMPORARY EASEMENT
261	N 1797670.63 E 1111392.40	391+76.00, 99.67' LT	TEMPORARY EASEMENT
262	N 1797428.20 E 1110435.72	382+12.72, 115.03' RT	PROPOSED R.O.W.
263	N 1797465.29 E 1110514.96	382+93.00, 80.24' RT	PROPOSED R.O.W.
264	N 1797487.23 E 1111276.65	390+55.00, 80.32' RT	PROPOSED R.O.W.
265	N 1797497.22 E 1111276.36	390+55.00, 70.32' RT	PROPOSED R.O.W.
266	N 1797446.90 E 1111265.81	390+43.00, 120.32' RT	TEMPORARY EASEMENT
267	N 1797448.34 E 1111315.79	390+93.00, 120.32' RT	TEMPORARY EASEMENT
268	N 1797469.48 E 1111355.19	391+33.00, 100.33' RT	TEMPORARY EASEMENT
269	N 1797471.30 E 1111418.17	391+96.00, 100.33' RT	TEMPORARY EASEMENT
270	N 1797533.54 E 1112537.33	403+16.49, 70.45' RT	PROPOSED R.O.W.
271	N 1797669.96 E 1111368.97	391+52.56, 99.67' LT	TEMPORARY EASEMENT

Coordinates are referenced to the Illinois State Plane Coordinate System, NAD83, East Zone. Listed coordinates are on the ground. All measured and calculated distances are on the ground.
combined scale factor = 0.99996258
To obtain State Plane grid coordinates, multiply the Northing by scale factor (0.99996258) then add 67.19'.
Multiply Easting by scale factor (0.99996258) then add 41.39'.

STATE OF ILLINOIS)
)SS
COUNTY OF KANE)

THIS IS TO CERTIFY THAT I, CHRIS E. PETERSON, AN ILLINOIS PROFESSIONAL LAND SURVEYOR, HAVE SURVEYED THE PLAT OF HIGHWAYS SHOWN HEREON IN SECTIONS 16 AND 21, TOWNSHIP 36 NORTH, RANGE 12 EAST OF THE THIRD PRINCIPAL MERIDIAN, COOK COUNTY, THAT THE SURVEY IS TRUE AND COMPLETE AS SHOWN TO THE BEST OF MY KNOWLEDGE AND BELIEF, THAT THE PLAT CORRECTLY REPRESENTS SAID SURVEY, THAT ALL MONUMENTS FOUND AND ESTABLISHED ARE OF PERMANENT QUALITY AND OCCUPY THE POSITIONS SHOWN THEREON AND THAT THE MONUMENTS ARE SUFFICIENT TO ENABLE THE SURVEY TO BE RETRACED, MADE FOR THE DEPARTMENT OF TRANSPORTATION, STATE OF ILLINOIS.

DATED AT SUGAR GROVE, ILLINOIS THIS _____ DAY OF _____ 2013 A.D.

_____
ILLINOIS PROFESSIONAL LAND SURVEYOR NO. 3678
LICENSE EXPIRATION DATE: 11-30-2014
THIS PROFESSIONAL SERVICE CONFORMS TO THE CURRENT ILLINOIS MINIMUM STANDARDS FOR A BOUNDARY SURVEY.

CHRIS E. PETERSON 035-003678 PROFESSIONAL LAND SURVEYOR SUGAR GROVE STATE OF ILLINOIS

REVISION DATE: June 18, 2013
REVISION DATE: June 11, 2012

H:/SDSKProj/ID1003-F/Dgn Survey/plat of highway MADE BY: CEP

RECEIVED
JUN 18 2013
PLATS & LEGALS

ENGINEERING ENTERPRISES, INC.
CONSULTING ENGINEERS & LAND SURVEYORS
52 WHEELER ROAD
SUGAR GROVE, ILLINOIS 60554
PH. (630-466-6700 / www.eeiweb.com

PLAT OF HIGHWAYS

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION

US ROUTE 6 / IL ROUTE 7 (159th ST.)

LIMITS: WILL COOK RD. TO US 45 — COUNTY: COOK
PROJECT: 159th — JOB NO.: R-90-028-11
STATION 381+65 — TO STATION 399+00
SCALE: 1"=60' — SHEET 15 OF 26

BUREAU OF LAND ACQUISITION
201 WEST CENTER COURT
SCHAUMBURG, ILLINOIS 60196

PART OF THE SW 1/4 & SE 1/4 OF SECTION 16 & PART OF THE NW 1/4 & NE 1/4 OF SECTION 21, TWP. 36 N., R.12 E. OF THE 3RD. P.M., IN COOK COUNTY, ILLINOIS.

PARCEL NUMBER	OWNER	TOTAL HOLDINGS ACRES	AREA TAKEN ACRES	AREA TAKEN SQ FEET	AREA IN EXISTING R.O.W. ACRES	REMAINDER AREA ACRES	EASEMENT ACRES	EASEMENT AREA SQUARE FEET	EASEMENT PURPOSE	PERMANENT INDEX NUMBER	PROPERTY ACQUIRED BY
OHS0065TE	TEIMOR FAILY	2.066	-	-	-	2.066	0.017	-	CONSTRUCTION	27-16-300-011	
OHS0066TE-A OHS0066TE-B	VILLAGE OF ORLAND PARK	46.029	-	-	-	46.029	A=0.003 B=0.019	A=127	CONSTRUCTION	27-16-300-009 27-16-300-010	
OHS0067	CENTENNIAL VILLAGE UNIT 1 TOWNHOME ASSOCIATION	1.847	0.246	-	-	1.601	-	-	-	27-16-404-031 27-16-404-038 27-16-404-045 27-16-404-014	
OHS0068TE	COSTCO WHOLESALE CORPORATION, A WASHINGTON CORPORATION	15.598	-	-	-	15.598	0.146	-	CONSTRUCTION	27-21-200-007	



STATION EQUATION & COORDINATE TABLE

PT#	COORDINATES	STATION & OFFSET	DESCRIPTION	PT#	COORDINATES	STATION & OFFSET	DESCRIPTION
270	N 1797533.54 E 1112537.33	403+16.49, 70.45' RT	PROPOSED R.O.W.	281	N 1797687.51 E 1113020.24	408+03.65, 69.51' LT	PROPOSED R.O.W.
275	N 1797453.44 E 1112882.29	406+59.00, 160.48' RT	TEMPORARY EASEMENT	282	N 1797706.97 E 1113689.31	414+73.00, 69.63' LT	PROPOSED R.O.W.
276	N 1797455.74 E 1112962.26	407+39.00, 160.49' RT	TEMPORARY EASEMENT	283	N 1797763.53 E 1113729.83	415+15.14, 125.00' LT	PROPOSED R.O.W.
277	N 1797692.39 E 1112495.23	402+79.00, 89.56' LT	TEMPORARY EASEMENT	284	N 1797612.56 E 1113022.53	408+03.78, 5.47' RT	QUARTER CORNER
278	N 1797693.63 E 1112538.21	403+22.00, 89.55' LT	TEMPORARY EASEMENT	285	N 1797618.03 E 1113022.36	408+03.77, 0.00' LT	PROP. CL AT QTR. LINE
279	N 1797705.75 E 1112959.04	407+43.00, 89.51' LT	TEMPORARY EASEMENT	286	N 1797693.45 E 1112531.83	403+15.62, 89.55' LT	TEMPORARY EASEMENT
280	N 1797706.96 E 1113001.02	407+85.00, 89.51' LT	TEMPORARY EASEMENT				

Coordinates are referenced to the Illinois State Plane Coordinate System, NAD83, East Zone. Listed coordinates are on the ground. All measured and calculated distances are on the ground.
combined scale factor = 0.99996258
To obtain State Plane grid coordinates, multiply the Northing by scale factor (0.99996258) then add 67.19'.
Multiply Easting by scale factor (0.99996258) then add 41.39'.

SECTION CORNER

QUARTER SECTION CORNER

- ○ IRON PIPE OR ROD FOUND
- + CUT CROSS FOUND OR SET
- ⊕ "MAG" NAIL SET
- ● 5/8" REBAR SET
- ● TI, T2, T3 — **THESE STAKES REFERENCE FOUND OR SET MONUMENTATION.** SET 5/8 INCH IRON ROD FLUSH WITH GROUND TO TIE FOUND IRON STAKE IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYOR'S REGISTRATION NUMBER.
- ● BTI, BT2, BT3 — **THESE STAKES, IN CULTIVATED AREAS, REFERENCE FOUND OR SET MONUMENTATION.** BURIED 5/8 INCH IRON ROD 20 INCHES BELOW GROUND TO TIE FOUND IRON STAKE. IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYOR'S REGISTRATION NUMBER.
- ■ **STAKING OF PROPOSED RIGHT OF WAY.** SET DIVISION OF HIGHWAYS SURVEY MARKER TO MONUMENT THE POSITION SHOWN. IDENTIFIED BY INSCRIPTION DATA AND SURVEYOR'S REGISTRATION NUMBER.
- ■ M — **STAKING OF PROPOSED RIGHT OF WAY IN CULTIVATED AREAS.** BURIED 5/8 INCH METAL ROD 20 INCHES BELOW GROUND TO MARK FUTURE SURVEY MARKER POSITION IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYOR'S REGISTRATION NUMBER.
- ◒ PERMANENT SURVEY MARKER, I.D.O.T. STANDARD 2135 (TO BE SET BY OTHERS)
- □ RIGHT OF WAY STAKING PROPOSED TO BE SET

GRAPHIC SCALE
FEET
0 60
SCALE: 1" = 60'

N

LEGEND

- SECTION LINE
- QUARTER SECTION LINE
- QUARTER, QUARTER SECTION LINE
- PLATTED LOT LINES
- PROPERTY (DEED) LINE
- APPARENT PROPERTY LINE
- EXISTING CENTERLINE
- PROPOSED CENTERLINE
- EXISTING RIGHT OF WAY LINE
- PROPOSED RIGHT OF WAY LINE
- PROPOSED EASEMENT
- 129.32' MEASURED DIMENSION
- 129.32' (COMP) COMPUTED DIMENSION
- (129.32') RECORDED DIMENSION
- EXISTING BUILDING

STATE OF ILLINOIS)
)SS
COUNTY OF KANE)

THIS IS TO CERTIFY THAT I, CHRIS E. PETERSON, AN ILLINOIS PROFESSIONAL LAND SURVEYOR, HAVE SURVEYED THE PLAT OF HIGHWAYS SHOWN HEREON IN SECTIONS 16 AND 21, TOWNSHIP 36 NORTH, RANGE 12 EAST OF THE THIRD PRINCIPAL MERIDIAN, COOK COUNTY, THAT THE SURVEY IS TRUE AND COMPLETE AS SHOWN TO THE BEST OF MY KNOWLEDGE AND BELIEF, THAT THE PLAT CORRECTLY REPRESENTS SAID SURVEY, THAT ALL MONUMENTS FOUND AND ESTABLISHED ARE OF PERMANENT QUALITY AND OCCUPY THE POSITIONS SHOWN THEREON AND THAT THE MONUMENTS ARE SUFFICIENT TO ENABLE THE SURVEY TO BE RETRACED, MADE FOR THE DEPARTMENT OF TRANSPORTATION, STATE OF ILLINOIS.

DATED AT SUGAR GROVE, ILLINOIS THIS_____DAY OF_____2013 A.D.

_____
ILLINOIS PROFESSIONAL LAND SURVEYOR NO. 3678
LICENSE EXPIRATION DATE: 11-30-2014
THIS PROFESSIONAL SERVICE CONFORMS TO THE CURRENT ILLINOIS MINIMUM STANDARDS FOR A BOUNDARY SURVEY.

CHRIS E. PETERSON 035-003678 PROFESSIONAL LAND SURVEYOR SUGAR GROVE, STATE OF ILLINOIS

RECEIVED
JUN 18 2013
PLATS & LEGALS

REVISION DATE: JUNE 18, 2013
REVISION DATE: JUNE 10, 2012

H:/SDSKProj/ID1003-F/Dgn Survey/plat of highway MADE BY: CEP

ENGINEERING ENTERPRISES, INC.
CONSULTING ENGINEERS & LAND SURVEYORS
52 WHEELER ROAD
SUGAR GROVE, ILLINOIS 60554
PH. (630-466-6700 / www.eeiweb.com

PLAT OF HIGHWAYS

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION
US ROUTE 6 / IL ROUTE 7 (159th ST.)

LIMITS: WILL COOK RD. TO US 45 — COUNTY: COOK
PROJECT: 159th — JOB NO.: R-90-028-11
STATION 399+00 — TO STATION 416+00
SCALE: 1"=60' — SHEET 16 OF 26

BUREAU OF LAND ACQUISITION
201 WEST CENTER COURT
SCHAUMBURG, ILLINOIS 60196

COUNTY: JOB NO.: RECORDING: RECORDED ON

PART OF THE SW 1/4 OF SECTION 18 & NW & NE 1/4 OF SECTION 19, TWP. 36 N., R.12 E. OF THE 3RD. P.M., IN COOK COUNTY, ILLINOIS.

TOTAL HOLDING PLAT





LEGEND

- SECTION LINE
- QUARTER SECTION LINE
- QUARTER, QUARTER SECTION LINE
- PLATTED LOT LINES
- PROPERTY (DEED) LINE
- APL — APPARENT PROPERTY LINE
- EXISTING CENTERLINE
- PROPOSED CENTERLINE
- EXISTING RIGHT OF WAY LINE
- PROPOSED RIGHT OF WAY LINE
- PROPOSED EASEMENT
- 129.32' — MEASURED DIMENSION
- 129.32' (COMP) — COMPUTED DIMENSION
- (129.32') — RECORDED DIMENSION
- EXISTING BUILDING

N

PARCEL NUMBER	OWNER	TOTAL HOLDINGS ACRES	AREA TAKEN ACRES	AREA TAKEN SQ FEET	AREA IN EXISTING R.O.W. ACRES	REMAINDER AREA ACRES	EASEMENT AREA ACRES	EASEMENT AREA SQUARE FEET	EASEMENT PURPOSE	PERMANENT INDEX NUMBER	PROPERTY ACQUIRED BY
0SH0001	COLE TAYLOR BANK AS TRUSTEE UNDER TRUST AGREEMENT DATED JUNE 20, 1973 KNOWN AS TRUST NO. 523	13.314	1.064	-	0.623	12.250	-	-	N/A	27-18-300-022	
0SH0002	NORTH STAR TRUST COMPANY AS SUCCESSOR TO PRAIRIE BANK & TRUST COMPANY AS TRUSTEE UNDER TRUST AGREEMEN DATED AUGUST 20, 1997 KNOWN AS TRUST NO. 97-057	3.921	.302	-	0.195	3.619	-	-	N/A	27-18-300-015	
0SH0003	RICHARD J. GORNIAK AND CHRISTINE A. GORNIAK, HIS WIFE, IN JOINT TENANCY	1.597	0.123	-	0.080	1.474	-	-	N/A	27-18-300-014	
0SH0004	STANDARD BANK & TRUST COMPANY AS SUCCESSOR TO HERITAGE STANDARD BANK & TRUST COMPANY AS TRUSTEE UNDER TRUST AGREEMENT DATED APRIL 18, 1966 KNOWN AS TRUST NO. 2860	63.920	0.453	-	-	63.467	-	-	N/A	27-19-100-005	
0HS0014	STANDARD BANK & TRUST COMPANY AS TRUSTEE UNDER TRUST AGREEMENT DATED APRIL 18, 1996 KNOWN AS TRUST NO. 2860	127.694	7.252	-	1.960	120.442	-	-	-	27-19-200-002 27-19-200-005	

STATE OF ILLINOIS)
)SS
COUNTY OF KANE)

THIS IS TO CERTIFY THAT I, CHRIS E. PETERSON, AN ILLINOIS PROFESSIONAL LAND SURVEYOR, HAVE SURVEYED THE PLAT OF HIGHWAYS SHOWN HEREON IN SECTIONS 18 AND 19, TOWNSHIP 36 NORTH, RANGE 12 EAST OF THE THIRD PRINCIPAL MERIDIAN, COOK COUNTY, THAT THE SURVEY IS TRUE AND COMPLETE AS SHOWN TO THE BEST OF MY KNOWLEDGE AND BELIEF, THAT THE PLAT CORRECTLY REPRESENTS SAID SURVEY, THAT ALL MONUMENTS FOUND AND ESTABLISHED ARE OF PERMANENT QUALITY AND OCCUPY THE POSITIONS SHOWN THEREON AND THAT THE MONUMENTS ARE SUFFICIENT TO ENABLE THE SURVEY TO BE RETRACED, MADE FOR THE DEPARTMENT OF TRANSPORTATION, STATE OF ILLINOIS.

DATED AT SUGAR GROVE, ILLINOIS THIS 18TH DAY OF JUNE, 2013 A.D.

ILLINOIS PROFESSIONAL LAND SURVEYOR NO. 3678
LICENSE EXPIRATION DATE: 11-30-2014
THIS PROFESSIONAL SERVICE CONFORMS TO THE CURRENT ILLINOIS MINIMUM STANDARDS FOR A BOUNDARY SURVEY.

CHRIS E. PETERSON 035-003678 PROFESSIONAL LAND SURVEYOR SUGAR GROVE STATE OF ILLINOIS

RECEIVED
JUN 18 2013
PLATS & LEGALS

ENGINEERING ENTERPRISES, INC.
CONSULTING ENGINEERS & LAND SURVEYORS
52 WHEELER ROAD
SUGAR GROVE, ILLINOIS 60554
PH. (630-466-6700 / www.eeiweb.com

PLAT OF HIGHWAYS

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION

US ROUTE 6 / IL ROUTE 7 (159th ST.)

LIMITS: WILL COOK RD. TO US 45 — COUNTY: COOK
PROJECT: 159th — JOB NO.: R-90-028-11
STATION — TO STATION
SCALE: NTS — SHEET 17 OF 26

BUREAU OF LAND ACQUISITION
201 WEST CENTER COURT
SCHAUMBURG, ILLINOIS 60196

REVISION DATE: JUNE 18, 2013
REVISION DATE: May 30, 2013

H:/SDSKProj/ID1003-F/Dgn Survey/plat of highway — MADE BY: CEP

COUNTY: JOB NO.: RECORDING: RECORDED ON

PART OF THE SE 1/4 OF SECTION 17 AND NW & NE 1/4 OF SECTION 19, AND THE NE 1/4 SECTION 20, TWP. 36 N., R.12 E. OF THE 3RD. P.M., IN COOK COUNTY, ILLINOIS.

TOTAL HOLDING PLAT

TOTAL HOLDING EXHIBIT PARCEL 0HS0026





TOTAL HOLDING EXHIBIT PARCEL 0HS0013



TOTAL HOLDING EXHIBIT PARCELS 0HS0058, 0HS0060, 0HS0061



LEGEND

○	IRON PIPE OR ROD FOUND
+	CUT CROSS FOUND OR SET
⊕	"MAG" NAIL SET
●	5/8" REBAR SET
● TI T2 T3	**THESE STAKES REFERENCE FOUND OR SET MONUMENTATION.** SET 5/8 INCH IRON ROD FLUSH WITH GROUND TO TIE FOUND IRON STAKE IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYOR'S REGISTRATION NUMBER.
● BT1 BT2 BT3	**THESE STAKES, IN CULTIVATED AREAS, REFERENCE FOUND OR SET MONUMENTATION.** BURIED 5/8 INCH IRON ROD 20 INCHES BELOW GROUND TO TIE FOUND IRON STAKE. IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYOR'S REGISTRATION NUMBER.
■	**STAKING OF PROPOSED RIGHT OF WAY.** SET DIVISION OF HIGHWAYS SURVEY MARKER TO MONUMENT THE POSITION SHOWN. IDENTIFIED BY INSCRIPTION DATA AND SURVEYOR'S REGISTRATION NUMBER.
	STAKING OF PROPOSED RIGHT OF WAY IN CULTIVATED AREAS. BURIED 5/8 INCH METAL ROD 20 INCHES BELOW GROUND TO MARK FUTURE SURVEY MARKER POSITION IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYOR'S REGISTRATION NUMBER.
◕	PERMANENT SURVEY MARKER, I.D.O.T. STANDARD 2135 (TO BE SET BY OTHERS)
□	RIGHT OF WAY STAKING PROPOSED TO BE SET

	SECTION LINE
	QUARTER SECTION LINE
	QUARTER, QUARTER SECTION LINE
	PLATTED LOT LINES
P	PROPERTY (DEED) LINE
APL	APPARENT PROPERTY LINE
	EXISTING CENTERLINE
	PROPOSED CENTERLINE
	EXISTING RIGHT OF WAY LINE
	PROPOSED RIGHT OF WAY LINE
	PROPOSED EASEMENT
129.32'	MEASURED DIMENSION
129.32' (COMP)	COMPUTED DIMENSION
(129.32')	RECORDED DIMENSION
	EXISTING BUILDING

N

RECEIVED
OCT 15 2013
PLATS & LEGALS

STATE OF ILLINOIS)
)SS
COUNTY OF KANE)

THIS IS TO CERTIFY THAT I, CHRIS E. PETERSON, AN ILLINOIS PROFESSIONAL LAND SURVEYOR, HAVE SURVEYED THE PLAT OF HIGHWAYS SHOWN HEREON IN SECTIONS 17, 19 AND 20, TOWNSHIP 36 NORTH, RANGE 12 EAST OF THE THIRD PRINCIPAL MERIDIAN, COOK COUNTY, THAT THE SURVEY IS TRUE AND COMPLETE AS SHOWN TO THE BEST OF MY KNOWLEDGE AND BELIEF, THAT THE PLAT CORRECTLY REPRESENTS SAID SURVEY, THAT ALL MONUMENTS FOUND AND ESTABLISHED ARE OF PERMANENT QUALITY AND OCCUPY THE POSITIONS SHOWN THEREON AND THAT THE MONUMENTS ARE SUFFICIENT TO ENABLE THE SURVEY TO BE RETRACED. MADE FOR THE DEPARTMENT OF TRANSPORTATION, STATE OF ILLINOIS.

DATED AT SUGAR GROVE, ILLINOIS THIS DAY OF 2013 A.D.

ILLINOIS PROFESSIONAL LAND SURVEYOR NO. 3678
LICENSE EXPIRATION DATE: 11-30-2014
THIS PROFESSIONAL SERVICE CONFORMS TO THE CURRENT ILLINOIS MINIMUM STANDARDS FOR A BOUNDARY SURVEY.

CHRIS E. PETERSON 035-003678 PROFESSIONAL LAND SURVEYOR SUGAR GROVE STATE OF ILLINOIS

PARCEL NUMBER	OWNER	TOTAL HOLDINGS ACRES	AREA TAKEN ACRES	AREA TAKEN SQ FEET	AREA IN EXISTING R.O.W. ACRES	REMAINDER AREA ACRES	EASEMENT AREA ACRES	EASEMENT AREA SQUARE FEET	EASEMENT PURPOSE	PERMANENT INDEX NUMBER	PROPERTY ACQUIRED BY
0HS0013	NORTH STAR TRUST COMPANY AS SUCCESSOR TO LAKESIDE BANK, AS TRUSTEE UNDER TRUST AGREEMENT DATED SEPTEMEBER 25, 1987 KNOWN AS TRUST NO 10-1295	17.517	1.292	-	-	16.225	-	-	-	27-19-101-002	
0HS0026	ORLAND PARK KOTARA PARTNERS, LLC	10.228	0.021	-	-	10.207	-	-	-	27-19-201-012 27-19-201-013 27-19-201-020 27-19-201-023 27-19-201-024	
0HS0058 0HS0058TE-A 0HS0058TE-B	THE CATHOLIC BISHOP OF CHICAGO	10.983	1.943	-	-	9.040	A=0.003 B=0.026	B=144	CONSTRUCTION	27-20-201-001 (pt)	
0HS0059PE	RAILROAD	N/A	-	-	-	-	0.255	-	CONSTRUCTION	-	
0HS0060	CALVARY REFORMED CHURCH	31.217	0.047	-	-	31.170	-	-	-	27-20-201-001 (pt)	
0HS0061TE	THE VILLAGE OF ORLAND PARK	45.579	-	-	1.690	43.889	0.052	-	CONSTRUCTION	27-17-401-002	
0HS0069	THE CATHOLIC BISHOP OF CHICAGO	0.194	0.059	-	-	0.135	-	-	-	27-20-201-001 (pt)	
0HS0070 0HS0070TE-A 0HS0070TE-B	THE VILLAGE OF ORLAND PARK	45.579	2.215	-	1.690	43.364	A=0.016 B=0.146	-	CONSTRUCTION	27-17-401-002	

ENGINEERING ENTERPRISES, INC.
CONSULTING ENGINEERS & LAND SURVEYORS
52 WHEELER ROAD
SUGAR GROVE, ILLINOIS 60554
PH. (630-466-6700 / www.eeiweb.com

PLAT OF HIGHWAYS

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION
US ROUTE 6 / IL ROUTE 7 (159th ST.)

LIMITS: WILL COOK RD. TO US 45 — COUNTY: COOK
PROJECT: 159th — JOB NO.: R-90-028-11
STATION — TO STATION
SCALE: NTS — SHEET 18 OF 26

BUREAU OF LAND ACQUISITION
201 WEST CENTER COURT
SCHAUMBURG, ILLINOIS 60196

REVISION DATE: OCTOBER 08, 2013 — H:/SDSKProj/ID1003-F/Dgn Survey/plat of highway — MADE BY: CEP

COUNTY: — JOB NO.: — RECORDING: RECORDED ON

PART OF THE SE 1/4 OF SECTION 17 AND NW & NE 1/4 OF SECTION 19, AND THE NE 1/4 SECTION 20, TWP. 36 N., R.12 E. OF THE 3RD. P.M., IN COOK COUNTY, ILLINOIS.

TOTAL HOLDING PLAT





LEGEND

- SECTION LINE
- QUARTER SECTION LINE
- QUARTER, QUARTER SECTION LINE
- PLATTED LOT LINES
- P — PROPERTY (DEED) LINE
- APL — APPARENT PROPERTY LINE
- EXISTING CENTERLINE
- PROPOSED CENTERLINE
- EXISTING RIGHT OF WAY LINE
- PROPOSED RIGHT OF WAY LINE
- PROPOSED EASEMENT
- 129.32' — MEASURED DIMENSION
- 129.32' (COMP) — COMPUTED DIMENSION
- (129.32') — RECORDED DIMENSION
- EXISTING BUILDING

N

SECTION CORNER

QUARTER SECTION CORNER

- ○ IRON PIPE OR ROD FOUND
- + CUT CROSS FOUND OR SET
- ⊕ "MAG" NAIL SET
- ● 5/8" REBAR SET
- ● TI, T2, T3 — **THESE STAKES REFERENCE FOUND OR SET MONUMENTATION.** SET 5/8 INCH IRON ROD FLUSH WITH GROUND TO TIE FOUND IRON STAKE IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYOR'S REGISTRATION NUMBER.
- • BT1, BT2, BT3 — **THESE STAKES, IN CULTIVATED AREAS, REFERENCE FOUND OR SET MONUMENTATION.** BURIED 5/8 INCH IRON ROD 20 INCHES BELOW GROUND TO TIE FOUND IRON STAKE. IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYOR'S REGISTRATION NUMBER.
- ■ **STAKING OF PROPOSED RIGHT OF WAY.** SET DIVISION OF HIGHWAYS SURVEY MARKER TO MONUMENT THE POSITION SHOWN. IDENTIFIED BY INSCRIPTION DATA AND SURVEYOR'S REGISTRATION NUMBER.

  STAKING OF PROPOSED RIGHT OF WAY IN CULTIVATED AREAS. BURIED 5/8 INCH METAL ROD 20 INCHES BELOW GROUND TO MARK FUTURE SURVEY MARKER POSITION IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYOR'S REGISTRATION NUMBER.
- ◔ PERMANENT SURVEY MARKER, I.D.O.T. STANDARD 2135 (TO BE SET BY OTHERS)
- □ RIGHT OF WAY STAKING PROPOSED TO BE SET

RECEIVED
JUN 18 2013
PLATS & LEGALS

STATE OF ILLINOIS)
)SS
COUNTY OF KANE)

THIS IS TO CERTIFY THAT I, CHRIS E. PETERSON, AN ILLINOIS PROFESSIONAL LAND SURVEYOR, HAVE SURVEYED THE PLAT OF HIGHWAYS SHOWN HEREON IN SECTIONS 16 AND 21, TOWNSHIP 36 NORTH, RANGE 12 EAST OF THE THIRD PRINCIPAL MERIDIAN, COOK COUNTY, THAT THE SURVEY IS TRUE AND COMPLETE AS SHOWN TO THE BEST OF MY KNOWLEDGE AND BELIEF, THAT THE PLAT CORRECTLY REPRESENTS SAID SURVEY, THAT ALL MONUMENTS FOUND AND ESTABLISHED ARE OF PERMANENT QUALITY AND OCCUPY THE POSITIONS SHOWN THEREON AND THAT THE MONUMENTS ARE SUFFICIENT TO ENABLE THE SURVEY TO BE RETRACED. MADE FOR THE DEPARTMENT OF TRANSPORTATION, STATE OF ILLINOIS.

DATED AT SUGAR GROVE, ILLINOIS THIS DAY OF 2013 A.D.

ILLINOIS PROFESSIONAL LAND SURVEYOR NO. 3678
LICENSE EXPIRATION DATE: 11-30-2014
THIS PROFESSIONAL SERVICE CONFORMS TO THE CURRENT ILLINOIS MINIMUM STANDARDS FOR A BOUNDARY SURVEY.

CHRIS E. PETERSON
035-003678
PROFESSIONAL LAND SURVEYOR
SUGAR GROVE
STATE OF ILLINOIS

PARCEL NUMBER	OWNER	TOTAL HOLDINGS ACRES	AREA TAKEN ACRES	AREA TAKEN SQ FEET	AREA IN EXISTING R.O.W. ACRES	REMAINDER AREA ACRES	EASEMENT ACRES	EASEMENT AREA SQUARE FEET	EASEMENT PURPOSE	PERMANENT INDEX NUMBER	PROPERTY ACQUIRED BY
0HS0062 0HS0062TE-A 0HS0062TE-B	THE CATHOLIC BISHOP OF CHICAGO	312.034	3.119	-	1.631	308.915	A=0.055 B=0.043	-	CONSTRUCTION	27-21-100-002 27-21-300-001	
0HS0063TE	THE VILLAGE OF ORLAND PARK	5.570	-	-	-	5.570	0.014	-	CONSTRUCTION	27-16-300-014	
0HS0064TE	SHIRLEY K. LANG F/K/A SHIRLEY K. MAFFIN	1.191	-	-	-	1.191	0.015	-	CONSTRUCTION	27-16-300-013	
0HS0066TE-A 0HS0066TE-B	VILLAGE OF ORLAND PARK	46.029	-	-	-	46.029	A=0.003 B=0.019	A=127	CONSTRUCTION	27-16-300-009 27-16-300-010	
0HS0067	CENTENNIAL VILLAGE UNIT 1 TOWNHOME ASSOCIATION	1.847	0.246	-	-	1.601	-	-	-	27-16-404-031 27-16-404-038 27-16-404-045 27-16-405-014	
0HS0068TE	COSTCO WHOLESALE CORPORATION, A WASHINGTON CORPORATION	15.598	-	-	-	15.598	0.146	-	CONSTRUCTION	27-21-200-007	

REVISION DATE: JUNE 18, 2013
REVISION DATE: JUNE 11, 2012

H:/SDSKProj/ID1003-F/Dgn Survey/plat of highway MADE BY: CEP

ENGINEERING ENTERPRISES, INC.
CONSULTING ENGINEERS & LAND SURVEYORS
52 WHEELER ROAD
SUGAR GROVE, ILLINOIS 60554
PH. (630-466-6700 / www.eeiweb.com

PLAT OF HIGHWAYS

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION

US ROUTE 6 / IL ROUTE 7 (159th ST.)

LIMITS: WILL COOK RD. TO US 45 — COUNTY: COOK
PROJECT: 159th — JOB NO.: R-90-028-11
STATION — TO STATION
SCALE: NTS — SHEET 19 OF 26

BUREAU OF LAND ACQUISITION
201 WEST CENTER COURT
SCHAUMBURG, ILLINOIS 60196

COUNTY: JOB NO.: RECORDING: RECORDED ON

SURVEY TIES



SCHEDULE OF TIES		
PT. #	TIE # T	TIE DISTANCE (FEET)
6	T1 T2 T3	56.60' 36.85' 11.33'
7	T7 T8 T9	15.58' 28.77' 44.25'
8	T7 T8 T9	48.09' 31.93' 24.49'
9	T10 T11 T12	27.75' 20.67' 3.83'
10	T10 T11 T12	38.38' 35.66' 17.00'
21	T1 T2 T3	60.81' 51.84' 27.98'



SCHEDULE OF TIES		
PT. #	TIE # T	TIE DISTANCE (FEET)
17	T19 T20 T21	26.44' 19.45' 9.96'
18	T19 T20 T21	21.47' 9.45' 3.92'
19	T4 T5 T6	31.23' 45.44' 37.82'
20	T4 T5 T6	22.95' 55.52' 61.69'

T21 = MAGNAIL IN EAST FACE OF 8" TREE
T22 = MAGNAIL IN SOUTH FACE OF 24" TREE
T23 = MAGNAIL IN WEST FACE OF 8" TREE
T24 = MAGNAIL IN EAST FACE OF 12" TREE
T25 = MAGNAIL IN SE FACE OF 10" TREE
T26 = MAGNAIL IN SOUTH FACE OF 12" TREE
T27 = MAGNAIL IN SOUTH FACE OF 4" TREE
T28 = SET REBAR WITH YELLOW PLASTIC CAP
T29 = SET REBAR WITH YELLOW PLASTIC CAP



SCHEDULE OF TIES		
PT. #	TIE # T	TIE DISTANCE (FEET)
43	T27 T28 T29	3.00' 6.31' 4.31'
44	T24 T25 T26	21.48' 17.10' 5.34'
45	T21 T22 T23	7.72' 7.54' 21.98'



T30 = HOUSE CORNER
T31 = MAGNAIL IN SOUTH FACE OF UTILITY POLE
T32 = HOUSE CORNER
T36 = MAGNAIL IN SE FACE OF 12" TREE
T37 = SET REBAR AND YELLOW PLASTIC CAP
T38 = MAGNAIL IN SOUTH FACE OF 5" TREE
T65 = SET REBAR WITH YELLOW PLASTIC CAP
T66 = SET REBAR WITH YELLOW PLASTIC CAP
T67 = MAGNAIL IN SOUTH FACE OF 12" TREE



T42 = MAGNAIL IN NE FACE OF 32" TREE
T43 = MAGNAIL IN NORTH FACE OF 7" TREE
T44 = MAGNAIL IN WEST FACE OF 7" TREE
T45 = MAGNAIL IN EAST FACE OF 24" TREE
T46 = MAGNAIL IN NORTH FACE OF 18" TREE
T47 = MAGNAIL IN NORTH FACE OF 28" TREE



SCHEDULE OF TIES		
PT. #	TIE # T	TIE DISTANCE (FEET)
15	T21 T143 T144	49.28' 74.88' 5.50'
16	T138 T139 T140	29.39' 71.38' 30.88'
22	T141 T142 T143	20.00' 27.41' 56.27'

SCHEDULE OF TIES		
PT. #	TIE # T	TIE DISTANCE (FEET)
26	T42 T43 T44	12.99' 26.84' 22.57'
27	T42 T43 T44	4.93' 16.85' 15.23'
28	T45 T46 T47	30.00' 14.68' 46.79'
29	T45 T46 T47	25.94' 5.03' 41.06'
33	T65 T66 T67	62.84' 43.78' 104.62'
35	T36 T37 T38	97.00' 14.71' 41.06'
36	T36 T37 T38	31.85' 76.25' 85.35'
38	T30 T31 T32	112.13' 72.91' 120.72'



SCHEDULE OF TIES		
PT. #	TIE # T	TIE DISTANCE (FEET)
11	T13 T14 T15	20.13' 53.50' 33.19'
12	T147 T148 T149	4.61' 132.13' 120.63'
13	T16 T145 T146	121.51' 68.81' 39.32'
14	T16 T145 T146	70.04' 82.73' 84.39'
25	T16 T145 T146	47.94' 117.98' 112.75'
34	T16 T145 T146	39.68' 115.32' 115.66'

LEGEND

- SECTION LINE
- QUARTER SECTION LINE
- QUARTER, QUARTER SECTION LINE
- PLATTED LOT LINES
- P — PROPERTY (DEED) LINE
- APL — APPARENT PROPERTY LINE
- EXISTING CENTERLINE
- PROPOSED CENTERLINE
- EXISTING RIGHT OF WAY LINE
- PROPOSED RIGHT OF WAY LINE
- PROPOSED EASEMENT
- 129.32' — MEASURED DIMENSION
- 129.32' (COMP) — COMPUTED DIMENSION
- (129.32') — RECORDED DIMENSION
- EXISTING BUILDING

N

GRAPHIC SCALE FEET
0 50
SCALE: 1" = 50'

9 10 16 15 SECTION CORNER

16 15 QUARTER SECTION CORNER

- ○ IRON PIPE OR ROD FOUND
- ⊕ "MAG" NAIL SET
- \+ CUT CROSS FOUND OR SET
- ● 5/8" REBAR SET
- ● T1, T2, T3 — THESE STAKES REFERENCE FOUND OR SET MONUMENTATION. SET 5/8 INCH IRON ROD FLUSH WITH GROUND TO TIE FOUND IRON STAKE IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYOR'S REGISTRATION NUMBER.
- • BT1, BT2, BT3 — THESE STAKES, IN CULTIVATED AREAS, REFERENCE FOUND OR SET MONUMENTATION. BURIED 5/8 INCH IRON ROD 20 INCHES BELOW GROUND TO TIE FOUND IRON STAKE. IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYOR'S REGISTRATION NUMBER.
- ■ STAKING OF PROPOSED RIGHT OF WAY. SET DIVISION OF HIGHWAYS SURVEY MARKER TO MONUMENT THE POSITION SHOWN. IDENTIFIED BY INSCRIPTION DATA AND SURVEYOR'S REGISTRATION NUMBER.
- ■ M — STAKING OF PROPOSED RIGHT OF WAY IN CULTIVATED AREAS. BURIED 5/8 INCH METAL ROD 20 INCHES BELOW GROUND TO MARK FUTURE SURVEY MARKER POSITION IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYOR'S REGISTRATION NUMBER.
- ◓ PERMANENT SURVEY MARKER, I.D.O.T. STANDARD 2135 (TO BE SET BY OTHERS)
- □ RIGHT OF WAY STAKING PROPOSED TO BE SET

STATE OF ILLINOIS)
)SS
COUNTY OF KANE)

THIS IS TO CERTIFY THAT I, CHRIS E. PETERSON, AN ILLINOIS PROFESSIONAL LAND SURVEYOR, HAVE SURVEYED THE PLAT OF HIGHWAYS SHOWN HEREON IN SECTION 17, TOWNSHIP 36 NORTH, RANGE 12 EAST OF THE THIRD PRINCIPAL MERIDIAN, COOK COUNTY, THAT THE SURVEY IS TRUE AND COMPLETE AS SHOWN TO THE BEST OF MY KNOWLEDGE AND BELIEF, THAT THE PLAT CORRECTLY REPRESENTS SAID SURVEY, THAT ALL MONUMENTS FOUND AND ESTABLISHED ARE OF PERMANENT QUALITY AND OCCUPY THE POSITIONS SHOWN THEREON AND THAT THE MONUMENTS ARE SUFFICIENT TO ENABLE THE SURVEY TO BE RETRACED, MADE FOR THE DEPARTMENT OF TRANSPORTATION, STATE OF ILLINOIS.

DATED AT SUGAR GROVE, ILLINOIS THIS DAY OF 2013 A.D.

ILLINOIS PROFESSIONAL LAND SURVEYOR NO. 3678
LICENSE EXPIRATION DATE: 11-30-2014
THIS PROFESSIONAL SERVICE CONFORMS TO THE CURRENT ILLINOIS MINIMUM STANDARDS FOR A BOUNDARY SURVEY.

CHRIS E. PETERSON 035-003678 PROFESSIONAL LAND SURVEYOR SUGAR GROVE STATE OF ILLINOIS

ENGINEERING ENTERPRISES, INC.
CONSULTING ENGINEERS & LAND SURVEYORS
52 WHEELER ROAD
SUGAR GROVE, ILLINOIS 60554
PH. (630-466-6700 / www.eeiweb.com

RECEIVED
APR 01 2013
PLATS & LEGALS

PLAT OF HIGHWAYS

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION

US ROUTE 6 / IL ROUTE 7 (159th ST.)

LIMITS: WILL COOK RD. TO US 45	COUNTY: COOK
PROJECT: 159th	JOB NO.: R-90-028-11
STATION 24+00	TO STATION 28+70
SCALE: 1"=50'	SHEET 20 OF 26

BUREAU OF LAND ACQUISITION
201 WEST CENTER COURT
SCHAUMBURG, ILLINOIS 60196

REVISION DATE: MARCH 29, 2013 — H:/SDSKProj/1D1003-F/Dgn Survey/plat of highway — MADE BY: CEP

COUNTY: JOB NO.: RECORDING: RECORDED ON

SURVEY TIES



SCHEDULE OF TIES		
PT. #	TIE # T	TIE DISTANCE (FEET)
30	T50 T51 T52	16.05' 36.00' 24.90'
300	T53 T54 T55	12.23' 16.23' 13.03'
301	T411 T412 T413	13.56' 16.20' 14.01'
302	T414 T415 T416	22.65' 19.82' 20.83'
303	T417 T418 T419	21.84' 18.58' 20.47'
304	T417 T418 T419	14.40' 8.58' 12.41'
305	T59 T60 T61	162.42' 114.48' 44.74'
76	T120 T121 T122	15.38' 11.98' 20.08'
77	T120 T121 T122	23.77' 20.45' 24.49'
70	T275 T276 T277	55.73' 18.83' 52.31'
80	T275 T276 T277	56.21' 20.13' 53.52'

SCHEDULE OF TIES		
PT. #	TIE # T	TIE DISTANCE (FEET)
47	T65 T66 T67	5.57' 22.81' 2.80'
49	T150 T151 T152	32.84' 3.71' 77.41'
50	T153 T154 T156	6.68' 38.16' 57.58'
51	T156 T157 T158	81.36' 7.45' 9.08'
52	T74 T75 T76	15.67' 19.76' 96.36'
53	T77 T78 T79	113.87' 3.89' 9.01'
54	T86 T87 T88	21.84' 7.41' 5.40'
55	T80 T81 T82	26.75' 19.62' 113.49'

SCHEDULE OF TIES		
PT. #	TIE # T	TIE DISTANCE (FEET)
56	T83 T84 T85	69.68' 16.95' 39.28'
57	T83 T84 T85	119.87' 70.16' 27.40'
59	T57 T58 T269	4.34' 16.89' 77.01'
60	T268 T269 T270	38.58' 5.17' 67.47'
61	T268 T269 T270	80.44' 51.20' 34.14'
62	T271 T272 T273	98.47' 46.64' 55.14'
63	T271 T272 T273	105.88' 33.62' 13.34'
64	T159 T160 T161	50.31' 69.46' 71.07'
65	T159 T160 T161	75.17' 81.74' 59.36'
66	T161 T162 T163	65.14' 25.10' 3.23'
67	T123 T124 T125	12.44' 32.14' 36.35'
68	T123 T124 T125	37.84' 17.25' 8.39'

SCHEDULE OF TIES		
PT. #	TIE # T	TIE DISTANCE (FEET)
69	T126 T127 T128	18.85" 18.95' 29.40'
71	T129 T130 T131	58.83' 8.86' 32.65'
98	T164 T165 T166	45.17' 18.80' 34.50'
99	T164 T165 T166	61.51' 36.09' 24.22'

LEGEND

- SECTION LINE
- QUARTER SECTION LINE
- QUARTER, QUARTER SECTION LINE
- PLATTED LOT LINES
- PROPERTY (DEED) LINE
- APPARENT PROPERTY LINE
- EXISTING CENTERLINE
- PROPOSED CENTERLINE
- EXISTING RIGHT OF WAY LINE
- PROPOSED RIGHT OF WAY LINE
- PROPOSED EASEMENT
- 129.32' MEASURED DIMENSION
- 129.32' (COMP) COMPUTED DIMENSION
- (129.32') RECORDED DIMENSION
- EXISTING BUILDING

N

NO SCALE

SECTION CORNER

QUARTER SECTION CORNER

- IRON PIPE OR ROD FOUND
- "MAG" NAIL SET
- CUT CROSS FOUND OR SET
- 5/8" REBAR SET

• T1, T2, T3 **THESE STAKES REFERENCE FOUND OR SET MONUMENTATION.** SET 5/8 INCH IRON ROD FLUSH WITH GROUND TO TIE FOUND IRON STAKE IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYOR'S REGISTRATION NUMBER.

• BT1, BT2, BT3 **THESE STAKES, IN CULTIVATED AREAS, REFERENCE FOUND OR SET MONUMENTATION.** BURIED 5/8 INCH IRON ROD 20 INCHES BELOW GROUND TO TIE FOUND IRON STAKE. IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYOR'S REGISTRATION NUMBER.

■ **STAKING OF PROPOSED RIGHT OF WAY.** SET DIVISION OF HIGHWAYS SURVEY MARKER TO MONUMENT THE POSITION SHOWN. IDENTIFIED BY INSCRIPTION DATA AND SURVEYOR'S REGISTRATION NUMBER.

■ M **STAKING OF PROPOSED RIGHT OF WAY IN CULTIVATED AREAS.** BURIED 5/8 INCH METAL ROD 20 INCHES BELOW GROUND TO MARK FUTURE SURVEY MARKER POSITION IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYOR'S REGISTRATION NUMBER.

PERMANENT SURVEY MARKER, I.D.O.T. STANDARD 2135 (TO BE SET BY OTHERS)

RIGHT OF WAY STAKING PROPOSED TO BE SET

STATE OF ILLINOIS)
)SS
COUNTY OF KANE)

THIS IS TO CERTIFY THAT I, CHRIS E. PETERSON, AN ILLINOIS PROFESSIONAL LAND SURVEYOR, HAVE SURVEYED THE PLAT OF HIGHWAYS SHOWN HEREON IN SECTION 17, TOWNSHIP 36 NORTH, RANGE 12 EAST OF THE THIRD PRINCIPAL MERIDIAN, COOK COUNTY, THAT THE SURVEY IS TRUE AND COMPLETE AS SHOWN TO THE BEST OF MY KNOWLEDGE AND BELIEF, THAT THE PLAT CORRECTLY REPRESENTS SAID SURVEY, THAT ALL MONUMENTS FOUND AND ESTABLISHED ARE OF PERMANENT QUALITY AND OCCUPY THE POSITIONS SHOWN THEREON AND THAT THE MONUMENTS ARE SUFFICIENT TO ENABLE THE SURVEY TO BE RETRACED, MADE FOR THE DEPARTMENT OF TRANSPORTATION, STATE OF ILLINOIS.

DATED AT SUGAR GROVE, ILLINOIS THIS DAY OF 2012 A.D.

ILLINOIS PROFESSIONAL LAND SURVEYOR NO. 3678
LICENSE EXPIRATION DATE: 11-30-2012
THIS PROFESSIONAL SERVICE CONFORMS TO THE CURRENT ILLINOIS MINIMUM STANDARDS FOR A BOUNDARY SURVEY.

CHRIS E. PETERSON 035-003678 PROFESSIONAL LAND SURVEYOR SUGAR GROVE STATE OF ILLINOIS

ENGINEERING ENTERPRISES, INC.
CONSULTING ENGINEERS & LAND SURVEYORS
52 WHEELER ROAD
SUGAR GROVE, ILLINOIS 60554
PH. (630-466-6700 / www.eeiweb.com

RECEIVED
JUN 26 2012
PLATS & LEGALS

PLAT OF HIGHWAYS

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION

US ROUTE 6 / IL ROUTE 7 (159th ST.)

LIMITS: WILL COOK RD. TO US 45 — COUNTY: COOK
PROJECT: 159th — JOB NO.: R-90-028-11
STATION — TO STATION
SCALE: 1"=50' — SHEET 21 OF 26

BUREAU OF LAND ACQUISITION
201 WEST CENTER COURT
SCHAUMBURG, ILLINOIS 60196

REVISION DATE: JUNE 26, 2012 — H:/SDSKProj/ID1003-F/Dgn Survey/plat of highway — MADE BY: CEP

COUNTY: — JOB NO.: — RECORDING: RECORDED ON

SURVEY TIES



SCHEDULE OF TIES		
PT. #	TIE # T	TIE DISTANCE (FEET)
81	T278 T279 T280	70.57' 54.68' 5.20'
82	T281 T282 T283	20.02' 45.18' 125.51'
83	T281 T282 T283	18.12' 41.19' 122.34'
84	T284 T285 T286	20.24' 25.49' 21.95'
85	T287 T288 T289	43.49' 27.07' 14.89'
102	T105 T106 T107	174.02' 149.68' 117.78'
103	T105 T106 T407	86.28' 99.69' 42.62'
108	T108 T109 T110	47.94' 55.43' 56.02'
109	T108 T109 T110	46.87' 45.95' 46.82'
110	T186 T187 T188	18.64' 31.38' 127.28'
111	T186 T187 T188	12.10' 21.03' 115.58'
112	T111 T112 T113	12.23' 22.47' 43.99'
113	T111 T112 T113	43.81' 24.95' 13.26'
114	T167 T168 T169	175.11' 6.47' 197.27'
118	T290 T291 T296	3.58' 53.09' 66.98'
119	T291 T292 T296	49.59' 59.12' 18.00'
120	T293 T294 T295	84.45' 22.17' 36.76'
123	T408 T409 T410	19.58' 13.84' 11.42'

SCHEDULE OF TIES		
PT. #	TIE # T	TIE DISTANCE (FEET)
124	T408 T409 T410	14.09' 3.86' 11.42'
126	T175 T176 T177	34.16' 33.82' 28.52'
127	T175 T176 T177	44.73' 6.19' 22.02'
128	T170 T171 T400	37.36' 53.81' 63.47'
134	T401 T402 T403	19.32' 14.68' 48.55'
135	T401 T402 T403	13.68' 4.68' 13.20'
140	T404 T405 T406	18.24' 11.47' 19.65'
141	T404 T405 T406	21.67' 16.47' 22.90'
142	T183 T184 T185	126.29' 168.67' 159.89'
143	T183 T184 T185	109.55' 162.13' 156.65'
144	T183 T184 T185	103.84' 152.23' 146.39'
145	T167 T168 T169	180.87' 69.98' 127.70'
146	T167 T168 T169	196.31' 73.21' 127.04'
147	T114 T115 T116	25.93' 37.12' 68.96'
148	T180 T181 T182	105.60' 15.59' 37.95'
149	T180 T181 T182	105.93' 18.38' 41.33'
400	T170 T171 T400	14.88' 75.79' 114.28'
401	T170 T171 T400	24.87' 79.27' 120.04'
402	T170 T171 T172	66.39' 33.95' 81.98'
403	T170 T171 T172	63.27' 24.61' 74.74'

LEGEND

- SECTION LINE
- QUARTER SECTION LINE
- QUARTER, QUARTER SECTION LINE
- PLATTED LOT LINES
- P — PROPERTY (DEED) LINE
- APL — APPARENT PROPERTY LINE
- EXISTING CENTERLINE
- PROPOSED CENTERLINE
- EXISTING RIGHT OF WAY LINE
- PROPOSED RIGHT OF WAY LINE
- PROPOSED EASEMENT
- 129.32' MEASURED DIMENSION
- 129.32' (COMP) COMPUTED DIMENSION
- (129.32') RECORDED DIMENSION
- EXISTING BUILDING

N

NO SCALE

9 10 16 15 SECTION CORNER

16 15 QUARTER SECTION CORNER

- ○ IRON PIPE OR ROD FOUND
- + CUT CROSS FOUND OR SET
- ⊕ "MAG" NAIL SET
- ● 5/8" REBAR SET
- • T1 T2 T3 **THESE STAKES REFERENCE FOUND OR SET MONUMENTATION.** SET 5/8 INCH IRON ROD FLUSH WITH GROUND TO TIE FOUND IRON STAKE IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYOR'S REGISTRATION NUMBER.
- • BT1 BT2 BT3 **THESE STAKES, IN CULTIVATED AREAS, REFERENCE FOUND OR SET MONUMENTATION.** BURIED 5/8 INCH IRON ROD 20 INCHES BELOW GROUND TO TIE FOUND IRON STAKE. IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYOR'S REGISTRATION NUMBER.
- ■ **STAKING OF PROPOSED RIGHT OF WAY.** SET DIVISION OF HIGHWAYS SURVEY MARKER TO MONUMENT THE POSITION SHOWN. IDENTIFIED BY INSCRIPTION DATA AND SURVEYOR'S REGISTRATION NUMBER.
- ■ M **STAKING OF PROPOSED RIGHT OF WAY IN CULTIVATED AREAS.** BURIED 5/8 INCH METAL ROD 20 INCHES BELOW GROUND TO MARK FUTURE SURVEY MARKER POSITION IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYOR'S REGISTRATION NUMBER.
- ◒ PERMANENT SURVEY MARKER, I.D.O.T. STANDARD 2135 (TO BE SET BY OTHERS)
- □ RIGHT OF WAY STAKING PROPOSED TO BE SET

STATE OF ILLINOIS)
)SS
COUNTY OF KANE)

THIS IS TO CERTIFY THAT I, CHRIS E. PETERSON, AN ILLINOIS PROFESSIONAL LAND SURVEYOR, HAVE SURVEYED THE PLAT OF HIGHWAYS SHOWN HEREON, THAT THE SURVEY IS TRUE AND COMPLETE AS SHOWN TO THE BEST OF MY KNOWLEDGE AND BELIEF, THAT THE PLAT CORRECTLY REPRESENTS SAID SURVEY, THAT ALL MONUMENTS FOUND AND ESTABLISHED ARE OF PERMANENT QUALITY AND OCCUPY THE POSITIONS SHOWN THEREON AND THAT THE MONUMENTS ARE SUFFICIENT TO ENABLE THE SURVEY TO BE RETRACED, MADE FOR THE DEPARTMENT OF TRANSPORTATION, STATE OF ILLINOIS.

DATED AT SUGAR GROVE, ILLINOIS THIS DAY OF 2012 A.D.

ILLINOIS PROFESSIONAL LAND SURVEYOR NO. 3678
LICENSE EXPIRATION DATE: 11-30-2012
THIS PROFESSIONAL SERVICE CONFORMS TO THE CURRENT ILLINOIS MINIMUM STANDARDS FOR A BOUNDARY SURVEY.

CHRIS E. PETERSON 035-003678 PROFESSIONAL LAND SURVEYOR SUGAR GROVE STATE OF ILLINOIS

ENGINEERING ENTERPRISES, INC.
CONSULTING ENGINEERS & LAND SURVEYORS
52 WHEELER ROAD
SUGAR GROVE, ILLINOIS 60554
PH. (630-466-6700 / www.eeiweb.com

RECEIVED
JUN 26 2012
PLATS & LEGALS

PLAT OF HIGHWAYS

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION

US ROUTE 6 / IL ROUTE 7 (159th ST.)

LIMITS: WILL COOK RD. TO US 45	COUNTY: COOK
PROJECT: 159th	JOB NO.: R-90-028-11
STATION	TO STATION
SCALE: 1"=50'	SHEET 22 OF 26

BUREAU OF LAND ACQUISITION
201 WEST CENTER COURT
SCHAUMBURG, ILLINOIS 60196

REVISION DATE: JUNE 26, 2012 H:/SDSKProj/ID1003-F/Dgn Survey/plat of highway MADE BY: CEP

COUNTY: JOB NO.: RECORDING: RECORDED ON

SURVEY TIES



SCHEDULE OF TIES		
PT. # □	TIE # T	TIE DISTANCE (FEET)
156	T189 T190 T191	162.02' 193.12' 12.73'
157	T190 T193 T194	324.98' 12.42' 15.20'
158	T190 T193 T194	320.32' 2.62' 5.20'
159	T195 T196 T197	0.45' 10.30' 47.40'
160	T198 T199 T200	72.99' 118.96' 79.74'
161	T198 T199 T200	67.14' 107.93' 53.29'
162	T201 T202 T203	1.00' 13.79' 3.85'
169	T222 T223 T225	21.09' 185.62' 190.27'
170	T222 T223 T225	25.07' 186.17' 195.27'
171	T223 T224 T226	117.60' 29.11' 233.99'
172	T223 T224 T226	119.99' 37.74' 242.47'
173	T227 T228 T229	59.35' 37.50' 24.18'
174	T227 T228 T229	47.95' 54.29' 76.31'
180	T201 T202 T203	14.00' 19.44' 15.66'
181	T204 T205 T206	61.80' 82.75' 31.17'
182	T205 T206 T207	74.36' 65.57' 0.47'
185	T208 T209 T210	1.10' 80.32' 111.38'
186	T209 T210 T211	105.42' 83.41' 12.19'

SCHEDULE OF TIES		
PT. # □	TIE # T	TIE DISTANCE (FEET)
187	T209 T210 T211	107.68' 86.38' 13.82'
188	T212 T214 T215	27.34' 100.22' 106.84'
189	T212 T214 T215	26.51' 98.26' 104.96'
190	T213 T214 T215	1.2' 116.46' 99.05'
200	T216 T217 T218	17.19' 13.06 31.43'
201	T216 T217 T218	20.90' 37.84' 39.63'
202	T216 T217 T218	19.57' 36.43' 35.98'
203	T219 T220 T221	174.01' 154.81' 14.16'
204	T219 T220 T221	33.05' 46.63' 164.40'
300	T230 T231	95.74' 236.30'
301	T232 T233 T234	29.61' 68.92' 37.33'
302	T235 T236 T237	73.07' 50.95' 40.96'
303	T235 T236 T237	80.90' 53.81' 44.50'
304	T235 T236 T237	145.33' 133.46' 123.35'
304	T235 T236 T237	172.29' 148.44' 139.45'









LEGEND

- SECTION LINE
- QUARTER SECTION LINE
- QUARTER, QUARTER SECTION LINE
- PLATTED LOT LINES
- PROPERTY (DEED) LINE
- APPARENT PROPERTY LINE
- EXISTING CENTERLINE
- PROPOSED CENTERLINE
- EXISTING RIGHT OF WAY LINE
- PROPOSED RIGHT OF WAY LINE
- PROPOSED EASEMENT
- 129.32' MEASURED DIMENSION
- 129.32' (COMP) COMPUTED DIMENSION
- (129.32') RECORDED DIMENSION
- EXISTING BUILDING

N

NO SCALE

9 10 16 15 SECTION CORNER

16 15 QUARTER SECTION CORNER

- ○ IRON PIPE OR ROD FOUND
- ⊕ "MAG" NAIL SET
- + CUT CROSS FOUND OR SET
- ● 5/8" REBAR SET
- ● T1 T2 T3 THESE STAKES REFERENCE FOUND OR SET MONUMENTATION. SET 5/8 INCH IRON ROD FLUSH WITH GROUND TO TIE FOUND IRON STAKE IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYOR'S REGISTRATION NUMBER.
- • BT1 BT2 BT3 THESE STAKES, IN CULTIVATED AREAS, REFERENCE FOUND OR SET MONUMENTATION. BURIED 5/8 INCH IRON ROD 20 INCHES BELOW GROUND TO TIE FOUND IRON STAKE. IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYOR'S REGISTRATION NUMBER.
- ■ STAKING OF PROPOSED RIGHT OF WAY. SET DIVISION OF HIGHWAYS SURVEY MARKER TO MONUMENT THE POSITION SHOWN. IDENTIFIED BY INSCRIPTION DATA AND SURVEYOR'S REGISTRATION NUMBER.
- ■ M STAKING OF PROPOSED RIGHT OF WAY IN CULTIVATED AREAS. BURIED 5/8 INCH METAL ROD 20 INCHES BELOW GROUND TO MARK FUTURE SURVEY MARKER POSITION IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYOR'S REGISTRATION NUMBER.
- ◓ PERMANENT SURVEY MARKER, I.D.O.T. STANDARD 2135 (TO BE SET BY OTHERS)
- □ RIGHT OF WAY STAKING PROPOSED TO BE SET

STATE OF ILLINOIS)
)SS
COUNTY OF KANE)

THIS IS TO CERTIFY THAT I, CHRIS E. PETERSON, AN ILLINOIS PROFESSIONAL LAND SURVEYOR, HAVE SURVEYED THE PLAT OF HIGHWAYS SHOWN HEREON, THAT THE SURVEY IS TRUE AND COMPLETE AS SHOWN TO THE BEST OF MY KNOWLEDGE AND BELIEF, THAT THE PLAT CORRECTLY REPRESENTS SAID SURVEY, THAT ALL MONUMENTS FOUND AND ESTABLISHED ARE OF PERMANENT QUALITY AND OCCUPY THE POSITIONS SHOWN THEREON AND THAT THE MONUMENTS ARE SUFFICIENT TO ENABLE THE SURVEY TO BE RETRACED, MADE FOR THE DEPARTMENT OF TRANSPORTATION, STATE OF ILLINOIS.

DATED AT SUGAR GROVE, ILLINOIS THIS DAY OF 2013 A.D.

ILLINOIS PROFESSIONAL LAND SURVEYOR NO. 3678
LICENSE EXPIRATION DATE: 11-30-2014
THIS PROFESSIONAL SERVICE CONFORMS TO THE CURRENT ILLINOIS MINIMUM STANDARDS FOR A BOUNDARY SURVEY.

CHRIS E. PETERSON 035-003678 PROFESSIONAL LAND SURVEYOR SUGAR GROVE STATE OF ILLINOIS

ENGINEERING ENTERPRISES, INC.
CONSULTING ENGINEERS & LAND SURVEYORS
52 WHEELER ROAD
SUGAR GROVE, ILLINOIS 60554
PH. (630-466-6700 / www.eeiweb.com

RECEIVED
APR 01 2013
PLATS & LEGALS

PLAT OF HIGHWAYS

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION

US ROUTE 6 / IL ROUTE 7 (159th ST.)

LIMITS: WILL COOK RD. TO US 45	COUNTY: COOK
PROJECT: 159th	JOB NO.: R-90-028-11
STATION	TO STATION
SCALE: 1"=50'	SHEET 23 OF 26

BUREAU OF LAND ACQUISITION
201 WEST CENTER COURT
SCHAUMBURG, ILLINOIS 60196

REVISION DATE: MARCH 29, 2013 H:/SDSKProj/ID1003-F/Dgn Survey/plat of highway MADE BY: CEP

COUNTY: JOB NO.: RECORDING: RECORDED ON

SURVEY TIES



SCHEDULE OF TIES		
PT. #	TIE # T	TIE DISTANCE (FEET)
205	T238	190.22'
	T239	188.36'
	T240	34.61'
206	T238	190.71'
	T239	190.14'
	T240	40.52'
207	T100	122.60'
	T101	127.28'
	T241	12.05'
208	T100	122.87'
	T101	130.61'
	T241	22.05'
209	T100	14.06'
	T101	49.57'
	T241	136.07'
210	T100	14.97'
	T101	50.98'
	T241	136.31'
211	T98	267.21'
	T99	173.91'
	T100	75.65'
212	T247	153.20'
	T248	78.19'
	T249	35.08'
213	T247	34.98'
	T248	87.53'
	T249	154.56'

SCHEDULE OF TIES		
PT. #	TIE # T	TIE DISTANCE (FEET)
214	T250	127.32'
	T251	52.33'
	T252	66.90
215	T250	65.87'
	T251	43.34'
	T252	127.04'
216	T280	20.55'
	T281	27.76'
	T282	31.71'
225	T98	262.22'
	T99	162.64'
	T100	72.28'
228	T95	384.45'
	T96	163.72'
	T97	260.03'
229	T253	64.91'
	T254	34.41'
	T255	12.4'
230	T244	41.20'
	T245	20.48'
	T246	37.35'
231	T244	53.80'
	T245	35.48'
	T246	46.12'
235	T254	91.45
	T255	64.15'
	T256	13.98'
238	T257	43.77'
	T258	120.29'
	T259	144.59'
239	T257	162.04'
	T258	102.95'
	T259	97.29'

SCHEDULE OF TIES		
PT. #	TIE # T	TIE DISTANCE (FEET)
240	T260	92.59'
	T261	143.64'
	T270	16.19'
241	T260	83.33'
	T261	43.34'
	T270	175.68'
244	T132	36.64'
	T133	37.16'
	T134	134.72'
245	T132	34.97'
	T133	32.77'
	T134	132.05'
246	T132	18.77'
	T133	43.43'
	T134	92.89'
247	T132	24.46'
	T133	47.72'
	T134	84.29'
248	T132	82.96'
	T133	96.02'
	T134	33.53'
253	T257	34.94'
	T258	96.41'
	T259	118.97'
262	T135	57.26'
	T136	74.20'
	T137	83.48'
263	T135	118.94'
	T136	41.70'
	T137	22.39'



LEGEND

- SECTION LINE
- QUARTER SECTION LINE
- QUARTER, QUARTER SECTION LINE
- PLATTED LOT LINES
- ℄ PROPERTY (DEED) LINE
- APL APPARENT PROPERTY LINE
- EXISTING CENTERLINE
- PROPOSED CENTERLINE
- EXISTING RIGHT OF WAY LINE
- PROPOSED RIGHT OF WAY LINE
- PROPOSED EASEMENT
- 129.32' MEASURED DIMENSION
- 129.32' (COMP) COMPUTED DIMENSION
- (129.32') RECORDED DIMENSION
- EXISTING BUILDING

N

NO SCALE

9 10 16 15 SECTION CORNER

16 QUARTER 15 SECTION CORNER

- ○ IRON PIPE OR ROD FOUND
- ⊕ "MAG" NAIL SET
- \+ CUT CROSS FOUND OR SET
- ● 5/8" REBAR SET
- ● T1 T2 T3 THESE STAKES REFERENCE FOUND OR SET MONUMENTATION. SET 5/8 INCH IRON ROD FLUSH WITH GROUND TO TIE FOUND IRON STAKE IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYOR'S REGISTRATION NUMBER.
- • BT1 BT2 BT3 THESE STAKES, IN CULTIVATED AREAS, REFERENCE FOUND OR SET MONUMENTATION. BURIED 5/8 INCH IRON ROD 20 INCHES BELOW GROUND TO TIE FOUND IRON STAKE. IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYOR'S REGISTRATION NUMBER.
- ■ STAKING OF PROPOSED RIGHT OF WAY. SET DIVISION OF HIGHWAYS SURVEY MARKER TO MONUMENT THE POSITION SHOWN. IDENTIFIED BY INSCRIPTION DATA AND SURVEYOR'S REGISTRATION NUMBER.
- ■ M STAKING OF PROPOSED RIGHT OF WAY IN CULTIVATED AREAS. BURIED 5/8 INCH METAL ROD 20 INCHES BELOW GROUND TO MARK FUTURE SURVEY MARKER POSITION IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYOR'S REGISTRATION NUMBER.
- ◔ PERMANENT SURVEY MARKER, I.D.O.T. STANDARD 2135 (TO BE SET BY OTHERS)
- □ RIGHT OF WAY STAKING PROPOSED TO BE SET

STATE OF ILLINOIS)
)SS
COUNTY OF KANE)

THIS IS TO CERTIFY THAT I, CHRIS E. PETERSON, AN ILLINOIS PROFESSIONAL LAND SURVEYOR, HAVE SURVEYED THE PLAT OF HIGHWAYS SHOWN HEREON, THAT THE SURVEY IS TRUE AND COMPLETE AS SHOWN TO THE BEST OF MY KNOWLEDGE AND BELIEF, THAT THE PLAT CORRECTLY REPRESENTS SAID SURVEY, THAT ALL MONUMENTS FOUND AND ESTABLISHED ARE OF PERMANENT QUALITY AND OCCUPY THE POSITIONS SHOWN THEREON AND THAT THE MONUMENTS ARE SUFFICIENT TO ENABLE THE SURVEY TO BE RETRACED, MADE FOR THE DEPARTMENT OF TRANSPORTATION, STATE OF ILLINOIS.

DATED AT SUGAR GROVE, ILLINOIS THIS DAY OF 2013 A.D.

ILLINOIS PROFESSIONAL LAND SURVEYOR NO. 3678
LICENSE EXPIRATION DATE: 11-30-2014
THIS PROFESSIONAL SERVICE CONFORMS TO THE CURRENT ILLINOIS MINIMUM STANDARDS FOR A BOUNDARY SURVEY.

CHRIS E. PETERSON 035-003678 PROFESSIONAL LAND SURVEYOR SUGAR GROVE, STATE OF ILLINOIS

ENGINEERING ENTERPRISES, INC.
CONSULTING ENGINEERS & LAND SURVEYORS
52 WHEELER ROAD
SUGAR GROVE, ILLINOIS 60554
PH. (630-466-6700 / www.eeiweb.com

RECEIVED
APR 08 2013
PLATS & LEGALS

PLAT OF HIGHWAYS

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION

US ROUTE 6 / IL ROUTE 7 (159th ST.)

LIMITS: WILL COOK RD. TO US 45	COUNTY: COOK
PROJECT: 159th	JOB NO.: R-90-028-11
STATION	TO STATION
SCALE: 1"=50'	SHEET 24 OF 26

BUREAU OF LAND ACQUISITION
201 WEST CENTER COURT
SCHAUMBURG, ILLINOIS 60196

REVISION DATE: APRIL 8, 2013 H:/SDSKProj/ID1003-F/Dgn Survey/plat of highway MADE BY: CEP

COUNTY: JOB NO.: RECORDING: RECORDED ON

SURVEY TIES



SCHEDULE OF TIES		
PT. ▪ □	TIE ▪ T	TIE DISTANCE (FEET)
264	T262 T263 T264	52.71' 29.18' 92.57'
265	T262 T263 T264	60.92' 33.71' 95.65'
270	T265 T266 T267	12.29' 96.77' 85.63'
281	T92 T93 T94	192.05' 58.70' 89.46'
282	T89 T90 T91	43.84' 63.36' 191.91'
283	T89 T90 T91	60.52' 53.55' 136.7'

LEGEND

- SECTION LINE
- QUARTER SECTION LINE
- QUARTER, QUARTER SECTION LINE
- PLATTED LOT LINES
- PROPERTY (DEED) LINE (E)
- APPARENT PROPERTY LINE (APL)
- EXISTING CENTERLINE
- PROPOSED CENTERLINE
- EXISTING RIGHT OF WAY LINE
- PROPOSED RIGHT OF WAY LINE
- PROPOSED EASEMENT
- 129.32' MEASURED DIMENSION
- 129.32' (COMP) COMPUTED DIMENSION
- (129.32') RECORDED DIMENSION
- EXISTING BUILDING

N

NO SCALE

9 10 16 15 SECTION CORNER

16 15 QUARTER SECTION CORNER

- ○ IRON PIPE OR ROD FOUND
- ⊕ "MAG" NAIL SET
- \+ CUT CROSS FOUND OR SET
- ● 5/8" REBAR SET
- • T1 T2 T3 THESE STAKES REFERENCE FOUND OR SET MONUMENTATION. SET 5/8 INCH IRON ROD FLUSH WITH GROUND TO TIE FOUND IRON STAKE IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYOR'S REGISTRATION NUMBER.
- • BT1 BT2 BT3 THESE STAKES, IN CULTIVATED AREAS, REFERENCE FOUND OR SET MONUMENTATION. BURIED 5/8 INCH IRON ROD 20 INCHES BELOW GROUND TO TIE FOUND IRON STAKE. IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYOR'S REGISTRATION NUMBER.
- ■ STAKING OF PROPOSED RIGHT OF WAY. SET DIVISION OF HIGHWAYS SURVEY MARKER TO MONUMENT THE POSITION SHOWN. IDENTIFIED BY INSCRIPTION DATA AND SURVEYOR'S REGISTRATION NUMBER.
- ■ M STAKING OF PROPOSED RIGHT OF WAY IN CULTIVATED AREAS. BURIED 5/8 INCH METAL ROD 20 INCHES BELOW GROUND TO MARK FUTURE SURVEY MARKER POSITION IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYOR'S REGISTRATION NUMBER.
- ◒ PERMANENT SURVEY MARKER, I.D.O.T. STANDARD 2135 (TO BE SET BY OTHERS)
- □ RIGHT OF WAY STAKING PROPOSED TO BE SET

STATE OF ILLINOIS)
)SS
COUNTY OF KANE)

THIS IS TO CERTIFY THAT I, CHRIS E. PETERSON, AN ILLINOIS PROFESSIONAL LAND SURVEYOR, HAVE SURVEYED THE PLAT OF HIGHWAYS SHOWN HEREON, THAT THE SURVEY IS TRUE AND COMPLETE AS SHOWN TO THE BEST OF MY KNOWLEDGE AND BELIEF, THAT THE PLAT CORRECTLY REPRESENTS SAID SURVEY, THAT ALL MONUMENTS FOUND AND ESTABLISHED ARE OF PERMANENT QUALITY AND OCCUPY THE POSITIONS SHOWN THEREON AND THAT THE MONUMENTS ARE SUFFICIENT TO ENABLE THE SURVEY TO BE RETRACED, MADE FOR THE DEPARTMENT OF TRANSPORTATION, STATE OF ILLINOIS.

DATED AT SUGAR GROVE, ILLINOIS THIS DAY OF 2012 A.D.

ILLINOIS PROFESSIONAL LAND SURVEYOR NO. 3678
LICENSE EXPIRATION DATE: 11-30-2012
THIS PROFESSIONAL SERVICE CONFORMS TO THE CURRENT ILLINOIS MINIMUM STANDARDS FOR A BOUNDARY SURVEY.

CHRIS E. PETERSON 035-003678 PROFESSIONAL LAND SURVEYOR SUGAR GROVE STATE OF ILLINOIS

ENGINEERING ENTERPRISES, INC.
CONSULTING ENGINEERS & LAND SURVEYORS
52 WHEELER ROAD
SUGAR GROVE, ILLINOIS 60554
PH. (630-466-6700 / www.eeiweb.com

RECEIVED
MAR 08 2013
PLATS & LEGALS

PLAT OF HIGHWAYS

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION

US ROUTE 6 / IL ROUTE 7 (159th ST.)

LIMITS: WILL COOK RD. TO US 45	COUNTY: COOK
PROJECT: 159th	JOB NO.: R-90-028-11
STATION	TO STATION
SCALE: 1"=50'	SHEET 25 OF 26

BUREAU OF LAND ACQUISITION
201 WEST CENTER COURT
SCHAUMBURG, ILLINOIS 60196

REVISION DATE: | H:/SDSKProj/ID1003-F/Dgn Survey/plat of highway | MADE BY: CEP

COUNTY: | JOB NO.: | RECORDING: RECORDED ON

PART OF SECTIONS 16, 17, 18, 19, 20 & 21, TWP. 36 N., R.12 E. OF THE 3RD. P.M., IN COOK COUNTY, ILLINOIS.



SECTION LINE
QUARTER SECTION LINE
QUARTER, QUARTER SECTION LINE
PLATTED LOT LINES
P PROPERTY (DEED) LINE
APL APPARENT PROPERTY LINE
EXISTING CENTERLINE
PROPOSED CENTERLINE
EXISTING RIGHT OF WAY LINE
PROPOSED RIGHT OF WAY LINE
PROPOSED EASEMENT
129.32' MEASURED DIMENSION
129.32' (COMP) COMPUTED DIMENSION
(129.32') RECORDED DIMENSION
EXISTING BUILDING

GRAPHIC SCALE FEET
0 800
SCALE: 1" = 800

N

LEGEND

SECTION CORNER (9 10 16 15)
16 15 QUARTER SECTION CORNER

○ IRON PIPE OR ROD FOUND
⊕ "MAG" NAIL SET
\+ CUT CROSS FOUND OR SET
● 5/8" REBAR SET

● T1 T2 T3 **THESE STAKES REFERENCE FOUND OR SET MONUMENTATION.** SET 5/8 INCH IRON ROD FLUSH WITH GROUND TO TIE FOUND IRON STAKE IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYOR'S REGISTRATION NUMBER.

● BT1 BT2 BT3 **THESE STAKES, IN CULTIVATED AREAS, REFERENCE FOUND OR SET MONUMENTATION.** BURIED 5/8 INCH IRON ROD 20 INCHES BELOW GROUND TO TIE FOUND IRON STAKE. IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYOR'S REGISTRATION NUMBER.

■ **STAKING OF PROPOSED RIGHT OF WAY.** SET DIVISION OF HIGHWAYS SURVEY MARKER TO MONUMENT THE POSITION SHOWN. IDENTIFIED BY INSCRIPTION DATA AND SURVEYOR'S REGISTRATION NUMBER.

■ M **STAKING OF PROPOSED RIGHT OF WAY IN CULTIVATED AREAS.** BURIED 5/8 INCH METAL ROD 20 INCHES BELOW GROUND TO MARK FUTURE SURVEY MARKER POSITION IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYOR'S REGISTRATION NUMBER.

PERMANENT SURVEY MARKER, I.D.O.T. STANDARD 2135 (TO BE SET BY OTHERS)

□ RIGHT OF WAY STAKING PROPOSED TO BE SET

STATE OF ILLINOIS)
)SS
COUNTY OF KANE)

THIS IS TO CERTIFY THAT I, CHRIS E. PETERSON, AN ILLINOIS PROFESSIONAL LAND SURVEYOR, HAVE SURVEYED THE PLAT OF HIGHWAYS SHOWN HEREON IN SECTIONS 16, 17, 18, 19, 20 & 21, TOWNSHIP 36 NORTH, RANGE 12 EAST OF THE THIRD PRINCIPAL MERIDIAN, COOK COUNTY, THAT THE SURVEY IS TRUE AND COMPLETE AS SHOWN TO THE BEST OF MY KNOWLEDGE AND BELIEF, THAT THE PLAT CORRECTLY REPRESENTS SAID SURVEY, THAT ALL MONUMENTS FOUND AND ESTABLISHED ARE OF PERMANENT QUALITY AND OCCUPY THE POSITIONS SHOWN THEREON AND THAT THE MONUMENTS ARE SUFFICIENT TO ENABLE THE SURVEY TO BE RETRACED, MADE FOR THE DEPARTMENT OF TRANSPORTATION, STATE OF ILLINOIS.

DATED AT SUGAR GROVE, ILLINOIS THIS DAY OF 2012 A.D.

ILLINOIS PROFESSIONAL LAND SURVEYOR NO. 3678
LICENSE EXPIRATION DATE: 11-30-2012

THIS PROFESSIONAL SERVICE CONFORMS TO THE CURRENT ILLINOIS MINIMUM STANDARDS FOR A BOUNDARY SURVEY.

CHRIS E. PETERSON 035-003678 PROFESSIONAL LAND SURVEYOR SUGAR GROVE STATE OF ILLINOIS

Coordinates are referenced to the Illinois State Plane Coordinate System, NAD83, East Zone, Listed coordinates are on the ground. All measured and calculated distances are on the ground.
combined scale factor = 0.99996258
To obtain State Plane grid coordinates, multiply the Northing by scale factor (0.99996258) then add 67.19'.
Multiply Easting by scale factor (0.99996258) then add 41.39'.







RECEIVED
APR 16 2012
PLATS & LEGALS

ENGINEERING ENTERPRISES, INC.
CONSULTING ENGINEERS & LAND SURVEYORS
52 WHEELER ROAD
SUGAR GROVE, ILLINOIS 60554
PH. (630-466-6700 / www.eeiweb.com

PLAT OF HIGHWAYS

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION
US ROUTE 6 / IL ROUTE 7 (159th ST.)

LIMITS: WILL COOK RD. TO US 45 — COUNTY: COOK
PROJECT: 159th — JOB NO.: R90-028-11
STATION — TO STATION
SCALE: 1"=800' — SHEET 26 OF 26

BUREAU OF LAND ACQUISITION
201 WEST CENTER COURT
SCHAUMBURG, ILLINOIS 60196

COUNTY: JOB NO.: RECORDING: RECORDED ON